Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

V.
TORNA-
MIRA cla-
rificatorium
in IX RHAS:

CL III
P 3
Tor

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

23.B.7.1.17.
MAG. MSS.
Cl III
P.
Tor

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

To. T.

Incipit clarificatoriũ iohãnis de tornamira super nono almãsoris cũ textu ipsius Rasis.

CHOST · VA · IL MONDO

BIBLIOTECA NAZIONALE 1872 FIRENZE

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

¶ Incipit clarificatoriũ Johis de tornamira de
cani p̄clari studij mōtispessulāi. i speclatōe cura
tōis morboꝝ cũ cura breui ⁊ electa eorūdē stādo
magis sup remedijs raf posit̄ i toto ꝯtinēte. Cũ pꝰ
ypo. ⁊ Ga. teneat p̄ncipatũ: a capite vsq; ad pedes
ꝑ ordinē ꝓcedēᵒ ⁊ capitulando, put ipe Raf ca
pitulat in. ix. almāsoris cũ textu ipiꝰ noni cũ ibi sua
spālia posuerit vt inqt ille bonꝰ Guido de caulia
co i cᵒ. singulari sui collectorij, addā tñ. xx. capiª.
in q̄b; fm diuersas ꝑtes corꝑis cũ laude dei. Qui
virtutem mihi largiri dignatus est: hoc opuscu-
lum cōponendi anno. xix. mei ordinarij.

Eus me puulũ ab errore eximat ⁊ ipius luie oclos ibecilles mihi illuminare dignet̄ volenti clari-
ficare ea q̄ sunt maiora ⁊ magis ꝓpria
ymo necessaria i speculatōe curatōis morboꝝ ⁊ i
cura electa eorūdē vt cognoscere cuius ꝑticle do
lor capit̄ l' pectoralũ sit paᵒ p̄ncipal'r descptie lo
quēdo ⁊ sic de alijs doloribus et passionibꝰ mē-
broꝝ iuestigādo ⁊ si ē ꝑ se puta. de cā ꝑuata vl' ꝑ
colligātiā: l' cꝰ mēˡ colligaª. ⁊ q̄s morbꝰ ē i gñe ⁊
i spē ⁊ cuiꝰ v̄tutis sit nocumētū p̄ncipal'r. Et cuiꝰ
v̄tutis sit passio p̄ncipal'r Et sic cura gñalis ⁊ ꝓpa
cognoscit̄. vt dicit Gaꝰ. 3ᵒ. de iteriorib;. cᵒ. pᵒ. cir
ca fine. Et subdit in l'ra: q̄ q̄ recte ⁊ artificial'r a-
gere vult in morbis curam exercēdo talia p̄scire
oz. Idē dicit in ꝓcessu totiꝰ libri de iteriorib; im
probādo plies archigenē. q2 ad talia nō aduerte
bat ꝓpter qd̄ in cura morboꝝ artificial'r ñ ꝓcede
bat. q2 ꝑticle mādāti p̄mo ē succurrēdũ. 2ᵒ ꝑticle
egre ⁊ v̄tutib; p̄ncipal'r lesis, vt declarat Gaꝰ. in
toᵒ ꝓcessu ipiꝰ libri, ꝓpt̄ qd̄ nō merebat̄ dici cura
tor egritudinũ: ſ tribulator corꝑoꝝ hũanoꝝ. qua
ꝓpter summũ deũ oipotētē hũiliter imploremꝰ
vt menti mee dat has q̄nq; res in cura morborũ
necessarias bñ clarificare ⁊ ipius scie curatie bre
uis ⁊ electe magnitudinēq; solidā ⁊ ꝑfectā eius
notitiā. q2 ipe est rerũ magister trinus ⁊ vnus in
seculoꝝ secula bñdictus. amen.

¶ Capitulũ primũ de cephalea ⁊ emigranea et
de eorũ cura.

Uando rubedo ⁊ tēsio ⁊ grauedo in
facie ⁊ oculis cũ
istis affuerit ⁊ ta
ctus calidus sētit̄
Et plꝰ fuerit ma
gnus ex cephalica faciēda est flobo
thomia i ꝑte in q̄ est dolor vl' i q̄ do
lor magis infestat. Deinde aq̄ ro-
sata ⁊ oleũ rosatũ ⁊ acetũ sumant̄ ⁊
sil' mixta agitētur donec ispissent̄ ⁊
sup niuē ifrigidata sup caput fun-
dant̄. Eger vo a carne abstineat ⁊
a vino ⁊ comedat adessiā citrina ⁊
tapsil ⁊ olera frigida ac fructꝰ frigi
dos Uēter aũt soluat̄ ex mirabola
nis citrinis ⁊ prunis ac tamarīdis
⁊ zuccaro albissimo. Qd̄ si ista non
suffecerit feia maluauisci i aceto po
sita agitētur quousq; ad spissitudi
nē ꝑueniāt ex q̄bus emplm capiti
supponat̄. Ex psillio quoq; et aceto
emplm fieri vtile ē. Si aũt cũ istis
fuerit ipulsu velocitas ⁊ i tactu sen
tit̄ calitas ſ3 neq; i facie neq; i ocu
lis fuerit rubedo neq; tēsio i p̄nci-
pio soluat̄ vēter. Deiñ fiāt ea q̄ di
ximus. naribꝰ aũt iniciat̄ oleũ vio
laceũ aut oleũ cucurbite dulcis aut
oleũ nenufaris aut oleũ de florib;
salicis quoꝝ q̄dlibet sup niuē ifratũ
capiti supfundat̄ ⁊ nutriat̄ vt' pre-
diximꝰ. Eger vo odoret cāphorā ⁊
aquā rosatā ⁊ salices ⁊ violas ⁊ his
silia. Qd̄ si egritudo multũ iuale-
scat sumat̄ opiũ ⁊ cāphore vniuscu-
iusq; q̄tũ pōderāt duo gña ordei
q̄ dissoluta i oleo de salicib; mittā-
tur i nares ⁊ aures. Qd̄ si cũ soda
nō fuerit aliq̄d eoꝝ q̄ diximꝰ de ru
bedine i facie fueritq; egritudo an
tiqua i p̄ncipio vēter cũ pillulis co

Somnum m
[illegible]

psiliu

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

chiis soluat᷑ q̃s ego feci. Pill'e co-
chie. ℞. pulueris pigre. ʒ. io. col o-
q̃ntide. ʒ. iii. ⁊ tertiaȝ scamonee. ʒ.
ii. ⁊ semis turbith sticados. ana. ʒ.
v. fiāt pillule ex istis et sit doses. io.
Postq̄ vo vēter solut⁹ fuerit ifū-
dat᷑ caput ex oleo sambacino ⁊ ol'o
de been ⁊ mittat᷑ in aures. Eger q̃
odoret algariā ⁊ isufflet᷑ muscus in
narib⁹. Qđ si egritudo mlt'ū ifesta
uerit sumat᷑ euforbiū ⁊ castorei am
boꝝ ana sexta ps. ʒ. i. Et dissoluta
in pauco sambacino mittat᷑ in na-
res ⁊ aurē. In cephalea vo cal'a em
plastrū hoc fronti ⁊ tīporib⁹ ē ipo-
nēdū. Empl'z i cephalea cal'a. ℞.
semis lactucaꝝ scief memithe san-
dalū albū ⁊ rubeū sansel rosas opiū
fiat ex eis empl'm postq̄ aceto ⁊ aq̄
rosata cōspsa fuerit et frōti iponat᷑
sup qđ mittat᷑ pānus aceto ⁊ aqua
rosata ifusus. Qui cū tepefact⁹ fu
erit iterū ifundat᷑ ⁊ desup ponatur
linimētū vo cephalice frigide: ℞.
castoreū euforbiū piper sinapis sto
racem rutā narubiū q̄ siccata ⁊ pul
uerizata ⁊ tricocinta misceant᷑ ⁊ cō-
spergant᷑ vino veteri ex q̄b⁹ fiāt tro
cisci ⁊ desiccēt᷑. Cūq̄ necesse fuerit
ex vno i vino veteri aut oleo costi-
no aut camomelio dissoluto frōs
multotiens liniatur. Hoc em̄ lini-
mētū omniantiq̄ cephalee cōfert
nō solū suppositū sed etiā auri inie
ctū q̄sequit᷑ illud tīpus postq̄ i ali
quo de p̄dict' oleis resolutū fuerit.
Egro vo vinū vetus ⁊ forte dandū
est. Cū aūt cephalea p ebdomadā
vnā pseuerauerint eger in balneū
mittēdus est atq̄ sup caput ipius
aqua in qua camomilla ⁊ samsuc⁹
⁊ sticados arabicus et nemē cocta
fuerit sil' aut sigillatim fundēda ē.
Qđ si cephalica ⁊ quotidie añ cōesti
onē iuadat et p⁹ cōestionē recedat
succurrēdum est ifirmo añ horā q̄
venire cōsueuit dādo ei buccellas
panis i succo gnati aut vue acerbe
aut hoꝝ siliū ifusas. Si āt cepha
lea cōtingat ppt᷑ multā i sole morā
sufficiēter ex oleo rosato ⁊ aceto in
frigidat' curari poterit. Que tn̄ si
ex hoc nō q̄euerit ex aliis ifrigidā-
tib⁹ curāda erit. Si aūt adhuc soda
pseuerauerit ⁊ fortior fiat neq̄ vllo
modo remoueat᷑ ⁊ timeat᷑: ne eger
visum amittat ⁊ aqua ad ocl'os de-
scendat tīporū arterie sunt iscidē-
de et extrahēde. Hoc tn̄ qđ nūc loq̄
mur est preter nostrā intentioneȝ
in hoc libro.

E cephalea

glosa. i. de dolore in toto capite. de emigranea. i. de dolo
re in media pte capitis. ⁊ sic morb⁹
intellect⁹ describit᷑ nomie mēbri ⁊ accidentꝭ ipi⁹
morbi. q: cephas grece ideȝ ē q̄ caput latie. ⁊ lea
qđ ē dolor. sic p caput ⁊ eius dolorē describit᷑ pa°
intellecta. ¶ Sil'r emigr̄nea ab emi qđ est dimidi
um ⁊ granea qđ ē dolor capitis. sic a medio capi
tis ⁊ eius dolore describit᷑ passio intellecta. Maȝ
mos fuit helenorū noiare ⁊ describere morbos
q̄nq̄ mōis vt recitat G⁹. 2° de ingenio. in. 2° c°.
Interdū noie mēbri ⁊ accidēt' ipi⁹ morbi: puta
dolorꝭ: vt dictū ē. Interdū noie ipi⁹ mēbri tm̄: vt
sciatica a scia. Podagra a pedos grece qđ ē pes
latine. ⁊ sic de aliis. Interdū noie accidēt' descri
bit᷑ ipi⁹ morbi vt spasmos grece ē ɔctio latine, te

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

nasinon ɔstipatio. Interdū noīe sue cāe, vt melā morb⁹ a mīa hūore. īterdū a silitudie rei extrīse ce in aliq̄ ɔditōe: vt in elephan^a ab elephāte. q² est aial grossum ⁊ male formatū ⁊ inopꝛtunum Et spēs ip̄i⁹ lepꝛe sitr̄ noīe rei silis in cōditiōe vt leonina a leone. ⁊ sic de alijs spēbus. ¶ Dicēdū ꝙ ē ɔ doloꝛe capit̄ q̄ galea ouū ⁊ clau⁹ ꝛc. q̄ descri būtur ad silitudinē rerū extrinsece vt statim ɔcla rabit̄. ¶ Alteri⁹ nota ꝙ 4^{or} sunt noīa passionez totius capit̄ sig̃ntia puta cephalea: galea. soda ⁊ ouū. Et sunt tria noīa passiōem ptis capit̄ sig̃n^a: vt emig̃nea monopogya clau⁹: 3° de int̄i. in c°. 1 Ga⁹ vtitur hoc noīe cephalea ⁊ galea. dicit gale am. q: cōpꝛehēdit totū caput ad modū galee. sic noīat ad silitudinē rei extrinsece est passio totius capit̄ multū intensa. vr̄ eis ꝙ malleo ꝑcutiantur in capite. nō p̄nt sustinere clamoꝛes nec voces: vt recitat Ga⁹ ibidē. Rab vtit̄ hoc noīe cephalea: Aui. 3° can̄. vtit̄ hoc noīe soda ⁊ ouū ab ouo armoꝝ sic descꝛibunt passiones istas ad silitudinem rei extrinsece. ¶ Emigranea est passio medietat̄ ca pitis vt dictū est. Monopogia est passio 4^e ptis capitis. Clau⁹ est passio in pua parte capit̄. coīt ē tal' passio sup̄a oculū in supcilio. vr̄ eis ꝙ clauo seu terebello pfoꝛant̄. fit a ma^a acuta cū poꝛtiōe ventositat̄ interclusa in pellicula extioꝛ sup̄ cra neū dicta picraneū l' interioꝛ infra craneū vt de clarabitur. ¶ Alteri⁹ mag̃ nota ꝙ iste passiōes doloꝛose capit̄ dicte sunt poxismales 3° de interi oꝛibus ca° 1°. Et durat poxism⁹ coīt duobus aut trib⁹ dieb⁹. ⁊ post aliq̄n cōcomitante effimera vt p̄limū tanq̄ accn̄s. ⁊ fiūt poxismalr̄ alīn p septia nas septimanaꝝ vel mensiū: vt declarat Ga⁹ 2°. de creticis dieb⁹ circa finē: ⁊ mouetur p dies pa res vel ipares foꝛti⁹ s̄m ꝙ ma^a ē flātica vl' co lerica mouetur: q: flātica mouetur per dies pa res ⁊ colica p impares ex natura hūoꝝ ⁊ ex ɔue niētia mouētis puta nature cū moto: vt pōit auer rois. 3° collectoꝝ.

Primo tu queres cui⁹ ꝑticule capitis ce phalea ⁊ emig̃nea sit passio p̄n cipalr̄. Et sic q̄rit̄ de alijs passionib⁹ capit̄ sup̄a dictis. ¶ Soluit Ga⁹ 3° de interioꝛib⁹ circa finē libꝛi ca° ppꝛio: vbi dic̄ ꝙ nō est incertū imo certū ⁊ verū ꝙ nō patiūtur nisi pellicule cere¹ dura, m̄r pia mater vel ambe l' pellicule circūdantes cra neū. Et signū distinctiuū est ꝙ si pellicula coopiēs cerebꝛū patiat̄: tūc doloꝛ tendit vsq̄ ad oculos. Si aūt pellicl'a coopiēs craneū patiat̄ p̄ncipalr̄ tūc oculi n̄ dolēt. Et addit Ga⁹ ibidē. Et dicit ꝙ ip̄i in tāgendo pilos maxime dolent

Secūdo tu q̄res an cephalea: ⁊ sic de alijs passionib⁹ dictis sit pa° illaꝝ pelliculaꝝ p se vel per colligantiā ⁊ cui⁹ mē bꝛi colligātia. ¶ Dicendū ꝙ pōt esse p se vicio ce rebꝛi ⁊ pelliculaꝝ. vel p mēbꝛi aut mēbꝛoꝝ colli gantiā: qđ est vt p̄limū. Signū distinctiuū ad h̄ ē ꝑcessus vniformis ⁊ difformis poxisnoꝝ s̄m na turā tpoꝝ poxisini. nā q̄n est per se in pellicul'. tc poxism⁹ ꝑcedit vniformit̄ s̄m naturā poxismi au gmentando vsq̄ ad statū. Postea ɔtinue minui tur. Q̄n est per colligantiā est econtra. q: ꝑcedit diffoꝛmiter ⁊ n̄ s̄m naturā tempoꝝ poxismi. nam vsq̄ ad statum non continue pꝛocedit augmen tādo. imo aliq̄n i augmēto vel statu aliqualr̄ mi nuit̄ cōtra naturā tēpoꝝ poxis¹. Et hoc ē ex diuer so motu ma^tie rōne ptis mandātis. hoc declarat ga. 2. de int̄. c°. vltio. ¶ Aliud signū ē. querela ali cui⁹ mēbꝛi ab illo an̄ pox^m. ⁊ i hoc notificat̄ cu ius mēbꝛi colligātia: vt si venit a sto° patiēs h̄z q̄ relas de doloꝛe stoma¹ ante vel post vel i poxis°. Vn̄ dicit ga⁹. 3. de int̄. circa finē libꝛi sic. Qui vero q̄ patiūt̄ schotomiā ⁊ vtiginē ꝑpt̄ os sto¹: pꝛius incipiūt pati titillatōem in coꝛde ⁊ circa os sto¹ ⁊ abhoꝛatōem ⁊ sic de alijs mēbꝛis puta epatis splenis matricꝫ renuꝫ diafragmat̄. ⁊ si nō veniat ab aliquo mēbꝛo tūc nō erit q̄rela manifesta al teri⁹ mēbꝛi a cerebꝛo. Et sup̄ hoc nota p eu. ietia dicēdoꝛ in toto ꝑcessu ꝙ oīs moꝛb⁹ aut sp̄ ē p se in mēbꝛo. i. vitio ꝑpꝛo mēbꝛi. aut ē p colligātiam id ē vitio alteri⁹ mēbꝛi. Si fit vitio alteri⁹ mēbꝛi seu p colligātiā fiet dupl'r. p°. 2°. ⁊. 3°. de interio. i plurib⁹ locis. q: aut venit qđ venire nō dꝫ ad ip̄ sum mēbꝛū s̄m sui naturā: vt mal⁹ fum⁹ capnos⁹ stomachi ad cerebꝛū vel ad oculos vel hūoꝛ q̄t⁹ vel q̄lis ad oculos vel ad aliud mēbꝛuꝫ vltra sui naturā. aut q: non venit qđ venire debet ad ip̄m mēbꝛū scđm sui naturā vt sp̄us visibilis ad ocu los vel sp̄us sensitiui ad digitos vel sp̄us vitales p regenerationē vel fluxum ab arterijs i coꝛde ex doloꝛe ⁊ compassione alicuius mēbꝛi in sincopi. Hoc bene declarat galien⁹ in. 3°. de interio. c. p°. de piscina aque si veniat turbida. vel si non veiat in q̄titate sufficiēti ⁊ bn̄ mūda ⁊ clara piscina e grotabit p colligantiam.

Tertio Tu queres. cephalea ⁊ emig̃nea que passiones sīt i se in genere et i specie. Soluit littera Rab in cap^lo. idem dic̄ ga lien⁹ in passionario suo ꝙ pōt esse calida fr̄ia hu. sic. sic in specie cal'a sanguinea cal'a colerica fr̄a flātica fr̄ia melica. verū cum tali materia cōmu niter cōmunicat vent⁹ in pelliculis ⁊ cōcauitati

bus cerebri pp̄ter quod est ibi maior dolor. quia tūc fit solutio cōtinui pp̄ter tētionē pellicularum et aliqualis diuersitas et inequalis diuersitas in pcessu. Nota q̄ cephalea seu dolor capitis aliq̄n est supueniēs in fe. vl' coicās ipsā fe. Aliq̄n fit ex mat̄ia apostemosa in pelliculis cerebri. ista pcedit semp augmētādo p̄m tp̄a morbi seu fe. nō obstātib' flōmijs et alijs remedijs cōiter moriunt. quia cōcurrūt duo morbi pestiferi. vide hic de facto plimos. Et sup hec nota p euidētia dicēdorum in toto pcessu q̄ rasis docz cognoscere istas passiōes in genere ex signis subaliter inherentibus que sunt signa necessaria verificationis ut ponit Ga. et cōmētator haly 2° tegni ca° p°. puta ex p̄mis qualitatib' potissime p sensū tactus in fronte et in alijs partibus dolorosis. Idez intelligas in alijs passionibus aliorum membrorum. nam q2 tales qualitates intrant diffinitionē corporis talis lapsi et incontempati in calido frigido humido sicco dicunt signa substantialia .i. essentialia illi propter quod sunt necessarie verificatiōis. similiter docet eas cognoscere per signa ducta a casib' .i. ex qualitatib' secūdis cadētib' a primis ut ex colore tali uel tali. nā rubedo obscura in facie et in oculis significat passionē calidā sanguineā rubedo clara est subcitrina etc. in ptib' ill' signat passionē cal'am colicā. Oppo^m. tu dices d̄ passiuis si patiēs fuerit pallid' et in frōte frigid' Ista signa vt plimū sunt veridica vt ponit ga'. et haly in loco stati allegato.

Quarto tu q̄res. cui' v̄tutis cephalea sit nocumētū p̄ncipal'r. Idem q̄ritur de emigranea: vel de monopogia et clauo Dicendū q̄ p istas aut intelligim' dolorē aut passionē cōsilem dolorosam. Si p̄mū tūc ē nocumētū p̄ncipal'r virtutis sensitiue. q2 ois dolor ē nocumētū seu actio corrupta sensus tact'. 3. d̄ mor. q2 ois fit ex sensu rei cōtrarie cū corruptela orgāi sensus tact': vt ibi declaratū ē. Si intelligamus passionē dolorosam dictā puta cōsilem cū mat̄ia Tūc dico q̄ est nocumētū regitiue natural' potissime digestiue et expulsiue mēbri mādant et recipientis vel ipi' mēbri tm̄ si sit vitio p̄po. Sil'r est nocumētū virtutis regitiue vitalis expulsiue per cōstrictōem arteriarum et pectoraliū: vt declarat g' n° de inge. c. 2. et 8. Et hoc ē cōe oi morbo cōsil'i mat̄iali q̄ fit ex nocumēto .i. ex mala actōe earū. nam q̄n digestiua nō digerit digerēda vt debet: nec expulsiua naturalis et vitalis expellāt expellenda p vias destinatas a natura tūc generatur causa morbi consimilis necessario: vt est ibidem declaratum.

Quinto tu q̄res. cuius virtutis cephalea est passio principalit' .i. cui' v̄tuti infert nocumētū. Idē de monopogia emigneа et clauo. Dicendū q̄ iste passiōes dicte cōsiderant' dupl'r. vno mō vt sūt passiōes cōsil'es ca. fri. sic. hu. tunc sunt passiōes p̄ncipalit' v̄tutum naturaliū regitiuarum pticule lese et ptiū vicinarum. vñ cānt' ab ipis regitiuis naturalib' lesis mēbrorū mādantiū q̄n fiūt p colligantiā et ab ipis pprijs regitiuis naturalib' pticule lese q̄n fiunt ppovitio mēbri et istis pprijs regitiuis naturalib' pricipaliter inferūt nocumētū corrūpēdo mag' eas in actōib' pprijs corrūpēdo magis instr'm ppriū actionis eorum puta cōplōnē naturalē ppter qd̄ sūt passiōes earum. Alio mō ɔsiderāt' tales passiones vt sunt dolorose tūc sunt passiōes regitiue aiate potissime sensus cōis. q2 ab eo dolor apprehendit' cū corruptela organi. q2 cū resolōne spūū Similit' sunt passiōes aliarum v̄tutū aiatarum. nā nō bene valent in actionib' pprijs stāte dolore i capite. q2 instr'm suarū actionū deficit: puta spirit' aiati. nā resoluūtur et alterāt' ad q̄litatez excedentem nō negādo q̄n sil'r sint passiōes ɔñter regitiuarū naturaliū. q2 eis talis dolor infert nocumētū p resolōem spūum. nā dolores ɔsternūt virtutes p̄mo ɔnostic. q2 instrumentū actōis v̄tutū resoluitur: puta ipi spūs.

Sexto Tu q̄res si dolor pōt tm̄ inesse in vno ventriculo absq3 q̄ alt' doleat. Videt' q̄ nō. q2 dolor inest mēbri ppt vicinitatē vt dicit ga'. 2. ɔnosti. ɔ° p̄mo. ergo videt' q̄ vno dolēte alter circūstans doleat. In cōtrariū ē rasis. Dicēdū q̄ vn' sol' vētricul' pōt dolere. q2 sibi soli inest causa doloris puta mala cōplō et solutio cōtinui rōne vētositatis tendent' vel rōe ipius male complōnis. nā fortis mala cal'a cāt dolorem alterādo et soluendo ɔtinuū. Idem de fria 4. de morbo. Idem dicit in libello de mala ɔplexione diuersa. c. 5. Tūc ad rōes patz solutio q̄ ps aliq̄ vicina pti egre de possibili incipit altari ppter vicinitatē. hoc intēdit ga' i toto illo. 2'. ɔnosticorum. vt patet.

Septimo Tu queres. q̄re i istis passionib' est tāt' dolor: et ita acutus. Dicendū est q̄ materia est multū calida adusta pūgitiua vel fria mordens pelliculas cerebri cū ventositate intermixta rōne vaporis eleuati. q2 vent' nihil aliud est q̄ vapor mot'. ideo rōne pūctōis et acuitat' et rōne tētiōis seu solutionis ɔtinui ē tātus dolor: et ē infix'. q2 claudit' cā

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

tālīn aliq̄ vētriculo ⁊ pellicule alterāť ⁊ soluūť i cōtinuo ꝑpter tētionē ⁊ pūctōem. iō hñt tātū do lorē vtplimū in pte dextra magꝭ q: maª illa calía magꝭ fluit ibi ab epate ꝑ viā effumatōis ⁊ a partibus vicinis.

Octauo tu q̄res vtrū in istis passiōib⁹ capitis dictis cōpetat meª laxatiua inprincipio nō p̄cedēte sirupo. videť ꝙ nō ex textu ypo. Digesta medicari. ꝑmo amphorismo. idē vult ga⁹. in ɔ°. ℂ Ulteri⁹ arguiť rōe eoꝝ fūdata ibidē qđ augmētat discrasiā ⁊ cām discrasie puta materiā peccantem multiplicat. id tale nō cōpetit: ß medicina laxatiua fortis exhibita in p̄ncipio non p̄cedēte syrupo est hmōi. igiť. maioꝝ est nota q: medic⁹ debet iuuare naturā ⁊ nō nocere 2° regimēti acutoꝝ. Si em̄ sagaci. minoꝝ patꝫ q: om̄e laxatiuū est calīn: ⁊ sic augmentat discrasiā saltem i calīs ⁊ attrahēdo ꝑ forte laxatiuū sic in principio nō p̄cedente sirupo malignuꝫ ꝑmiscet magis cuꝫ benigno: sic maliguū augmentatur: ⁊ ptes ꝑ quas transit iviolāť ꝑpter maliciā materie. ℂ Ulterius ꝓbať intentōne viatici ca°. de cura cephalee colerice. vbi iubet dare sirupū violaceū ⁊ acetosum ⁊ malagñata. ℂ In cōtrariū hoꝝ est Raſ in. c. vbi docet dare medicinā statiꝫ in princi° non p̄cedēte sirupo. Rō sua: q: marie assistētes pricipalib⁹ membris hñt quādam furiositateꝫ ꝑpter infestatōem illatā eis rōne vicinitatis ⁊ ꝑpinq̄tatis. ideo multū errāt illi q̄ spectant magnā maturatōem in bubonib⁹ principaliū mēbroꝝ retro aures ⁊ in subascell ⁊ in inguinib⁹. q: ꝑ viā effumatōis pricipale multū leditur Uñ galien⁹ in passionaº suo fuit de opione raſ ⁊ auič. 3. cañ. c. ꝑprio. ℂ Dicendū breuiť ad q̄stionē ꝙ iste passiones euenientes non p̄cedēte fe. sunt passiōes pricipales mēbri principaľ. ⁊ fe. ē accñs eoꝝ ꝑpter qđ statim in principio sunt farmacādi. Ista est intētio raſ. Si aūt fe. stante per tps̄ supueniat cephalea vel emigñea signum est rapt⁹ marie ad cerebrū ⁊ du^m de apate tunc magis festinam⁹ flōiam.

Cōclusio Ergo sequitur ꝙ in istis passionibus febre non p̄cedēte sed simul euadente vel subsequente cōpetit meª laxatiua ⁊ attractiua in p̄ncipio statim. ꝓbatur: sicut est in obtalmia multū dolorosa ita est i istis passionibus in cephalea ⁊ emigranea. pꝫ q: vicinitatem habent cuꝫ principali membro sed i dolore obtalmico forti cōpetit medicina attractiua in principio statim non p̄cedente sirupo. patet ꝑ ga^m. 13. de ingenio, c. vi. Idem intelligit in fortibus doloribus alioꝝ sensuū vicinoꝝ ipi principali mēbro puta cerebro. ⁊ sic sunt curati in secūdo dic: vt ipe dicit ibidē. ⁊ sic ibi ɔcluditť ꝙ morbus salubris pōt curari a bono medico absq̄ hoc ꝙ veniat ad augmentū. ℂ Ulteri⁹ arguitur sic. A causa forti vt a causa nobilī doloris potissime ꝑ̄ nobilis est incipiendū in cura materiā illā eijciēdo. igiť farmacia cōpetit in principio harū passionū. añs est galieni. ii°. de ingenio sanitatis. capituľ ꝑmis ⁊ vltis. ɔsequētia patet. Item ille processus est bonus ⁊ artificialis c̄ quo statim acq̄ritur sanitas. ß ꝑ medicinā attractiuā in principio nō p̄cedente sirupo sanitas statim acq̄ritur. igiť maioꝝ. ē nō minoꝝ pꝫ ꝑ rasiꝫ hic. ⁊ ꝑ ga^m. 13. de ingenio. vbi ponit hoc in obtalmia. quia si in principio statim farmacentť: sunt curati in crastinuꝫ.

Alia cōclusio Est ꝙ in cephalea ⁊ alijs dictis passionib⁹ q̄ cōsequūť ad febrē quibusdā diebus cōiter statim farmacam⁹ cū tamarindis ⁊ cassiaſ. q: natura digessit materiā ꝑ temp⁹. Et est dubium de raptu materie ⁊ de apate. illud est faciendū qđ est meli⁹ ⁊ securius. maioꝝ nota. mioꝝ pꝫ ex declaratis.

Ad ratōnes restat r̄ndere. Ad ypocratē dicendū: ꝙ ypo. intellexit ꝙ ois maª q̄ existit in aliq̄ principaliuꝫ hꝫ furiositatem. Ad rōeꝫ dicendū ꝙ verū ē si nō seq̄reť mai⁹ bonū quod tñ fit vt est declaratum. ℂ Ad aliud dicendū ꝙ ipe intelligit ɔsiderando febreꝫ tāq̄ morbū principaleꝫ. ℂ Ad aliud dicēdū ꝙ male opinati sunt ꝑpter cās statim dictas Sic patet rasis intentio declarata.

Nono tu q̄res. si in istis passiōib⁹ ɔpetit flōia. ⁊ si cōpetit: q̄ tpe competit. Dicē^m ex itētōe raſ h ⁊ gaˡ i passio° suo ⁊ auič. ⁊ viaᶜˡ. oēs ɔuenerūt i h ꝙ i istis passiōib⁹ ꝺ cā ca. ɔpetit forť flōia i p̄n° ľ meª attrctia. veꝝ q̄dā illoꝝ ꝑeligūt farmaciā ⁊ q̄dā illoꝝ flōiaꝫ. Sciaſ ꝙ ego iuenio maxi^m reme^m i flōijs fortib⁹ i p̄n° i mltū venenoſ. iō i talib⁹ ē flōia festinādā. i nō mltū venoſ farmacia: ⁊ sic sunt ɔcordati. ⁊ ɔpetit de cephaᶜª eiusdē ꝑ̄. ⁊ si nō iueniaťcapiať mediaª. ɔsiliū ē gaˡ. 3. ⁊. 4. de mť. sup cura mľice passiōis Et nisi bñ repareť reiteret 3ª vel 4ª die sequēti. vel ſ̄ de vena fronť ⁊ tipoꝝ vt diceť. Si cā sit frañ tūc nō ɔpetit flōia ß farmacia. veruꝫ in cā fria si patiens sit multū venosus ꝙ habeat venas mľtū latas potissime in ptib⁹ supiorib⁹ tūc cōpetit flōia. Uenosū ñ dubites flōare. xi. de inge. i crōica ⁊ lōga cephalea vľ emigñea potissᶜ flāᶜª. raſ

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

ꝛ Ga⁹ vtebantur: ꝛ recurrebāt ad cauteria actua
lia: ꝛ sic terminetur questio bona.

Istis clarificatis cura cepha
lee tibi pate
scit: verū ꝙ clauis sanatōis stat in pauq̄ bene ap
propriar̄ passioni in alterādo ꝛ pticule in substra
hēdo vt vult Ga⁹ in passio° suo. Jō pauca ꝛ ele-
cta tibi ponā in curatōe hui⁹ ꝛ aliaꝝ mihi ꝓbata
tpibus a Rasi h ꝛ in ɔtinēte suo: ꝛ a G° i passio°
suo. In cephalea q̄ de calida cā itrinseca sine fe.
vel fe. subseq̄nte seu comitāte cū q̄ est ruboꝛ aliq̄-
lis in facie ꝛ in ocłis caloꝛ front̄ vrina tēdēs ad a
liq̄lē ruboꝛē. Si ɔstipatus fuerit fiat sibi clistere.
℞. q̄nqꝫ herbaꝝ cōium añ. m. i. anisi marat¹ añ. ʒ.
ij. furfuris grossi. p. i. fiat decoctio in qua dissolua
tur cassief mūd. ʒ. i. yerapigre Ga¹. ʒ. ß. olei viol.
q̄rt̄. ß. sal' cōis. ʒ. ij. fiat clistere capiat ipm iacēdo
supra lat⁹: si dubitet inclinatōez capit̄ in loco cli
steris capiat cassiāf seq̄ntē in ortu sol' ꝛ in lecto ꝑ
tres horas. ❡ ℞. prunoꝝ damascenoꝝ vuaꝝ pas
sulaꝝ mūd ab arill' caricaꝝ pinguiū iuiube sebe-
sten. añ. p. ß. fiat decoctio in duab⁹. lł. aq̄ donec re
deat ad. lł. ß. in q̄ dissoluat cassief bn̄ mūd a toto
ʒ. i. ꝛ ß. fiat potus vt dictū in crastino fiat flōia de
cephalica vena ad lł. i. qua nō inuēta. fiat de me
diana: q꞉ illa satis euacuat a capite. 4°. de in͂tio.
❡ Applicet frōti pānus line⁹ ifusus et ɔpressus
in ol'o ro. vnfancino: vbi sit 3ª. vel 4ª. pars aceti
boni sil' bn̄ agitat̄: q̄ nō inuēto capias de cōi cuz
magna pte aceti siml' bn̄ agitatis. valet etiā pan-
nus lineus ifusus in aq̄ endiuie: vel plātagis vel
ro. cū portōe aceti sil' bn̄ agitat̄. ymo i defectu ho
rū aq̄ font̄ cū tertia pte aceti vz. pānus line⁹ ibid
infundat. Sacculus de rof pulueriʒat̄ fronti ap
plicat⁹ vz. ❡ Tertia vel 4ª. die si opus fuerit rei-
tera flōiam de cephalica alteri⁹ ptis. Ras in ɔti
nēte suo dicit: cū ꝓlōgat soda cal'a accipiat vena
front̄ vel timpoꝝ vel nasi: vel loci vbi est si sit pos
sibile. Jō vult Ga⁹ in passio° suo. ❡ In cepha-
lea de cā cal'a mag̃ colica cum q̄ nō cōicat ruboꝛ
in facie nec i ocłis: ſ caloꝛ magn⁹ in frōte cū citri
nitate colori i facie ꝛ vrīa fiat sibi stati clistere dcꝫ
vel tal' medicina. ℞. prunoꝝ damasc̄ vuaꝝ passu-
laꝝ mūd ab arill'. añ. ʒ. x. tamarind electoꝝ. ʒ. ij. ß
decoctio modica in q̄ dissoluat cassief mund. ʒ. i.
fiat potus deꝛ in aurora: si n̄ placet sibi potare da
sibi. ʒ. ij. pill'aꝝ aureaꝝ nō pcedēte sirupo: vt ē di-
ctū supius clarificādo speculatōez curatōez ipi⁹
cephalee. Si ista n̄ placet ꝛ sit ɔpetēter venosus
ꝛ assuet⁹ flōias fiat flōia ꝑut dictū est. Applicet
fronti muscillago psillij agitata cū portōe valde
modica aceti vel de chimolea bis vł ter i vna ho-
ra q꞉ statim exsiccat: ɔciliū est Ga¹. in passio° re-
seruet in vase cū aq̄ vt nō exsiccet: naribus q̄ꝫ inij
ciat cū pluma: oleū viol' vel nenuf vel cucur. pa-
tiens q̄ꝫ odoret cāphorā ꝛ aquā rof. Optimū est
talib⁹ potare parū aceti bn̄ limphati. Istis ꝛ alijs
bonū est stringere caput forti strictōne. ne tm̄ sol
uant in ɔti° pellicule cerebri. In emigranea d cā
cal'a q̄ cōiter fit i pte dextra videas si sanguis cōi
cat vel co. facias vt dictū est ꝛ melioꝛ q̄ pōt fieri i
tali emigranea vel soda de cā multū cal'a est dare
in mane patiēti panē madefactū i aceto limpha-
to ꝛ euacuare col'am. vba sunt Ras in toto ɔtinē
te in rōne stat hoc. Tondant isti vł radant vt me
lius remedia applicent ꝛ materia veloci⁹ effumet
❡ In cephalea seu soda de cā frigida ɔtiª ꝛ for-
ti ꝛ emig̃nea cū q̄ nō cōicat ruboꝛ nec caloꝛ exce
dens in frōte nec in capite nec latitudo venaꝝ nec
vrina colorata. ꝛ iuuat a calis ꝛ ecōtra fiat sibi cli
stere cū q̄busdā herbis cōibus ꝛ cētaurea minoꝛi
ꝛ abrotano cū. ʒ. i. yerapigre ꝛ cassief ꝛ ol'o camo
mille seu viol'. vel dent sibi. ʒ. ij. ꝛ ß. pill'aꝝ cochia
rū nō antiquaꝝ. Si venosus aliqualr̄ fuerit ꝛ as-
suetus facere flōias. facta purgatōe flōetur de ce
phalica: q꞉ flōia multitudinē hūoꝝ euacuat. Ra
sis vult i suo ɔtinēte ꝙ caput statim sibi radat et
inungat cū oleo de lilio vel sābucino vbi sit mo-
dicū de euforbio subtilissime pulueriʒato. ❡ Ad-
uertēdū tm̄ ꝙ ante rasurā abluat cū vino albo de-
coctōis floꝝ camomille melliloti āthos sticad fo
lioꝝ sene ꝛ betonice. añ. m. i. Ras dicit ꝙ q̄n est a
tali cā humida est mag̃ pōderositas i capite ꝛ ma
ioꝛ ꝙ q̄n est a cā cal'a: q꞉ tūc hꝫ quādā lenitatem
capit̄. ❡ Fronti timpoꝛib⁹ ꝛ ɔmissure applicent
cubebe pulueriʒate distempate cū aq̄ rof ꝛ vino
albo super pāno lineo posito q̄m sunt optime ce-
phalee frigide i additōib⁹ Ras. Vel frōti suo ap
plicet ꝛ capiti folia absin¹ ꝛ marrubij bullita in
aq̄ ꝛ bn̄ ɔpressa reiterādo pluries: vel applicētur
capiti sup ɔmissura ꝛ fronti ꝛ timpoꝛib⁹ cū pāno
lineo de attramēto sc̄ptoꝝ mūd a galis. de fecib⁹
tincte de pausa i pausam renouādo q꞉ stati exsic-
catur. Vel ponat de isto ceroto sup caput suum.
❡ ℞. olei sābuci vł olei de lilio. ʒ. 4. euforbij pul
uerizati. ʒ. i. cere. ʒ. iij. fiat cerotum extendat supra
pānū lineū vł alutā subtilē ꝛ capiti applicet Si do
loꝛ excedēs multū fuerit infundat infra aurez. v.
vel. vi. gutte calide isti⁹ olei bis vel ter in die ꝛ no
cte. ❡ ℞. olei de lilio vel olei sambuci. ʒ. i. ꝛ ß. eu-
forbij subtilissime pulueriʒati. ʒ. ß. misceant ea q̄
dicta sunt in vtraqꝫ causa. ❡ Intelliguntur qd nō

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

venerit soda ex reumate tūc non debēt applicari actu humida: sufficit eis purgatio ꝯueniēs ⁊ fricatio extremitatū: ⁊ saccultꝰ de milio paꝝ ꝯq̄ssato ⁊ calefacto vsqꝫ reuma minoratū fuerit de modico reumate non est cura. Si autem soda ex mora in sole fuerit applicenť illa q̄ dicta sunt in causa caľa: qꝛ ꝯtingit in hn̄tibꝰ caput caľm. Si autē ex ꝑcussione venerit ꝯfestim flōetur de cephalica ⁊ in bona q̄titate inūguēdo cū oľo roſ. ⁊ nenuf ꝑ alios dies patiētes cephaleā seu sodā de q̄cunqꝫ abstineāt a potu ⁊ cibo duobꝰ diebus. Si durauerit in cā frigida p̄t vti vino ⁊ carnibꝰ q̄ plures hoꝝ nolūt purgari. Sed habēt vomitū infra diē naturalē cū modico adiutorio interponūt pennā infusam in oleo in gutture euomūt ⁊ sunt curati Patiētes cephaleā a q̄cūqꝫ cā odiūt lucē ꝓpter dolorē oculoꝝ. ideo iaceant in obscuro Et hec de cephalea dicta sufficiant.

¶ Capitulū. 2m. de vertigine ⁊ scothomia.

Um aliquis illō quod ante eū est circulariter moueri viderit ⁊ oculi tenebrescunt ⁊ cadere voluerit ⁊ facies ⁊ oculi rubuerit i eadem hora vene q̄ que sunt post aures grosse apparuerit ex ipsis venis facienda est flōia ⁊ ventose in collo ⁊ tibijs sunt ponēde. Qō si predicte non apparuerint vene et facies fuerit rubea sanguis ex basilica erit minuendus ⁊ ventose in tibijs erūt ponēde In hac p̄terea scothomie specie ⁊ in ea quā an̄ diximus caput ex oleo rosato ⁊ aceto est infundendū Eger q̄ calida cibaria vitare debet: venter vero ex apozimate mirabolanoꝝ citrinoruꝫ quod in capitulo de cephalea diximus soluendus est. Cum aūt neqꝫ in facie rubedo: neqꝫ febris cum scothomia fuerit attendēduꝫ est an sit stomachi subuersio ⁊ nausea. Que si affuerint prius vomere cogendus est: deinde de pillulis cochijs dosim vnam sumat ⁊ a frigidis abstineat cibis. Si aūt neqꝫ anime subuersio neqꝫ nausea affuerint neqꝫ caliditatis signa apparuerint venť ex pillulis cochijs multotiens soluatur. Cibaria q̄ frigida omnino vitet ⁊ gargarismꝰ fiat quo flegma deponatur. In naribus quoqꝫ post illud ponatur aliquid de his q̄ nominauimus quo caput calefiat.

E vertigine ⁊ scothoa ⁊ eoruꝫ cura

Rubrica v̄tigo a vertice: qꝛ passio verticis vt q̄dam dicūt. Aliter ⁊ meliꝰ vertigo a vertendo: qꝛ videť eis ꝙ omnia v̄tanť in gyrū in tenebrositate ocľoꝝ: ⁊ si curuent caput ⁊ eleuent: vix vident ⁊ visa īterdū apparēt subrubea: interdū viridia: interdū nigra: interdū subalbida ſm naturā humorū a q̄ talis decidiť fumus ſm ꝙ talis humor decliat ad naturā sanguinis vel colere aduste. vel flātis: vel mľie. Ille fumus est diuersi coloris. Scotos grece qō est videre latine ⁊ mia qō est musca. q. videre muscas volantes coram oculis suis. ¶ Ulterius nota: ꝙ iste passiones describunť noie accn̄tis vt interdū est mos antiquoꝝ vt est sup̄ius dictū: qꝛ describūtur noie actōis lese. Nam v̄tigo a vertigine q̄ est actio fortiter lesa q̄si corrupta sensus cōis q̄ iudicat om̄ia volui in gyrū qō nō fit. Descp̄ta ē actio lesa a siľitudine rei extrinsece vt interdū mos est helenoꝝ: vt dꝛ 2°. de ingenio. ca°. 2°. Que actio lesa describit mihi talē vel talē passionē in ꝑra cerebri: vt dicetur statim. siľr scothomia est nomen actōis lese seu corrupte virtutꝭ visiue videntꝭ cū tenebrositate rem intrinsecā tanq̄ extrinsecaꝫ: ⁊ est nomen actionis lese sensus ꝯmunis iudicantis muscas apprehendisse per oculos qō non est. iō scothomia importat nomen actionis lese oculoꝝ ⁊ sēsus cōmunis que actio lesa amboꝝ describit mihi passionē taleꝫ vel talem in partibus illis vt dicetur statim.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

Primo tu queres quare Ras. nec Ga⁹.
3°. de int. ꝛ Aui. 3°. can̄. simul ꝛ i
vno caplo tractauerūt de istis duabus passiōib⁹:
soluit littera bene intellecta in locis allegatis cā
multiplici. Una: qꝛ causa materialis in radice est
eadem ꝛ in vno loco. puta ꝛ in ꝓpra capitis ꝓpter
quod de cura insimul tractauerūt. Silr ad verti-
ginem seqtur scothomia tanꝗ eius accidens ꝯco
mitans. ¶ Causa dicti est: qꝛ ille vapor ventosus
ꝛ motus in ꝓpra cerebri non potest esse indicta ꝓ
ra: nec in eius venis ꝛ arterijs qn subintret ꝓpter
vicinitatem vias spūs visibilis: ꝓpter qd multi-
plicat ibidem species suas: ꝓpter quod ad verti-
ginez seqtur scothomia: necessario si durauerit et
non ecōtra. vt statim declarabit: nō sine causa igi
tur antiqui insimul tractauerunt. ¶ Et sup h nō:
ꝙ scothomia duplex est: qdam est que ꝯsequitur
ad vertiginē: tanꝗ eius accidens cōcomitans ꝓ
pter causam forte dictā in ꝓpra capitis. Cura hui⁹
ꝛ vertiginis Rasis ponit insimul. ¶ Alia est sco
thomia q non cōsequitur ad vertiginem: quia nō
est causa sufficiens in ꝓpra capitis ad vertiginem
firmā ꝛ permanentē. ymo vtigo incipiens firma-
ri conseqtur ad tales scothomias: vt declarabit
qstione. 6ª. Cura huius subintelligitur p curam
alterius: lꝫ debiliora remedia huic competāt ap-
plicanda ꝓpre ꝛ membro mandanti.

Secundo tu queres cuius ꝑticle ver
tigo est passio pncipaliter
Dicendū ꝙ principalr est passio substātie ꝓpre ce
rebri: ꝛ ventriculoꝝ eius ꝛ partium circunstantiū
puta venarum ꝛ arteriarum ꝛ viaꝝ spūs visibilis
vsqꝫ ad extremū cornee: ex quo ē ibi tenebrositas
oculorum ꝛ scothomia ꝓpter quod est ibi passio
sensus ꝯmunis ꝛ hee particule fm prius ꝛ poste
rius patiūtur.

Tertio tu queres cuius particule scotho-
mia est passio pncipalr. Dicenduꝫ
ꝙ pncipaliter est passio viaꝝ spiritus visibil': pu-
ta a loco cancellatōnis ydolorum ꝛ crucisigna-
tione vsqꝫ ad extremū cornee qꝛ illi vapores ven-
tosi ꝛ moti causantes illā scothomiā dispgunt p
illas vias visibiles ꝛ causant speciē suam in hu-
more cristallio multiplicādo illaꝫ vsqꝫ ad locū cā
cellationis ydolorum: puta in crucisignatōne ꝓ-
pter quod sensus cōmunis iudicat cum nocumē
to sue actionis.

Quarto tu queres in quo differt ista sco
thomia ab ymaginibus oculo
rum sicut habent illi qui cadunt in catharactas.
nam tales extimant se videre muscas volare co-
ram oculis suis: sicut habentes scothomiā vt di-
cetur infra. caplo de catharacta. Dicendū ꝙ in ꝑ
ticula patiēte non differunt: quia in vtraqꝫ vie spi
ritus visibilis a loco cancellatōnis ydolorū puta
a crucisignatione vsqꝫ ad extremū cornee patiun
tur illum vaporem malū: nec differunt in passione
quia in vtroqꝫ est morbus officialis in via replet
a re innaturali vltra debitum. Sed differūt i cau
sa materiali ꝛ efficiente. qꝛ in scothomia vapor il-
le est ventosus ꝛ magis siccus ꝛ mobilis: iō tar-
de aut raro coagulatur in ymaginibus oculoruꝫ
¶ Ad catharactas est per oppoᵐ qꝛ in al'. vt i pri
cipio aque ꝛ in catharacta vapor est magis hui-
dus ꝛ quietus ꝓpter qd citius coagulatur. Diffe
runt etiam in efficiente: quia in scothomia ꝓpra
capitis cōiter est magis calida generans illū va-
porem: ꝓpter qd ꝯmuniter tales a causa cal'a ci-
tius leduntur cum nocumento qnqꝫ sensuum. 3°
de interioribus ca°. 6°. Ideo cōmuniter sequitur
ad vertiginem: ꝛ vt plurimū inest habentib⁹ ꝓpo
ram cerebri calidam: vt caluis ꝛ colericis ꝛ qbus
dam sanguineis vtraqꝫ fit vitio cerebri ꝛ vitio sto
machi: ꝛ membroꝝ subiacentiū. Et aduerte plu-
res medicoꝝ sunt decepti: in hoc credentes plu-
res infirmos habere ymaginatōnes ꝛ habēt sco
thomias in quoꝝ cura decepti sunt: quia proces-
sus non est vnus: ideo cum magna inuestigatōe
est ꝓcedēdū considerando si sint colerici: nec cal
ui: nec sint habentes ꝓpram cerebri calidam: nec
si de facili ledūtur a calidis in capite ex ira ex au
stro ex vino puro: vel ex alia re calida exteri⁹ ap-
plicata.

Quinto tu qres si vertigo est passio ꝓpre
cerebri p se vel p colligātiā. Di
cendū est ex intentōe Ga¹. 3°. de int. ca°. 6°. ꝙ in-
terdū est passio p se ipius sube ꝓpre cerebri ꝛ ven
triculoꝝ ꝛ arteriaꝝ venaꝝ circūstantiū quia mala
ꝯplexio calida in suba ꝓpre cerebri generat vapo
rem illum cal'm mobile. Ideo dr 3°. de int. ca°. 6°
ꝙ talis vapor est vētus q diffundit p partes illas
ꝛ interdū p colligantiā stomachi qd est vt pl'imū
ꝛ aliqn̄ est p colligantiā ꝑtiū sub ypocūdrijs: pu
ta splenis: epatis: matricꝫ. vt recitat Ga⁹. in loco
alleº. in 3°. de int. Et interdū venit a cā pūata ꝛ a
cā p colligantiā istud tn̄ raro est ¶ Et aduerte ꝙ
ista vtigo pluries euenit istis potatoribus hn̄tib⁹
stomachū cal'm ꝛ ꝓpram cal'am: vt caluis qꝛ ex cā
modica ꝛ facili potissime ex vino puro: qꝛ ad coꝝ
ꝓpram fumi calidi cito a cā dicta facili eleuantur
ꝛ sic vie spūs visibilis puta locus cācellatōis y-
doloꝝ patit p colligantiā ꝛ venit qd venire nō dꝫ

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

ad eas s̄m eo[rum] natur[am]: vt statim dicetur Et h̄ a causa duplici dicta [et]c.

Sexto tu q̄res si scothomia ē passio p̄ se dicta, vel via[rum] vel p̄ colligantiā. Dicēdum ex intentōe Ga'. 4°. de inte. ca°. 2°. Idē sentit in p° li°. capl'is p̄prijs: q̄ scothomia [et] oīs passio materialis ocl'o[rum] q̄cunq[ue] sit p̄ se ē passio p̄ colligantiā: q[uia] venit vl' a capite vel ab alijs mēbris q̄d venire nō d[icitu]r s̄m eo[rum] naturā: puta ille mal' fumus ventosus. Ista scothomia vēit tota die mulierib' p̄uatis mēstruis. [et] m[u]l[ie]ris sanguineis dimittētib' flōias [et] coitū. Et credit a medicis q̄ sint ymaginationes oculo[rum] [et] nō h̄nt: p[ro]pter q̄d sunt decepti in ope. Sil'r venit a causa facili pluribus colicis caluis: puta a vino puro. Cū ista scothomia ē v[er]tigo incipiens firmari: nam non videt eis multum q̄ v[er]tant in gyrū nisi reuoluātur vna reuolutione q̄d alijs [con]tingit ex p̄libus. nam ab vna eis facta videtur eis q̄ v[er]tantur in gyru[m]. tales non essent boni lapicide nec carpentatores: sic p[atet] tibi q̄ semp[er] est p̄ colligantiam. verū de locutione cōi [et] larga: Rasis interdū loq[ui]tur in isto nono: puta in ca°. de catharacta. Dicit q̄ fit vitio oculi p̄pre cerebri [et] sic de causa p̄uata [et] per se. q[uia] ad seinuicē habēt tantā vicinitatē [et] colligantiā ille partes p̄pre cerebri. nam q̄nq[ue] sensus sunt colligati cum neruis suis cum suba p̄pre cerebri [et] sensu cōmuni: vt p[atet] 4°. de inte. capl'is p̄prijs sup[er] inuestigatōe p̄ticl'a[rum] principaliū in quolibet sensu: puta visus odorat' [et] sic de alijs.

Septimo tu q̄res v[er]tigo q̄ passio est in se. Dicendū ex intentōe Ga'. 3°. de inte. ca°. 6°. [et] Rasis in ca°. q̄ v[er]tigo de causa p̄uata est morb' [con]silis [et] officialis q[uia] mala complexio cal'a in suba p̄pre cerebri vaporem ventosum generans q̄ vapor dispgitur p̄ p̄tes circunvicinas replens [et] turbans spm̄ animatū: vt n̄ sit instrumentū sufficiens ad actionē sensus cōmunis: q̄n aūt fit per colligantiā tunc est morbus officialis in receptaculo [et] in via: q[uia] ille fumus veniens a stomacho vel a matrice ad p̄pram cerebri replet receptacl'a spūum animaliū. Et sup[er] hoc nō: q̄ q̄q̄ aliquādo talis fumus eleuetur a materia flā^ca [con]mixta stomachali. p[ro]pter q̄d Rasis iubet dare pill'as [et] euacuare flā: fumus tamen ille qui eleuatur p̄ quandā ebullitionē occultam illius flātis [con]mixti. est calidus aliq[ua]liter p[ro]pter quod mobilis siccus ventus. Ideo dicit Ga'. 3°. d[e] inte. ca°. 6°. q̄ cā hui' est vētus forsan in passiuis n̄ excedit. p[ro]pter q̄d ideo de facili nō coagulat nec in catharactā [con]uertitur: q̄q̄ decidatur a ma^a flā^ca [con]mixta cum colera.

Octauo tu q̄res scotho^a q̄s morb' i se in gn̄e [et] in sp̄ē. Dicēdū q̄ officialis in via fumus ille aliūde veniēs replet vias spūs visibilis a loco cācellatōnis: puta a crucisignatōe vsq[ue] ad extremū cornee [et] sensat talis fumus cū suis spēbus ab intra multiplicat in h̄uore cristallio. Tu dices q̄l'r talis fum' ab int̄ ex̄ns cū suis spēbus pōt sensari. nā Aristo. 2°. d[e] aīa dicit q̄ lux exterior forma ē visionis: q[uia] illuiat spēm sēsato[rum] eleuatā ab exteriorib' anteq[uam] subitret corneā. Itē sensibile positū supra sensum n̄ immutat sensum Aristo. ibidē: g[ra] videt q̄ talis vapor ab intra nō possit app̄hendi. Dicendū: q̄ ille vapor multiplicās spēs suas ab itra in h̄uore cristallio vsq[ue] in crucisignatōne app̄hendit cū luie iteriori nā spūs visibiles sunt lucidi [et] clari [et] veniūt illi spūs luminosi vsq[ue] ad extremū cornee. p° p̄nostic. p̄pt q̄d dictū m[u]lti opinati sūt Ga. dixisse q̄ visio fit ex mittēdo: q̄d nō dicit. Et lux exterior subitrat p̄ dyaphana^e cornee [et] alia[rum] pellicula[rum] [et] humo[rum] oculi. p̄pt q̄d spēs ille sat illuiant p̄ app̄hensiōe ea[rum]. Ad 2^m. dicēdū q̄ Aristo. dicit: q̄ h̄ q[uia] positū supra p̄hibet luie exteri' igredi. Iō spēs n̄ vēit illumiata in oi sēsu. s[ed] req̄rit mediū ad sui sēsationē: modo vapor ab itra m[u]ltiplicat suā spēm in humore cristallino illuiatā: vt stati dictū est a luie interiori [et] exteriori.

Nono tu q̄res vertigo cuius virtutis ē nocumentū. i. ex cuius virtutis actōe lesa causat. Idē q̄rit de scotho^a. Dicendū ex intētione Ga'. n°. de inge°. ca°. 2°. Idē ca°. 8°. q̄ vertigo [et] scothomia [et] oīs morbus materialis est nocumentū regitiue naturalis puta digestiue et expulsiue. Et vitalis expellent p̄ [con]strictōe[m] [et] dilatationē arteria[rum] in p̄tibus mandantibus [et] lesis. nam si digestiua digeret digerenda. p[ro]ut deberet [et] expulsiua naturalis: et vitalis expelleret expellenda non causarentur passiones materiales in corpore nostro. Cui' v[ir]tutis morbus malus nocumentū

Decimo tu queres v[er]tigo cuius virtutis est passio p̄ncipal'r. i. cui v[ir]tuti p̄ncipal'r ifert nocu^m. Dicēdū ex itētōe Ras i ca° [et] Aui. in 3°. cañ. in ca°. p̄p°. Idē vult Gordo' in i psalterio suo. v[er]tigo ē passio p̄ncipal'r sēsus cōis [et] ymaginatiue. nam passio illa [con]sil'is [et] officialis existens in p[ro]ra cerebri corrumpit principaliter actionē sensus cōis [et] ymaginatiue p[ro]pter reuolutionē [et] turbatōnē[m] spūum aialiū existium in ipa p̄pra cerebri. a vaporibus vētosis ibidem gn̄atis: vel fluxis. aliunde vt est dictum supius cōnter est

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

passio virtutis visiue ꝓpter cām superius dictam
¶ Cōseqnť virtutī motiue in ꝓcessu: recte sic epiª
q̄ prio est passio sensitiue cōseqnť motiue: verum
motiua nō lediť cū spasino in vertigine ſm ꝙ le
ditur in epilenª. vt ponit Auicē. 3°. can̄. ca° ꝓprio
¶ Tu dices. sensus cōis n̄ iudicat nisi sup̄ sensa
tis q̄nqꝫ sensuū exterioꝝ. Ista est sua ꝓpria actio
4° de moꝝ°i fine: sicut eiꝰ q̇es ē q̇es coꝝ. igiť nō
iudicabit ex solo vapore moto i dicta ꝑra agitāte
⁊ turbāte spirtū aiatū i dicta prora cerebri. ¶ Di
cendū ꝙ actio ꝓpria ipiꝰ sensus cōis est iudica-
re super sensatis ipoꝝ q̄nqꝫ sensuum exteriorum.
ſ actio sua pōt ledi ad lesionē ipoꝝ q̄nqꝫ sensuū
vel ad lesionē ꝓprij organi ꝓpter cām dictam: vt
pꝫ in ebriosis clausis ocul' ⁊ volētibꝰ dormire for
tiꝰ videť eis ꝙ v̇tanť i girū. q: illi vapores minꝰ
exalanť oculis clausis ⁊ illud malū eis inest pro
pter ꝯtinuū malū motū dictoꝝ vaporū ventosoꝝ
turbantiū ⁊ mouētur malo motu spūs aiati in di
cta prora imaginatiua imagināť ex hoc ꝙ omia
mouenť. sic ⁊ sensus cōis iudicat omia extiora sic
moueri.

Undecimo tu q̄res scothoª cuiꝰ vir
tutī est passio p̄ncipaliť
¶ Dicendū. Bordoniꝰ dicit ꝙ sensus cōis. ſ non
placet mihi. Aliter dicendū ꝙ scothoª est passio
principal'r virtutis visiue: ꝯsequēter sensus cōis
⁊ imaginatiue. Ratio dicti est: q: p̄mo leditur vir
tus visiua a vaporibus dictis sparsis in vijs spi
ritus visibil'. cōseq̄nter sensus cōis iudicās super
apprehensis p̄ virtutē visiuā necessario errat. sic
ambe errant ſm prius ⁊ posterius a passione de
scripta per scothomiā: vt ē sup̄ius declaratum ſ
bene notat scothoª q̄ est actio lesa ambaꝝ p̄ prius
⁊ posterius describens dictā passiōem modo su-
perius declarato.

Istis declaratis cura scothoe
⁊ vertiginis
tibi patescit: q̄stione p̄ma dictū est ꝙ scothoª est
duplex. quedam q̄ cōseq̄tur ad vertiginē p̄fectā ꝫ
p̄oxismalē q̄ p̄oxisinat p̄ quadras ⁊ innouatiōes
lune: ⁊ cadūt velut epl'ici. lꝫ nō torq̄antur nec spas
menť: nec spument. raro videmꝰ istam in practi-
ca: paucas vidi tp̄e meo. ¶ Curā haꝝ duarū Ra
sis ponit sil' cōiter in ca°. Et cōseqnť alij actores
flōando de pulsatilibꝰ q̄ sunt retro aures in vn-
guēdo caput cū oleis rosꝫ. rō est. q: ē causa eadē.
¶ Alia est scothomia q̄ nō ꝯseq̄tur ad vertiginē
firmā ⁊ p̄fectā. imo v̇tigo incipiēs firmari ꝯseq̄ť
ad illā. q: si reuoluātur duabꝰ l' tribꝰ reuolutioni
bꝰ cadūt nec p̄nt se mouere de pausa. Ista occur
rit nobis in practica q̄tidie. ista n̄ indiget tantū nec
talibꝰ flōijs nec tantū alijs remedijs. ¶ Et adūte
ꝙ i scothoª subseq̄nte ad v̇tiginē p̄oxismalē ſ si
mil'r ꝯtingit trāsacto p̄oxi°. ꝙ si reuoluāť vna vel
duabꝰ reuolutiōibꝰ ocul' clauſ statim cadunt: et
magꝭ ꝙ alij. ¶ Ulteriꝰ nota ex intētōne Raſ in
suo ꝯtinēte. ⁊ Ga¹. 3° de inťi. in fine ꝙ ois scotho
mia subseq̄ns vel nō subseq̄ns ad v̇tiginē fit ex
cā materiali triplici. q: aut fit ex maª exn̄te in ce-
re° aut in vēis corp̄is ꝯtiguis magꝭ epatī l' splēis
vel ꝯtiguis renibꝰ ⁊ matrici. aut in sto°. ¶ Si āt
fiat a maª exn̄te in cere°: tūc nō interpollat in ali
quo q̇n app̄eant q̄si ꝯsili mō. bn̄ dico quasi. quia
flante aliq̄ vento potissime australi pl'es videtur
de ill' vaporibꝰ corā ocul': ⁊ p̄cedūt ⁊ ꝯcomitanť
tinnitꝰ auriū ⁊ ḡuedo sensus olfactꝰ: ⁊ sensus gu
stus pessime discernūt inť odores ⁊ nō bn̄ discer
nūt sapida a sapidis ⁊ vina a vinis soda aliq̄l'r cō
comitať ḡuedo frontī sil'r. ¶ Istis exn̄tibus si fa
cies ⁊ oculi rubescūt ⁊ si vene q̄ sūt in frōte i tym
poribꝰ ⁊ retro aures grosse ⁊ plene fuerint. Et si
app̄itiones tēdāt ad aliquē ruborē si oculis clau
sis reuoluātur duabꝰ aut tribꝰ reuolutiōibꝰ ⁊ ap̄
tis ocul' ille app̄eant. tūc scias talia fiūt a maª sā-
guinea multū cal'a in cere° exn̄te. q: illi fumi agi-
tāť in ꝑra cerebri subintrātes vias visibiles cau
sant spēm sil'em in cristallina ⁊ in cruc̄ signatōe
sic sensus cōis iudicat sup̄ ill'. ¶ Aduerte tn̄ si tal'
scothomia cōseq̄tur vertiginē p̄oxismalē: tūc sūt
in vltiata malitia. Deť sibi cassiaſ in ortu sol' ⁊ ia
ceat in lecto duabꝰ horis ⁊ vltra. ⁊ n̄ cōedat nisi
post t̄tias. ¶ ℞ prunoꝝ damaſ: vuaꝝ passaꝝ mū
dať. ab ari℔ caricaꝝ pinguiū iniube sebesten an̄.
p. ſ. ſ decoc° in duabꝰ libris aq̄ donec redeat ad
℔ ſ. in qua dissoluať cassiaſ mūdate a ḡnulis. ℥. i.
⁊ ſ. deť vt dictū est in crastinū. flōmeť de veª me
diana l' epatica vl' cephalica ſm ꝙ plectoª fuerit
3ª l' 4ª die aperiantur vene pulsatiles q̄ sunt ret°
aures ſm Rasim hic ⁊ ſm Gaᵐ 3° d̄ interioribꝰ
ꝓpe finē veꝝ illā dubitamꝰ facere ꝓpter saltum
sanguinis arterial'. q: cuꝫ difficultate quadā san
guis arterialis restringitur. Ideo facimꝰ de cōsi
lio Galieni in suo passionario de vena frontis ⁊
extrahimus ℔. ſ. Illa nō inuenta facimus d̄ gros
siori vena in tymporibus cōsequenť ventosamꝰ
in fine colli in initio spatularum. ⁊ in tibijs fri-
cando bene verum. Gaꝰ vult in suo passionario
ꝙ facta flobothomia de vena frontis vel tympo
rum ꝙ ventosetur ⁊ scarificetur in summitate ca
pitis: vt sanguis calidus vaporosus capitis eua
poretur ⁊ euacuetur; radatur caput ⁊ inungatur

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

cū oleo rosaceo vmphancino: vbi sit modica por
tio aceti simul agitatꝫ. Ista fiūt in scothomia sub
seq̄nte v̄tiginē porisimalē q: sunt in vltimata ma
licia. ¶ In cura scothoᵉ alteriᵛ q̄ non ꝯsequitur
vertiginē porisimalē damus cassiaꝫ dictā floādo
de mediana. ꝯseq̄nt de cephalca inunguēdo, ꝑut
dictū est. Et vitando ꝑut ⁊ alij dicti cibaria cal'a
⁊ vina calida q: vinosi de facili incurrūt talē sco⸗
thomiā de cā ꝑuata q: h̄nt in eoꝝ natura cerebrū
multū calidū. Vitabunt etiā magnā morā i sole
capite discooꝑto. Vitabunt etiā vina subtiª: et al
ba potissime in ꝑncipio prādij ꝑpter eoꝝ citā pe
netratōez ꝑcutiūt capita lapsa ad calitatē. ꝫ vult
Gaᵛ. in passioᵒ suo ad Glauconē. ¶ Si aūt faci⸗
es rubea fuerit vene aūt dicte grosse nō videanꝫ
Et signa alia ꝑmitus dicta nō affuerint signū est
ꝙ fit ꝑ colligātiā venaꝝ corꝑis epatis magꝭ l' sple
nis vel renū vel matricꝭ. Ideo inuestiga suꝑ que⸗
relā mēbroꝝ q: cōīt sētiꝫ formidatio illaꝝ. Rasꝭ i
suo ꝯtinēte dicit: potissime q̄n subseq̄tur ad v̄tigi
nē porisimalē videas si mulier ꝑdidit mēstrua: vl'
si est ꝯtinēs ip̄e vel ip̄a a magnis tp̄ibus citra vl
tra solitū. Vel si post posuit fl̄ōias assuetas i cu
ra huius sic ꝑcedas da sibi istā cassiaꝫ in aurora
℞. prunoꝝ damasc̄ vuaꝝ passularum mund̄ ab a⸗
rill'. an̄. x. tamaridoꝝ electoꝝ. ʒ. ij. ꝫ decocᵒ cū mo⸗
dica ebulliᵒᵉ in q̄ dissoluatꝫ cassieꝫ mund̄. ʒ. i. ꝫ po
tus in crastinū vel die tertia fl̄ōmetꝫ de epatica vl'
mediana de grossiori ⁊ extrahatꝫ. lt'. i. vel quasi ꝯse
quēter die tertia reiteretur de alio latere. vel apia
tur cephaᶜᵃ ꝯsequēter vētosetur in tibijs cū scari
ficatione radas sibi caput ⁊ inunguatur cū oleo
rosꝭ vt dictū est: q: isti silr' h̄nt cerebrū calin: lz nō
tm̄ sicut alij. isti dietenꝫ sicut dictū est de alijs. Et
vitent illa q̄ dicta sunt statim: q: cōicant in lapsu
¶ Si āt facies v̄geret ad q̄ndā citrinitatē, signis
ꝑmitus dictis nō appentibᵛ: ⁊ co. videatꝫ abūda⸗
re in corꝑe ponas i colatura statim dicta. ʒ. i. et. ꝫ.
cortic̄ mirabo. ⁊ infusoꝝ ꝑnoctē in decoctōe ꝑdi⸗
ctoꝝ: fricenꝫ de mane fortiter: ⁊ colētur ⁊ colatu⸗
re addatꝫ cassieꝫ mūd̄. ʒ. ꝫ. si vis dimittas cassiaꝫ
si scothoᵃ nō cesset ꝑ ista nec illa ꝑus dicta reite⸗
rentur fl̄ōie de alio latere q: in talibᵛ cura nō pōt
ꝯpleri nisi plr'ies reiterādo fl̄ōias. Si aūt i facie ru
bor aliq̄lis nō apparuerit: imo pallor i facie videtꝫ
tūc ꝯsidera si signa ꝑmitus dicta assint ⁊ appent
vl' nō: nam si appent puta ꝙ nulloᵒ interpollet cū
tinitu auriū: ⁊ grauedine aliorum sensuum cum
soda ⁊ grauitate capitis potissime frontis tūc sci
as ꝙ fit de materia frigida. in cerebro existēte po
tissime si nausea nec subuersio stomachi nec q̄re

la eius affuerit talis scothomia potest seq̄ vertigi
nem porisimalē ꝫm ꝙ alie rōne ventositatis gros
se in capite generate ⁊ note interdū magis ⁊ mi
nus porisimalꝭ in senibus talis scothomia seq̄ns
ad vertiginē dictam nūciat epilentiā dicit Gaᵛ. i
passionaᵒ suo. Isti debent pluries laxari cū pill'.
luc̄ Mebeᶜ i dosi media denꝫ. ʒ. ij. ⁊ ꝫ. de. xx. i. xx. die
bus: vel circa ꝑmittendo oximel diureticū in ter⸗
tia parte. ⁊ in duabᵛ ꝑtibus aquā cicerū: rubꝫ. vbi
sit modicū saluie maiorane melisse tales tonden
tur in capite: vt materia meliᵛ euaporet facta pur
gatōe abluatꝫ caput semel in septimana cū aqua
decoctiōis floꝝ camomille melliloti vtriusq̄ sti⸗
cados fo. sene. ⁊ betonice. ⁊ talī inclinet caput su
per illo vapore: q: sic ille vapor ventosus grossus
a capite expellitꝫ suꝑ ꝯmissura capitis ponatꝫ mo
dicū de puluere floꝝ camo. melliloti anthos puri
subtilissime puluerisatoꝝ vitēt somnū de die ⁊ cō
festim post cenā. ⁊ vtanꝫ cibo ⁊ carnibus ⁊ alijs
calidis. ¶ Si talis pallor in facie appeat signis
ꝑdictis nō appentibᵛ. ymo iterpollat ꝑ tp̄a sine ti
nitu auriū. ⁊ sine g̃uedine alioꝝ sensuum ⁊ cū q̄⸗
dam subuersione stomachi ⁊ nausea vel grauedi
ne signū ē ꝙ fit a materia stomachali. ¶ Aduer⸗
te tm̄ ꝙ q̄n fit a stomacho silr'. nūciat epiᵃᵐ in seni
bus potissime si subseq̄tur talis scothomia v̄tigi⸗
nez porisimalē ꝑuocetꝫ vomitus sic vna die come
dat de raphano cum sale tres vel q̄tuor bolos in
ꝑncipio prādij ⁊ cene Et comedat de diuersis ca
nibus ⁊ pinguibus ⁊ differat potuz q̄tū poterit
vsq̄ in fine mense. in crastinū pᵛ prandiū. ꝑ. i. ho
ram sumat istā medicinā vomicā tepidam. ¶ ℞.
aque decoctōnis radic̄ apij raphani folioꝝ attri⸗
plic̄. folioꝝ lauri. squille se. attriplic̄ se. aneti q̄rꝫ. i:
⁊ ꝫ. sirupi acetosi ꝯpositi q̄rꝫ. ꝫ. ci oci siluestris. ℈.
ꝫ. misceātur ⁊ fiat potus. ¶ Si tu velles fortifica
re istam medicinā infunde de elleboro albo in de
coctione tepida dicta in q̄titate vnius amigᵉ ꝑ
quattuor horas vel circa coletur ⁊ administretur
loco horum Rasꝭ et Ga. in passionario faciūt sic
¶ ℞. yerapigre. ʒ. ij. pulpe coloq̄ntide grosso mo
do puluerizate. ℈. i. bdellij. grana q̄nq̄ misceātur
⁊ fermentetur sumat tertiaz partē huius vna vice
⁊ dissoluatur cū aqua decoctionis absinʰ recēꝫ cō
q̄ssati sumat de. xv. i. xv. residuū ꝑcedente oximel⸗
le vel sirupo acetoso loco horuz ip̄i dabant aquā
decoctionis absinthij dicti in qua infundebatur
per noctem aloes cicotrini. ʒ. iij. coletur de mane
⁊ administretur detur semel in septimana.

¶ Capitulum tertium de Frenesi.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

Uando aliquem febris
conclusa cōtinua inuase
rit cum forti capitis ꝛ o-
culoꝝ grauedine ꝛ i fa-
cie atq; oculis vehemens fuerit ru
bedo ꝛ capitis dolor ꝛ horror lumi
nis affuerint et in pulsu velocitas
ꝛ frequētie supfluitas inuenietur.
signa frenesis certissima iudicabū-
tur. Qđ si ligua nigra aut citrina
fiat ꝛ pmisceatur intellect⁹ ꝛ multuz
fuerit alienatus ꝛ vigilauerit mul-
tuz iam frenesis pfecta erit. Egro
igit̃ anteq̄ predicta cōpleant̃ acci
dētia est subueniendū ex sanguinis
detractione ꝛ ventris solutione cū
succo fructuū. Nutrimentū vo ei⁹
sit aqua ordei semel aut bis in die
sumpta sm consuetudinē quā i tē-
pore sanitatis habuit. Caput autē
oxirodino infundēdū erit. Eodē
mō q̄ si multe affuerint vigilie suma
tur violaꝝ siccarū corticū papaue.
al. ordei excorticati semis lactuca-
rum radicū mandragore oim. ana.
m. i. Que omnia in cucuma plena
aqua tamdiu coquant̃ donec aqua
rubea fiat. Deinde aqua illa dum
est tepida ab alto sup caput funda
tur: ꝛ sic caput sup ciminile in quo
aqua colligatur q̄ in cucuma posi-
ta iterū sup caput fundat̃. Hoc au
tem omi die multotiens fieri cōue
nit. Caput preterea ex oleo viola-
to muliebri lacti āmixto inunguē-
dum erit qđ etiā in coto positū est
supponendū. Cum aūt eger in pn
cipio huius egritudinis in virium
fortitudine pmanere inuētus fue
rit flobothomādus erit: nisi sup in
firmū timueris. Postq̄ vero eius
egritudo minui cepit nequaq̄ flo-
bothomet̃ qđ si eius iam dissoluta
est virt⁹ ex alio preseruetur regimi
ne donec euadat.

E freneſi id est de apostema
te calido prore ce-
rebri: puta de eius cura super rubri-
ca. nō q̄ istud apa cōiter nomiatur fre
nesis. i. alienatio sic dicit Ga⁹ i passio
nario suo: q2 fren grece. i. alienatio latie frenesis
sm symo. Januensez idē ē q̄ rabies sic talis pas
sio describit̃ nomie accn̄tis ꝯcomitātis ipm apa.
mos est helenoꝝ interdū vt dictum est superius.
¶ Et nō q̄ isti heleni erant antiqui inter grecos
in sciētijs sicut essent piensses inter nos: viaticus
ꝛ Gilbertus dicūt frenesim a frenibus. i. a pelli-
culis cerebri frenātibus ꝛ reuoluentibus subam
cerebri ne resoluat̃ ꝛ dissoluatur sic describit̃ istđ
apa noie pellicule paciētis: vt mos est helenorū
vt pluries dictū est. Appellat̃ alio noie a q̄busdā
karabitus. i. alienatio: alij dicūt karabitus incen
sio. Auic. vtitur hoc noie. ꝛ sic describitur ista pas
sio noie accidentis. Alio° appellat̃ sirsen a sir qđ
est caput ꝛ sen qđ est apa: q2 apa capit̃. ꝛ sic dscri
bitur noie pticule patiētis. Ras in suis diuisioni
bus dicit byrsen a bir qđ ē caput. Auic. h iprobat
in 3°. can. fen. pa trac. 3°. ca°. p°. dicit qđ bir idem
est q̄ pect⁹. sen. idē est q̄ apa: q2 apa pectoris. Ul
terius nota q̄ frenesis est duplex: vera ꝛ nō vera.
Dr vera qn̄ fit de sanguine solū. h videt̃ Ras i sen
tire. hic G⁹ in passio°. ꝛ in. 13°. de inge° c°. de fleg
mone. Aui. ꝛ viaticus dicūt: q̄ frenesis vera non
solū fit de sanguine: ymo fit de colera ru. incensa
seu adusta cerebrū ascendente sicut fumus ascē
dit ex sanguie in corde ebulliente. nō vera frenes
de san. vel de co. rubea mixta cū portione flātis vl
colere inaturalis: vel cum portōe flātis salsi sicut
est i senibus. ¶ Parafrenesis est collectio fumo
sa in pra cerebri: si cfrenesis est collectio aposa.

Primo tu q̄res cui⁹ pticl'e cerebri frenes
ē pa° pncipal'r. Dicēđ q̄ pellicl'e
grosse: puta dure m atris ꝛ hoc est vt plimū vl pie

matris ⁊ h̄ est raro. Vel ipius sube cerebri ⁊ h̄ ē rarius. causa dicti est q̄r in suba magꝭ grossa humor fluens ⁊ effumās meliꝰ retinet̄. h̄ vult Gaꝰ. ⁊ Aui. auctoritate Gaˡ: ꝙ suba cerebri possit apā ri: q̄r omne qđ nutrit̄ ⁊ augmētat̄ extendit̄ et qđ extendit̄ ⁊ augmētat̄ cū sup̄fluitate illud est apa rōne nutrimēti vel alterius ibidē fluētis. Ista est ratio Aui. ꝯ Serap. ⁊ alios dicētes ⁊ opinantes ꝙ suba cerebri ꝑpter eiꝰ lenitatē nō pōt extendi extētione apostemosa. ¶ Et tu dices in q̄ pte magis ille pellicule apostemāt̄ Dicendū ꝙ cōiter in ꝓra: q̄r ꝑs magꝭ calīa ꝑpter qđ ymaginatiua ita libus p̄mo ledit̄ de possibili aūt circa mediū p̄nt apāri ꝑpter qđ in q̄busdā discretiua p̄mo videt̄ ledi. h̄ vidimꝰ pl'ies i freneticꝭ vbi fit coll'o fumosa

Secundo tu q̄res in q̄ illaꝝ ptiū est deterior illa collectio apostemosa. Soluit Gaꝰ in libello de mala ꝯplexiōe diūsa caº. 3º. ꝙ q̄nto talis collectio apostemosa ē in loco viciniori exitus ꝑ poros ordinatos ꝑ naturā vt sunt nares: tūc ē minus mala ⁊ minꝰ ꝑiculosa ꝑpter qđ q̄nto magꝭ est in ꝓra talis collectio tāto minꝰ mala: lꝫ sit semꝑ mala ⁊ mortal'. Sꝫ Gaꝰ loquit̄ si ña posset expectare ꝯuersionē eiꝰ insaniē ⁊ fin ꝙ est in pte magꝭ elōgata a cerebro ⁊ minꝰ nobili. talis collectio ē minꝰ mala ꝑpter qđ si sit in dura matre est minꝰ mala q̄ si sit in pia mr̄e ⁊ in pia matre minus mala q̄ si sit in suba cerebri.

Tertio tu q̄res ex q̄ hoꝝ apātū sit maior dolor an ex illo qđ est inˢ pelliculis an ex illo qđ est in suba cerebri q̄r cerebrū ē p̄mū sensitiuū: ǵ fortiꝰ sentiēt rē sibi ꝯriā ⁊ sic fortior dolor ḡnabitur. Vlterius ꝓbat̄: q̄r ꝑpter vnūqđq̄ tale: ⁊ illud magꝭ pº posterioꝝ. Omnia sentiūt ꝑp̄t cerebrū: ǵ cerebrū fortiꝰ sentiet rem ꝯriā: igit fortius dolebit ꝯña tenet. q̄r dolor causat̄ ex sensibilitate rei ꝯrie. 3º. de morbo. ¶ In oppᵐ videt̄ eē Aristo. in de hystorijs. cerebrū nō est sensibile eo ꝙ sentiat: ꝟvt det sensuꝫ/ q̄r nō ē organizatū ad h̄ /exclusis pelliculis. Item pellic'la neruosa ⁊ nerui sunt organa sensus: ǵ fortiꝰ appzehēdēt rem ꝯriā cū corruptela/ ꝑpter qđ necessario fortiꝰ dolebūt Soluit Gaꝰ 3º. de int̄. caº. 4º. loq̄ndo de epiᵃ dic̄ ꝙ humor ibibitꝰ in suba cerebri facit mel'ias et alienatiōes sine dolore: si aūt fuerit ibibitus in pelliculis facit passiones dolorosas. sil'r dicit in eodē 3º. caº. đ galea: ꝙ in galea ē dolor in vltimata malitia: q̄r pellicule cerebri patiūtur p̄ncipal'r/ ꝑpter qđ ꝯcludit̄ ꝙ maior dolor seq̄t̄ ex apāte exn̄te in pelliculis q̄ ex illo qđ est in suba cerebri sic patꝫ solutio ad rationes. ¶ Ad p̄mā cerebrū est p̄mū sensitiuū/ Dicendū ꝙ cerebrū est primū sensitiuū puta tributiuū: q̄r tribuit sp̄us sēsitiuos ꝑ neruos ꝑ quos intrāt subaliter: q̄r sp̄us aiales sunt in vētriculis cerebri sicut in fonte: ⁊ sunt sicut fumositas vaporosa. 4º. de int̄. caº. 3º. circa finē/ Ad aliud ꝑpter vnūqđq̄ tale ⁊ illud magꝭ ita tributiue ⁊ nō formal'r sensitiuū: q̄r nō hꝫ organizatōeꝫ

Quarto tu q̄res si ipa frenesis ē passio ꝑ se vel ꝑ colligantiā in dictis pellicul'ꝭ in suba cerebri. Soluit Raß hic ⁊ Gaꝰ 3º. de int̄. Idem vult viaticꝰ. ⁊ Aui. capitul' ꝓpis Nam oms̄ videnť sentire ꝙ semꝑ fiat ꝑ colligantiā: q̄r venit ad cerebrū qđ venire non dꝫ ꝟm naturā: puta humor vel eiꝰ fumus. Tu dices nunq̄ pōt generari dictuꝫ apa ꝑ viam ꝯgestionis absq̄ alio fluxu/ Dico ꝙ non q̄r ad h̄ sunt ordinata collatoria plura ad purgandū sup̄fluitates puta aures ad purgandū sup̄fluitates colericas decisas a san. calido arteriaꝝ q̄ ꝯtextūt dictas pelliculas h̄nt aures ad purgandū sup̄fluitates sanguineas h̄nt paulatim ad purgandū sup̄fluitates flāticas ꝑpter qđ sup̄fluitas que ḡnatur ibi ꝑ viam cōgestionis nō pōt facere collectionē apostemosam de cursu ꝯmuni. Et suꝑ h̄ nota: ꝙ noticia ḡnationis talis morbi ꝑ colligantiā multū ꝓficit medico in cura. vt declarat Gaꝰ in toto ꝓcessu de interiorib'. q̄r pti mādāti dꝫ pº remediū applicari. 2ᵃ pticl'e. egre. vt maᵃ fluxa resoluatur ⁊ euacuetur ⁊ hoc fuit ꝓpositum in capl'o primo.

Quinto tu queres que passio sit in se in specie ⁊ i genere. Soluit Raß in caº. Idem vult Gaꝰ in passionario. Idē Aui. 3º. cañ. in fen. p̄a. tract. 3º. de apātibus cerebri qđ est apa cal' in ꝑ essentiā: q̄r de materia calida i sui natura in q̄ sunt tria genera morboꝝ mala ꝯpl'o: mala ꝯpositio: ⁊ solutio ꝯtinui. Tu dices q̄t hoꝝ trium plus ledit. Dicendū ꝙ quilibet hoꝝ est causa imediata nocumēti ꝓprie actōnis: sic mala cōpositio est maior causa nocumenti actōnis aiate sensitiue ⁊ regitiue in cerebro. Tu dices que vtilitas inde seq̄tur medico ex notiᵃ tali soluit lr̄a. 8. de igeº cº. vlº. Iđ vult i. 19º. cº. vlº. ꝙ tal' notiᵃ ꝓfic̄ in cura in exhibitione medicinaꝝ potissime euacuātiū ꝑ vtroq̄ ḡne morbi ⁊ alterātiū ꝑ vno ḡne ipiꝰ nā exhibitio haꝝ ex sp̄e morbi limitat̄ ⁊ eligit̄

Sexto tu q̄res cuiꝰ ꝟtut̄ freneß sit nocumētū p̄ncipal'r. Dicēdū vt ē dictū i alijs passiōibꝰ matialibꝰ ꝙ regitie ñal' puta digestie ⁊ exp̄l'siue ⁊ vital' expulsiue potiᵐᵉ mēbri mādāt̄. vt ē dc̄m. xi. đ ige. cº. 2º. ⁊. 8. notiᵃ cāc tal' morbi siue nocumēti ꝓfic̄ mltū in p̄ſuatōe. Ideo ꝓ p̄seruatione euacuamus cū flobothomijs ⁊ farmacijs iuuando istas virtutes in actiōibus proprijs

Septimo tu q̄res cui⁹ virtutis frene
sis sit pa° ꝑncipaliter. Di-
cendū ꝙ ꝓut est mala cōplexio infert ꝑncipalius
nocumētū regitis naturalib⁹ ipi⁹ cerebri ꝓut est
mala cōpō ⁊ solutio forꝫ ꝯtinui infert ꝑncipalius
nocumētū regitiue aiate sensitiue ⁊ imagiatie et
discretiue q² iste ꝑ cōpōem ꝑncipali⁹ opanť. sicut
naturales ꝑ cōplōem ⁊ ecōtra. vt est declaratum
in expōe ꝑmi de morbo. verū. q² nocumentū ipa
rū regituaꝝ aiataꝝ ē mag⁹ notū cuiꝙ Ideo Ra
sis in c°. ⁊ Ga⁹ in passiona°. ⁊ Aui. in. 3° can. fē.
3°. c°. ꝑ°. attribuūt nocumētū isti⁹ passiōis magis
euenire aiate regitiue ꝙ̄ naturali actioni. ꝓpter
qᵭ dicūt frenesim esse passionē aiate v̾tutis. puta
sensitiue ⁊ regitiue imaginatiue ⁊ discretiue ꝑn
cipalius.

Octauo tu q̄res q̄re frenetici sūt fortes
in motu ⁊ debiles in sensu. naꝫ
rūpunt ligamēta velut maniaci. Soluit Ga⁹ ii°.
de ingenio ca°. penul°. Idē dicit 5° de morbo. ꝙ
siccitas neruoꝝ rōne talis morbi cali in origine
eoꝝ est causa magni ⁊ forꝫ motus. sicut nimia hu
miditas ē cā q̄eꝫ. ꝓpť qᵭ dic̄ in 5° ᵭ mor° ꝙ nerui
ꝙ̄to siccioꝛes tāto abilioꝛes ad motū nisi veniant
ad tantā siccitatē ꝙ rūpantur. ⁊ q² sensus fit per
neruos mediocres in hūiditate siccitate ⁊ molli
cie Ideo amittunt sensum in ꝑte. ꝓpter quod pa
rū dolent.

Nono tu queres quō tale apostema gn̄a
tur. Soluit Ras in ca°. Ideꝫ vo-
lunt Aui. viatic⁹ cū Gerardo ꝙ gn̄atur ex ebulli-
tōe sanguis ⁊ co. in corde l' epate ⁊ ꝑtib⁹ vicinis
puta venis magnis ꝓpť quā magnā ebullitiōeꝫ
ꝑs subtilioꝛ ascendit ad cereᵐ. Et ibidem facit
collectiōem apostemosā: nisi reꝑcutiať: ⁊ altere-
tur ⁊ diuertať: vt dꝫ. ⁊ euacueť a ꝑticula mādāte.
q² intētio forti oꝛ ē succurrere ꝑti mādāti: vt pōit
Ga⁹ ꝯ archigenē in oīni morbo materiali ꝑmo
⁊ secūdo de interioꝛib⁹ in plib⁹ locis.

Decimo tu q̄res cū q̇b⁹ nec quō tal' col
lectio apostemosa preceteri ꝑ
electionē ꝓseruať. ¶ Dicendū ꝙ ꝯsiderata in in
tētōe Ga¹ ꝑ° ⁊ 2° de in̄io. in plib⁹ locꝗ ꝯ Archi.
ꝙ ꝑti mādāti ꝑncipali⁹ est succurrēdū ꝙ cā dꝫ for-
titer substrahi ab epate: ⁊ a corde cū flōijs forti-
bus ⁊ reiteraꝫ epithimando epar ⁊ cor insuꝑ pro
ut in oīni valde acuta dꝫ fieri cū aq̄s frigidis vbi
sit. ʒ. ß. vel. i. camphore. q² forti morbo forꝫ dꝫ cor-
rn̄dere medicina. ¶ 3° ponēdo reꝑcussiua in ꝓra
capitis. puta oleū ros. vin fācinū: vbi sit 5ª vl' sex-
ta pars aceti de hora in horā suꝑ applicādo cum

panno lineo duplo ibidē infuso. qᵭ reꝑcussiuum.
¶ Silr̄ ponim⁹ in ꝑafrenesi epithimādo mēbra
supradicta. extinguēdo feruoꝛē sanguinis ⁊ col'e
ex principali intēto.

Istis clarificatis cura frene
sis tibi pa-
tescit. Frenesis est collectio hūoꝝ apostemosa in
pellicul' cerebri de san. vel de co. in toto l' in ꝑte q̄
incipit cū doloꝛe capitis ad quē seq̇tur feb. tanꝙ
eius accidens. ⁊ i hoc differt a ꝑafrenesi q̄ ē col-
lectio fumosa vapoꝛosa in dictis pelliculis rōne
ebullitionis hūoꝝ potissime sanguis ⁊ co in feb.
putrida cōiter suꝑueniens circa finē augmēti ip
si⁹ fe. Ad qᵭ facit pot⁹ vini postpositio flōie ⁊ la
xatiōis ventris cū cassiafi simplici q̄ multū miti
gat feruoꝛē sanguis ⁊ colere euacuando col'as a
sto° ⁊ a meseraiꝗ sine vestigio calefactiōis q̇bus
neglecꝫ ⁊ postpositis nō solū fit collectio fumosa
imo ⁊ hūoꝛal' interdū ⁊ apostemosa. ⁊ tūc vꝛina
dealbať ꝓpter raptū maťie ad ipm cerebrū. quia
vꝛine coloꝛātur ꝑ viā mixtiōis mag⁹ ꝑ°. ⁊ 2° de cri
si. ¶ Ex quo patet qn̄ ꝑafreneß in verā frenesim
cadit tūc fugias. Curam ꝑafreneß dicem⁹ statim
¶ Dictū est ꝙ frenesis duplex est: vera ⁊ non v̾a
Nam qn̄ isti hūoꝛes calescunt vltra debitū ⁊ sub
tiliant in arterijs ⁊ venis rapiūtur ⁊ mouētur ad
suꝑioꝛa. ⁊ tales humoꝛes fluxi ad partes suꝑio-
res rōe acuitaꝫ aꝑiunt oꝛa venaꝝ ⁊ arteriaꝝ ⁊ exe
unt ⁊ replent poꝛositates pelliculaꝝ ⁊ faciūt apa
⁊ nō solum fumositas vt pl'es moderni dicūt. nā
aliť vꝛine non remitterētur nec dealbarētur si hu
moꝛes in eoꝝ suba n̄ rapenť ad suꝑioꝛa ꝓpť cāꝫ
dictā nec distingueretur freneß a ꝑafrenesi.

Signa freneß duplicia sūt. Quedā sūt
signa ꝓnostica future freneß: fir
me ⁊ ꝑmanētis. ⁊ alia sunt demōstratia freneß in
cipienꝫ firmari. q² accn̄s morbi seq̇tur morbū sic̄
vmbꝛa coꝛp⁹. 3° de moꝛbo. tal' frenesis estᵘ in ꝑnc°
ꝑncipij. ¶ Ista signa Ras ponit ꝓpꝛio ca°. pu
ta doloꝛ ⁊ g̃uitas capiꝫ: rubedo magna in facie ⁊
in ocul'. displicenᵃ luminis. velocitas ⁊ spissitudo i
pulsu. Istis appꝫentib⁹ fe. ꝯtinua ꝯcomitante cō-
siliū est Ras ⁊ Ga¹ in passiona° suo: ꝙ isti statiꝫ
flōmētur. ex quo tant⁹ ruboꝛ in facie de basilica:
vel mediana ßm ꝙ vene sunt magis plene ⁊ late
Gn̄. ii°. de ingenio. Interdū n̄ possum⁹ recte iu-
dicare suꝑ flōiam nisi inspecta cōpōne venaꝝ. in
terdū soluať vēter cū cassiafi simplici. ℞ prunoꝝ
damasꝗ vuaꝝ pasß. mundᵭ. ab arill' caricaꝝ pin
guium iuiube sebesten. ana. p. ß. fiat decoctio in
duabus libꝛis aque donec redeat ad libꝛam. ß. in

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

q̄ dissoluat̃ cassief. bñ mūđ. ℥.i.ß potꝰ. si patiens
nullo modo vult potare: da sibi clistere. ¶ ℞.
q̄nq̄ʒ herbaꝝ cōium añ.m.i.ß decoctio in qua dis
soluatur mell'. ℥.ß.cassief mūde. ℥.i.olei viol'.q̄rñ.
ß.sal' cōis.ʒ.ij.fiat clistere. ¶ Facta solutiōe ven
tris.in.2ª die radat̃ sibi caput pꝰ vespos de sero:
p̄us abluēdo cū decoctione violaꝝ florū nenuf ꝛ
corticis papaueris albi. facta rasura ꝯfestim ca⸗
put inungat̃ cū oleo roß.vmfancio vbi sit 5ª vel
6ª ps boni aceti simul agitat̃.ꝛ inungatur de q̄t
tuoꝛ in q̄ttuoꝛ horis.infundas ibidē bombacem
ꝛ capiti applica.in defectu illiꝰ olei hēas de rosis
cōi vbi misceas tertiā p̄tē aceti sit' bñ agitat̃. l'in
fundas bombacē in succo lactuce moꝛelle aq̄ ro.
ꝛ aceto.ꝛ sit parū tepida nō cal'a i crastinū ꝛ erit
3ª dies l'4ª sue egritudinis: appebūt aliq̄l'r sig̃
demōstratia freneß firme p̄fecte ꝯfirmate q̄ sunt
alienatio mētis aliqualis citrinitas ꝛ nigredo li
gue instātia vigiliaꝝ motꝰ inoꝛdiatus manuū et
pedū. hoc vult Ras in.c.i.p̄dices q̄ ois freneß i
suo gñe ē moꝛtalis. p̄mo ꝓnostic.cañ.illo. Ma⸗
nuū mobilitatis sig̃. Et q̄ cʒ iterū ꝛ iterū flōma
re ꝛ plura alia facere. Flōmabis cū de cephaᶜᵃ
vsq̄ʒ ad.ll'. i. q꞉ sic expedit ꝯtinuādo illam inūc⸗
tiōem dictā:ꝛ vtat̃ solo oꝛdeato claro ꝛ aq̄ oꝛdei
vl' aqua simplici cum vino maloꝛūgranatoꝝ.naʒ
erit i augmēto vsq̄ʒ ad septimā exclusiue: vl' vsq̄ʒ
ad.ix.vel foꝛte.xi.nō obstātibus subtractōibꝰ vel
cū flōmijs ꝛ repcussiuis adhᶜ maª fluet aliqua
liter ad caput i plus q̄ resoluat̃: tu cognoscas h̃
ßm q̄ accidētia dicta augmētabūt̃ i malicia: tūc
venit q̄ntus dies nō pōt doꝛmire. Añq̄ inungas
caput sibi: lauet̃ sibi caput ab alto cū decoctiōe
sequēti parū tepida. ℞. floꝝ viol'.coꝛtiq̄ papa.al.
oꝛdei excoꝛticati rađ mādragoꝛe añ.m.i. ß decoc
tio bona vsq̄ʒquo rubea fiat aq̄.ꝛ illa ab alto su⸗
per caput fūdatur parū tepida renouando eam.
Cōsequēter apponas capiti ea q̄ dicta sunt. Ad⸗
ueniēte sexta die si vrina alba fuerit fugias: sigᵐ
est q̄ maª rapitur ad caput:ꝛ ap̄a multū augmē
tatur: ꝓpter qđ fugias. Idem si vna vice ridet:ꝛ
alia flet. vl si i sinistro pollice vesica citrina dura
appuerit simil' fabe. Si talia nō apparēt: fac flo
bothomiam de vena frontis satis bonam in de⸗
fectu illius de vēa nasi: vel ꝓuoca sibi fluxū sāgui
nis nariū. In defectu hoꝝ fac de cephalica alte⸗
rius p̄tis: tūc venit septima dies nil agas: nisi q̄
fiat sibi clistere:ꝛ q꞉ cōiter maª est fluxa ex toto:
qđ cognoscas: q꞉ accidētia illa mala nō augmē⸗
tātur in malicia. embꝛocamꝰ cum embꝛocatiōe di
cta. cō sequēter inūgamꝰ cuʒ oleo viol', vbi sit ter⸗
tia vel quarta pars lactis mulieris puellam lac⸗
tātis ¶ Si videris accidētia augmētari: adhuc
ponas illa frigida p̄us dicta: si nō: redeas ad ole
um viol'. cum lacte mulieris: tūc venit octaua di⸗
es continua inunctiōnem istam vel illam scđm
q̄ accidētia stant i sui malicia vel augmētantur
signū est q̄ est in statu. applica resolutiua: misce
as lac equis p̄tibus cum oleo viol'. ¶ Aduenie⸗
te nona die: ista cōsidera. Si videris stare acci⸗
dētia i eoꝝ malicia nil addēdo: signuʒ est q̄ apo
stema est in statu: applica mag' resolutiua: vt ca⸗
tulū viuū: scindatur p̄ doꝛsum ꝛ capiti applicetur
c̄icipit ifrigidari: alt applicet̃.ꝛ si tot ñ hēas gal
lū hēas ꝛ applica eodē mō. l' hēas pl'inonē muto
nis nō castrati ꝛ per doꝛsū ipouiuo exhat̃:ꝛ capi
ti subito applicetur. Ista cōtinuētur vsq̄ʒ q̄ deci⸗
maquarta dies sit trāsacta. Loco istoꝝ quia dant
magnā fatigā: potest ill' diebus etiam caput fo⸗
mētari ab alto de quattuoꝛ i quattuoꝛ horis cuʒ
aqua tepida decoctiōis floꝛum camomille melli
loti: floꝝ cene vtriusq̄ʒ sticađ. se. fenugre. ¶ Adū
te q̄ aer camere cōtinue infrigidet̃ cum folijs sa
licis ꝛ cāne vitis roꝛando dictam cameram cuʒ
aqua ꝛ aceto in tertia p̄te vitet carnes ꝛ vinū oi⸗
no. Cibus sibi electus sit oꝛdeatum clarū cū gra
nis maligranati. loco illius auenatū: lac amigda
larum: ß in aqua prius bulliātur. semia frigida
maioꝛa. ¶ Sirupetur vt tibi placebit: ß ptisana
ꝛ aqua simplex cum vino maloꝛūgrauatoꝝ i mo
dica p̄te tenēt vim syrupi. Iste ꝓcessus fiat i fre⸗
nesi vera ꝛ nō vera: omia non possūt scribi, mul⸗
ta opoꝛtet cōmittere tue prudētie.

Cura p̄afre. sup̄uenient̃ i cōtinuis ꝛ acut̃ fe
bꝛibus cōsimil' ē in q̄busdam: licʒ nō
indigeat tātis flobothomijs nec repcussiuis. dū
videbis ruboꝛē i facie ꝛ male doꝛmire: da sibi cli
stere: ꝯsequēter flobothoma ip̄m de basilica vel
de mediana. ꝯsequēter da sibi cassiāf. simpliceʒ
modo dicto. Et nō des febꝛicitāti medicinam at
tractiuam ꝓ aliquo: nisi thamarinđ. si necesse fu
erit. Gaꝰ. vbicūq̄ʒ loq̄tur de cura feb. intelligenti
pꝛohibet: quia talia sunt calida: sic malificāt dis⸗
crasiaʒ ꝛ cām discrasie:ꝛ attrahēdo attrahūt qđ
subtilius est sic. fe. ꝓlongant. Et attrahēdo p̄mi
scent malignū cū benigno: sic augmētant malig
nū: quibus de causis feb. ꝓlōgant ¶ Caueas er
go a tanto malo si vis i mūdo pꝛosperari ꝛ gra
tus esse deo ꝛ hominibꝰ. Fac ergo tali flobotho
miam: ꝛ da sibi cassiāfistulam dictam: q̄a tales
male doꝛmiūt: fac eis embꝛocatōnem capit̃ cuʒ
decoctōe floꝛum viol'. coꝛticis papaueris: radic

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

mādragore ꝛc. fac rasuram: inūgatur sibi caput cum oleo rof. vbi sit aliqua pars aceti. Et si tibi videatur reitera flōiam fac de cephalica in bona quātitate postponēdo vinū ꝛ carnes ordeatū pn cipatū tenet in acutis potissime cū talib⁹ accidē tibus. ptisana aqua cū portōne vini malorū gra natorꝫ valet multuꝫ: ꝛ tenet vim sirupi in tali casu ꝛc.

Capitulum quartum de apoplexia.

Um aliqs q̄si dormiēs iacet et sine sōno stertit et cū pūgit̄ n̄ sētit tūc iā patit̄ applīaꝫ Est auteꝫ huius egritudinis quātitas scd̄m q̄ fortiter aut debiliter stertit Si tamē spuma ab ore exierit non est ei medicandū. Cū autem parum stertit egritudo ē leuior. Hec q̄dē passio aut cito interficit: aut i paralisim transit. Cum autem ista visa fuerint: attēdendum erit an patiētis facies multū rubere: aut denigrari: aut viridis fieri videat̄ queadmodū cōtingit cum sāguis in aliquo mēbro ex coartatōne retinet̄. Tūc enim sanguis illico ex duabus guidei extrahēdus ē: aut ex duabus cephalicis. Q̄d si ita n̄ fuerit: imo cum aerem attrahit auditur in pectore oregmō ex hoc clisteri erit clisterizand⁹. Quod R. coloq̄ntide bothor marien cētauree minoris arthanite ellebori albi oīm an̄. m. i. coquātur oīa in. iij. lī aque donec ad vnam redeant. deinde colentur ꝛ ex media. lī. huius apozimatis fiat emena. q̄d si cito exierit: fiat iterum donec humorꝫ multitudo simul cum eo exeat. narib⁹ q̄ꝫ cōdisi ꝛ ellebor⁹ alb⁹ suauit̄ insufflentur. Et ē ingeniandūꝫ vt anacardinū cū ydro melle p os ad stomachū multotiens descendere cogatur quaqꝫ die semel ex quo vnius aurei pōdus in potu sumendū est. Cui⁹ descriptio est in caplo de palisi Sartago preterea ferrea calefaciēda ē ꝛ capiti multotiens adeo vicināda vt patientis capilli adurātur. Q̄d si hoc modo non sanātur in medicādo: pl⁹ laborabimus. caput nāqꝫ rademus ꝛ ex sinapi trito ꝛ castoreo: ꝛ fortissimo aceto liniemus. In p̄ma autē huius passiōis spē post flōiam stringem⁹ fortiter adiutoria ligādo superius parū sub piunctōe ipsorum cū spatulis ꝛ stringem⁹ tibias silit̄. Capiti q̄ꝫ supfundendū ē oleum rosēū ꝛ acetū vini ꝛ flobothomia faciēda p̄us in pedibus: ꝛ postea in nasi extremitate.

E apoplexia Et eius cura Apoplexia ē destructio sensus ꝛ mot⁹ i toto corpe ppter opilatōnem ꝛ replectionē vētriculorū nobiliū cerebri. vt dicit ga⁹. 3°. de interi. c. p̄mo. Et differt a subeth. i. a somno pfundo. ꝛ a litargia: quia licet in istis sensus ꝛ motus destruat̄: tn̄ anhelitus in eis nō corrumpit̄: nec destruit̄ put in spēbus apoplie fit. Simlit̄ apoplexia fit subito: alia aūt paulatim: ꝛ ipaꝫ apoplexiā cōiter antecedūt vertigo ꝛ scothomia: grauitas capitis sp āñcedit p diē vl̄ p dies cū pigricia mēbrorꝫ passiones dictas nequaq̄. Silit̄ differt a sincopi. q: facies apo^ci assilatur i colore faciei hois sani ppter multitudinē spuū. ꝫ i sincopi facies assilat̄ faciei hois mortui. Secūdo nota q̄ apoplia hꝫ tres spēs seu tres gradus: vt vult ras hic. Idē vult ga⁹. 2. ampho. sup canon. illo, Soluere apoplīaꝫ fortem ꝛc. Et intelligas

istas spēs siue gradus rōe diuersoꝝ accidentiuꝫ in ꝗtitate tali vel tali materie: sic vel sic opilātꝝ. ¶ Prima spēs est qn̄ suspirāt cū maxia difficultate ⁊ angustia stertēdo seu roncādo fortissime ⁊ spuma in ore. ⁊ vox eoꝝ est sicut vox strāgulatoꝝ cū inordinato anhelitu valde. Ista spēs est i vltimata malicia int̄ illas in q̇bus remāsit anhelitus aliqualr̄ sensibilr̄. qꝛ si nullꝰ anhelitus remāserit peior est. Iste ambe sunt mortales ⁊ sub vna spē reponūtur. qꝛ in ip̄is ē totalis repletio scḋm plus ⁊ minꝰ ventriculoꝝ cerebri: ⁊ meatuū spūū ab arterijs ad cerebrū: ⁊ meatuū spūuꝫ cerebl ad neruos. ꝓpter qḋ isti duo non curātur ymo moriunt̄. ideo dicit ypo. mortale. qꝛ vt plimū moriūt̄. ¶ Quidā tn̄ hoꝝ euadūt ab inopinato. propter qḋ dicūt actores ꝙ dato ꝙ videāt mortui ꝙ teneant̄ ꝑ tres dies. nam multi sepeliūtur viui. qꝛ audiūtur in tumulo ⁊ in crastinū inueniunt̄ reuoluti ⁊ mortui. hoc cōtingit tota die. ¶ Secūda species differt a dicta qꝛ cū minori difficultate suspirāt ⁊ anhelāt stertēdo sine spuma: ⁊ nō ē vniꝰ ordinis in malicia: qꝛ aliqn̄ q̇escūt in illa maliª stertendi seu roncādi. ¶ Tertia spēs est in qua anhelāt ⁊ suspirāt cōpetēter ⁊ satis ordinate ⁊ non stertūt in ista vētriculi: nec alij meatꝰ sic replent̄ nec opilant̄. qꝛ materia non ē tanta ꝓpter quas causas ista est satis curabilis a bono medico: vt vult gaꝰ. sup cañ 1°. Soluere apoplīaꝫ ⁊c̄. ¶ Et curat̄ sanguinea cum flōmijs reiteratis in diūsis ꝑtibus. ⁊ flātica cum clisteribꝰ. vbi sit m. i. coloq̇ntide. sternutatorª nō cōpetūt: ꝓpter dissolōem materie nisi facta magna substractōne matie cū clisteribus fortissimis. vbi sit de coloq̇ntida satis ⁊ cū flōijs diūsis alit̄ sternutatoria essent nociua

Primo Tu queres. Cuius ꝑticule apoplexia ē passio ꝑncipalr̄. Soluit lr̄a. 3. de int̄. c. 5. de apoplīa. ꝙ est passio oīm ventriculoꝝ cerebri spāliter nobiliū q̄ sunt in medio capitꝭ ⁊ meatuū arteriarū assistentiū spuētiuꝫ dictos spūs aiatos ad ip̄m cerebrū tāꝙ fumū. 4. ḋ int̄. c. 3. ⁊ meatuū cerebri ad ip̄os neruos ꝑ quos trāsit dicta fumositas subaliter. dicit gaꝰ. in loco allegato. ¶ Ideꝫ de iuuamētis anhelitꝰ ⁊ suba ce'patit̄ puta malā cōplōem humidā. a tali maª humida sanguinea vel flātica: vt pꝫ. 4. de int̄. c° 3°. ⁊ 4°. cōsequēt̄ patiūt̄ ꝑ colligātiā oēs nerui sēsitiui ⁊ motiꝰ. ꝓpt̄ qḋ cessat sēsꝰ ⁊ motꝰ i toto corꝑe

Secūdo tu q̄res ex quo ꝑ talē passiōeꝫ cessat trāsitꝰ spūū aialium ad mēbra ⁊ ē destructio motꝰ in oībꝰ mēbris: qualit̄ ꝑtes pectorales fortiꝰ mouēt̄ solito in āhelitu ipsoꝝ. Soluit lr̄a 3° de int̄. c. ꝓp̄o. Idem dic̄ 2°. amphoriꝝ. cañ. illo. Soluere apoplīam fortē ⁊c̄. ꝙ ille motꝰ fit fortis a v̄tute naturali motiua coadiuuāte v̄tutē aiatam debilitatā ꝓpter desideriū aeris extrinseci. qꝛ aiata motiua non pōt sufficient̄ attrahere aerē extrinsecū ꝓpt̄ sui debilitatē. ¶ Arguit sic gaꝰ. in. c. ꝓp̄o 3°. de int̄. sicut ē i dormiētibꝰ ꝓtūc volūtarie motiua debili existēte. sic ē in apoplīa. Istā ponit in lr̄a. sic ē in dormiētibꝰ in q̄bꝰ aiata volūtarie q̇escit in ꝑte lꝫ nō ex toto ꝓpt̄ opilōem aliq̄lē in somno ꝑte cere' ⁊ nō puppis. qꝛ dormiēdo de pausa in pausam pectoraª fortiꝰ mouēt̄ solito rōe motiue n̄lis ꝓpt̄ desideriū aeris extrinseci ꝑ refrigeratōe cordis ⁊ nō rōe aiate debilitate ꝓpter cām dictā. g̃ sic erit in apoplīa: ꝙ pectoralia int̄dū fortiꝰ mouebūt̄ a v̄tute n̄li motiua ꝓpter cām dictam. Idē int̄dū ꝯtingit vigilāti ꝙ hō suspirat: qꝛ tūc naturalr̄ supplet vices aiate motiue debilitate a frigore. Vel alio°. istud ideꝫ ꝯtingit febricitātibꝰ int̄dū ꝓpt̄ necessitatē attrahēdi aerē friīn fortiter Illud idē ꝯtingit in moriētibꝰ. qꝛ aiata citiꝰ morit̄ ⁊ debilitat̄ ꝓpt̄ qḋ n̄ sentiūt nec mouēt̄: tn̄ pectoralia fortiꝰ mouēt̄. qꝛ n̄alr̄ motiua ex nc̄citate attrahēdi anhelitū coadiuuat ꝗtū pōt motiuā aiatā mouētē pectoralia cū neruis veniētibꝰ a spondilibꝰ colli ⁊ dorsi ⁊c̄.

Tertio tu q̄res si ē dare motiuā naturalē i lacertis pectoris nc alioꝝ mēbroꝝ q̄ moueat pectꝰ i nc̄citac i apopª ⁊ i alijs casibꝰ dictis. Vr̄ ꝙ n̄. qꝛ aui. nullā fec̄ mētōꝫ g̃ n̄ ē dare ꝯª tꝫ qꝛ ip̄e fuit ꝑfectꝰ artifex. Itē oīs motꝰ f̄ medic neruo ⁊ lacto. 5. ḋ mor. ⁊ sic oīs motꝰ ē aialr̄. ꝯªtꝫ qꝛ illa f̄ istr̄a motꝰ aialr̄. i eoḋ. 5. ḋ mor. Soluit lr̄a ga'. 2. āph̄. ꝯ° illiꝰ cañ. soluere apo. ⁊. 5. ḋ mor. c. i. Idē pꝫ. 2. ḋ ꝯplōni. c. 4. oīs v̄tꝰ n̄alr̄ ē motia n̄lis. h̄ dic̄ aui. doc̄. ḋ v̄tutibꝰ. qꝛ oīs v̄tꝰ n̄lis opat̄ ꝑ motū. attractia explsia n̄lis opat̄ ꝑ ꝓpriū motū. q̇a ꝑ ꝓposvillos q̄ motū nc ortū recipiūt a ce° vt dic̄ gꝰ. 2. de ꝯplō. c. 4. sēsū āt bn̄ recipiūt ꝑ colligātiā q̄rūdā pelliclaꝝ ide ortaꝝ: n̄ negā° q̄n tales v̄tutes coadunēt̄ i actōe sua a' motu aiato vt pꝫ i expellē° sup fluitates vesice ⁊ itestioꝝ ⁊ aliaꝝ sup fluitatū sic motia n̄alr̄ coadiuuat aiatā motiuā i actōne anhelitꝰ i q̄ actōe n̄li ē illa coadiuuans in nc̄citate vt pꝫ in proposito.

Ad rōes pꝫ solo. Ad aui. dico ꝙ ip̄e itellexit i h̄ ꝙ dic̄: ꝙ oīs v̄tꝰ n̄lis ꝑ motū opat̄. Ad aliā. motꝰ oīs f̄ medic lacto ⁊ neruo. verꝝ ē aialr̄: n̄alr̄ āt f̄ mediātibꝰ villr̄ q̄ nc motū nc ortū h̄nt a ce° h̄ fuerūt creati c̄ v̄tutibꝰ n̄libꝰ talibꝰ vt ē ḋclaratū p° ḋ iter. c. vl°. ⁊ ḋcm silr̄. 2. ḋ ꝯplō. c. 4

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

Quarto tu q̄res. cum pulmo moueat̄ scd̄m seip̄m vt dicit ga⁹. in li-
bello de iuuamētis anhelitus circa mediū̄ ꝛ mo
ueatur cum diafragmate rōne colligātie: cui⁹ dy
afragmatis motus ē in p̄te naturalis ꝛ in parte
aiatus vt dicit Ga⁹. ibidem. Et idē dicit auerro.
2° coll̄. c. de iuuamētis pulmōis nūc querit̄ qua-
re cessat motus pulmonis: nec actio anhelitus
propter passionem cerebri. ¶ Soluit galien⁹ in
libello de motu thoracis ꝛ pulmonis. ꝛ. 4°. de i-
terioꝛib⁹. c°. de malo anhelitu. ꝙ pulmo nō habꝫ
motum nisi ad motū thoracis. Idē dicit auerro.
2°. collectoꝛij. c. de iuuamētis pulmonis autorit^e
Ga¹. ꝙ pulmo nullū motum habet in se: ꝛ ꝙ pl̄
mo mouet̄ ad motū thoracis sicut cōtentū com
pressum ad motū continētis ꝛ comp̄mētis: sicut
spōgia contēta in manu dilatat̄ ꝛ constringitur
ad dilatatōem ꝛ constrictōem manus: vt dic̄ g⁹.
5°. de inte. c. 2. in fine. Ideo ꝙ thorax nō mouet̄:
interdū i apopl̄ia ꝓpter p̄uatōem sp̄uum moti-
uoꝝ nō descēdētū a cerebro ꝑ ip̄os neruos spō-
dilium colli ꝛ dorsi ad ip̄m pectus. Ideo pulmo
non mouet̄. ꝛ quia nullo modo mouetur thorax
saltem sensibiliter in aliqua apopl̄ia. sil̄r n^c pul
mo mouebit̄ sensibilit̄. Nō est ergo mirum si i ta
li apoplexia cesset anhelit⁹. ¶ Tūc ad ga^m. q̇ di
cit ꝙ mouet̄ scd̄m seip̄m: ita q̄n thorax mouetur
ipse ex sui natura dilatat̄ sicut spongia. Similit̄
diafragma mouet̄ eius motu naturali ad motuꝫ
thoracis. aliter nō posset sil̄iter moueri: nisi p̄ce-
dat dilatio ipsius. ¶ Ad auerroym ꝑ ideꝫ. ¶ Ad
aliud. v̓tutes hꝫ naturales: ergo mouebitur scd̄ꝫ
seip̄m. Verū est nisi sit ꝓhibēs. thorax comp̄mit
ipsum: ideo opoꝛtet ꝙ an̄ꝙ pulmo moueatur: ꝙ
thorax dilatet̄. tūc ip̄o dilatato: pulmo ex sui na-
tura dilatatur ꝛ mouetur: sicut dictum est de spō
gia.

Quinto Cuꝫ arterie moueant̄ motu ꝓ
prio mediantibus vil̄l̄ ꝓprijs
q̇ ortum nec motū habēt a cerebro. 2° de comple
xionib⁹. c. 4°. quare cessat mot⁹ ipsaꝝ arteriarū i
apopl̄ia ꝓpter opilatiōem vētriculoꝝ ꝛ meatuū
cerebri ꝑ quos sp̄ūs aiali intrāt ꝛ exeūt dictos vē
triculos. ¶ Soluit auerroys. 3°. sui collectoꝛij. c.
de apopl̄ia. dicit ꝙ cerebrū non facit suas oꝑa-
tiones motiuas nec alias nisi ꝓpter hoc vt tem
p̄eries cordis i caloꝛe naturali ex toto confuet̄.
Ideo si cerebrū cessat ab actionib⁹ suis temperi
es cordis in caloꝛe naturali ex toto aufertur. pro
pter q̄d cessabit motus cordis ꝛ arteriarum: ex q̊
instrumētū sue acttionis puta caloꝛis naturalis
ex toto aufertur ꝛ ān̄ullabitur. Cessante ergo ac
tione ip̄ius cerebri: cessabit ꝛ actio cordis ꝛ arte
riaꝝ. qꝛ pl̄mo ꝛ dyafragma cessabūt a motu suo
quia pect⁹ non mouebitur: nec illa mouebūtur.
sic caloꝛ naturalis qui ē instrumētū actōnis coꝛ
dis ꝛ arteriaꝝ ex toto ān̄ullabit̄. sic actio coꝝ ces-
sabit ꝛ ex toto deficiet.

Sexto tu queres. si apopl̄ia ē passio di-
ctoꝝ vētriculoꝝ ꝛ meatuū per se
vel ꝑ colligātiam. ¶ Dicēdum ꝙ ꝑ ē ꝑ colligā-
tiam: qꝛ aliūde venit sanguis seu flegma replēs
dictos vētriculos ꝛ meatus. 3°. de interioꝛib⁹. c°.
ꝓprio. Idē in. c. 3°. ꝛ. 4°. Tu dices. cui⁹ membri
colligantia sit talis apopl̄ia. Dicēduꝫ ꝙ ꝑ colli-
gantiā venaꝝ cerebri vene ex plectoꝛea vel ex ꝑ-
cussiōe: vel ex sole dissoluēte: vel ex frigiditate cō
p̄mēte: vel ex motu foꝛti: puta ex coitu foꝛti: ꝛ ma
gno potu. sp̄uūt materiam ꝑ viam plectoꝛie vel
dissolutionis ad dictos vētriculos.

Septimo tu q̄res. apoplexia q̄ pa°
est in se in genere: vel in
specie. ¶ Dicēdū ꝙ officialis in receptaculo ꝛ i
via: verū in suba cerebri pōt esse moꝛbus cōsil̄is
puta mala humida rōne materie fluxe sanguiee
vel flegm atice pōt esse humoꝛal̄ aposteosa in q̇
erit triplex gen⁹ moꝛbi tūc ꝓprie erit passio me-
atuū sp̄uum ab arterijs ad cerebrū vel cereb^i ad
neruos. Vn̄ quecūqꝫ apopl̄ia cōiter ē incurabil̄
ꝓpter nobilitatē membri ꝛ multitudinē matie.
nam mēbrū nobile nō pōt toll̄are longitudinē
moꝛbi nec maliciaꝫ accidētiū. 2°. amph̄o. cañ. 1°.
Acute egritudines ꝛc̄. ¶ Si aūt aliq̄ apoplexia
curet̄: non pōt perfecte curari ꝓpter multitudieꝫ
matie. Sed aliq̄n natura vigoꝛata ꝛ iuta per ar
tem: mittit ad meat⁹ neruoꝝ ꝛ arteriarū. ideo in-
fūditur materia i oꝛigine neruoꝝ: ꝛ materia hū-
da sic imbibita causat mollicie in ip̄is ꝛ hoc est
paralisis. hoc vult Rasis hic. Idē auic̄. in. 3°. ca
no. vn̄ sicut res pūgēs. ibidē. In oꝛigie neruoꝝ
vel alibi cāt ꝯtractionē in neruo ex sui natura: vt
videm⁹ i coꝛrigia pūcta i capite ꝙ ꝯtrahit̄. vel si
hūiditas imbibita relaxabit̄. ita ē i neruis: vt dic̄
ga⁹. 2°. de inte. ꝯtra archigenē. Et talis imbibi°
ma^c f̄i p̄te magl̄ ad quā declinat: lꝫ vt pl̄imuꝫ fi
ati p̄te dextra. qꝛ vie sūt latioꝛes: iō citi⁹ ibidem
ma^a fluit. h̄ vult ga⁹. 3°. amph̄o. ꝯ°. illi⁹. Si vero
hyēs austrina ꝛc̄. Propt̄ cām ex reumate l̄ al̄s
cōiter cātur ꝑalisis in p̄te dextra.

Octauo tu q̄res. apopl̄ia cui⁹ v̓tutis ē
nocumētū p̄ncipal̄r. Dicē^m vt
supra: apoplia ꝛ ois moꝛb⁹ matial̄ ē nocu^m p̄ncͬ

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

regitiue natural' digestiue et expulsiue et vital' ex pulsiue vt est dictū ex intētōe ga'.xi.de inge.c.2. et 8.nā si nō errassent in actōe: cā talis morbi nō fuisset generata in corpe tali.

Nono tu qres: Apoplia cui' vtutis ē pa^o pncipalr. Dicendū q pncipalr regitiue aīate motiue et sensitiue ɔnter vital' et natural' vt est satis declaratū in pcedētib'.nā talis passio ē in receptaculo et in via phibēdo trāsitus spuū ad dicta mēbra corrūpit et cāt nocu^m pnci^r in dictis vtutibus: ɔnter in alijs.

Decimo tu qres.qre pl' inest talis pa^o senib' q puerij: cū pueri sint i fine hūiditat.2.de cōplexōib'.c.i. Et eis magis acci dat epilia q est passio sill' vētriculoꝝ cereb^i vt di cit ga'.3.de inter.c.4. Soluit aui.3.cañ.dicēs: q pl' senib' inest.q2 eoꝝ etas ē fria. iō magis abun dat in hūiditate supflua accidētali et fm naturā vētriculi eoꝝ stricti sunt ex etate et ex ɔplōe.iō ci tius opilāt et replent rōe ma^e potissime cā pmiti ua coadiuuāte: vt magn' potus: coit' sup magno potu: exercitia alia cū calore et frigora indebita faciētia ad dissolōem ma^e in ptibus vicis et i to^o corpe. In puerij ē p oppositū. humiditas eoꝝ est cōnatural' eis.ideo non excedit in qto acidētali sic et epilia fit rōe qlis et nō quāti.3.de inte. et illō quale ē in eis rōe lacticinioꝝ q de facili corrūpi tur et effumat fumo malo horribili pūgēte pelli culas cerebri pter quam pūctōem cōtrahunt et spasimant: et vie et meat' opilent vt declarabit infer'.c.ppo.sic cadūt subito pter priuatōem sensus et motus.

Undecimo tu queres.qui sunt isti qui citius cadūt i picu lo hūdi apoplia. Dicē^m ex intētōe aui. et Ga^l. et Ras.q hūtes paroxismal' cephaleā vl' emigra neā vel alias passiones capitis dictas vidi qplu res de talib' icurrere apo.sill' senes.san. et pota tores potissime ɔhētes cū vgibus et hūtes caput hūidū et magnū cū vena mag i frōte poti^me si hi tent i regiōe hūida caueāt tales a subita morte. vitēt hūida vt offas et nimiā cenā et coitū mag^m et festinū poti^me post cibū et potū.ex noti^a horū oīm supradictoꝝ nō solū cura artificial' pficit.y^o pserua^o ipsi' apop^e q ē passio i vltiata malicia p pter quod cito interficit.

Istis clarificatis cura apop^e tibi patescit. Añq i cura pcedas pus ɔsidera quā speciem apo.patit.nam si iaceat sic dormiēs sine sensu et motu et stertit seu roncat cū spūa i ore c malo et i ordinato anhelitu: fugias.medicād' nō ē. h vult ras.i.c.5.vult ypo.2.apho.cañ.illo. Strāglato ri qbuscūq spūa fuerit circa os n curāt et c.cā3 dat ga'.i pme^o. q2 spūa venit i ore ex fūo eleuato a b hūidit^e viscosa plinōis n cito dissoluēda cū agita tione vētosa i eo rōe fort ebullitōis calorij i cor de ppt āgustiā pulmōis et duriciē āhelit'. q2 nō euetat put ds.vn n n pt h diu tollare.q2 istis stāti b' cor cito pdit ex toto tpiem sibi debitā.iō morit 5.de inte.c.p^o.circa pn^m. ppt qd tales fugiēdi st et nō medicādi: multo forti' si sine sensu: motu: et anhelitu manifesto fuerint isti faciūt pmā spēm apop^e. Verū q2 ab inopinato aliq eoꝝ euadūt et viuūt p aliqs dies sine āhelitu maifesto. Cōsiliū ē actorij q nō sepeliant de trib' dieb'.iō pmissa p nosticatōe si ille q caret sensu: et motu et āhelitu manifesto: rubescit et nigrescit i facie. flōet devt q cepha^ca exhēdo de qlibet brachio. lb.ij.ad mi nus.cepha^ca nō inuēta apiat mediana in vtroq brachio. ɔnr insuffle cū pēna pforata ifra nares de pul' sequēti. R. ɔdisi elli. al.añ.ʒ.i.f. pluris subtilissim'.loco hoꝝ R de eufor^o piret^o et cast^o. subtilissime puluerizat insufflet ifra nares pluri es in vna hora. cōsequēter habeas vgulas gci les.flagella ipm p nates: hancas et coxas vt sen sitiua vt' icitet si vixerit.hoc facto raso capite cū ablutōe vini albi decoctōis saluie et maiorāe an thos epithiet cū bōbacē ifuso i h. R.aceti for tissimi. lb.6.se.sinap.casto^l.subti^me pluerizato ꝝ añ.ʒ.ij. misceātur: epithimetur. Istis factis per diem et vltra: si aliud tibi nō appareat renouādo de sex i sex horij: remittas eū psoris. Alium cui spūa ē in ore dimittas: q2 diu h nō potit tollare. et admistrādo clisteria vel flōias: pderet ex toto anhelitū et peri' hret: et esses vitupat'. Si vero tal' apople^c' patiat scdam aut tertiā spēm apo^e: si facies rubescat: aut nigrescat: ɔfestim flōma ipm de ambab' cephaliq et i bona qtit^e a talib' ē saug.exhēd' in qtitate triū. lb. illa non inuēta fac de mediana vtriusq brachij. Si vo ei' facies non rubescat nec nigrescat: s anhelādo audit so. n' in pectore velut ore gēmō. Clisterizet sic R pl'pe coloqn^e botor marien cētauree miorij artha nite.elli al.añ.m.i.coquant oīa in.iij.lb.aq dōec redeāt ad.lb.i.colent et ex media.lb.f. clistere qō dū exient fiat iter et iter vsq q m'ltitudo hūoꝝ sill' exeat clistere.ē ras.q2 vi forti mor^o fort me^a cor respondeat. Vel sic. R.cētauree miorij.m.ij. abrotani.m.i.se.nastur^t.ʒ.ij. pulpe coloqn^e.m.i. elli al.m.f.fiat deco^o i trib'. lb.aq d^e redeat ad.ij. lb. Ex vna. lb. decoctionis fiat clistere cum.ʒ.i.ye

nissi ex textu gal. 5. de morbo. c. i. dicit ad litteram
ralogodion. reiteratur sepe vsqz quo humores exeant cō
sequenter si cū istis vene grosse apparuerit: flōma ipsi
de vtroqz brachio de cephalica vel mediana. qz flōmia
multitudinē hu. euacuat: reiterādo clisteria dicta: vt
tibi videbitur. cōir prouoca sternutatōes vt statim ē dcm
abluēo τ radēo caput τ epithiano put dcm ē stati

Caplin. 5. de graui dormitatione

Um aliqs q̄si dormiens
iacet τ tn̄ sētit τ mouet: sz
oclos sc̄dm plurim hz clau
sos quos tn̄ dū vocat cū clāore apit
lz iterū stati claudat: iā patit subet
q̄ cū clisteribus acuit q̄ pauloāte no
minaui curād9 ē. i os qz ipi9 mittē9
idromel τ laborabi9 vt descēdat. ip
sū em̄ nutrimētuz existit ei9 Caput
p̄terea vsqz ad diatriū p̄mū exiro
dino ifūdem9 Post tertiū vo diē ster
nutatōez puocabi9 ex hijs q̄ noia
uim9 τ radem9 caput τ liniemus ex
sinapi τ castoreo τ aceto.

E subeth Nota q̄ rasis vnā passionē pōit i ru
brica τ aliā exseq̄t i lra capl'i: dādo il
li9 curā puta ipi9 litargie. nā subeth ē
somn9 pfūd9 ppt passionē pre cerebri. s litargia
q̄m ex sei. c. p cura ē sōn9 satis pfūd9 ppt passi
onē puppis. Sz qz cānt ab eadē cā cōit ex toto l'
fm ptē. qz a mala fria τ se cōsequūt i nocumēto
Jō ras rubricauit de vna τ exseq̄t aliā i cura. nā
cura ē q̄si eadē nisi qz i subet reme applicāt i p
ra τ in litargia i puppi. Vlteri9 nō. nos habem9
subet sōnū pfūdū sōnū inaturalē: τ sōnū grauez
Jste sūt passiōes pre cerebri τ sunt passiōes frie
τ hu. fm pl9 τ min9. i subeth ē maior lapsus: cōit
in graui seu i inaturali seu i pfūdo sōno. cōir ē mi
nor lapsus i stupore. Jste stupor vl'is intdū ē cū
sōno. iterdū ē i vigilijs. Passiōes dicte describūt
noie accn̄tiū istoꝝ litargia τ cōgela° sūt passiōes
frie puppis cer'. s litargia ē passio fri. τ hu. iō po
suit i isto. c. i cura. qz nō differt nisi. qz ista ē i pup
pi. subeth ē i pra. cōgelatio ē passio fri. τ sic. i pup
pi vt dicet stati. c. seq̄nti. Vlteri9 nō: q̄ stricte
loq̄ndo subeth ē apa flāticū i pra cer' in q ē aliq
portio co. nō p viā mixtiōis s vicinitatē. iō sūt ac

cidētia cū q̄dā cōtrietate cānte somnū pfūdū. Ras
sic intelligit. Jdē serap. Jdē symō ianuēsis i suis
synonimis Litargia q̄ ē obliuio sōnolēta si stri
cte capiat ē apa flāticū in puppi cere': tūc dr va
litar. sic itelligit ras b. Vel fit a flāte cū aliq li
portiōe col'e cōmixte p viā vicinitatis: magis q̄ p v'ā
mixtiōis. iō sūt accn̄a cū q̄dā cōtrietate sic dr litar
gia nō vera: cū litargia apostēosa ē fe. valde lēta
occulta i q medici sūt plies decepti: nō credētes
illū febricitare. Si ābe iste dicte passiōes pu
ta subeth τ litargia sint hūorales vel apostēosa
eadē ē cura. solū diuersificat. qz i subeth applicāt
reme in pra. in litargia. i puppi. vtraqz haꝝ apo
stemosa pōt fieri de solo flāte vel de flāte cū por
tiōe col'e vel mlie: tūc sūt acci cōmixta. τ dr nō va
litargia vel nō ver9 subeth. q̄nqz tn̄ ma ē mixta.

Primo tu q̄res. subeth cui9 ptic'e ē pas
sio pnci. Dicēdū q̄ pre cere' pu
ta ventriculoꝝ τ pelliculaꝝ τ ipi9 sube si sit hūo
ral' τ si ē apostēosa pelliculaꝝ. cōmunit idē q̄ritur
de litar. Dicendū ē si sit hūoral': ē pa° sube cer' τ
pelliculaꝝ ei9 τ ventriculoꝝ i puppi: si sit apōsa:
ē passio pncipaliter pelliculaꝝ cit9 apostemant
q̄ suba cer': lz rōe grossiciei materie pellic'e tar
de aut raro apostemant.

Secūdo Tu q̄res. si iste passiōes isūt
pellicul' τ alijs ptib9 dicit p se
vel p colligātiā. Dicen q̄ p colligātiā: qz vēit hu
mor q venire non dz fm naturā p venas circūstā
tes ab alijs ptibus corporis.

Tertio tu q̄res. subet q̄ pa° ē i se i gn̄e τ
spē. Dicē q̄ subeth ē cōsil'is q̄n ē
hūoral'. q̄n ē apōsa: ē official'. Jdē dicen d litar
sic vel sic cōsiderādo.

Quarto tu q̄res. subet τ litar cui9 vtuti
ē nocu. Dicē vt. s. q̄ regiti
ue n̄lis digestie τ expl'siue τ vital' explsiue cereb'

Quinto Tu q̄res. subeth cui9 vtuti est
pa° pncipali'r. Dicen q̄ regiti
ue aiate pre cer'. qz sensus cōis. nā sensus ligat
vltra debitū a tali ma fria hūorali vel apostēosa
Jdē q̄rit de litargia. Dicendū q̄ ē pa° regiti aia
te puta memorie pncipal'r. cōir sensus cōis. naz
mala fria hūoral' vel apōsa i puppi corrūpūt acti
onē vtuti collocate in puppi τ rōe colligātie ipi9
sens9 cōis. ppt qd litar dr obliuio sōnolenta.

Sexto tu q̄res. q̄liter dormiēdo aliq sur
gūt de nocte τ vadūt p domū: y°
scio quosdam q vadūt ad stabulū τ pant equū:
vix euigilant τ non recordant fecisse illa. Dicē
q̄ in talib9 est fortissima opila° in pra cere' rōne

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

fumi grossi eleuati a sto° vel a sanguine ,p̄re. q̄a tales sunt sanguiuci in pte vel i to° ⁊ sūt saē cali di i media cellula ⁊ i puppi. ,ppter q̄d imagiatia stat in sua actōe ⁊ p̄cipit mēoratiue aiāte q̄ h̄z se dere i puppi: q: a puppi oriūē neruu moti .3. ⁊ .4. ō inē. in q̄ puppi ē modica opila° in somno: ,ppē q̄d motiua venit in actū suū. nā sōn° ē pa° p̄nci p̄re. ⁊ p̄ōns rōne colligātie est aliq̄lis pa° pup pis ,ppter q̄d dormiēdo lз non possum⁹ stare pe de mouemur. in brachijs ⁊ tibijs ,ppter sp̄s mo tiu os venientes a puppi sufficiētes ad istū mo tū. ⁊ in q̄busdā veniūt in magna q̄ttit̄e sufficiētes ad motū p̄fectū. q: in talib⁹ pupis q: cal'a in ña n̄ fortiē opilaē rōe ill⁹ colligātie i sōno. iō aliq̄ dor miēdo surgūt ⁊ vadūt y° loquūē q: neru⁹ motiu⁹ ligue h̄z ortū a puppi 4. ō inē. ,ppē cās q̄si ōsiles

Istis clarificatis cura subet ⁊ litargie ti bi patescit. patiēs tal' iacet q̄si dormiens cū ocul' clausis. ⁊ si ,p̄clameē: sentit ⁊ moueē ⁊ apit ocu los ⁊ statim claudit ⁊ reuertiē ad somnū. ¶ Cli sterizeē cuз clisterijs statim in cura apoplē. ōnr si venosus fuerit flōmetur de cepha^ca. q non iuē ta: de mediana. q: flōia multitudinē hu. eūat. fri ceuē extremitates poti^me inferiores vsq̄ ad fati gā. In p̄mis trib⁹ diebus reitera clistē^a: ⁊ da sibi ydromel i q̄ sit. 12^a ps mellē. sufficiat tibi ,p nutri mēto. Б vult raē q̄n iste passiōes sūt apostemo^e se. lenta cōcomitaē q̄ cū difficultate cogsciē. mlti medici sunt decepti. ōsidereē si lingua ē sicca. vl' aliqual'r arida. ⁊ si h̄nt p̄mixtionē rōis q̄n muta tur. ⁊ si irascitur q̄n incitaē: tūc co. ē p̄mixē c̄ flāte. ⁊ tūc tз ocl'os mag' aptos. q̄n ml'ia est ōmixta tз oculos mag' fixos q̄n incitaē. Ista accn̄a dc̄a cō comitātur ipam fe. dieteē tūc tenuiter cū auena to ⁊ ordeato ⁊ ptisana. trāsacē. 4. dieb⁹ ,p̄uoceuē sternutatōes ⁊ nō añ. q: ma^a apostēosa mag' flu eret: cū tūc sit i fluxu: q: talia sunt cal'a ⁊ ōmouēt ptes illas. Cōseq̄nē radaē caput ablue° c̄ deco ctione ista. ¶ ℞ saluie maiorane betho^ce siccor añ. m. i. vtriusq̄ sticadō foliorz sene añ. m. i. ſ deco ctio i aq̄ ⁊ vi° al° eq̄s ptib⁹ ,ppē apa sribi sit. Con sequenē epithieē caput cū epithiate isto interpo nendo bōbacē. ¶ ℞ aceti forti^m ℔. 5. se. sinapi. casto' subti^me pulueriзaē añ. ʒ. i. misceāē ⁊ epitz meē: reiterādo clisteria dicta ⁊ dietādo tenuiter: vt ē dictum. Et hec de subeth.

¶ Capitulum. 6^m. de congelatione.

Um aliq̄s quasi dormiēs iacet ⁊ non mouetur: ⁊ li cet oculi sint apti: palpebras tñ n̄ mouet cōgelatus ē siue rigid⁹ Cu rand⁹ vo est ex medicinis subeth: hoc tamē addito vt oleū sambuci nū super caput fundaē in omi li bra cui⁹ sit vncia euforbij. Ipsum quoq̄ caput ex castoreo ⁊ euforbio ⁊ oleo sambucino liniatur.

E congelatione

id est de diminutione sensus ⁊ mo t⁹ ,ppē opilor puppis a mala fria et sicca h̄ūorali. s. col'a nig̃ vel flāte vitreo igrossāte ⁊ imobilitāte sp̄ūs motiuos. ,ppē q̄d raē i rubca vocat eos stupidos: q: sp h̄nt ocl'os aptos ,ppē i mobilitatē sp̄uū dictā. ⁊ remanet corp⁹ f̄m dispo sitionē i q̄ est q̄n sibi supuenit tal' pa° si rect⁹ ē q̄n supuenit sibi remanet rect⁹. si curu⁹ est: remanet curu⁹. si supueniat ip̄o dormiente remanent ocl'i clausi: q̄ꝑ vt pl'im stent cū ocul' aptis: illud to^m est ratione immobilitatis sp̄uum ⁊ anhelāt aliq̄ lit ⁊ debilissime. q: opila° in puppi non est i vlti° Uulgares dicūt ꝙ sunt rapti vsq̄ ad celos quia stāt sine loq̄la ocul' aptis. vidi vnū minorē. xxv. an norz vel circa cui supueniebat bis ⁊ ter i āno. po xism⁹ ille durabat trib⁹ ⁊ quattuor dieb⁹ appōe bam⁹ calefacto^a i puppi sic curabaē. ⁊ dicebaē q: saē erat deuot⁹ ꝙ rapiebaē vsq̄ ad celos. ip̄o cu rato non recordabatur. ,p̄icebat nihil vidisse nec habuisse.

Primo tu q̄res cui⁹ p̄ticl'e ē pa° p̄nci' ipa ōgela°. Dice^m ꝙ puppis a c̄neo vsq̄ ad medullā. Б sētit lr̄a 3. ō ite. c. 3. ccā me^m. c.

Secūdo tu q̄res. si est pa° p se l' p colli gantiā. dicendū ꝙ q̄n est ima terial' q̄d raro accidit tūc est p se. si āt sit matialis q̄d ē vt pl'im tūc est p colligātiā: lз de possibili illa ma^a possit ibi g̃nari a mala fria sic. caē⁹ ē possibil'

Tertio tu q̄res ōgelatio q̄ passio est in se in g̃ne ⁊ in specie. Dicendū ꝙ est passio ōsilis in se friē ⁊ sic. cū materia vel sine ōco mitās secū morbū officialē puta opilatōem. vez illa opilatio nō est in vlti° ,ppē q̄d cōiter anhelāt lз occulte ⁊ debili modo.

Quarto tu q̄res. ōgela° cuius virtutis est nocu mentū. Dicendū vt su pra ꝙ regitiue n̄lis digestiue ⁊ expl'i^e auc^e ga' vt dcm̄ est supi⁹ i mlē loc. ¶ ō l'rem tu argues for

ꝙ ſpaſm⁹ tremoꝛ ⁊ ꝯgela° ſūt nocuᵐ i volūtaria
actōe motia. Dicēᵐ ad h̄ ⁊ ſuꝑ h̄ nō ꝓ omī qꝺ di
ceꝛ i toto ꝓceſſu hui⁹. ꝯ. almāſ. ꝙ refert dicere cu
ius v̄tuꝫ ſit nocumētū paſſiue. i. a q̄ v̄tute leſa i ac
tione fiat ⁊ gn̄eꝛ. Et refert dicere cui⁹ v̄tuꝫ ſit no
cumēᵐ actiue. i. cui v̄tuti noceat p̄ncipaliꝛ ꝑ alia
v̄ba cui⁹ v̄tuꝫ ſit paſſio p̄ncipaꝉr. Iſte locutōes ſt
gaˡin de moꝛ°. 3. ⁊. 5. li° potiᵐᵉ etiā in de int̄. pl'i-
bus loq̄. nā ꝯgela° ē nocuᵐ paſſiue regitie n̄lis et
vital: vt ē declaratū pl'ies ſupi⁹. actiue tn̄ eſt no-
cumētū i volūtaria actōe. i. paſſio volūtaᵉ actōis
Si loq̄ꝛ in. 5°. de moꝛ°. in loco allegato. Ex hoc
pl'es text⁹ gaˡ. in de moꝛ° ⁊ de interi, ſūt declarati
Semino margaritas inter cecos.

Quinto tu q̄res. cuius v̄tuꝫ ē paſſio ſeu cui⁹ v̄tuꝫ ē nocuᵐ actiue. i. cui v̄
tuti p̄nciʳ infert nocuᵐ ſeu actōem coꝛruptā. Sol
uit ga⁹. 5. de moꝛ°. c. i. ꝙ eſt paſſio p̄ncipaꝉr aiate
volūtarie motiue: ⁊ ſibi infert nocumētuꝫ p̄nciʳ.

Sexto Tu q̄res q̄re ꝯgelati vt pl'rm te-
nēt oculos aptoſ. dictū ē itelligē
ti ꝙ ꝓpt̄ imobilitatē ⁊ groſſiciē palpebꝛaꝝ ⁊ lac
toꝝ ocl'oꝝ. nā motū h̄nt a ſcꝺo pi nervoꝝ capiꝫ. 4
ꝺ ite. c. 5. q̄ lacti patiūꝛ per colligātiaꝫ puppis ꝓ-
pter vicinitatem.

Iſtis clarificatiſ cura ꝯgela
tiōiſ tibi pa
teſcit cognita bn̄ cā matiali exn̄te i cer° ſr̄a ⁊ ſic.
t̄rea mi'ica l' flā ᶜᵃ vitrea ⁊ t̄rea faciēte ꝑxiᵐ. 4.
⁊. 5. dieꝝ i revolutōe ānoꝝ imobilitāte ſp̄s moti
uos ⁊ ſenſitios ꝓpt̄ qꝺ fiūt ſtupidi q̄ſi rigidi cuꝫ
ocul' apꝫ ſtati cliſterizēt ſic ℞. cētauᵉ mi. m. ij. bo
thoꝛ marini. m. i. ell'i al. coloq̄nᵉ an̄. m. ß. ſe. naſt'ˡ
ʒ. ij. ſꝫ decoc° i. iij. lt̄. aq̄. ꝺōec redeat ad. lt̄. i. cū illa
lt̄. decoctōis cliſterizeꝛ i q̄ diſſoluaꝛ yeralogodiō
ʒ. i. reitereꝛ iſtꝺ cliſtᵉ donec ml'titu° hūoꝝ expellaꝛ
ꝯn̄r fiāt ſibi ligatōes doloꝛoſe. radaꝛ caput p̄us
abluēdo cū vi° iſti⁹ decoctōis. ℞ vtriuſq; saluie.
calamēˡ mēte maioꝛāe an̄. m. i. anthos v̄tuſq; ſti
caꝺ ſene an̄. m. ß. ſꝫ decoc° i vi° al. vl' clare° fc̄tā ra
ſura iteꝝ abluaꝛ cū poꝛtōe illi⁹ decoctōis. ꝯn̄r in
vngaꝛ caput ſic. ℞ olei ſamᶜˡ. lt̄. i. eufoꝛˡ ſubtiᵐᵉ
pl'uerizaˡ. ʒ. i. miſceaꝛ. h̄ fc̄tō ꝑ diē ſꝫ tale epithia.
℞. olei ſābuˡ. lt̄. ij. olei ꝺ lilio lt̄. i. caſtoˡ eufoꝛˡ ſb-
tiliſſiᵉ pulūizaꝛ an̄. ʒ. ß. miſceaꝛ bōbace ibidem i-
voluaꝛ. ⁊ paꝝ ꝯp̄ſſ⁹ capiti appliceꝛ. h̄ ſꝫ ſepe an̄ꝙ
epithieꝛ q̄cūq; hoꝛa p̄us abluaꝛ c̄ decocᵉ ſeq̄nti
℞ folioꝝ malue biſmalue fuīt̄re boꝛag' an̄. m. ij.
floꝝ camo. melliˡ folioꝝ ſene v̄tuſq; ſticaꝺ an̄. m. i
oia decoq̄nꝛ i vi° al. i duab⁹ ꝑtib⁹ ⁊ t̄tia ꝑte aq̄. iſta
decoc° reſerueꝛ ⁊ capiti ſuo loco appliceꝛ. iſta ſꝫ.
vt dictū eſt cliſteria reiterando.

Cum aliq̄s ſe movere n̄
valet aut vnum vl' plura
ex mēbꝛis movere n̄ pōt
atq; eoꝝ ſēſū amiſcit ipꝫ
ꝑaliſim illi⁹ mēbꝛi aut mēbꝛoꝝ in
curriſſe ꝓnūtiam⁹. Cui⁹ curā icipi
em⁹ pill'as fetidas quas ego cōpo
ſui dādo que. ℞. pul. pigre. ʒ. x. co
loq̄n. iterioꝛiſ. ʒ. v. euforbij. ʒ. ij. et
ß. caſtoꝛei piperiſ aſe ſarapini opo
pona. ſetaragi idi ſinapi oīm. vij.
an̄. ʒ. i. cētauree mioꝛiſ elaccerij a-
boꝝ an̄. ʒ. v. gūme i ſucco rute diſ-
ſoluāꝛ ⁊ alia ex eiſ cōficiāꝛ ⁊ fiant
pill'e ⁊ fiūt ex eis decē potōes: q̄ꝝ
vnā poſtq̄ eger ſumpſerit ꝑ tres
dies q̇eſcat ⁊ nutriaꝛ tūc cū aq̄ ci-
ceriſ ⁊ oleo ⁊ ſinapi: ⁊ deinde bibat
aliam. Qꝺ poſtq̄ ter fecerit ꝑ ali
quot dieſ q̇eſcat. et nutriaꝛ carne
fruſtrati icīſa ⁊ i ſartagie frixa ⁊ mu
tagenat i q̇b⁹ ſint ſp̄eſ cal'e vt piꝑ
⁊ hijſ ſil'ia. in potu v̄o ſumat idro
mel. Mēbꝛa q; ei⁹ ex oleo coſtino
īungāꝛ. Qꝺ. ℞. coſti. ʒ. i. piꝑiſ pi
retri euforbij oīm triū an̄. t̄tiā. ʒ. i
caſtoꝛei. ʒ. v. diſſoluāꝛ oia i media
libꝛa olei de keiri aut de narciſco:
⁊ vtere eo. Dieb⁹ v̄o q̇b⁹ q̇eſcit q̄
q; die dande ſūt due. ʒ. de anacar
dino. qꝺ. ℞. ʒizib. piretri: nigelle
coſti melano piꝑiſ macro piꝑiſ og
gi oiꝫ an̄ ʒ. io. mirre rute ſicce aſſe
ariſtol'. baccarū lauri caſtoꝛei ſeta
ragi indi ſinap̄ gētiane oīm an̄. ʒ.
v. mell' anacardi. ʒ. v. vngaꝛ ex ol'o

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

nŭcū ⁊ cū melle cocto ꝯficiāť. Hoc
eñ medicamē valde cōfert palisi
apoplexie torture: ⁊ cremori albaras
morsib⁹ scorpiōis ⁊ oib⁹ passio
nib⁹ fris ⁊ spasmo hūido. Cū aūt
sumiť ilico ꝓuocat sudorē ⁊ infert
febrē. Q̄ð si sūptū ñ affert saītatē
eger ab oī medicamie ꝑ .x. dies ab
stieat excepta dieta. deīde ad ipi⁹
curā redeūdū ē. Q̄ð si paliꝭ ex ꝑ
cussiōe aut casu euenerit et accide
rit subito taliť ꝑmāebit. Nūq̄ eñ
sanabiť. q̄ð si ñ repēte ex ꝑdictꝭ ʒ
paulatim ⁊ molliť iuaserit loco ꝑ
cussiōis ēplīm hoc apponēdū erit.
q̄ð. ℞. farinā fenugreci semis beē
se. mahaleb: se. resin bdelliū aōmi
acū adipē anatꝭ cerā oleū ð lilio ex
his fiat emplīm ⁊ supponať.

Eparalisi gūi. i. fortiꝭ ꝑfe
cte mollitie ner
uoꝝ ⁊ mēbroꝝ neruosoꝝ. s. lactoꝝ cū a
blatōe sēs⁹ ⁊ mot⁹ i to° coꝛᵉ ł imediaᵉ
corꝑis i lōgū. vñ paliꝭ duplx ē vlis ⁊ ꝑticłarꝭ. vłis
ð: qñ ab initio colli ꝑ toᵐ coꝛp⁹ ł ꝑ mediū corꝑis
dēpto capite paliticať. nā si obtieret caput eēt ap
poᵗᵃ. de q̄ dictū ē cā tał paliꝭ. vłis imediᵃ ē igros
saº: iduraº: ⁊ ↄbnubilaº sube ipi⁹ nuche spōdiliū
colli ꝭm se totā: vł ꝭm ꝑtē q: mediaᶜᵐ hʒ vt ðcla
rabiť nᶜ nō igrossaº iduraº ⁊ ꝯꝑssio neruoꝝ i eoꝝ
origie ide descēdētiū. vt ðclarat ga⁹. 4. de morbo
cº. 5. de aq̄ ťbida ⁊ de aere turbido ⁊ igrossato ra
diȷ́ soł ñ pñt trāsire: sic nec ṽtus q̄ꝝ igrossaº ⁊ ob
nubilaº ꝭm coꝝ sbaʒ hʒ cām mltiplicē vt vult ga⁹
4º. ð morbo cº. ꝑº. vna cā ⁊ magꝭ cōis maᵃ ē flāᶜᵃ
descēdēs a capite ꝑ vias puppis igrossās ꝑ viā i
bibitōis ⁊ appōnis tał fit subito. Cā extriseca in
citāte całitas excedēs dissoluēs fritas ꝯꝑmēs pel
licłas faciēs fluxū. ira dissoluēs gaudiū plectoᵃ
capiťꝭ debilitās ꝯtētiuā pelliclaꝝ cerebri. Alia est
suꝑfluitas nutrimīti potiᵐᵉ gīsi appositi sbaʒ coꝝ
igrossat vt fit i crapłosꝭ ⁊ ociosꝭ ecclīastiq̄ in istis
fit paulati tale nocuᵐ. ꝓpť q̄ð talib⁹ stuphe sicᵉ sť
bis łter in āno ꝯcedēde in q̄ ñ adūtūt debiles fi

nałr q̄buscū q̄ʒ regimē ipinguātiū: loco hoꝝ bal
nea ⁊ stuphe ñales semel in āno cōcedun⁹: nā sic
ꝑꝭuāť a tali dāno. Alia cā frās penetrās ꝑ ꝑtes il
las ꝯꝑmēdo ꝯstrigēdo ingrossat eoꝝ subāʒ ⁊ cō
primēdo claudit vias i origie neruoꝝ ⁊ in furculis
subiacētib⁹ vt fit i trāseūtib⁹ ꝑ mōtes ⁊ isedētib⁹
suꝑ lapidē frm in ꝯsiłi ꝑiclitāť: q: furcłe neruorū
eoꝝ indurāť in eoꝝ suba sic cesset trāsit⁹ całoꝝ spi
rituū motioꝝ ⁊ sēsitioꝝ: iō nerui mortificāť ⁊ laxā
tur. ¶ Alia cā est dislocaº spōdiliū ł apa assistēs
vł casus ꝑcussio attritio suꝑ spōdiᵃ. ƀ vult Ga⁹.
in loº alleº. nā ista ex coꝝ ñā igrossant subam nu
che ⁊ neruoꝝ ⁊ cū ƀ nccio fluūt aliq̄ hūores q̄ ap
positi ⁊ ibibiti faciūt illā ingrossatōeʒ ⁊ viaꝝ ꝯꝑs
sionē tał paliꝭ vłis ñ ꝑiclitat nisi rōne stuporꝭ cō
comitāťꝭ q̄ vicinať apoˡᵉ. Iō si sint cū stupore si
gnū ē magne replectōis capiťꝭ. iō si venos⁹ fuerit
nō dubites ipʒ flōare de vtraq̄ʒ cephaᶜᵃ ꝑcedē
te clistere forti vt diceť. ¶ Aliť facili⁹ maᵃ nō pōt
exhi a mēbro mādāte q̄m flōia hūoꝝ mltitudinē
euacuat ꝑticłarꝭ paliꝭ fit i vno mēbro tm̄ vt i bra
chio ł in pede. raro tm̄ q: furcłe neruoꝝ veniētiū a
spōdilib⁹ ramificāť ꝑ diuisas ꝑtes: fit iterdū in di
giťꝭ q̄busdā. ꝑº. de inťꝭ. in digiťꝭ pedū in mrice: i lin
gua i meri cōedūt ⁊ ñ pñt potare. nᶜ rē liq̄dā trās
glutire. vidi duos tꝑe meo. ¶ Cā hoꝝ sť cāe dicte
ꝑtiales ⁊ ꝑticłares potiᵐᵉ dislocaº vł cas⁹ ⁊ ꝑcus
sio ł modicū apa i origie neruoꝝ ł in ci⁹ furcła q:
si cā sit hūoral vix lediť vnū mēbꝝ. ł frās forti ex
triseca dicta. maxᵉ si i furcuł subseq̄ntib⁹ istaˡ fiāt
vt i brachio ł tibia. nā si furcłe nerui idurāť. a tali
frō ł ex ꝯcussiōe attritōe ł apate spūs descēdētes
nō pñt trāsire ista ð cā płies videm⁹ i q̄busð digiťꝭ
¶ Alteri⁹ nō: q̄ paliꝭ ⁊ spasin⁹ sť passiōes ner
uoꝝ. 3º. ð inťꝭ. differēť tm̄ q: paliꝭ fit magꝭ a mateᵃ
hūida, ꝓpť q̄ð mēbꝝ mollescit ⁊ ťhiťa ꝑte sana q:
magꝭ dura. spasin⁹ fit magꝭ a maᵃ sicca mordicaᵃ
iō indurať ꝓpť q̄ð ťhit ad se ꝑtē sanā. ƀ vult ga⁹
4º. de inťꝭ. cº. 5º. ⁊ 2º. de morbo. cº. 6º.

Primo tu q̄res cui⁹ ꝑticłe paliꝭ vłis dē
pto capite ē paº ꝑncipałr. soluit
łra. 3º. ð inťꝭ. c. 3º. ⁊. 8. dicēs. q̄ ꝑnᵐ nerui ⁊ nuche
verū q̄dē inde orti: ⁊ si fuerit tm̄ paliꝭ i ꝑte dextr:
tūc nucha i ꝑte illa ⁊ nerui. ide orti. Idē si i ꝑte si
nistra ē dicēdū. vñ nerui ide orti furculāť ꝑ corp⁹
yº ad pedes aliq̄ furcłe tēdūt. recitat G⁹ ꝑº. ⁊. 4º
de inťꝭ. ¶ Quidā eq̄tās mulā ꝑ romā cecidit feri
ens i dorsū habuit digitos mollificatos ⁊ pedem
Si soli digiti sint palitici tūc furcłe aliq̄ ꝓtēse su
peri⁹ ł nucha i 7ᵃ. spōdili patiť ꝑncipałr. Si digi
ti pedis tc̄ furcła aliq̄ nerui ꝓtēsa supi⁹ i coxa vel
nucha i aliq̄ spōdili in alkatin patiť ꝑncipaliter.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

Secũdo tu q̃res q̃lr ps dex̃ l' sinistra nuche pt sola rmoliri ꝛ ledi aa p te ex̃nte salua. ꝛ aui. 3o. cañ fen. pa. ponẽs anathomiã cerebri: dic̃ ꝙ cerebꝝ ex̃ñ ifra piã mr̃ez didit̃ i subaz medularẽ ꝛ vẽtricl'os plẽos spiritib' ꝛ ab vno vẽtricl'o ad aliũ ẽ canale p qd̃ trãseũt spũs ꝛ spẽs reꝝ pceptaꝝ sbdit ꝙ cerebꝝ mediatõz hz ex nucha cũ tela sbtilima inꝑposita: ꝓpt qd̃ vna ps ledit̃ alia remanẽte salua: h̃ videmus tota die.

Tertio tu q̃res palif ẽ ne pao p se l' p colligãtiã. Dicẽm ꝙ p colligãtiã venit ad mẽbꝝ qd̃ vẽire ñ dz fm ñam: puta maa l' mala q̃litas. ꝛ ñ vẽit qd̃ vẽire dz: puta sps sẽsitiui ꝛ mo

Quarto tu q̃res tiui lucidi a cerebro palif q̃ pao ẽ in gñe ꝛ i spẽ. Dicẽd̃ ꝙ offiq: q: opil'ao viaꝝ neruoꝝ ꝛ i supfic igrossao nuche i ei' sba ꝛ ei' idurao dz eẽ leuis ꝛ subtil' clara ꝛ pura ꝛ situ ñ elongat̃ nec mouet̃ fm dyametros ꝯcomitãdo secũ morbũ ꝯsilem.

Quinto tu q̃res palif pt ne fieri a g̃sso flegc ñ pũgitio Dicẽm ꝙ sic q: flã aliq̃lr grossum potest flui ꝛ fluxũ silr igrossat̃ ꝛ subintrãs substãtiã nuche ipam ĩgñssat ꝛ apposítũ origini nerui claudit vias ei' ml'ia d̃ possibili idẽ pt facere c̃ actu hũida fluida cas' ẽ possibl'is

Sexto tu q̃res palif c' vtuꝝ nocum passiue. Dicẽm vt ẽ pl'ies dc̃m ꝙ regitie ñal' digestie ꝛ expl'siue ꝛ vital' expulsiue itẽtõe ga1. 11o. de igeo. c. 2o. ¶ C̃õ h̃ argues itẽtõe ga1. 5. d̃ morbo. co. po. vbi dic̃ ꝙ spasin' palif ꝛ tremor sũt nocum i motia volũtarie Dicẽm vt dc̃z ẽ co. d̃ ꝯgelatõe ꝙ 1c st nocum actie i motia volũtarie q: illi pncipal'r ifert nocum p aa vba d̃: passiões iferẽtes nocum i motia aiata pñs petit c' vtuꝝ sit nocum passiue ille text' ga. loq̃t̃ actie cui ifert nocum ꝛ lo

Septimo tu q̃ q̃t ꝓ moro d̃scpto res palif c' vtuꝝ ẽ pao seu nocum actie: dc̃m ẽ stati ex itẽc ga1. 5. d̃ moro. c. po

Octauo tu q̃res i q̃ pte corpis pl'ies accidit. soluit ga'. 3o. ãpb. ꝯo illi' Si hyẽs austria ꝙ vt pl'imũ i dex̃ ꝓpt maiorẽ aptõz viaꝝ rõe maiorꝭ caloris lz ꝓpt maiorẽ d̃bilitatẽ

Nono tu q̃res q̃ st pl'iẽs accĩat i pte sinist passiões q̃ magꝭ tminãt̃ i palisim. Dicẽm: ꝙ oẽs ꝯueniũt ꝙ apo1a yo vix curat̃ q̃n termiet̃ i palisim ꝛ fe. cronica cũ q̃ cõicat ml'ta maa i cerebro ꝛ i terrꝭ hũidis q: st magꝭ reumatice colica ꝓpt fortẽ dissolutõem rõne fortis doloris.

Decimo tu q̃res vtrũ i mẽbro palico vt' nutritia rmaneat salua Dicẽm ꝙ remnet s̃ debil': q: istrm sue actõis puta ꝯo mẽbri ẽ altata ifrata ꝓpt puatõez spũuz cal'oꝝ motiuoꝝ ꝛ sẽsitioꝝ ꝛ vie nutrimtales stringũt̃ ex h̃ p uificãt̃: iõ nutrim nõ pt attrahi a vtute attractiua

Undecimo tu q̃res vie nutrimtales p q̃s attrhit̃ nutrim st ne i lõgũ p neruũ l' in lat'. Dicẽm ꝙ i lat' nã vene alique pue tminãt̃ i lat' neruoꝝ ꝛ attctia nerui attrahit p positates ꝯtiguas capitib' venaꝝ spuentiũ scd̃as hũiditates ipis neruis. Jstis de causis mẽbrum paraliticatum demaceret̃.

Duodecimo tu q̃res ꝯpetit ne vinũ i cura palif. Uidet̃ ꝙ nõ itẽtõe oiz dat̃. ydromel: q: vinũ est maximus penetrtor ex q̃ ledit ꝛ fac penetre maias idigestas. Jn ꝯriũ ẽ raf i suo ꝯtic. Rõ sua: q: qd̃ cõfortat calorẽ ñalẽ ꝛ digerit maam h̃ẽat vi sir1. Dicẽd̃ ꝙ i pno ñ ꝯpetit i ꝓcessu ꝯpetit saꝝ g̃ssu i medio cõestiõis ꝛ i fine ꝛ i modica q̃tic ꝛc hz vi sir1 digerendo materias ꝛ ꝯfortando calorẽ naturalem: ꝛ ista fiunt intentione Raf in suo ꝯtinente.

Jstis clarificatis cura palisis tibi patescit.

clauis sanatõis cuiuscũq: palif stat i notia cãe immediate nocu1 actõis motie ꝛ ei' remotõe. Si g1 cã imea tal' nocu1 fuerit g̃ssities ꝛ durities ꝛ ꝯp̃ssio ipi' nuche ꝛ i ei' sba ꝛ i suba neruoꝝ i eoꝝ origie m̃ ꝓcedẽtiũ l' in furcl'a eoꝝ aliq̃ veniẽs ex cãu seu pcussiõe l' attritõe si sbito tal' palif supueniẽs sit ex h̃ vix aut nũq̃ curãt̃ q: vr̃ fortꝭ lesio i nucha ꝛ neruis ide ortꝭ. Si paulati acciderit curãt̃ cito. in vtroq: cãu fꝭ sic. ¶ ℞. maluaꝝ sicle mercurial' cẽtaurce m1. añ. m. i. pulpe colloq̃nc. m. ß. fꝭ decoctio i q̃ dissoluat̃ geralogodiũ vl' yerapigc ga1. ℥. i. olei cõis q̃rtꝭ. ß. mell'. ℥. ß. sal' cõis. ʒ. ij. fꝭ clistere detur ꝛ iaceat s̃ lat'. ¶ Cõñr fꝭ flõia d̃vca ad h̃ l' vẽtoset̃ d̃ cũ scarificatõe subt' ꝯñr applica sibi desup 1a emplastra. ℞. farie fenuc1. ℥. iij. bdellij. ℥. ß. armoc1. ℥. ij. axũgie anatꝭ gallie añ. ℥. i. olei d̃ lilio q̃rtꝭ. ß. cere qd̃ suffic̃. Fiat cerotũ de q̃ capiat̃ vna ps ꝛ applicet̃ h̃ facto p duos l' tres dies q̃ñ inouabr̃ empl'z abluas ptẽ illã ꝯcussãcũ aq̃ cal'a d̃coctõis titimali maiorꝭ ꝛ folia ẽpl'a desup lo altiꝰ ẽpl'i dicti: nã vidi cũ ablutõe dc̃a ꝛ fol' ẽpl'atõe nõ ꝯq̃ssão folia carabãt̃. Tal' d̃coctio sbtiliat apit ꝯsumit mãias ibid̃ fluxas teneo dietã tenuẽ potão ydromel si potet vinũ p' pmos dies sit g̃ssũ: ꝛ i modica q̃tic in meo cõestiõis ꝛ i fine ¶ Cõñr circa 5m. l' 6m. diẽ si ñ curet̃ da sibi. ʒ. ij. pill'aꝝ cochiaꝝ. l' de pill' d̃ agao ʒ. i. ꝛ ß. vl'. ʒ. ij. Si ãt tal' grossities ꝛ durities sbe nuche ꝛ neruoꝝ ide ꝓcedẽtiũ i eoꝝ origie l' in furcl'a eoꝝ a re aa ꝯpmẽte puta a dislocac spõdil' vel iuncture assistẽtꝭ l' ab apate assistẽre. Curet̃ dislocao ꝛ applicet̃ d̃ ẽpl'o dc̃o ꝛ ablu o dc̃a. Si fuerit ex apa

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

te curet̄ apa vt dꝫ. Si āt cāet̄ tal' ingrossaᵒ subē ce
rebri ⁊ nuche ⁊ neruoꝝ dictoꝝ in eoꝝ originevel
in trūco seu furcl'a eoꝝ a frō extrinᶜᵒ penetrāte: vt
fit i trāseūtibꝰ vel isedētibꝰ sup̱ lapidē frm muscl'i
ani ꝑaliticāt̄ ꝓpt̄ igrossatōeꝫ ⁊ iduratōeꝫ furcl'aꝝ
neruoꝝ. Jō remanēt remolliti mortificati laxati
ex ꝓuatōe spūuꝫ motioꝝ cal'oꝝ tūc inūgāt̄ cū ol'o
cucumerꝭ asinini vbi sit modicū castorei subtiᵐᵉ
pl'uerizati ad. ℔. i. ℥. ß. vl' ℞ sic. ¶ ℞. succi rute re.
℔. ij. olei de lilio. ℔. ij. castorei piretꝛ costi. añ. ʒ. ij.
euforbij. ʒ. i. coq̄t̄ ol'm cū succo vsq ad ꝯsūptōeꝫ
succi ꝯn̄r dū deponet̄ ab igne: apponāt̄ res subti
liᵐᵉ pl'uerizate ⁊ addat̄ balsaꝛ. ℥. i. ℞ inūctio ⁊ po
tes al'n abluere cū aq̄ cal'a decoctōis titimali ma
iorꝭ: vt supꝰ ē dcm. Si āt tal' ḡssities ⁊ durities nu
che ⁊ neruoꝝ ide descēdēᵐ ⁊ ꝯpssio ⁊ clausio via
rū spūuꝫ in eis cāet̄ a ml'to ⁊ ḡsso nutriᵒ appositᵒ
ꝑ capita ꝑuaꝝ venaꝝ ꝯtiguataꝝ qd̄ raro ꝯtingit
lꝫ h̄ sit de possibl'i 4ᵒ. de morbo cᵒ. 5. vt fit i crapu
loꝭ ocioꝭ q̄ paulati tēdūt ad tale nutriᵐ sēsus et
motus i mēbrꝭ ⁊ n̄ sbito Clisterizet̄ pᵒ. ¶ ℞. mal
uaꝝ cicle mercurial' cētauree. m. añ. m. i. anꝛ ma
ratꝛ ameos añ se. nasturcij. ℥. i. ℞ decoctio in q̄ dis
soluat̄ yeralogodiō. ℥. i. loᵒ illꝰ yerapigᵉ gaꝛ. ℥. i.
mel℔. ℥. ß. olei cōis q̄rt. ß. cassief̄ mūd. ℥. i. sal' cōis
ʒ. ß. ℞ clistere. h̄ facto si venosus ⁊ vrina fuerit colo
rata flōet̄ de mediana i bōa q̄ntiᶜ. ꝯn̄r purget̄ sic
℞. floꝝ viol' boragi. añ. ℥. ß. sene epithꝛ añ. ℥. ß. poli
poꝛ q̄rc. ℥. i. anꝛ maratꝛ. añ. ʒ. ß. ʒʒꝛ. ʒ. i. agaᶜꝛ electi.
℥. ß. ℞ decoctio in q̄ dissoluat̄ cassief̄ mūd. ℥. i. dya
cartami. ʒ. i. ℞ potꝰ l' fiat decoctio sine agaᶜᵒ ⁊ dis
soluat̄ ibi. ℥. i. yeralogodiū ¶ ꝯn̄r inūgat̄ spina i
collo ⁊ i dorso ꝑmis diebꝰ cū ol'o laurino cū aliq̄
ꝑte olei d̄ lilio l' costino ꝯposito fricatōes abstinē
tie sī sibi medicine electe. Diebꝰ seq̄ntibꝰ stuphet̄
in stupha sicca facta cū lapidibꝰ fluuialibꝰ cādē
tibus sup̱ sꝑ so vino al. vl' clareto. Si āt tal' ḡssities
⁊ durities nuche ⁊ neruoꝝ causans ꝑalisiꝫ. vl' em
fuerit ab humore flāᶜᵒ fluxu a capite ꝑ vias pup
pis ad ip̄am nuchā qd̄ est vt pl'imū. lꝫ de possibl'i
cōicet sanguis: vel ml'ia in aliq̄ ꝑte ingrossante
subam hoꝝ ꝑ appōem ⁊ aliq̄lē subintratōeꝫ clau
dēdo vias dictas neruoꝝ cāns subito dictā ꝑalisiꝫ
vl' em ꝑ ceterꝭ causis. Sup̱ h̄ adūtendo ex ꝯciᵒ raꝭ
in ꝑnᵒ sui ꝯtinētis si cū tali ꝑalisi vl'i eueniat las
situdo in facie in illo latere. puta in lingua in ocu
lo in lacertis maxille q̄ ista mēbra sunt mollifica
ta ⁊ ꝑalitica cū stupore aliquali: tūc scias q̄ lesio
nō solū erit in nucha in inuo colli: ymo ē in cere
bro ⁊ q̄ maᵃ multa est in cerebro ⁊ a cerebro dis
soluta ꝓpter qd̄ tales ꝑiclitant ⁊ vt pl'imū moriū

tur infra quartā diē potissime si nouiluniū vl' ple
niluniū sup̱ueniat. Si aūt cū tali mēbra faciei re
manent sana nec stupor ꝯcomitat̄ tunc cerebrū
nō patit̄ ⁊ q̄ materia est pauca ⁊ facilꝰ curantur
In cura ḡ tenendo ꝯciliū raꝭ in ꝑnᵒ sui ꝯtinentꝭ
vitabimus fortes medicinas ꝑ aliq̄s dies. Raꝭ
dicit vsq ad q̄tuor vel q̄nq dies ⁊ fortes inūctio
nes ⁊ sternutatoᵃ om̄ia. nā ista dissoluēdo mate
rias augmētant ꝑalisiꝫ. In ꝑalisi ḡ vl'i si cerebꝝ
cōicet in nocuᵒ vt est dcm ℞ i ꝑnᵒ illud clistere. ℞
maluarū cicle mercurialis añ. m. i. centauree. m.
m. ij. se. nasturcij ℥. ij. vtriusq sticad. ana. m. i. fiat
decoctio in qua dissoluatur geralogodion. ℥. i. vl'
loco illius yerapigre galieni. ℥. i. olei ꝯmunis q̄rt
ß. salis cōmunis. ʒ. ij. fiat clistere transactis q̄ttu
or vel quinq diebus pone in decoctione athana
sie botor marien. ana. m. i. colloq̄ntide. m. ß. ⁊. ℥. ß.
de opiatis dictis: non comedat aliquid detur sibi
ydromel de quo nutriatur sit sibi loco cibi ⁊ potꝰ
⁊ non dormiat nisi parum: conciliū est Rasis in
suo cōtinente. ¶ Cōseq̄nt̄ si venosus fuerit flo
bothomet̄ de vtraq cephalica i bona q̄ntitate ad
tres vl' quattuor libras: quia est morbus valde a
cutus fiat i occasu solis si necesse fuerit quia flo
bothomia multitudinē humoꝝ euacuat. ¶ Cōse
q̄nt̄ flōetur in crastinum de vena lingue scd̄ꝫ Ra
sim in suo continente. fricentur sibi extremitates
vsq ad fatigam. Rasis vult q̄ postea ventosetur
in spatulis cum scarificatione inungatur in pri
mis diebus: vt dictum est cum oleis competen
ter calidis ⁊ non in excessu in spondilibus colli.
¶ Recipe. olei de lilio. ℔. i. castorei piretꝛ costi.
ana. ʒ. ij. puluerizentur subtilissime ⁊ misceantur
potes addere ferapini armoniaci oppoponaq̄ añ
ʒ. i. et ß. vel. ij. Aliqui faciunt cuꝫ oleo de balsamo
⁊ bene: sed quia carum est habent tres partes
olei de lilio ⁊ quartam partem vel tertiam de bal
samo post primos dies materia minorata per flo
bothomias per clisteria per abstinentiam proce
demus ad fortiora si potest capere sumatur de ye
ralogodion. ℥. i. dissoluto eodem modo vel de pil
lulis cochijs vel de assa fetida: quo facto prono
cēt̄ sternutatōes. ℞. piretꝛ castorei se. nigelle: se.
staphizagrie subtiliᵐᵉ pl'uerizatoꝝ añ. ʒ. i. vel. ℞.
ꝯdisi ellebori albi. añ. ʒ. i ℞ pul' subtil' pt pꝰ h̄ inū
gi cū vnguēto statim dicto in paralisi a frigido ex
trinseco penetrante quod est bene calidum et sic
cum consumptiuū materie quasi attingit princi
piū quarti gradus si ē necessariū de maᵃ minorata
facta abstinēᵃ in ꝑmis diebꝰ pt cape de pulla vl
de perdice d̄ risi d̄ auenazo. ⁊ d̄ vino grosso modi

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

h. Q^s simul tractat de stupore & tremore. — II. Minor paralesis

cū fm rasim i suo ptiᶜ. in meᵒ cōestionis ꝛ i fine ꝯfortat caloꝛ ēnaleꝛ digerit maťias crudas tenet vim sirˡ ꝛc. Si i tali paralisi vl'i cerebꝛ ñ cōicet i lesiōe vt dictū ē ꝛ declaratū arᵗ. maᵃ modica i capite fluēs ē. iō nō ē tm̄ pīclm vel ꝯ possibl'i fit a mlto nutriᵒ appositovt dēm ē. Clisterizeť vt dēm ē ꝛ inūguať i primis dieb⁹ nō cū fortioꝛib⁹ laretur tn̄ cū. ʒ. i. ꝛ ℞. colloqnᶜ duplata ipi⁹ yerapigᶜ ℞ˡ. dissolute cū aq̄ cicerō. vl'. ʒ. i. geralogodiō sic dissoluti ꝛ inūgas eū cū balsaᵒ in pnᵒ vl' olō de balsaᵒ in vna pte olō ꝯ lilio i duab⁹ ptib⁹: vt dictū est. ꝑcedēdo ad fortioꝛa stati dicta ꝛ ad sternutatōes. nā in isť fortib⁹ vnguēť ꝛ medicis ꝛ clisterib⁹ errāt moderni nr̄i appꝛrimātes stati in pnᵒ. qꝺ est ꝯ intētōez rasᵹ i suo ptiᶜ. Jn isť ꝛ i alijs si tps ℞ tolleraret vꝫ mlťū stupha dicta facta ꝯ lapidib⁹ candētib⁹ sup̄sp̄sovino albo vel clarovel stuphe naturales potissime sulphuree si esset possibile.

Capitulū octauū de stupoꝛe ꝛ tremoꝛe.

Um aliquis sētit aliq̄ ꝺ suoꝝ membroꝝ sicut est dispositio pedis cum sit stupidus dicimus nullo membꝛo stupoꝛem esse. Quapꝛopter eius cura non est differenda Quādo em̄ ꝓlongatur tēpus huius egritudinis ꝓducit ad paralisim. Curatur autē hec passio ex aliqua parte medicinarū paralisis et cū dieta ꝛ vnctōe ex oleo costio. qꝺ si iuetauerit passio eger ex pillulis fetidis purgādus erit ꝛ complexio equanda cum anacardino et dieta Tremoꝛ autē ex eisdem curať ex q̄bus sanať stupoꝛ sed si ex superflui vini potu euenerit eger ab ipō erit abstinendus. Simil'r si aquā q̄ ex niue dissoluitur bibendo hanc incurrerit passionē ab ipa abstineat ꝛ balneū calidissimū ingrediatur i quo tādiu morā faciat dōec sudet et in sole assidue moretur.

E stupoꝛe ꝛ tremoꝛe ꝛ minoꝛe paliˢ dicit ꝯ mioꝛe palisi q꞉ mēbꝛa tremlˢo sa q̄si itrāt palisiꝫ icipiēte firmari: vtꝺ clarabiť i cᵒ. Tu dices q̄re rasᵹ sil'r tctat de stupoꝛe ꝛ tremoꝛe. Dicēᵐ: ꝙ q꞉ sť eedē passiōes i gn̄e: vt declarabiť: ꝛ sť passiōes eiusꝺē ptic'e. puta nucheꝛ ipsoꝝ neruoꝝ. iō sil'r rasᵹ tctauit ꝺ ipis. Nō: ꝙ stupoꝛ capiť mlťi modis. vnoᵒ capiť ꝓ stupoꝛe menťi seu pigriᵃ menťi cū ocul's emiclausᵹ l'apť fixis nō mouētib⁹ ꝑut ꝯtigit q̄busꝺ mliꝺ stāt rapti ac si ymaginareť ꝛ nihil ymagināť. Jstꝺ etiā p'lies ꝯtigit senib⁹ fe. ꝛ ñ febꝛicitātib⁹ cōiť moꝛiunť sic ē actio diminuta sēsus cōis ꝛ ymagiatieꝛ motie ꝑpť malā fram i ꝑꝛa poᵐᵉ ꝛ alῑi in puppi opilātevias illas ꝑpť colligātiā ꝑpť qꝺ gaᵛ. 2ᵒ. ꝺ mť. circ̄ pnᵐ ꝛ finē. ꝓ stupoꝛē itelligit ꝯgelatiōeꝫ inferni itei dū subethꝛ litargiā i fieri. Jste stupoꝛ ē via ad subet potiᵐᵉ si cū tali mala fra cōicat h̄uōꝛ rasᵹ ñ cōsiderat istoᵒ i isto cᵒ. Alioᵒ capiť stupoꝛ ꝑut ē diminutio sēsus ꝛ mot⁹ i aliq̄ mēbꝛo vulgares vocant tale mēbꝛ obdoꝛmitū manib⁹ ꝛ pedib⁹ plicať et ligať. Jstoᵒ rasᵹ ℞ ꝯsiꝺat i cᵒ: q꞉ vt sic ē paᵒ neruorū ꝛ via ad palisim. imo tale mēbꝛ iā hꝫ palisiꝫ incipiētē firmari lꝫ adhuc ñ sit firmata. Alteri⁹ nō ex dicť ℞ˡ. 4ᵒ. de moꝛbo. cᵒ. 2ᵒ. ꝛ. 5ᵒ. ꝙ duplex est tremoꝛ maťial' ꝛ imaťial'. imaterial' fit ꝑpť iamtōez sp̄uū motioꝛ i mēbꝛo q̄ fit intꝺū ex reclusione eaꝝ ad iťioꝛa ex tioꝛe l' ex eoꝝ resolutōe vt isoꝛ tiť febꝛicitātib⁹ ꝛ ꝓpinq̄s moꝛti nā tāgēdo pulsū eaꝝ bꝛachia tremēt si eis ℞ cueiat i augᵒ fe. cōiter moꝛiūť. De isto tali treʳᵉ rasᵹ nō itelligit ℞. Alter ē tremoꝛ maťial': ꝛ iste ē dupl'r: q̄dā fit de maᵃ mota vt fit i febꝛicitātib⁹ potiᵐᵉ ꝑoꝛisinalib⁹: iste subseq̄ť rigoꝛē i fine ꝑpť qꝺ ē v̄tus motia magꝭ debilis q̄ i rigoꝛe ꝓcedēti. Jste tremoꝛ ē paᵒ lactoꝝ ꝑpter qꝺ rasᵹ ñ itelligit ꝺ tali treʳᵉ i isto cᵒ. Alť ē tremoꝛ maťial' q̄ fit de maᵃ q̄eta: vtꝑꝫ i bꝛachijs senū: ꝛ i capite ꝛ i collo eoꝝ. ꝺ isto tali tremoꝛe rasᵹ itelligit in isto capl'o.

Primo tu q̄res stupoꝛ ꝛ treᵒʳ ꝑut capiť ꝛ itelligit rasᵹ i cᵒ. c⁹ ptic'e sť passiones. Dicēᵐ ꝙ nucheꝛ ipoꝝ neruoꝝ p̄ncipal'r ꝯsr ptiū colligataꝝ tremoꝛ āt de maᵃ inota ē paᵒ lactoꝝ cū tali nō est ꝑua palisᵹ: puta incipiēs: firmari. ꝑpť qꝺ rasᵹ nō intelligit ꝺ tali loq̄ in capl'o.

Secūdo tu q̄res sť ne passiōes ipoꝝ neruoꝝ ꝑ se l' ꝑ colligātiā. Dicēꝺ ꝙ ꝑ colligātiā: q꞉ venit ad nuchā ꝛ ad neruos qꝺ venire nō ꝺꝫ fm naturā: q꞉ materia ingrossans ꝛ opilans ꝛ claudens vias sp̄uum motiuoꝝ ꝛ sen-

Stupor et tremor ... passiones

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

sitiuoꝝ ⁊ ingrossans subam nuche ⁊ neruoꝝ per imbibitionem ⁊ impositōem.

Tertio tu q̄res q̄ paᵒ ē descꝑtiue loq̄ndo ꝓut h̄ itelligit᷑ a Rasi. Dicēdū: ꝙ de tremore soluit Gaᵘ. 5. de morbo cᵒ. 2ᵒ. i fine qḋ official'. puta opilaᵒ viaꝝ spūum motiuoꝝ in ipis neruis a grosso viscoso ad quē seq̄t᷑ morbᵘ in receptacl'o: puta ianitio spūuꝫ in ipis receptacul' neruoꝝ ¶ Cōtra h̄ argues intētōe gaˡ. 4ᵒ. de morbo cᵒ. 5ᵒ. dic̄ ꝙ soli nerui obtici p̄nt opilari opilatōe h̄ūorali: q̄ꝛ illi soli s̄t ꝯcaui: alij aūt nō. Jō nō p̄nt opilari opilatōe h̄ūorali: q̄ꝛ h̄ūores nō p̄nt ꝑ eos transire: vt ipe ponit. Jdē in de iuuamēt̄ hanelitᵘ ꝭ coartatoᵃ ab itra l'ab ex̄. rōne apātis assistentis Dicēdū ꝙ ab itra dicti nerui motiui ⁊ sensitiui nō p̄nt opilari opilatōe h̄ūorali: vt dictū ē. ꝭ puta i origie puta i aliq̄bᵘ spōdilibᵘ ⁊ i nucha. ⁊ sic rōes nō valēt. h̄ vult Gaᵘ. 5. de morbo caᵒ ꝓprio.

Quarto tu queres stupoꝛ. i. dimiᵒ. sensus q̄ paᵒ ē descꝑtiue loquēdo Soluit Gaᵘ. 4ᵒ. ḋ morbo caᵒ. 5ᵒ. ꝙ official' i supficie. puta grossities ⁊ durities nuche i spōdilibᵘ ⁊ neruoꝝ inde descēdētiū naꝫ ipis iduraꝝ in suba ⁊ igrossat᷑ vtus aiata cū suis spiritibᵘ irradiat᷑ nō p̄nt trāsire ꝑ ipos vt declarat ibidē exēplo exteriᵘ de aere turbido ⁊ grosso: ⁊ aq̄. nā sol nō p̄t trāsire ¶ Et tu q̄res a q̇bᵘ causis fit opilaᵒ igrossaᵒ ⁊ induraᵒ Dicēḋ ꝙ a sup̄fluo ibibito i nucha ⁊ neruis in origine ꝑ viā nutrimēti l' reumatismi vel a re cōp̄mēte ⁊ coartāte: vt a casu ꝑcussiōe dislocatione apate assistēte ¶ Tu dices nūq̄d p̄t h̄ fieri ab opilatōe illaꝝ ꝑtiū dictaꝝ sicut tremoꝛ. Dicēdū ꝙ sic ab opilatōe coartatoᵃ sup̄ius dicta i origie neruorū sensitiuoꝝ vl' surcl'is sic tremoꝛe fuerit talia i origine vl' surcul' neruo. Et sup̄ h̄ adūte vt ē tibi explicatū sup̄ expōe. 4ˡ. de morbo caᵒ. 5ᵒ. ꝙ nerui s̄tml'tiplices: aliq̄ sunt b̄n molles tales s̄t solū istr̄m ipiᵘ sensus tales vadūt magꝭ ꝑ sup̄ficiē mēbri: vt mēbꝝ sensiat nocumētū eiᵘ. ¶ Aliq̄ s̄t q̄ b̄n duri tales sūt istr̄m ipiᵘ motus solū: tales tēdūt magꝭ ꝑ centrū mēbri vt mēbrū habeat fixionē ⁊ mobilitatē talia fiūt ex instictu n̄e ⁊ eiᵘ sagacitate n̄e i formatiue vt ab orbe liniāte ⁊ figurante. Aliq̄ s̄t nerui mediocres i s̄ba puta i duritie ⁊ mollitie tales sūt istr̄m sensus ⁊ motᵘ: puta sensitiui ⁊ motiui h̄ est tibi b̄n explicatū in loᵒ dicto isti intēdūt ꝑ totū mēbꝝ. ¶ Et si tu q̄ras an oēs spūs istorū sūt homogenee n̄e ꝙ om̄s sint sensitiui ⁊ motiui dictū ē in expōne libri ⁊ caˡ dictoꝝ: ꝙ q̄dā ethero geneitatē h̄nt naturā q̄ꝛ magꝭ sicci ⁊ subtiles sūt motiui magꝭ h̄ūidi ⁊ grossi sunt sēsitiui seu istr̄m sensus ꝓpter istaꝫ grossitiē citius ꝑdit᷑ sensus q̄ motᵘ in his al'n ex opilatōe lꝫ pautiores spūs sufficiant ad sensū: q̄ꝛ sentire ē quoddā pati. sic mouere ē agere. ꝙ h̄ sit verū pꝫ. q̄ꝛ alit᷑ vtus sensitiua ⁊ motiua n̄ distiguerēt᷑ in gn̄e ex q̄ h̄nt idē istr̄m puta eosdē spūs ⁊ organū puta neruū ⁊ ē passus Jn q̄ ē adūtēdū ⁊ sup̄ h̄ nōndū ꝙ iste passiōes describūt᷑ noie accn̄tis: vt mos ē antiq̄ꝝ interdū sic describere vt dictū est in p̄nᵒ huius.

Quinto tu q̄res stupoꝛ ⁊ tremoꝛ cuiᵘ virtut̄ s̄t nocumētū passiue itelligēdo a q̄ nocum̄to vtut̄ cānt᷑ tales passiōes ḋscripte noie accn̄tiū. Dicēḋ ꝙ iste passiōes ⁊ oēs aliē mat̄iales s̄t nocum̄tū passiue itelligēᵒ vtut̄ n̄alis regitiē n̄alis. n̄alis digestiē ⁊ vital' expulsiue: vt dicit Gaᵘ. iiᵒ. ḋ igeᵒ. cᵒ. 2ᵒ. ⁊. 8ᵒ. Rō dicti ē: q̄ꝛ si iste nō errassent in actōibus suis nō causaretur causa morbi in corpore: vt dictum est pluries.

Sexto tu q̄res cuiᵘ vtut̄ stupoꝛ est nocumētū ⁊ tremoꝛ cuiᵘ vtut̄ ē paᵒ seu nocuᵐ actiē loq̄ndo. Et q̄ro ḋ his ꝓut tales passiōes itelligūt᷑ h̄ a rasi. Soluit gaᵘ. 5ᵒ. de morbo. caᵒ. p̄ᵒ. ⁊ 5ᵒ. ꝙ stupoꝛ ⁊ tremoꝛ de maᵃ q̇eta sunt passiōes sēsitiue ⁊ motiē aiate. stupoꝛ ipiᵘ sēsitiue ⁊ tremoꝛ ipiᵘ motiē aiate p̄ncipal'r. nā ill' p̄ncipalit᷑ ifert nocuᵐ. vt vult Gaᵘ. i l̄ra allegata. Cōtra h̄ arguit᷑ fortit᷑ ꝙ cātur a motiua aiata ⁊ sēsitia lesa neruoꝝ ⁊ mēbri nō potēti mēbra leuare nᶜ sustiere sursuꝫ nec ꝑfecte resistere motui deorsum a sui n̄ali ḡuitate nō b̄n sētire cāt nocuᵐ in ill' nᶜ ē paᵒ illaꝝ pꝫ. q̄ꝛ idē eēt añ q̄ eēt. ⁊ idē esset cā ⁊ effectᵘ ⁊ idē p̄cederet seip̄m: ꝭ tremoꝛ de maᵃ q̇eta. ⁊ in n̄ali cātur a motiua aiata lesa neruoꝝ ⁊ mēbrorū Jstā ponit Gaᵘ. 5ᵒ. de morbo cᵒ. 2ᵒ. ad l̄ram ⁊ stupoꝛ a sēsitiua lesa ꝯcludo igr̄ ꝙ tremoꝛ de maᵃ q̇eta nō erit paᵒ aiate motiē: nec stupoꝛ ipiᵘ sensitiue Jsta ē rō fort̄ ⁊ vr̄ ꝯcludere ꝯ illū textū. Dicēḋ ꝙ tremorē talē de maᵃ q̇eta stuporē possumᵘ ꝯsiderare dupl'r. vnoᵒ ꝓ motu illo tremuloso q̇ ē accn̄s morbi ⁊ ꝓ illo stupore ⁊ sic b̄n fit a motiua aiata ⁊ sensitiua lesa seu debilitata ⁊ vt sic nō ē paᵒ nᶜ nocumētū actiue aiate nec sēsitiue q̄ꝛ rō sic ꝯcludit Alioᵒ possumᵘ cōsiderare tremorē ⁊ stuporē pro passiōe sic ḋscꝑta ⁊ sic itelligit Gaᵘ. 5ᵒ. ḋ morbo. q̄n dic̄ ꝙ tremoꝛ ē paᵒ motiē aiate. i. ifert nocuᵐ p̄ncipal'r ipi motiē aiate ⁊ stupoꝛ sēsitiē. ⁊ sic ego itelligo i solutōe seu clarificatōe q̄siti dicti ꝙ pro passionibus descriptis sunt passiones illaꝝ.

Septimo tu q̄res tremoꝛ imat̄ialis ē ne paᵒ ꝓ morbo descripto motiē aiate. Dicēdū vt dc̄m ē de tremore de maᵃ

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

quieta. p morbo descripto est passio motiue aiate
p illo malo motu ē passiue nocu^m ipi^9 motiē aia-
te. ¶ Tu dices cur^9 vtur̄ ē pa^o tremor p illo motu
Dicēdū φ vt sic ē accn̄s morbi verū actio morbi
p̄t eē cā morbi ⁊ vt sic p̄t iferre nocu^m seu passio-
nē mediate tn̄ q: mediāte morbo descp̄to appeti
tui ɔcupiscibili volunta^o i actōib^9 assuer̄ p natu-
rā nō p̄nt leuare manū ad os nec ad caput.

Octauo tu queres mot^9 q̄ ē tremor q̄s
mot^9 est. Dicēdū φ mot^9 tremu
losus de ma^a q̄eta ⁊ tremor i materialr fit a duab^9
natur̄. q̄nto ꝺ morbo capl'is p̄mis fit a motiā aia
ta mouēte debilit̄ ad supi^9 ⁊ sic ē accn̄s morbi, et
est p̄ter naturā ⁊ ē mot^9 nature q̄ ē ḡuitas n̄alis
mēbri: puta a ḡuitate matie ad iferi^9. ⁊^c ē motus
n̄alis, pp̄t q̄ꝺ dicit Ga^9. 5. de morbo capl'is p̄mis
φ tremor nō ē mot^9 ex toto p̄ter naturā. Tremor
aūt q̄ fit de ma^a mota ē duplex. s. mal^9 mot^9 expul
siue n̄alis lacertoꝝ expellent̄ ipetuose ⁊ violente
Et motiē aiate lacertoꝝ iuuāt̄ expulsiuā dictā. q̄a
icitata a tali p̄ugitio materiali ⁊ ē ad iferi^9 a ḡui-
tate n̄ali, p p̄mis duob^9 ē malus mot^9: p isto nō.
Et sic pz φ tremor tal' ꝺ ma^a mota vt ē i poxisimis
fit attriplici n̄a. Et tal' tremor q̄ fit de ma^a mota i
fine rigor̄ i fe. attriplici n̄a dicta ē pa^o seu nocu^m
actiē alioꝝ mēbroꝝ a lacert̄. nā dētes stridēt ⁊ mē
bra plura patiūtur p colligantiā ptiū q̄ principa
liter patiūtur vt ponit Ga^9. 5. de morbo caplo. 5^o

Istis clarificatis cura stupo-
ris ⁊ tremo
ris tibi patescit: maxie q: cāe hoꝝ ⁊ palis cedē st
in ḡnē: q: palisi icipiēs firmari ɔcomitat̄ ista no
cumta. vt vult ras in ca^o. Jō dic̄ in rubrica de stu
pore ⁊ tremore ⁊ miore palisi. Jō vult ga^9. 4^o. de
morbo c^o. 5^o. Jō. 5. ꝺ morbo c^o. 2^o: q: stātib^9 istis
nō ē victo^a morbi sup v̄tutē motiuā volūtarie sic
in palisi pfecta: q: nō ē tāta grossities nuche i ei^9
suba ex sordido apposito subitrāte ei^9 subaz aliq̄
lit n^c tāta neruoꝝ opila^o ⁊ viaꝝ clausio i origie eo
rū p dictā appōnē sordidi seu supflui, pp̄t q̄ꝺ sp̄s
sensitiui ⁊ motiui nō ex toto cessāt trāsire. ad ipos
neruos nō ḡ tant̄ indigēt eūatōib^9 n^c vnctiōibus
ita fortib^9 seu calis. Si q̄s ḡ tremorē i capite vl' i
brachijs vel tibijs vl' stuporē seu diminutōez sen
sus habuerit vtat̄ per. xx. dies ⁊ vltra sero ⁊ mane
mellicto seq̄nti tepido sine a^a mixtura. Vel sar̄ de
mane i aurora de sero an̄ cenā: l' in itroitu lecti su
mat duos bolos de radice achori ɔfecta cū melle
sine potu tn̄ Et i fine mēse cōcedat sine potu ranu
lū saluie bullite vnica ebulitōe i brodio carniū vl'
de ḡnis pineaꝝ sumat i fine cene, cerebꝝ leporis

assum multū laudat̄ in cena talibus colūbi assi ⁊
vinū grossuz eis ɔfert q: vinū albū pp̄t ei^9 pene-
tratōez nocet ⁊ vina diūsa sumere valde nocet nō
potare subito in p̄n^o prādij talib^9 cōpetit ivia cu-
ratōis ⁊ resuatiōis mellicratū. ¶ R̄. raꝺ achori
m. i. cētauree. mi. cupar̄. an̄. m. i. vtriusq3 sticaꝺ an
thos an̄. m. ß. se. basilicōis se. maiorane se. peonie
rōne. an̄. 3. i. mell' albi despūati. q̄rt̄. i. ⁊ ß. f̄ melli
cratō bn̄ clarificatū ad. lī. ij. renouet̄ q̄lib3 septia
na sumēdo de isto mellicto vnguat se i spōdilibus
colli vl' alkatim cum vnguēto seq̄nti ⁊ ptes lesas
seu obdormitas ⁊ tremulosas. ¶ R̄. olei baccaꝝ
lauri. lī. ß. olei de lilio. q̄rt̄. i. piret^1 castorei subtilis
sime pulueri satoꝝ an̄. 3. i. misceāt̄ ⁊ incorpēt̄ s̄ ci
neres calos sumpta mellicto p. 15. dies sumat co-
laturā seq̄ntē. R̄. pru. da. vuaꝝ pas. mundꝺ. an̄. ʒ. ß.
thi epithimi polipo^1 q̄rcini. an̄. ʒ. ß. 33^1 anisi. an̄. 3.
i. ⁊ ß. agarici. 3. ij. ⁊ ß. turbith gūmos ⁊ albi. 3. iij. f̄
decoctio in q̄ dissoluat̄ cassief̄. ʒ. i. f̄ pot^9 Si n̄ pla
ceat sibi colaturā recipe: da sibi. 3. i. turbith pulue
rizati cū. ℈. i. 33^1 albi cū brodio carniū. Vel da si-
bi de diaturbith. vel da sibi. 3. ij. pill' aꝝ ꝺ agarico
Hoc fctō ɔtinuet adhuc mellictō p. x. dies l' circa
Facta purgatōe vnguat se i spōdilib^9 dict̄ ⁊ i pti
bus lesis cū isto vnguēto fortiori. ¶ R̄. succi rute
recēt̄. lī. ij. olei de lilio. lī. ij. casto. piret^1 costi. ana
3. iij. euforbij. 3. i. coq̄tur oleū cū succo p̄dicto vsq3
ad ɔsumptiōez succi. ⁊ cū deponet̄ ab igne a^a pul
uerizata subtilissime misceāt̄ ⁊ addat̄ olei balsa^1
ʒ. ß. facta vnctōne spōdiliū colli p. x. dies: si fatiga
ret̄ ponat ꝺ emplo seq̄nti s̄ spōdiles extēso s̄ alu
tā i lōgitudine medij palmi: ⁊ i latitudie duorum
aut triū digitoꝝ. ¶ R̄. olei de lilio q̄rt̄. i. ⁊ ß. olei ꝺ
iunipo q̄rt̄. ß. fecis olei ꝺ lilio. 3. ij. storac liq̄de. 3.
ij. mirre. 3. i. galbāi. ʒ. ß. armo^ci. ʒ. i. piret^1 castorei
subtilissime pl'uerizatoꝝ. 3. ij. euforbij. 3. ß. cere q̄ꝺ
sufficit Fiat cerotū addat̄ malaxādo terebētine. 3.
ß. vt meli^9 adhereat capiat vna ps ⁊ extēdat̄: vt
dictū ē interdū. teneat istꝺ empl'z potissime ꝺ die
iterdū vngat se cū vnguēto stati dicto: i spōdilib^9
⁊ i ptib^9 lesis ad ignē fricādo: vt bn̄ ibibat̄ in pte
lesa. Vel f̄ istud empl'in s̄ spōdilia ⁊ ptes dormi
tas q̄ꝺ ē forti^9 fm rasim. ¶ R̄, piret^1 baccaꝝ lau
ri staphisagrie sambuci boraq̄ se. sinapis. pipis.
castorei euforbij an̄. ʒ. i. terant̄ ⁊ ɔficiant̄ cum suc
co cucu. asinini cū modico resine fiat empl'z de q̄
applicet̄ vna ps vt dictū est. ¶ Paupes curo de
stupore ⁊ tremore mēbroꝝ cū ablutiōe aq̄ calide
decoctōis folioꝝ tintimalli maior̄ vsq3 ad ɔsum-
ptōez duaꝝ partiū emplando desup spondilia fo
lia eius ⁊ sup humerū ⁊ ptes lesas cum modica

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

cōquassatione eoꝝ desuꝑ.nā hꝫ vim subtiliatiuā
suꝑfluitatū.Uel ꝙ vnguatᷣ cū succo ebuli vel cu-
cumeris asinini ⁊ felle bouis: aut bulliāt aā vsqꝫ
ad consumptionē medietatis.

¶ Capitulū nonū de tortura oris.

Um homis os cōtorq̄-
tur ⁊ vnum de oculis su
is claudere non valet et
si precipitur ei vt sufflet
flatus ab vna tm̄ parte exire vide-
tur ipm tunc contorsionē pati dici
mus. Cuius curam incipiemus cū
solutione vētris ex pillulis fetidis
Nutrimentū vero eius atqꝫ ipius
potū ponimus vt in caplo de para
lisi diximus. Egrum preterea quo
tidie i mane anteq̄ comedet sina-
pim cum sirupo acetoso gargariza
re faciemus: Et mittemus eum in
domū obscuraꝫ: et precipiemus vt
vnā nucem muscatā in parte oris
que torta ē teneat. Naribus q̄ꝫ in
sufflabimus cōdisi: vt sternutatio
ꝓuocetur. Spōdiles q̄ꝫ colli eius
⁊ faciem eius ⁊ frontē ex oleo costi
no inungere cōuenit. Et ē quoti-
die de anacardino vnius aurei pō
dus sumendū. Et si passio hoc mo
do soluta non fuerit ad ventris so
lutionē ⁊ egri preseruationē redeū
dum est. De tortura vero q̄ nō re-
pente sed paulatim accidit nō loq̄
mur. ipa naqꝫ non contigit nisi in
frenesi ꝑnitiosa morte iam iminē-
te est ex siccitate.

E tortura oris.i.de tortiōe
oris ⁊ faciei.nō
ꝙ cā torture oris ⁊ faciei in gn̄ali ē pa
ralisis aut spasmꝰ a q̄ harꝝ causarꝝ plu
ries accidit ħ dicetᷣ statim in seq̄ntib

Ulterius nota ex intentione Gaˡ.4°.de int̄.ca°.
5°.⁊ 2°.de morbo c°.6°.ꝙ i palisi trahitᷣ ꝑs egra
a sana rōne molliciei in spasmo ꝑ oppoᵐ ꝑs sana
trahitᷣ ab egra.nam magꝭ dura attrahit ad se mi-
nus durā seu magꝭ mollē. Signū ad ħ ꝙ talis to:
tura fiat a spasmo vel palisi sunt tria. ¶ Primuꝫ
sumitᷣ a duritie ⁊ malitie ꝑtis egre.nam i spasmo
ꝑs egra est dura.in palisi est mollꝭ. ¶ 2ᵐ.ē saliua
oris q: in spasmo nō occurrit mlta saliua. In pa
lisi est mlta saliua q̄si inuolūtarie exiens per os.
¶ 3ᵐ signū sumitᷣ ex labijs ex clausione oris ⁊ ex
palpebra iferiori oculi in clausione oculi. nam in
tortura ex palisi ꝑs sana bene clauditᷣ ⁊ cū figura
⁊ forma.ꝑs egra silr satꝭ clauditᷣ: q: trahitᷣ in aliq̄
a ꝑte sana vt est dictū verū clauditᷣ cū mala figu-
ra: q: labium suꝑius cadit vltra debitū cū abūdā
ti saliua. ¶ In tortura ex spasmo ꝑs sana claudi
tur ex se.⁊ q: trahitᷣ ab eḡ spasmata rōne eiꝰ duri
ciei: vt statim dictū est.ꝑs aūt egra nō clauditur.
ymo remanet discooꝑta sine saliua notabili. Idē
dicendū de palpebra iferiori oculi q: in palisi ca-
dit palpebra iferius notabilr in spasmo magꝭ ca-
dit in transuerso. Et super hoc aduerte ꝙ tortura
oris ab intrīseca causa si fiat si transeat duos mē-
ses sine manifesta reꝑatione cōiter non curatur.
q: illa mala ꝯplexio frigida cū materia fit q̄si ha-
bituata in membris illis. Ideo non potest cura-
ri a medico: sed si remoueatur siue curetur est ca-
sus singularissimus. ꝓpter quod aduerte suꝑ fal
sis ꝓmissionibus q̇bus ꝯmuniter vtimur auariᵃ
moti nobis ꝯnaturali. Et super hoc nota ꝙ talis
tortura oris ex spasmo aut paralisi fit interdum
a causa extrinseca puta ex punctione vel punctu
ra sagitte vel gladij vel consimiliū in facie. vel in
lacertis capitis nunc contrahuntur per modum
spasmi ⁊ nerui ⁊ lacerti trahuntᷣ ad ꝑtem illaꝫ in
terdum fit illa tortura ex concussione suꝑ capitis
parte tunc cātur paralisis ⁊ relaxatio ⁊ casus la-
certorum in parte illa.⁊ ꝑ ꝯn̄s fit tortura oris et
istos casus pluries vidi ⁊ curantur post annos et
menses.

Primo tu queres Cuius particule tortu
ra oris est passio ꝑ̄ncipalis. Sol-
uit littera Gaˡ.3°.de int̄.c°.5°.ꝙ nerui vēiētes ad
lacertos timpoꝝ ⁊ ad lacertos q̇bꝰ fit masticatio
qui nerui timporū et genarum ꝯmuniter veniūt
a 3°.pari neruorum capitis qui a prora procedūt
Et dicit Galienus 4°.de interioribus.caplo. 5°.
⁊ 3°.ad lacertos aūt genaꝝ iferiores q̇ culcitᷣ vo-
cantᷣ quibus fit masticatio ⁊ trāsglutio etiā veni
unt nerui a ꝑ̇mis spōdilibꝰ colli: vt dicit Gaꝰ ꝑ̇°
de int̄.ca°.5.in fine.ꝓpt̄ qđ ꝯclude ꝙ ꝑticula ꝑ̄n-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

cipalr patiēs in tortura oris sunt neruí venientes
a p̄mis spōdilib⁹ colli: vt dicit Ga⁹. ꝛ h̄ ē vt plim
ꝓpt materiā ibidē veniētē ꝑ viā reumatismi: ꝓpt
qḋ actores mag̃ ꝯsulūt ꝛ iubēt iungere carnas
colli ꝛ ip̄m occipitiū: q꞉ vt plimū nerui p̄ncipalr
patiētes ꝓcedūt inde lꝫ nō semꝑ ƀ alñ dicti.

Secūdo tu q̄res an talr tortura vt ē pa°
dictoꝝ neruoꝝ sit ꝑ se vel ꝑ col
ligātiā dicēdum: ꝙ semꝑ ꝑ colligantiam q꞉ venit
ad neruos illos qḋ venire nō dꝫ ƀm naturam.

Tertio tu q̄res tortura oris q̄ pa° ē in se, i
gn̄e ꝛ i spē. Dicēdū ꝙ officialr i ge
nere: i spē est mltiplex i figura cū torta ꝛ in situ, ꝑ
lo° ꝛ colligāª potissime si fiat ex ꝑalisi q꞉ mala hu
mida causat morbū in pōne. 2°. de morbo ca°. pe
nultio. sꝑ ꝯcomitat̄ opila° ꝛ morb⁹ ꝯsilis: q꞉ ma
la ꝯ° f̄ra cū maª aq̄sa vel grossa. ꝛ sic ptꝫ tibi q̄lr
ista passio ḋscribit̄ noie ꝓpo q꞉ a tali mala figura

Quarto tu q̄res cui⁹ ꝟtutꝫ tortura ē no
cumētū passiue itelligēdo. Di
cendū vt s̄ plies ē dc̄m ꝙ tortura ꝛ ois morbus
materialis ē nocumētū digestiue ꝛ expulsiue n̄alis
ꝛ vitalis expulsiue. ii°. de inge°. ca°. 2°. ꝛ. 8°.

Quinto tu q̄res cui⁹ ꝟtutꝫ tortura ē pas
sio p̄ncipalr ꝛ cui ꝟtuti p̄ncipa
lit̄ infert nocumētū Soluit Ga. 5°. de morbo ca°
p̄°. ꝙ motiue aiate genaꝝ ꝛ labioꝝ. nā spasmus ꝛ
ꝑalisis sūt passiōes p̄ncipalr ipoꝝ neruoꝝ in mem
bris in q̇bus fiunt.

Sexto tu q̄res ex q̄ duaꝝ cāꝝ dictaꝝ mag̃
ꝯtigit ipa tortura oris ex spasmo
vel ex ꝑalisi. Dicēdū ꝙ i regionib⁹ f̄riis l septētrio
nalib⁹ mag̃ ꝯtigit ex ꝑalisi: q꞉ maͤ aq̄se flāᶜᶜ ma
gis multiplicant̄: ƀ i calis regiōib⁹ fit a spasmo.
ꝓpter qḋ Aui. q̄ erat in fine tertij climatꝫ vl in p̄n
cipio q̄rti dicebat: ꝙ mag̃ fiebat a spasmo quia i
tali t̄ra maͤ sicce acute mag̃ mltiplicant̄ q̄ si flu
xerit ad ꝑtes neruosas pūgēdo ipos ꝯh̄ūt ipos
ex eoꝝ n̄a ꝟsus suā originē: vt declarat Ga⁹. ꝯ ar
chigenē. Tertio de ꝯplexionib⁹ declarādo hoc in
cordis lire: q꞉ si pūgant̄ in capite ꝯh̄ūt versus ad
caput sicut nerui ꝯhunt̄ ꝟsus suā originē si pūgā
tur a tali maª sicca pūgitiua dicta ex q̇bus rebus
dictis sic clarificatis patescūt tibi vie curatiue po
tiores ꝛ notitia rerum applicandaꝝ in gn̄e et in
spē: vt ꝓmissum est in p̄ncipio.

Septimo tu q̄res in q̄ latere tortura
suꝑueniēs ē deterior. Sol
uit raƀ i suo ꝯtinēᶜ ꝙ suꝑueniēs i sinistro ꝓpt de
bilitatem ꝑticule.

Octauo tu q̄res h̄ntes torturā i q̄to tp̄e
debēt curari. Soluit Raƀ i suo
ꝯtinēte ꝙ nisi curaret̄ infra mēsem l repant̄ ma
nifeste n̄ curāt̄: oēs t̄n antiq̄ ꝯuenert ꝙ si trāseat
duos menses facta est incurabilis, nisi veniāt ex
punctura aut cōcussione

Nono tu q̄res q̄ ē cā mag̃ ꝓuocās torturā
faciei. Soluit Raƀ i suo ꝯtinēte ꝙ
ois res ꝓuocās fluxū maͤ ad p̄mas spōdiles col
li. iō ē innat̄ale ꝛ malū cooꝑire se i collo in sōno
scarificare se in iitio colli cū vētos: lꝫ euacuet ibi
materiā: ideo debilitat memoriā: ƀ volunt omnes

Decimo tu q̄res si patiētes torturā ꝑicli
tāt ḋ morte Soluit raƀ i suo ꝯ
tinēte. c. ꝓpo. ꝙ si oꝑatōes cerebri p̄ncipales sūt
lese. puta itellect⁹: rō: meōª. tᶜ sigᵐ ē ꝙ mª mlta ē i
cerebro dissoluta ꝛ ab ipo cerebro fluēs: ꝓpt qḋ
q꞉ cerebrū mltū cōicat i passiōe mlti moriūt̄ ifra
4ᵐ diē q꞉ passiōes fortes cerebri sūt valde acute:
vt sūt ꝑalis talr appopleª ꝛ ꝑalis vlis. ꝛ si talr ꝓlō
gat̄ euadūt signū tollerantie nature cerebri.

Undecimo tu q̄res q̄ sig̃ seu accn̄ª
mag̃ significāt torturā
futurā. Soluit raƀ in suo ꝯtiᶜ. c. ꝓpo. q꞉ 3ª. sūt q̄ si
gnificāt torturā oris futurā salt⁹ faciei, muscli fa
ciei mouēt̄. ac si hr̄et iectigatōēꝫ aliq̄ vapes inci
piūt iā fluere a capite. ¶ 2ᵐ. sigᵐ ē dolor ossiū fa
ciei. ¶ 3ᵐ. sigᵐ ē stupor cutꝫ faciei. naꝫ icipit maª
fluere ꝛ opirᶜ p̄° stāte stupore i cute faciei: potes
dicere qḋ ē tortura icipiēs firmari: vt ē dc̄m i c° p̄
cedēti ḋ stupore ꝛ trerᶜ mēbroꝝ. tc̄ pa. dꝫ cauere a
frigore ꝛ a vētos i collo potissime cū scarificatōe:
q꞉ faciūt euenire Raƀ in suo ꝯtinente.

Istis clarificatis cura tortur̄
oris tibi pa
tescit. an̄ ꝙ i cura ꝓcedas scire oꝫ: an talr torta sit
ex ꝑalisi l ex spasmo illoꝝ lactoꝝ q꞉ medicaᵒ i aliq̄
diuisificāt̄. q꞉ i ꝑalisi oꝫ mag̃ ḋsiccare ꝛ maᵃᵐ aq̄
sā mag̃ s̄btiliare. i spasmo ꝑ oppᵐ min⁹ exsiccare
cū vnguētꝫ: ꝛ alijs ꝛ maᵃᵐ mag̃ grossā s̄bstrahere
Silr oꝫ scire an sit ex pūct̄a l ꝯcussiōe talr tort̄a ḋ
cui⁹ cura dicem⁹ i fine caˡ. Est sciēḋ ꝙ i tali tort̄a
cerebꝝ cōicat alñ fortit̄ in lesiōe: q꞉ mlta maª ab
eo ꝛ i eo dissoluit̄. iō ꝑiclitāt ꝛ aliq̄ ifra 4ᵐ die mo
riūt̄: qḋ cog̃scit̄ i oꝑatōib⁹ ei⁹ p̄ncipalib⁹ si salue
āt n̄ salue fuerit. nā si itellect⁹: rō: ꝛ meōª i tali tor
tura corrūpāt̄ sigᵐ ē ꝙ cerebꝝ mltum patit̄ i tali
tort̄a cōit̄ moriūt̄ ifra 4ᵐ diē ꝛ eꝯ. In cura g̃ˡ sic
ꝓcedam⁹ i p̄mis pa. pōat̄ i camera obscura r̄clu
sa clausa ꝑ totū ne aer frigid⁹ nᶜ vētos⁹ ꝑcutiat si
bi ꝑtes illas infriatas a maª illa fluxa alias aūt
lapsus augmētaretur ꝛ teneat nucem muscatam
in parte oris in qua est tortura vt figura membro
remaneat assueta, Et in primis diebus nil detur

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

sibi nisi idromel ipo solo nutriat vt dicet palitic⁹
purget. ¶ Stati aliqualit̄ ꝛ non multū fortiter
nec p viā dissolutōis matie passio augmētet: vt
ē dictū in.c.de palisi intētōne Rab i suo ꝯtinēte
¶ ℞.radiq achori.m.i.fiat decoctio in q̄ dissol-
uat yerapi^e ga^l.ʒ.i.ꝛ b fiat por⁹det in aurora.si
nō velit cape istā da cassiaf simplicē in ortu sol:
cui⁹ receptā posui in p̄mis caplis de cephalea ꝺ
scothomia de frenesi. ¶ Vel da sibi.ʒ.i.de turbit
gūmosi albi puluerizati cū.℈.i.ʒʒ^l.det cū aq̄ aco
ri ꝛ cicerū ru. ¶ Stati f sibi mellictū de quo su-
mat i die ter.scꝫ in aurora invespis in p̄mo som-
no mediū gobellū cal'in sine alia mixtura ¶ ℞
radiq achori.m.i.maiorane saluie añ.m.b vtriusqꝫ
ꝙ sticaꝺ añ.m.b.ʒʒ^l.nuq muscate. granoꝝ iuni-
peri añ.ʒ.b.mell'despumati q̄rt.i.b.fiat mellictū
ad.lb.ij.ꝛ b.bñ clarificatū. Cōseqnt flōmet deve
na q̄ ē sub lingua intētōne Rab in suo cōtinēte
potissime si venosus fuerit.ꝛ si ꝓlōgat reiteret.
In ꝓcessu ꝯñr gargarizet añꝙ sumat de mellic
to p vnā horā de isto gargarisinate. ℞ se.sinap.
ʒ.i.syrupi acetosi cōpositi qꝺ sufficit distēpandū
vt fiat gargarisma. vel distēpet se. sinap cū mo-
dico vi^l ꝛ fiat gargarisma quolibet mane ¶ Cō
sequēter postꝙ fecerit gargarisma p aliqsvices
ꝓuocet sternutatio cū succo auricule muris seu
maiorane. iniijciat infra nares media testa nuq
resupine.pluries i die multū approbat in cura p
oēs. Loco hui⁹ponim⁹ de ꝑdiso puluerizaᵒ sub-
tilissime. aliq admiscēt de castoreo c̄ cōdisi et po
nūt infra nares. ¶ Rab dic in toto cōtinente ꝙ
capiat de radice supiori catapucie maioris i q̄ti
tate grani pipis.terat ꝛ ponat in nasum p tres
dies qlibet die semel. Dino curātur facr̄ ꝓcedē-
tib⁹. ¶ Moderni nr̄i faciūt sic ꝛ curāt passionē
℞ auricularuꝫ muris ciclaminis nuq indice cu
cu. azimi nuq muscate achori piret'añ.ʒ.b.omia
ꝯquassent ꝛ bulliāt in vino ꝛ colent ꝛ inuoluat
bōbax in dicto vino ꝛ patiēs resupinet ꝛ comp
mat bōbax.ꝛ.vi.aut.vij. gutte tepide narib⁹ di-
stillet.hoc fiat multis dieb⁹ ꝛ multis vicib⁹ āte
prādiū ꝛ añ cenā. Ista purgāt caput mirabilit.
ꝛ cōfortāt neruos. ¶ Istud multis ꝓficit curaꝫ
pfumare caput post p̄mos dies sero ꝛ mane cuꝫ
decoctōe camomille.multū valet spālit q̄n est ex
spasmo.hoc vult Rab in suo cōtinēte . postea in
ungere q̄n est ex paralisi.addas vtriusqꝫ sticaꝺ.
¶ Postꝙ facta ē purgatio aliqual' ꝛ gargaris-
ma ꝛ sternutatio aliqlis .inungant carine colli
ꝛ facies ꝛ spōdiles p̄me pluries in die cuꝫ oleo
nardino vel costi cōposito cui⁹ receptā rab pōit
c.de palisi. ¶ Si ex spasmo fuerit potes miscere
cū vno istoꝝ olim de lilio in vna p̄te potissime in
p̄n^o p aliquos dies ꝛ dent.ʒ.ij.pill'aꝝ fetidaruꝫ
cū.℈.b.colloqn^e ꝛ.ʒ.i.serap̄ vel cochiaꝝ loco illaꝝ
¶ Rab laudat ablutiōem faciei cū aqua achori
vl'cum aceto tepido facta purgatione potissime
q̄n fit tortura ex palisi. Laudat etiā balneū siccū
puta stufam naturalē vel de lapidib⁹ ignit̄ sup-
sperso vino albo l'claro.corp⁹ ꝛ caput stufetur i
p̄n^o ꝛ in toto ꝓcessu. ¶ Rab multū laudat raꝺ.
achori ꝯfectā cū melle sup sp so.ʒʒ^e vel sirupo vel
mellicrato vel electua^o. ¶ In processu cure lau-
dat etiā tubicinare in die p vices vt figura mēb^l
rectificet in aliquo ꝛ respicere se i speculo vt la-
bia cōiungat ꝛ figurā rectificet bonū ē in ꝓces-
su cure.oia st̄ ꝯsiderāda ꝛ ꝯtinuāda ꝓut ē supi⁹
dictū.mellicratū cōtiet garga^{ma} sternutatōnes
inūctōes vt ē dictū.ꝛ sic ꝯtinuādo ista cura ꝯple
bit infra.xx. dies si deo oipotēti placuerit ¶ Si
v̄o aliqs torturā oris habuerit ex pūctura facta
in ill'ptibus ꝯhente lacertos ꝛ neruos tal'cura
tur cū cura vulnerij.curato vulnere remanet aliq
lis tortura quā natura reparat i annis inungue
do ꝓut dicem⁹ in.c.sequēti. ¶ Et si q̄s torturam
oris habuerit ex cōcussione mollificāte neruos ꝛ
musculos per ibibitionē ma^e per viā palisis cōi
ter fiāt empl'a ꝛ alia dicta in.c.de cura palisis ex
ꝯcussione.nā paulati p plures menses comple-
bitur cura.

¶ Capitulum.io.de spasmo.

c

Um aliqꝺ mēbrū alicu
ius cōtrahit et ad suaꝫ
redit originē aut plera-
qꝫ ex mēbris sic disponū
tur ipsa spasmata eē ꝓnūciamus.
Spasm⁹ aūt subito aut paulati in
uadit.sꝫ spasmo subito euenienti:
eadē p̄panda ē cura quā palisi cō-
ferre diximus. In eo tā fricatōe ma
nuū ꝛ vnctōe ex oleo costino plus
vtimur. Spasm⁹ v̄o q̄ nō repēte sꝫ
suauit accidit post febrē aut mlt̄ā
vētris solutōeꝫ aut multū vomitū
aut sāguis fluxū mal⁹ ē ꝛ vix cura-
bil, q̄cq̄d tñ accidit ei mederi inci-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

piem⁹. Egro nāq; ordei aquā ⁊ iura vnctuosa ⁊ mollia admīstrabī⁹: ⁊ ī aquā dulcē tepidā ipm mittē⁹ ⁊ vngē⁹ ex ol̄o violato tepido ⁊ ol̄o d̄ se. cucur. ⁊ p̄cipue neruoꝝ ī q̄b⁹ spasm⁹ ē radices hn̄s. in tīa q; diu moreť ⁊ ex ol̄. violato inūgať. de vino bibāt paꝝ qd̄ tā; mľtū hēat aq̄ admixtū: ⁊ ex cibis nutriať humidis

De spasmo

id ē d̄ ꝯtractōe mēbroꝝ. nā tal̄ morb⁹ describiť noie accn̄tis. Si describať a ꝯctōne dū fit: q: tūc ē mal⁹ mot⁹ vt diceť i. c. ⁊ describiť noie ꝓpo ꝯsiderādo spasmū i ꝯtractōe facta sic figurata. q: spasmus dū fact⁹ ē. ē mala figura vt stati d̄clarabiť ¶ Nō q̄ spasm⁹ distinguiť multiplr̄. vno° ex pte cāe in gn̄ali. q: q̄dā ē maťialr̄: q̄dā imaťial̄. nā ois spas⁹ ē de repl̄oe aut de inanitōe ypo. vi. āpho. ¶ Idē ga⁹. 3. de int. c. 3. ꝓpť hūorē subitrātē mē̄ abbreuiať. q: nerui ingrossāť i spas° de repl̄one. abbreuianť nerui ⁊ ingrossanť: ⁊ ꝑ ꝯn̄s mēb̄. c. dicto pꝫ hūorē subintrātē ⁊ replentē hoc tn̄ verū est ꝑ aliqd̄ tp̄s in p̄n°: q: tp̄e subseq̄nti mē̄ demacerať ꝓpť defectū nutrimēti i spas° de inanitōe ꝯ͞hiť lōgitudo ⁊ latitu° minorať s̄m illā. 3. d̄ int. c. 3°. Probat idē ga⁹ ista sic i extiorib⁹ puta i corrigia vl̄ corrigijs q̄ q̄n repleť abbreuianť ⁊ igrossanť ipis ianiť abbreuiāť ⁊ ꝯstringūť: vt pꝫ de facto. ⁊ videm⁹ i chordis lire q̄ regnante austro seu vēto humido replēte dictas chordas lire: q̄ chorde rūpūť. Idē fit regnāte vēto boreali exiccāte ⁊ inaniēte q̄ silr̄ rūpūť: nisi p̄us laxenť: q̄a abbreuiāť. ¶ Cā āt maťial̄ faciens spa̅ ē hūor aliq̄liť gross⁹ hn̄s malā q̄litatē pūgitiuā friaꝫ vl̄ aliā rōe portōis ma° acute col̄ice vl̄ alti⁹ aduste ꝯmixte pūgēte ipꝫ ⁊ ꝯ͞hēte ipm ex sui n̄ ¶ Dicūt actores q̄ cōiť cōicat vēt⁹ fit int̄dū ex ma^a vētosa ex toto ꝯpeteť ḡl̄a potissi° i tibijs senū q̄ a laicis d̄: crāpa q̄ stati curať cū aq̄ decoctōis tunici si tibie cū ei⁹ decoctōe bn̄ abluāť cal̄e sero ⁊ mane ꝑ duos dies tal̄ cā maťial̄ aut ē ꝯp̄hēdēs to̅ mē̄. s. neruū ⁊ lactū. ⁊ h̄ ē q̄n fit sine ap̄ate. aut ē ꝯp̄hēdēs vnū tm̄ lo̅ quē reliq̄ ptes sequūť: h̄ s̄ i spas° ꝓpť ap̄a. ¶ 2° distiguiť spasm⁹ ex pte sinthomatū puta ex mō ꝯctionis. q̄dā ē spasm⁹ seu ꝯctio q̄ fit v̄sus ptē domesticā ⁊ d̄: ātroston⁹. ⁊ s̄ h̄ q: illa ma^a subintrat neruos ꝑ͞ dōestice, ⁊ q̄a pūgitiua pūgit ipos neruos: ꝓpť quā ꝯpūctōeꝫ ipi nerui ꝯ͞hunť ex eoꝝ n̄ v̄sus suā originē ut dicit gali. 2° de intio. ca°. 4° ꝯ͞ archigenem declarādo h̄ i chordis lire. ¶ Alia ē ꝯctio seu spasm⁹ q̄ s̄ v̄sus ptē siluestrē. q: illa ma^a pūgitia subitrat neruos ꝑ͞ mē¹ siluestri. ⁊ sic ꝯ͞hūť v̄sus suā originē ⁊ vocať ꝓthoston⁹. Iste due spēs sūt ꝓp̄e dicte spasm⁹. ¶ Alť ē spasm⁹ q̄ tꝫ totū mē̄ nō ꝯ͞hēdo ipm v̄sus aliquā ptē. q: ma^a subintrať vniformiť ptē dōesticā ⁊ siluestrē. ⁊ vocať tethanus q: tꝫ vtrāq; ptē. ¶ Ista spēs spasmi n̄ ē ver⁹ spasm⁹ s̄ largo mō dict⁹ q̄liť ꝯtigit nec q̄b⁹ cōtigit: h̄ diceť statim in seqūntibus.

Primo tu q̄res. spasm⁹ cui⁹ pticule ē pa° p̄nci^r. ¶ Soluit l̄ra. 2. d̄ int. c. 4° ⁊. 3. de int. c. 3. q̄ spasm⁹ sp̄ ē pa° neruoꝝ p̄ncipa^r ⁊ lactoꝝ ꝑ colligātiā ipoꝝ. vn̄ ma^a occupās pteꝫ neruosā igrossat eā ⁊ sic abbreuiat ⁊ ꝯ͞hit ipꝫ ex sui n̄ v̄sus sui originē. ¶ Arguiť ꝯ͞ h̄ aucte ga¹. 2 de int. c. 4. ꝯtra archigenē. dic̄ q̄ tethan⁹ ē passio p̄ncipa^r vēāꝝ ⁊ arteriaꝝ digiti vel alteri⁹ mē¹ apati. q: ille p° repleť ⁊ tēdūť. Idē vid̄: dicere. ix. d̄ ingenio. c. i. ⁊. 2. nā i synocha ē tethan⁹. nā mē^a sūt sic tēsa: q: nō p̄nt applicari ꝓpť plectoriā maximā vēaꝝ ⁊ artiaꝝ ab ipo san. ḡ spasm⁹ n̄ erit pa° p̄ncipalr̄ ipoꝝ neruoꝝ. ¶ Dicēdū q̄ spasm⁹ seu ꝯctio duplex ē. s. vera seu ꝓp̄e dicta: ⁊ sic est duplex spēs ātroston⁹ ⁊ ꝓthoston⁹ Iste spēs sunt passiōes ipoꝝ neruoꝝ solū p̄nci^r ¶ Ali⁹ ē spas⁹ n̄ ver⁹ seu largo mō dict⁹. tal̄ ē tethan⁹ i q̄ nō ē v̄a ꝯctio s̄ tētio: ⁊ ista ē pa° int̄dū vēaꝝ ⁊ artiaꝝ ⁊ interdū ipoꝝ neruoꝝ vt i tethano vl̄i ⁊ i alijs spēb⁹ dicť vl̄ib⁹: vt stati diceť. nā i isto nerui repleť ⁊ ingrossāť ⁊ vix plicāť ⁊ vl̄r ⁊ rigidāť. fuit dicta vna spēs spasmi.

Secūdo tu q̄res. ex q̄ i tetha° vl̄i ⁊ alijs spēb⁹ dicť vl̄ib⁹ neru⁹ patitur p̄nci^r vt tu pōis: q̄riť q̄ sť illi nerui. ¶ Dicē̄ bn̄ itelligēti ex itētōe ga¹. 3. d̄ int. c. 3. ⁊. 5. sui passiōa¹ ponē° sig̃ tetha¹ vl̄is ⁊ aliaꝝ duaꝝ spēꝝ: q̄ i tethano vl̄i ⁊ i alijs spēb⁹ dicť vl̄ib⁹ patiť p̄nci^r sextuꝫ par neruoꝝ capiť ꝓtēsū sup spōdiles colli vnitū ⁊ ligatū cū eis i modū chordis mediātib⁹ q̄bus pellicul̄ ⁊ pānicul̄ q̄ꝝ furcule aliq̄ tēdūt ad viscera iteriora: vt ad pect⁹ ⁊ ei⁹ muscl̄os ad cor pulmonē dyafragma vēas ⁊ artias ⁊ ad pl̄a alia: vt dent eis sensū quedā. alie furcule potissi° 7¹ paris tēdūt ad gulā ⁊ epiglotū. nā s̄m q̄ ma^a ibibiť i istis neruis fac̄ istā vel illā spēm spasmi. i spas° ꝑticulari aliq̄ꝝ mēbroꝝ nerui orti a nucha ⁊ spōdilib⁹ corr̄ndētib⁹ vt i spasmo brachioꝝ nerui spōdilin̄ p̄moꝝ colli tibiaꝝ nerui allcati, ⁊ q: aliq̄ fur

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

cule spōdiliū colli tēdūt ad pedes.pᵒ.⁊.4ᵒ.ꝺ ite.
iō ad passionē illoꝝ pt spasimꝰ sat̄ vl'is fieri scꝺ3
eiꝰ spēm aliquā ꝭm ꝙ fit ꝑalisis satis vl'is.

Tertio tu q̄res.vtrū spasimꝰ sit paᵒ ꝑ se vl' ꝑ colligātiā3.¶ Dicēᵐ ꝙ oīs ē ꝑ
colligātiā.venit qꝺ venire nō ꝺ3 ad eos ꝭm na-
turā puta maᵃ mala hūoral' subintrās ip̄m ner-
uū ⁊ venas ⁊ arterias i tethano.

Quarto tu q̄res.Spasimꝰ q̄ passio ē in gn̄e ⁊ in spē.¶ Dicendū ꝙ in
spasimo possumꝰ ꝯsiderare p'a.pᵒ ꝯctōem dū fit:
⁊ sic ē accn̄s morbi.q: malꝰ motꝰ.5.ꝺ morᵒ.c.pᵒ
Et vt sic describit i morbū ꝯsil'em cū maᵃ vl' sine
maᵃ plures morbi describūt' noīe accn̄t̄ vt mos ē
helenoꝝ.3.de inge.c.3.¶ Alioᵒ possumꝰ ꝯsidera-
re ꝯctōem factā.⁊ sic dico ꝙ ē official' puta ma-
la figura cōcomitās secū aliū morbū officialem
puta opil'oem ⁊ morbū cōsil'em q̄ ē cā tal' ꝯctio-
nis.vn̄ tal' mala figura cāt imediate nocuᵐ i mo
tiua aīata ꝑpt qꝺ est morbꝰ p̄ncipalis.

Quinto tu q̄res.cuiꝰ vtut̄ spasimꝰ ē no- cumētū passiue intelligendo:
¶ Uidēdū vt supra i aliis capitul' ꝙ digestiue na
tural' ⁊ expulsiue vital'.iiᵒ.de ige.c.2.⁊.8.

Sexto tu q̄res.Cuiꝰ vtut̄ spasimꝰ ē paᵒ seu nocuᵐ actiue loq̄ndo ¶ Sol
uit gaꝰ.5.de morᵒ.c.p̄mo.ꝙ spasimꝰ ꝑ ꝯctōe fctā
puta ꝑ mala figura ē passio p̄ncipal'r motiē aīa
te.⁊ sic loq̄t' gaꝰ.loco dicto si ꝯsideret' spasimꝰ dū
ē i fieri ꝑ illa ꝯctōe tūc nō ē passio seu morbꝰ ife
rēs passiōe3.ꝭ accn̄s morbi puta malꝰ motꝰ ꝑpt
qꝺ n̄ ifert passione imediate ꝭ mediate.q: accn̄s
morbi p̄t eē cā morbi.¶ Alii cōicātes illā mala3
figurā:puta ꝯsil'is ⁊ official'.vtputa opilaᵒ. sil'r
sūt passiōes ipiꝰ motiue aīate ꝑ p̄us.q: official' ꝑ
p̄us:ꝯsil'is vt ē declaratū p̄mo de morbo capl'is
p̄mis ⁊ vltimis.

Septimo tu q̄res.Spasimꝰ dū fit est malꝰ motꝰ ⁊ accn̄s mor' q:
fit a morbo sic iectigaᵒ.5.de morᵒ.c.i.sup ꝭ tu q̄-
ris.sub q̄ gn̄e accn̄tis cōtinet'.nō ē actio lesa. q̄a
ē actio mor':q: actio lesa attribuit' vtuti. actio le
sa talis vel talis vtut̄.vt p3 infra.5.⁊.6. de morᵒ
Idē dic̄.vi.de int.¶ In oppoᵐ nō ē q̄litas mu-
tata q: tūc cōp̄hēderet' sub rōe ꝑprii obiecti a-
licuiꝰ sensꝰ de q̄ttuor sēsibꝰ vt ē dictū.4.ꝺ morᵒ.
c.2.nec exiēs a corꝑe mutatū notū ē ¶ Dicēᵐ ꝙ
oīs malꝰ motꝰ suꝑueniēs corꝑi n̄ro ē accn̄s mor'
q̄ sub actōe lesa cōtineret'.q: ē mala actio vtutis
motiue aīate vt tremor mēbrorū.vl' ē mala actio
motiue natural' vt i singultu stoᵃ.ꝺ:.2.de morbo
c.vi. Uel est malꝰ motus morbi vt ē spasimꝰ iec-
tigatio.nā q: talia sūt repugnātia actōi naturali
iō sub actōe lesa cōtinet' ⁊ exponit'. ꝑpt istā cā3
dicit ga.3.de morᵒ.c.3.ꝙ q̄dā sūt repugnātia ac-
tioni bone.iō sub actōe lesa cōtinet'.ꝭ q: vt pl'rm
tale genꝰ acccidēt̄ ē actio nat'e seu vtut̄ lese.iꝺo
cōiter ꝺ: actio lesa vtutis alicuius.Alia autē ꝺ:
vt spasimꝰ ⁊ iectigaᵒ.actio lesa.i.mala actio 'mor
bi.⁊ sic patet tibi clarificatio quesiti ignorati a
modernis nostris.

Octauo tu q̄res.a q̄ cā hūorali fit plu- ries spasimꝰ.Dicēdū ꝙ cōiter
ꝺ: ab autoribꝰ ꝙ magꝭ ꝭ a sāguie acuto.'Postea
a flātē acuto. 3ᵒ a melācolia.ab istis si ad ner-
uos fluxerit vl' si ap̄auerint.melia aūt adusta q:
mordax ⁊ acuta credo ꝙ sit vna cā potissima. et
aliq̄n col'a ꝑmordēs.5.amphorꝭ ꝯmēto p̄mo.

Nono tu q̄res.q̄lit' tal' maᵃ spasimās mē- brū rōe sue mordicatiōis subitrat
mēᵐ.s.ꝑtē illā neruosā ꝭm lōgū aut ꝭm latum:
¶ Dicēdū ꝙ i ꝑalisi subintrat ꝭm lōgū. q: maᵃ
tal' liq̄da subintrat remolliēdo ⁊ opilādo i spasᵒ
pōt subinferre ⁊ fluere i origine coꝝ ꝭm lōgum
sil'r ꝑ viā reumatismi ⁊ ꝭm latū ꝑpt capita vēa-
rū ibidē cōtiguataꝝ spuētium talē materiam ad
dictos neruos.

Decimo tu q̄res q̄bus magꝭ accit spas mus:pueri aut iuuenibus:vl'
senibꝰ.Soluit aui.3.can̄.c.ꝑpo.dic̄ ꝙ pueri ꝑpt
debilitate ipoꝝ neruoꝝ:l3 cuiꝰ curet' i eis ꝑpt for
titudinē p̄ncipaliū epat̄ ⁊ cordis. S3 iuuenibꝰ
⁊ senibꝰ magꝭ cōtingit rōe cāe.q: tal' cā acuta ē ⁊
mordax magꝭ abundat in eis.

Undecimo an spasimꝰ a frio extrise co sit matial' vel imate
rial'.ꝑ alia vba ꝺ: an sit de repl'oe vel ꝺ manitōe.
ꝓbat' ꝙ fit matial' subito.g̊ ē matial'.ꝯn̄a t3.3.de
int.c.4.Itē ꝭ cū vitio hūori.q: tale frigꝰ mortifi
cat hūores ꝯtētos i mēᵒ ⁊ neruos ⁊ deuiat eos a
nat'a.g̊ erit matial'.Itē tale mēᵐ igrossat'.4.de
morᵒ.c.5.g̊ ē matial'.ꝯn̄a t3 3ᵒ de int.c.3.In opᵐ
est gaꝰ pᵒ de mor.c.3.6.Et rō sua est.ille spasimꝰ i
q̄ ꝯhit' lōgitudo ⁊ latitudo ē imatial'.3.de int.c.
3ᵒ.minore3 ponit.5.ampꝭ.ꝯmēto illiꝰ.friim vero
spasimos ⁊c̄.vbi dic̄ ꝙ friim tale penetrās cōstri-
git memᵐ ⁊ ꝯstrigenᵒ exalat hūiditate3 subtile3
magꝭ aereā ⁊ cū ꝭ pūgit.q: mordax sic neruꝰ ꝯ-
hit' ex sui natura vt pluries est dictū.

Ad rōes p3 solutio. Ad p̄mā ꝭ subito ꝯcedo g̊ ē matial' nego ꝯn̄a3
nā gaꝰ itelligit:ꝙ si fiat subito a cā intrinseca ꝙ

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

tũc ē materialꝭ.ſi ab extriſeca fiat ſubito nõ ē ne
ceſſariũ ꝙ ſit matialꝭ. ⁋ Ad ſecũdã dico ꝙ illud
vitiũ hũoꝝ nõ ē cã ſpaſmi. ⁋ Ad tertiũ a frio ex-
trinſeco ingroſſatᷣ ⁊ induratᷣ in ſuba vt ē dictuȝ
autoꝛitate ſupꝛa in.c.de ꝑaliſi ⁊ i.c.de ſtupoꝛe ⁊
tremoꝛe.⁊ diminuũtᷣ ſcðm latera: ⁊ ſic nõ valēt
argumenta.

Duodecimo tu q̃res. Spaſinꝰ ex
vulnere an ſit mate
rialꝭ vel imatialꝭ.ſeu de replõe lꝫ ð ianitõe ⁋ Sol
uit gaꝰ.v.amꝑho.ſupꝛa cañ.ij.ꝙ ē matialꝭ.q̃a ex
aꝑate cauſato ſupueniēte i vulnere ⁊ ē moꝛtaliſ
qꝛ a tali cã foꝛti patiᷣ multũ initiũ neruoꝝ: puta
cerebꝛũ: vt dicit gaꝰ in cõmēto.

Decimotertio tu q̃res an ſpaſ-
mus a punctura
nerui a clauo vel ab alio acuto ſit, ſpaſinꝰ matia
lis aut imatialꝭ.aut de replõe aut de inanitione.
⁋ Soluit lr̃a.3º.tegⁱ cañ.120.ibi.Nerui ꝟo ⁊ the
thanũ qð ē ſpaſinꝰ matialꝭ ſeu de replõne.qꝛ ꝓ-
pter cõtinui ſolõnē doloꝛoſam hũoꝛ acutꝰ currit
interdũ ad ip̃m locũ pũgēs ip̃m neruũ: ⁊ ꝑ ꝯñs
ip̃m ꝯhit ꝟſus ſuã oꝛiginē ex ſui natura: ſicut vi-
demꝰ i choꝛdis lire vel alterꝰ inſtr̃i muſici vt de-
clarat ga.2.de intᷣio.c.4.ꝯ archigenē.ꝓpt̃ quaȝ
cãm gaꝰ iubet dilatare foꝛamē pũcture vt poſſit
meliꝰ iponi oleũ calidiſſimũ terebētine vel lũbꝛi
coꝝ vel euſoꝛbij vt talꝭ hũoꝛ q̃ ꝯtinue ibidē fluit
ꝯſeruatᷣ: ⁊ ſic cãbit ꝯtractõem ip̃oꝝ neruoꝝ ſpaſ
mꝰ ex pũctura ip̃ꝰ ſcoꝛpiõis vel alterꝰ aialis ꝑ
eãdē rõem ē matialꝭ ſilr̃ qꝛ ipõitᷣ ab aiali pũgēte

Decimoquarto tu queres an
ſpaſinꝰ ex me
dicia foꝛti ellebo[ca] vel alia ſit ſpaſinꝰ de replõe vꝭ
de inanitõe.vel matialꝭ vel imatialꝭ. ⁋ Soluit gꝰ
v.ãꝑho.ꝯº.ꝑº.ꝙ meª laxatiua põt cãre ſpaſinuȝ
triplr̃.vnoº diſſoluēdo ⁊ ꝯmouēdo hũoꝛeſ acutoſ
pũgētes neruos oꝛificij ſtoⁱ deſcēdētes a cerebº
vna ē dicta meª: vt recitat gaꝰ de q̃dã iuuene qui
fuit ſpaſmatꝰ a colera acuta erugioſa moꝛdēdo
oꝛificiũ ſtoⁱ q̃ euomitata fuit curatus a ſpaſino.
Idem gaꝰ.v.de intᷣ.c.v.nã expulſa illa colꝭa ſpã-
litᷣ ꝑ vomitũ fuit curatꝰ ab ip̃o ſpaſino. Idē gaꝰ
v.de interioꝛibꝰ.c.v.nã expulſa illa colꝭa ſpãlitᷣ ꝑ
vomitũ fuit curatꝰ ab ip̃o ſpaſº talꝭ ſpaſꝰ fit i ꝑnº
cuõnis vel circa cõitᷣ. ⁋ Scðo mõ mediª ſupta
cãt ſpaſinũ euacuãdo vltra debitũ rõe nimie ina
nitõnis ⁊ exſiccatiõis nerui abbꝛeuiãtᷣ ⁊ ꝯhũtur
ex eoꝝ natᷣa vt videꝰ i choꝛdis lire vel boꝛça re-
ſonãte niſi ꝑus laxentᷣ rũpũtur ⁊ cõtrahũtᷣ talis
ſpaſinꝰ ē incurabilꝭ ⁊ moꝛtalꝭ ⁊ fit i fine purgati

onis aut i fine magni fluxꝰ vētris ⁋ Tertio cau-
ſatur ſpaſinꝰ a medicina violenta calida ⁊ acu-
ta non euacuãdo nec diſſoluendo ſꝫ ſolũ ſubam
neruoꝝ exſiccãdo ⁊ ꝯſumēdo.qꝛ ois res medici
nalꝭ purgatiua ē exiccatiua ⁊ ꝯſũptiua.5.ãꝑho.
ꝯº:i.talꝭ ſpaſinꝰ ē de inanitõe ⁊ moꝛtalꝭ ⁊ incura
bilꝭ: talꝭ ſpaſinꝰ venit poſt ſumptõem meᶜ vno vꝭ
duobꝰ mēſibꝰ. Ipo.de iſto nõ facit mētionem: ſꝫ
tacuit vt dicᷣ gaꝰ.in ꝯº.qꝛ erat de inanitõe dedit
eũ intelligere ꝑ dictũ ſecũdũ. Ex iſtis patet cura
in genere ⁊ in ſpecie.

Iſtis clarificatis cura ſpaſ-
tibi pateſ-
cit. Cõcluſuȝ ē in ꝓcedētibꝰ ſpeculãdo ea q̃ ſunt
nccĩa i cura cuiuſq; ſpaſini.ꝙ ſpaſinꝰ q̃cũq; vlꝭis
aut ꝑticularꝭ ſm quãlibet eiꝰ ſpēm ē paſſio neruo
rũ ꝓncipalr̃ ⁊ nõ nuche i q̃ differt a ꝑaliſi.q̃ꝛum
aũt neruoꝝ dictũ ē q̃one.2ª Et qꝛ ꝑ ꝑte cõicãt in
ꝑticula.qꝛ vterq; ē paſſio neruoꝝ ꝓncipalr̃ ⁊ cõi
cantᷣ i cã q̃ pluries accidit puta ex hũiditaᶜ groſ
ſa replēte neruos in ſuis poꝛoſitatibꝰ vltra debi
tũ ꝑ viã ſuꝑfluitatᷣ nutrimentalꝭ. Iſtud ꝓcedunt
ociũ g̃uitas crapula coꝛꝑiſ fluēte ad neruoſ ꝯñt
ꝑ lõgũ: lꝫ de poſſibili ꝑ latꝰ ꝑ viã catarri ⁊ diſſo-
lutõis matiei cã extriſeca incitãte.vt caloꝛ: frigꝰ
ira replõ excedēs multa talia. Iſte ſpaſinꝰ fᷣ ſu-
bito.iõ Rab remittit nos ꝑ cura ſpaſini q̃ pluri-
es accidit.qꝛ cura ē eadē: vt ipſe ponit.ſilr̃ põit i
ſuis diõnibꝰ. ⁋ Aduerte tñ ſuꝑ hº ꝙ ſpaſinꝰ ꝑti-
cularꝭ factꝰ ⁊ ꝑfectꝰ i aliq̃ mēbꝛo ē tolꝭabilꝭa ñ
⁊ cog̃ſcibilꝭa q̃cũq; ꝓpt̃ rectitudinē vꝭ curuitatē
mēbꝛi. ⁋ Spaſinꝰ aũt vlꝭis ⁊ perfectꝰ nõ ē tolꝭa
bilꝭa natᷣa: qꝛ tũc ceſſaret anhelitꝰ. qꝛ pectoꝛalia
ceſſarēt a motu. ⁋ Spaſinꝰ aũt vlꝭis ſm quãlibȝ
eiꝰ ſpēm incipiēs firmari ille ē tolꝭabilꝭa natᷣa:
ſꝫ cũ difficultate cog̃ſcitᷣ.iõ ſigna data a Gaº. 5º
ſui paſſiõarij.hic recitabo: cũ a pauq̃ cognoſcatᷣ
⁋ Signa thetani vlꝭis incipiētis ſũt q̃ttuoꝛde-
cim tales vix ceruicē mouēt ⁊ nõ pñt eã flectere
nec tenere rectã ⁊ ceruice recta nerui colli dolēt.
⁊ ſi loq̃tᷣ: tremuloſe loq̃tᷣ ⁊ iraſcitᷣ maxie loq̃nti-
bꝰ tales vix aliq̃d trãſglutiũt ⁊ cũ difficultaᶜ au
ditꝰ ipeditᷣ i eis.facies cõitᷣ rubeſcit. ſudãt aliqñ
manꝰ eiꝰ frigeſcũt.pulſũ hñt tenuē. q̃dã eoꝝ ſũt
ſemi alienati. ⁋ Hñtes antroſtonũ cuȝ iſtis ſig-
nis dictᷣ i ꝑte hñt q̃dã alia iã inclinãt caput in ꝑ
nũ ſeu ceruicē ad anterꝰ. Iã pectoꝛi iũgũt ⁊ pꝛe
coꝛdia tēdũtᷣ.digitos i pug̃ ꝯcludũt. vꝛina eoꝝ li
pida ē cõitᷣ. ⁋ Hñtes ꝓſtonũ vlꝭem cũ ſignis
dictᷣ hñt q̃dã alia.retrahũt ceruicē retroꝛſum cũ
mag̃ doloꝛe doꝛſi crura non pñt extēdere digitoſ

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

flectere nō pñt vt plꝛimū oēs isti moriūť. ſe. āt ſuꝑ
ueniēte aliq̄ liberāť aucte ypo. ¶ Cura thetani
vl'is ſēſibilis ul' antroſtoni ul' ꝓthoſtoni ſi de cā
hūoꝛali flātica ⁊ magis coi ul' nutrimētali fuerit
replēte neruū groſſū extēſū ſupꝛa ꝑmas ſpōdi-
les colli ⁊ alias ſubiacētes ꝑ viā ſuꝑ fluitať nu-
trimētalis ul' reumatice maťie qꝺ cog̃ſciť ex ha-
bitudie coꝛꝑis vꝛina etate ad hoc ⁊ aliĳs ſignis
ſignificātibꝰ repletōez flātis ul' reumatice maᵉ
qꝺ cognoſciť ex habitudie coꝛꝑis ut dictū ē ꝓce
dať ſic. Pꝛimo abſtineat ꝑ dies tres intētiōe ga.
in paſſionaᵒ ſuo ſtati cliſterizeť. ℞. maluarū ſi-
cle mercurial' añ. m. i. cētauree mioꝛis. m. ĳ. pulpe
coloq̄ntide nō cōq̄ſſate. m. ß. aniſi maratri. ame-
os añ. ʒ. ß. fiat decoctio in q̄ diſſoluať yeralogoꝺ.
l' yerapigre. ga. ʒ. i. olei cois q̄rť. ß. ſalis cois. ʒ. ß.
fiat cliſtere: potes ponere ſi vis caſſieť. ʒ. i. ꝑma
die ⁊ 2ª deť cliſtere iſtud. Et ſi videť tibi ponere
de coloq̄ntida plus: m. i. nō terať ne ledat inteſti
na ꝑ ſui adherētiā. Vtať iſto mellicrato ſtati ſe-
ro ⁊ mane mediū gobellū ſine alia mixtura. ℞.
radic̄ achoꝛi yreos. añ. m. i. ſaluie. maioꝛane. ca-
meꝺ. añ. m. ß. ameos. ʒ. ß. ℥¹. nucis muſ. granoꝛū
iuniperi añ. ʒ. i. mell' albi deſpūati q̄rť. i. ⁊ ß. fiat
mellicratū bñ clarificatū ad lb'. ĳ. vtať iſto melli
crato in toto ꝓceſſu poſt q̄nq; dies pōt addi 3ª
ul' q̄rta ꝑs vini albi ſimplic̄ in decoctiōe. vinum
nō cōpetit ſibi ꝑ aliquos dies ꝑmos vſq; maťia
ſit mioꝛata. Poſtea cōpetit ꝑ raſim in ſuo cōtiᶜ
dū tñ ſit aliq̄liť groſſū ⁊ in modica q̄ntitate in me
dio refectiōis ⁊ in fine valet. nā digerit maťias
crudas: purgat ꝑ vꝛinas: fortificat caloꝛē natu-
ralē. Poſtea ꝑ aliquos dies pōt vti vino ſubtili
ut maťia expellať ꝑ vꝛinas. & ꝑ ꝑmos dies vſq;
ad ſextū uel ſeptimū diē. vtať iſto ydromelle loco
vini. ℞ mellis lb'. i. aq̄ fonť lb'. xĳ. ℥¹ albi. nuc̄ mu
ſcate añ. ʒ. ß. incipiēte ebullitiōe exꝑmať ⁊ coleť
⁊ vtať eo. ſtati inūgat ſibi illos neruos groſſos
exñtes in collo ⁊ ꝑtibꝰ ſubiacētibꝰ ut dictū ē que
ſtiōe ꝑma cū vnguēto ſequēti. ℞. olei de lilio lb'.
i. ⁊ ß. ſtoꝛacis liq̄de. ʒ. ĳ. caſtoꝛei ſubtiliſſime pul
uerizati. ʒ. i. tere modicū. fiat vnguētū liq̄dū quo
vngat ſe mō dicto pꝰ ꝑmos dies dcōs. Et poſtq̄
ſūpſerit medicinā ſequētē addas iſtis vnguētis
galbani. ʒ. ß. axūgie leonis. ʒ. i. ß. fiat vnguetum
cū ꝓdictis. Tertia aut 4ª die ſeruāt iſtā collatu-
rā. ℞. vuarū paſſ. iuiube febeſtē. añ. m. ß. vtriꝰq;
ſticaꝺ. añ. m. ß. ſe. iunipi. ʒ. ß. fiat decoctio in q̄ diſ
ſoluať yerapigre gal'. ʒ. i. ⁊ ß. incoꝛꝑeť ꝑ diē ante
yerapigre. ℈. i. coloq̄ntide groſſo mō puluerizate
diſſoluať: fiat potꝰ deť in auroꝛa: quo ſūpto potit

vngi cū 3ᵒ vnguēto ⁊ poterit potare vinū groſſū
q̄buſdā diebꝰ. poſtea ſubtiliť facť iſtis ſtupheť i
ſtupha ſicca facta cū lapidibꝰ cādētibꝰ ſuꝑ aſꝑ-
ſo vino albo uel clareto. Si hēas in ꝓmptū bal-
neū naturale ⁊ ſtuphā naturalē ꝑualet. nā eradi
cāt moꝛbū ſm raſim in ſuo ɔtiᵉ. nā ſubdit q̄ ſtu-
pha ſicca ē ſibi melioꝛ medicina pꝰ exitū ſtuphe
uel balnei inūgať cū vnguētis dictis ul' cū oleo
ſambucino ul' cū caſtoꝛeo ſubtiliſſime pulueriza
to in lb'. i. olei. ſit. ʒ. i. caſtoꝛei. iſta eſt cura ſpaſmi
tethani ꝓthoſtoni antroſtoni vl'is cū repletiōe
coꝛpoꝛis ⁊ ſignis repletionis coꝛꝑis. Et ſi tales
ſpaſmi ꝑticulares fuerint veꝛ aliq̄n tethanꝰ ⁊ a-
lie ſpēs ꝓdicte ſūt a ſola vētoſitate inflatia extē-
dēte ipſū mēbꝛū ꝑ tēpus ꝓut ſepe fit maxie in ti
biĳs. laici vocāt crāpa talē cōtractionē ſeu ſpaſ-
mationē tibiarū. Talis ſpaſmus curať cū ablu-
tione aq̄ bñ calide decoctiōis herbe tunici ul' tin
timalli maioꝛis abluanť ſero ⁊ mane ꝑ duos di-
es curanť ad tēpus eſt remediū de facto. Spaſ-
mus factꝰ a frō extrinſeco q2 imaťialis ut ſuꝑius
ē ɔcluſū curať cū ſolis calefaciētibꝰ ſiue ſint vn-
gēta vnctiōes l' alia abluas locū cū aq̄ bñ calida
decoctiōis tintimalli maioꝛis. ⁊ ɔñr empl'eť locꝰ
cū foliĳs eiuſdē. ul' vngas locū cū hoc vnguēto.
℞. olei cucu. aſini lb'. ß. olei de lilio q̄r. i. olei eufoꝛ
biĳ q̄r. ß. caſtoꝛei. piretri. coſti. añ. ʒ. iĳ. miſceanť
ſupꝛa cineres calidos. Vel ſic. ℞. olei laurini lb'
ß. olei de lilio q̄r. i. axungie leonis q̄r. i. ß. galbani
ʒ. i. cere modicū: fiat vngētū liq̄dū. ¶ Suꝑ cura
ſpaſmi incipiētis ex pūctura claui ul' alterius rei.
Dicēdū q̄ foꝛamē dilateť ⁊ iponať intꝰ oleū ꝺ eu
foꝛbio bñ calidū ul' olin lūbꝛicoꝝ. ul' olin terebē-
tine. ɔñr empl'eť locꝰ ſic. ℞. oppopōacis q̄r. i. eu
foꝛbiĳ caſtoꝛei piretri caſtoꝛei añ. ʒ. ß. malexentur
ſil' ⁊ fiat empl'm. Purgeť cū caſſiaf. ſimplici plu
ries dicta in capl'is ꝑmis. ul' q̄ deť ſibi. ʒ. i. ß. yera
pigre diſſolute cū aq̄ decoctiōis ciceris ⁊ pꝛuno
rū ꝓpť qꝺ q2 pūctura claui ē doloꝛoſa mltū. ē val
de ſuſpecta de ſpaſmo ꝓpť fluxū hūoꝛis ad locū
rōne doloꝛis pūgētis ipſū neruū rōne cuius ipſe
neruus ex ſui natura contrahiť verſus ſuā oꝛigi
nē. Eſt cōſiliū q̄ ſtati locus talis dilateť ⁊ aliqꝺ
ol'in de dictis intꝰ ponať ut maª iā fluxa in mo-
mēto rōne doloꝛis ɔſumať ⁊ mēbꝛū a ſpaſmo ꝓ
ſerueť. ¶ In cura ſpaſmi ex pūctura ſcoꝛpionis
ul' altiꝰ aial' venenoſi deť tyriaca metridatū ꝺ ꝑma
ne ⁊ de ſero ꝑ q̄tuoꝛ aut duos dies i q̄ntitate fabe
diſſolute cū vino diſſoluto de metridato deť i ma
ioꝛi q̄ntitate ⁊ locꝰ empl'eť cū ſatis de tyriaca. vl'
fiat empl'm de ariſtol'. ro. gētiana ⁊ baccis lauri

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

sił pistaꝝ in cura spasimi icipieñ ex vulnere si tale
mēbꝝū fuerit singulare vt digit⁹ abscidaꝝ. Aliter
cureꝝ sic mēbꝝū vulneratū apatū in cura spasimi
ex medicia laxatia si in pn° exhibitiōis venerit ꝓ
uoceꝝ vomit⁹ ut dictū ē i cura scōtho͡e ꝛ vertigis
ꝯsilio ga. ꝯ°ꝑpho. cō° p°. si i ꝓcessu venerit moꝛ
tale qꝫ de ianitiōe balneeꝝ patiēs i aq̄ cali͡a ꝛ olō
vngaꝝ cū medulla ꝛ oleis hūectātib⁹ vt violarū
nenuꝝ. amigō. dulciū ꝛ siłiū dieteꝝ vt cōsūptus
ꝛ eticatus. Ista tibi sufficiant ꝓ cura spasimi ƀm
quālibꝫ eius speciem. ꝛc.

Capitulum. vndecimū de epilētia.

c

Cum aliq̄s cadet in ter-
rā ꝛ torqueꝝ ꝛ cōmoueꝝ
ꝛ intellectū amittit dici-
m⁹ ipsū epilēticū eē. qd̄
si spuma exit ꝑ os aut secū mingit
aut spma egrediꝝ aut egestio pas-
sio tūc ē p̄uioꝛ ꝛ vehemētioꝛ. Si āt
eger an̄ accessionē sētit q̄si aliquid
ex aliquo suoꝝ mēbroꝝ eleuari et
ascēdēdo caput petere ꝛ deide sin-
copizaꝝ ꝛ cadit: tūc oꝫ i hora q̄ sen
tit illud āteq̄ istud accidet mēbꝝ
a quo ꝓcedit quod p̄diximus foꝛ-
titer ligare ꝓhibebit nāqꝫ hoc ac-
cessionē venire: in tp̄e v° q̄eꝝ coꝛ-
pus mł'totiēs erit euacuādū cū pil
lul' cochiis ꝛ loc⁹ a quo exoꝛiꝝ pas-
sio ex sinapi ꝛ pipe ꝛ euforbio ac
melle anacardi erit epithiand⁹ vbi
epithia dimittēdū erit donec loc⁹
veliceꝝ ꝛ vesicerūpuꝝ: ꝛ aq̄ q̄ in eis
collecta ē effluat. Ipe q̄ꝫ nō cito
sit cōsolidādē: q̄nimo dimittēde:
ut qd̄ i eis colligiꝝ emanet: deiñ ꝯ
solideꝝ. hoc eni oīno hui⁹ egtudis
certa sal⁹ existit. Ad vltimū etiā vē
tose cū pauca scarificatiōe suppo-
nere vtile ē. Egri v° si an̄ accessiōeꝫ
nauseā aut tristiciā aut coꝛdis tre
moꝛē sentit ꝛ deide egritudinis ac
cessio sequiꝝ cogēdus est multoti-
ens vomere ex aliquo vomitu dei-
de pigrā in potu sepe accipere cō-
uenit stomacho q̄ꝫ ēplastrū ex spi
ca ꝛ rosis ꝛ mastice ꝛ coꝛtice thuris
cū vino odoꝛifero imponēdū ē nu
trimētū p̄terea ei⁹ totū taliꝝ statu-
endū est vt paucarū sit supfluita-
tū sicut caro frixa in sartagine ꝛ ca
ro cocta in cazolis ꝛ cibus q̄ fit de
aue quadā que habet in palato dē
tes ꝛ vocaꝝ taguid ꝛ caro de vola
tilib⁹ ꝛ hedina. Qd̄ si cum epilen
tia sensuū affuerit tenebꝛositas et
debilitas neqꝫ aliqua de predictis
significatiōib⁹ inueniaꝝ. ergo pil
lule cochie multotiēs sūt tribuen-
de ꝛ ei⁹ cōseruatio subtiliāda ꝛ ci-
baria q̄ dixim⁹ dāda. gargarismus
quoqꝫ fieri debet ꝛ sternutatio ex
his q̄ dixim⁹ ꝓuocāda ac naribus
peonie puluis subtilissim⁹ q̄ sił'r al
cohol insufflād⁹. Si q̄s aūt cū epi
lētia i facie ꝛ oculis rubedinē ha
buerit ꝛ venaruꝫ grossiciem flobo
thomād⁹ ex vena sophena erit. sā
guis etiā ex carnositate tibiarū cū
vētosis erit extrahēd⁹. Capiti p̄te
rea oleum ro. ꝛ acetū supfundan
tur: ꝛ abstineat a vino ꝛ a cepis ꝛ
alliis ac sinapi ꝛ poꝛris ꝛ apio ꝛ fa
bis ꝛ canauit ꝛ postremo ab oīb⁹
fumū caput ascēdērē ꝛ replētē ge-
nerātib⁹. Electuariū qd̄ oī epilen

tie spēi remediū affert. ℞. piretri: siseleos: sticados oīuȝ āñ. ʒ. x. aga rici. ʒ. v. cordumeni recētis ⁊ acuti asse optie aristol'. ro. oīuȝ āñ. ʒ. i. et ß. deide extrahat' succ⁹ ex squilla ⁊ mixt⁹ cū pari q̄titate mell' coquat' ⁊ cōficiant' ex eo spēs ⁊ fiat electuariū ex quo patiēs quotidie sumat ⁊ caueat sibi a grossis cibis. Electuariū hoc oīb⁹ epilētie spēb⁹ excepta vna sāguinea quā ga. noīauit ⁊ nos etiā ei⁹ fecim⁹ mētionez opitulat' cui vidi cōferre flobothomiā ex sophena pri⁹ ⁊ postea ex basilica. Deide ei⁹ regimē sit ex his q̄ sanguinē in corpe minuūt ⁊ ipȝ infrigidāt. A carne ꝑterea ⁊ vino abstineat ⁊ bibat rob acetosorum fructuū: capiti q̄ȝ supponant' ea q̄ ipsum infrigidant.

e **Pilentia** grece. i. sensus captus latine dic̄ ille simō ianuēsis. Alij dicūt epilētia. i. casus. ⁊ inde pedicon a pueris q: pueris pluries accidit. ⁊ sic ista passio describit' noie accidentis sicut ē mos helenoꝝ 2° de inge°. ca°. 2° Ga. recitat in passiona° suo q̄lit' democrit⁹ ⁊ alij ātiq̄ aristo. appellabāt epilētiā alijs septē noib⁹ diuersis ꝑpt' diuersas ꝯditōes. Analāptia pa° catalāptia cōisalis: sacra: diuina: puerī caduca passio. analeptia q: sacras ptes capit̄ sēsu ꝓuabat. cataleptia q: spumā int' os ⁊ nares expellebat. cōisalis sacra diuina passio: q: tēplū aie q̄ sacra ē occupabat. pueril' q: pueris plies accidit caduca q: cadūt. ¶ Nota q̄ epilē^a distīguit' multipl'r vno° rōne sue maliciei: sic sūt due spēs vt dic̄ ga. in pa° suo. c. 2° i fine. Una spēs i q̄ patiētes stertunt fort' ⁊ spumāt ⁊ agitāt se m'ri' cū tremore forti ⁊ ocul'oꝝ ⁊ stridore dētiū. imo aliq̄ spmatizāt: talis est pessima ⁊ icurabil' potissime si cadat cū clamore. Ras i ꝯti^e aucte filij hebe^e: nā arguitur cā forꝭ ⁊ ꝓuata q: fortissima opilatio viaꝝ ⁊ meatuū i ꝓora cerebri a grosso multo horrib'li acuto ⁊ venenoso pȝ q̄ spūs nō pn̄t bn̄ descēder' ad mēbra āhelit⁹ ex q̄ viscose hūiditates calescūt ⁊ dissoluūt' ⁊ spuma gn̄at'. Alia ē spēs i q̄ paruȝ tremēt ⁊ nō agitāt se nec stertūt nec spumāt: tal' epilē^a ē min⁹ mala t'lis ē curabil' q: arguit' mior cā ⁊ ꝑ colligātiā opilās parū meat⁹ spūuȝ in vētricul' ꝓre cerebri. Ga. 3° de intio. c. 4° dicit q̄ aliqn̄ ē ita modica q̄ sufficit eis appoditatio sic̄ in sternutatiōe q̄ sternutatio ē modica epilē^a. auic. 3° cañ. c. ꝓ° talis fit ꝑ colligātiā vt dicet'. Alio° distiguit' epilē^a rōne sue cause. ⁊^c sunt due spēs vt dicit ga. 3° de intio. c. 4°. q̄dā ē de cā ꝓuata. cā priuata d' q: alia mēbra a cerebro ꝓuāt' a gn̄atōne t'lis cāe. talis epilē^a ꝓncipl'r ⁊ ꝓmo ē opilatio meatuū i vētricul' ꝓre cerebri q̄ meat⁹ sint pellicl'osi ꝯn̄r ē spasm⁹ dictaꝝ pellicl'aꝝ de intio. c. 4. Alia ē epilē^a de cā coicata seu ꝑ colligātiā alicui⁹ mēbri vl' rei extn̄sece vt a stō. qd ē vt pl'imū vl' a mirach vl' a matrice vl' a digito vl' a coxa. t'lis fit q: vapor mal⁹ horribil' tāq̄ vēt⁹ ascēdit vt dicit ga. 3° de intio. c. 4. ꝓpterea aristo. ⁊ alij antiq̄ oppinati sūt q̄ fieret a vēto q̄ vent⁹ eleuat⁹ ad ꝓram cerebri rōne sue male q̄litat' ꝑūgēs pellicl'as ꝓre cerebri. Primo ꝯtrahit ⁊ spasmat ipsas ex earuȝ natura: q: neruose vt declaratū ē. Secūdo oppilat dictas vias ⁊ meat⁹ spūum cōtrahēdo ipsas pellicl'as cerebri ꝓpt' qd nō pn̄t descendere spūs ad mēbra sensuū rei extrinsece: vt a frō excellenti penetrāte talis ē imat'ialis. ꝓ° de morbo. c. 6°. q: fit a mala cōpl'one t'li sine ma^a. ⁊ ꝓmo ē spasm⁹: ꝯn̄r opila°. q: res neruosa ex sui natura si ꝑūgat' ꝯtrahit' versus suā originē ca° 4°. mō frm mordax potissime si sit excedēs ⁊ penetrās ⁊ sic spasmādo dictas pellicl'as claudit vias ⁊ meat⁹ ipōrum: ⁊^c ois epilē^a ꝑ colligātiā ꝓmo ē spasm⁹ ꝯn̄r opila°. ⁊ sic alia q̄ ē de cā ꝓuata ꝓmo opilatio 2° spasm⁹ vt dictū ē stati ⁊ dicet' i q̄sit̄. Rasis in suo ꝯti^e dicit auct'eȝ ga. i libro de dolore mēbroꝝ species epilē^e s' tres a capite a stō ⁊ ab alijs mēbris ⁊ n̄ fac̄ mētionē d' illa q̄ ē a cā extriseca. q: rarissime fit citius ꝑaliticāt' q: pellicule neruose ⁊ subē cerebri ⁊ neruoꝝ idurāt' iō ꝑaliticāt' vt ē dcm̄ i. c° vl' ꝑūgūt' ⁊ spasmāt' vl'r.

Primo tu q̄res epilē^a cui⁹ ꝑti^e cerebri ē pa° ꝓn'. Soluit l'ra 3° de intio. c. 4° i ꝓn° q̄ epilē^a q̄cūq̄ȝ ē pa° ꝓn' viaꝝ ⁊ meatuum pelliculaꝝ ipoꝝ vētricl'oꝝ ꝓre cerebri per q̄s spūs hn̄t descēder' ad ipos sēsus qd pȝ q: acci^a ꝓpa ⁊ imediate seq̄n^a ē casus visus audit⁹ ⁊ alioꝝ sēn^m ꝓpt' qd oȝ q̄ sit pa° ipi⁹ ꝓ re, vide dic̄ i li. d

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

iuuamētis.c.4° dicͨ ꝙ somnꝰ ⁊ epilētia fiūt i eo-
dē loco mō somnꝰ ē passio ꝑte cerebri q2 ipius
sensus cōis q̃ in ꝑra existit.4.de mor°.c.vltimo.
Idē auic.iij.cañ.fen.pª.c.ꝓpo vbi dicͨ ꝙ epilenª
ē opilatio i ꝑte āteriori cerebri adducēdo ꝓbatio
nē stati dictā:quā facͨ Gaꝰ de casu q̃nqꝫ sensuū.
Cōsequēter epilētia ē pa° alioꝝ vētriculoꝝ ratōe
colligātie:alit̃ nō lederet̃ itellectꝰ nec mēoria nc
sensus nec motꝰ totiꝰ corꝑis.

Secūdo tu q̃res:an epilētia ē pa° ipsi
us ꝑte cerebri ꝑ se vl̃ ꝑ colli
gātiā. ¶ Soluit Ga.3°.de interioribꝰ.c.4. Idez
vult i passiona° suo. Idē auic.3°.cañ.c.ꝓpo.ꝙ in
terdū ē ꝑ se:q2 de cā gñata vicio ꝓpo ipiꝰ cerebri
signū potissimū:q2 nō ꝑsentit̃ euētꝰ ipiꝰ ꝑoxl.nc
ē q̃rela alicuiꝰ alteriꝰ mēbri a cerebro añ ꝑoxim:
nec pꝰ ꝑoxm ʒ solū cōq̃rūtur de capite cōiter ster-
tūt: ⁊ vtplurimū spumāt. Ypo.dicͨ.2°.ampho.ꝙ
ꝑmutatio ad iuuētutē curat ipaꝫ q2 etas calida ⁊
sicca ⁊ dieta c̄ h° faciūt ad curā pauci curāt̃:q̃ñ ē
de cā ꝑuata seu vicio ipiꝰ cerebri:⁊ int̃dū ꝑ colli
gātiā altius mēbri vt vult Ga.3°.de interioribꝰ:
vtputa sto¹.5.de int̃ioribꝰ.c.v.vbi recitat h° ḋ illo
grāmaco cadebat velut epilēticꝰ vicio sto¹ quem
curauit cū yerapigª ex q̃ textu curaui quā pl̃es ḋ
epilētia cāta a vicio sto¹ cū potu yerapigͤ q̃ꝝ qui
dā erāt q̃dragenarij. Interdū fit vicio mirachis
mĩq̃ coxe digiti vt dicet̃ inferius.

Tertio tu q̃res epileª q̃ pa° ē in gñe ⁊ in
spē. ¶ Soluit gaꝰ.3°.de interio-
ribꝰ.c.4.in ꝑn° ca¹ ⁊ i fine. Idē dicͨ i libello ḋ iu
uamēto anhelitꝰ.c.4. Idē auic.3°.cañ.c.ꝓpo in
ꝑn° ꝙ epilētia de cā ꝑuata ꝑncipal̃r ē opilatio a
grosso dictarū viarū ⁊ meatuū in ꝑra:ꝯñr ⁊ spa
simus dictarū pelliculaꝝ:⁊ sic spasinꝰ est accñs
ꝯñs ipaꝫ epilētiā de cā ꝑuata. ¶ Causa dicti est
q2 mat̃ia ꝯiūcta tal̃ epilētie de cā ꝑuata ē gros-
sa de aliq̃li mala q̃litate mordēte ꝓpt̃ qḋ priꝰ le-
dit sua grossiͤ opilāte meatꝰ ꝑte cerebri ꝙ sua q̃
litate mordēte ⁊ ꝑ ꝯñs cōtrahēte dictas pellicu
las ꝓpt̃ qḋ ꝑ° ⁊ ꝑncipal̃r ē opila° ꝯñr ē spasinꝰ
hoc vult Gaꝰ loco allegato. ¶ Epilētia autē de
cā cōicata seu q̃ ē ꝑ colligātiā ꝑmo ē spasinꝰ di-
ctarū pelliculaꝝ ꝑte cerebri.ꝯñr ē opilatio illaꝝ
pelliculaꝝ ꝑte cerebri. Cā dicti ē q2 tal̃ vapor sic
eleuatus ꝑus ledit mordacitate sua seu acuitate
seu fritate ꝙ aliter:hoc ponit.3°.⁊.4.de interiori
bus.c.dicto:nā vt sic pūgendo dictas pelliculas
cōtrahit ipas ex earū nat̃a q2 neruose vt dictū ē
a ga°.3°.ḋ int̃.c.4.iō attrahēdo ipas claudit vias ⁊
meatꝰ ꝑ q̃s spūs descēdūt:ad q̃nqꝫ sensus eodē
mō dicēdū ē si fiat a frio extriseco ꝙ erit ꝑncipa
liter spasinꝰ imaterial̃ tñ ꝯñr erit opilatio.

Quarto tu q̃res. Cuiꝰ virtutꝭ epilentia
ꝓ morbo descripto ē nocumē
tū passiue intelligēdo. Soluit l̃ra.3°. de interiori
bus.c.4.ꝙ digestiue ⁊ expulsiue cerebri vel mē-
bri mādātꝭ. Idē dicͨ Gaꝰ.ii°.de inge°.c.2°.⁊.8.vt
pluries dictū ē epileª ꝑ illo casu sensus ⁊ motus
ē nocumētū seu accidēs morbi dicti.

Quinto tu q̃res. Cuiꝰ v̉tutꝭ epilentia ꝓ
morbo descripto est passio ꝑn
cipal̃r. Soluit Gaꝰ.3°.de interioribꝰ.c.4.in ꝑn°
ꝙ sensitiue ꝑte cerebri visiue auditiue ⁊ aliaruꝫ
v̉tutū sensitiuarū puta gustatiue odoratiue.ꝯñr
motiue lacertoꝝ ꝑte ⁊ puppis. Idē vult auic.3°.
cañ.c.ꝓpo;circa duas colūnas nā epilētia ꝓut ē
opilatio ⁊ spasinꝰ dictarū pelliculaꝝ infert no-
cumētū ⁊ passionē ꝑncipal̃r dicte sensitiue ꝑte
cerebri visiue.auditiue ⁊c.ꝓpt̃ qḋ est passio illaꝝ
ꝑncipal̃r:⁊ ille casus sensitiue q̃nqꝫ sensuum et
motiue ē accñs ipiꝰ morbi. Ideo non debet dici
ꝓpe nocumētū virtutꝭ ʒ nocumētū seu accñs mor¹

Sexto tu q̃res ex q̃ epilētia ē spasinus
ꝑncipal̃r vel ex ꝯñti vt dictū est.
¶ Tu dices quis spasinꝰ ē ne spasinꝰ pellicula-
rū.soluit Gaꝰ.3°.de int̃.c.4:i ꝑn° capl̃i ꝑte.3ª.⁊ i
fine capl̃i ꝑtibꝰ vltimis ꝙ vtplurimū ē spasinus
ad modū singultꝰ in q̃ ē mal̃ꝰ motꝰ expl̃siue mē
bri.s.pelliculaꝝ icitati expellere ꝓpt̃ nocumētū
illaꝝ.v.de morbo.c.ꝑ°.⁊ nō ē verꝰ spasinꝰ q̃ fit a
solo morbo ⁊ nō a v̉tute aliq̃.5.de morbo.c.ꝑmo
Interdū aūt casu fortuito inde cā cōicata ē epiª
verꝰ spasinꝰ vt dicͨ Gaꝰ in.c.14°.in ꝑn° ⁊ in fine
rōe horribilitatꝭ illiꝰ vaporꝭ qḋ ꝓbat i fine ca¹ di
cti.sicͨ ē ḋ fūo stōachali horribili ita ḋ i° fūo horri
bili veniēte ad ꝑrā ⁊ ad pellicl̃as cer¹ sic ē ḋ fūo
stomachali ꝙ vtpl̃rꝫ cāt spasinū q̃ est singultꝰ q̃
est malus motus virtutis expulsiue ipiꝰ stoma¹
q2 illa expulsiua expellit cū violētia.5.de morbo
⁊.6. Interdū cāt ibi verū spasinū q̃ est motus tā
tum ipius morbi. Istam ponit in.c.ꝑmo simili
minorē rōnis ponit.5.de interioribꝰ.c.de illo iu-
uene q̃ habebat colerā prassinā in sto° suo. Idez
v.ampho.ꝯmēto ꝑ°.g̃.sic erit in epilētia de cau-
sa ꝑ colligātiā.g̃ ⁊c.

Septimo tu q̃res q̃re ꝑoxismꝰ epilē
tie est ita breuis cuꝫ fiat a
grosso opilāte illos meatus in ꝑra cerebri vt di
ctū ē ex tentiōe Ga¹.nam rōne grossitiei mat̃ie:
⁊ rōne viarū strictarum deberet esse longꝰ h° vi-
demus in fe.vt vult auic.ḋ.4.cañ.in pluribꝰ locꝭ.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

Idem vult Ga. in pmo ad glaucone. Soluit ga. §. de morbo. c. vltio dic ꝙ accñã que fiũt in epilẽtia fiũt ex frigida grossa mãtia in pelliculis cerebri exñte nam talis materia nõ pot multũ subintrare dictas pelliculas ppt earũ denpsitatez. Hoc idem vult. 3°. de interiorib⁹. c. 4. vbi ꝙ quia talis mãtia multũ grossa ẽ facit breuem peroxisimũ. Ideo quãdo ipa est de causa ꝑuata licet poxisimus sit molestior ppter fortiorem opilatiõem mãtie assistẽtis in pncipali mẽbro est tamẽ breuior ppt ea: quia talis mãtia grossa nõ pot subintrare subam pellicl'arum rõne denpsitatꝫ hoc idem ipe declarat. 6. amphọ. cõmẽto illi⁹ amph¹ Acide eructuationes. Similiter fit breuis peroxisin⁹ ipius epilentie: qz ille pellicule laborãt cõtinue se agitãdo ⁊ expulsiua earuz laborat sic laborat expulsio stomachi i singultu patet ergo ꝑ duas causas quare peroxisin⁹ epilentie ẽ ita breuis. Tu dices patet bene cã breuitatꝫ peroxisimi i epilentia de causa ꝑuata. ¶ Sed qd dicem⁹ de epilentia de causa cõicata seu ꝑ colligantiã que fit a fumis eleuatis que sunt satis subtiles ppt quã subam poterũt subintrare pellicularuz dictarũ ⁊ sic faciẽt longũ poxisimũ. Dicendũ ꝙ licet talis mãtia vaporosa sit magꝭ subtil' ꝙ̃ mãtia epilentie de causa ꝑuata sunt satis grossi fumi et frigidi ppt qd parũ subintrãt similr statim pellicule sentiẽtes illam mordicatiõem contrahũtur ex earum natura vt pluries dictũ est aucte Ga¹. iõ parũ subintrãt ⁊ qz cõtinue agitãtur sto⁹ vt in singultu: ideo peroxisin⁹ est breuis licet nõ tantũ sicut in epilentia de causa ꝑuata pl'es ex nostris cõcurrẽtibus locuti sunt in hac mãtia abortiue ⁊ tanꝙ̃ fugitiui.

Octauo tu queres epilentia est ne materialis ¶ Soluit lr̃a. 3°. de interiorib⁹. c. 4. ꝙ ois epilentia ð causa intrinseca est mãtialis. si aũt sit a causa extriseca puta a frigido excedẽti tũc est inmãtial' vt ponit Galien⁹ pmo de morbo. c. 6.

Nono tu queres qualiter causa materialis epilentie cõgregatur in cereb° vel in stomacho vel aliquo digitoꝝ vel aliorum mẽbroꝝ. ¶ Dicẽdum ꝙ cõgregatur in cerebro: puta in aliquo ventriculoꝝ anteriori medio vel posteriori ex debili digestiua ⁊ expulsiua cerebri ⁊ illarum parciũ hoc vult Ga⁹. 3°. de interiorib⁹ ca°. 4°. circa pncipiũ. Idem Auic. 3°. cañ. c. ppo dicit ꝙ tal' materia ibidem congregata est pncipiũ epilentie. Idem vult Ga⁹ de quocũꝗ mor° materiali dicens. xi. de inge°. c. 2. ⁊. 6°. ꝙ causantur ex nocumẽto digestiue ⁊ expulsiue vt pluries dictũ est ⁊ congregatꝫ paulatim donec fit quantitas sufficiẽs generãs particulã ⁊ incitans expulsiuam expellere a loco illo non hꝫ alias vias exitus nisi illas ⁊ nõ potest expellere nisi inducendo illud nocumẽtũ in isto vł in alijs mẽbris congregat qz horribil' ⁊ venenosa nõ mouetur a natura sicut diximus de colera eruginosa vsqꝫ quo grauat naturã rõne quantitatis eius vt natura incitata expellere nõ potest nisi effumando ⁊ sic ille fum⁹ ascẽdit ⁊ inducit illa nocumẽta: ⁊ sic patet solutio quesiti taciti quare epilẽtia nõ sepi⁹ affligit poxisinalr ꝫ de tempe in temp⁹ causatur dicta est intelligẽti.

Decimo tu queres si muta⁹ etatum est causa sufficiens curationum epilẽtie videtur ꝙ sic ꝑ ypo. ⁊ Ga. 2°. amphọ. dicit ꝙ facit ad curatiõem. In contrariũ est Rab. in suo ɔti^c dicit ꝙ optet ꝙ iuuẽtur cũ medicinis nõ obstante etatis mutatiõe facientis ad curam

Undecimo tu queres q̃ est res magis abbreuians peroxisimũ soluit Rab ꝙ sternutatio qz causa cõiũcta citius ⁊ melius expellitur.

Duodecimo tu queres quare poxisin⁹ epilentie fit cõiter in vltima quadra lune. ¶ Dicendũ ꝙ materia talis ẽ grossa ⁊ terrestris ac multũ fria attinẽs mãtie mẽlice interdũ adusta de mãtia grossa frigida: ⁊ qz mot⁹ debet hũorib⁹ rõne orb seu aspectus vt dicit lr̃a pmo. diamidiarũ iõ mouetur mãtia in quadra lune ɔueniẽti qz grossum terreum frigidũ ꝓportionat vltime qdre ⁊ ꝙ̃to magꝭ elongat mãtia a tali nãa tãto magꝭ elõgat a qdra illa vltima. iõ si mãtia ẽ magꝭ hũida attinẽs magꝭ nature flãtis tũc talis mãtia mouebit ex aspectu orb ⁊ poxisinabit magis circa plenilunium. ⁊ si mãtia aliqliter cũ sua grossi^e sit adusta mouebit ex aspectu orb ⁊ poxisinabit magis in nouilunio in die innouatiõis lune vel circa. Et ista multũ ɔsideram⁹ in inqsitiõe cause materialis ipius epilẽtie. Et terminet clarificatio necciã in speculatiõe curatiõis epilentie.

Istis clarificatis cura epilentie tibi patet scitanteꝙ̃ in cura pcedas oꝫ scire si tal' epilentia est de causa ꝑuata vł cõicata. ⁊ si est de cã cõicata an sit a sto⁹ vel ab alio: qz h' curam diuersificãt qd potis sic cognoscere nam si a cerebro veniat poxisin⁹ uõ presentit ⁊ semper pcedit ⁊ subseqtur dolor vł grauitas capitis ⁊ conturbatio qnꝗ sensuũ. grossitudo tumor ⁊ passio

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

oculoꝝ potiſſime tinit⁹ auriū: cōturbatio viſus odo
rat⁹ ⁊ guſtus ⁊ cōiter ſpumāt ꝑpt̄ fortem opila
tiōem cerebri ⁊ ſtertūt fortiter q̄n eſt ab alio mē°
ſeu ꝑ colligātiā preſentietꝭ paroxiſm⁹ ⁊ aliqualꝭ que
rela añ ⁊ poſt paroxiſmū vt ſi a ſto° dolor aliqualꝭ ⁊
grauitas ſto¹ nauſea. Si ab epate grauitas in late
re dextro: ⁊ ſic de ſingulis membris ❡ Si puero
lactāti ſeu in cunabili ſupueniat epilētia oppinā-
dū eſt ꝙ hoc ē ꝑ colligātiam ſto¹ puta ex corru-
ptiōe lactis in ſto° ei⁹: q: lac nutricꝭ eſt male q̄li-
tatis q: ſalſum aut ſemi acetoſum vel male ſapi-
dū q: ipa eſt cacochi^ca: vel hʒ ſto^m immūdum
vlꝭ puer ſuggit lac ſup lac nimis feſtine. vlꝭ ſug
git lac d iuſum puta matris ⁊ baiule. Iſta oīa
faciūt ad corruptiōem lacꝭ i ſto° ei⁹. ⁊ ſic cauſāt
epilentiā. ❡ Ex cōſi° Raſ in ſuo ɔtinente re-
ctificetꝭ lac nutricꝭ: nā cū hoc ⁊ ex mutatiōe etatiſ
regimie decēti. ⁊ modico adiutorio curetꝭ baiula
ergo ſumat iſtā caſſiafiſ. in ortu ſolꝭ ⁊ q̄eſcat in le-
cto ſine ſomno ꝑ duas aut tres horas nō come-
dat niſi p⁹ tertias. ℞. prunoꝝ damaſcꝭ vuaꝝ paſ
ſarū mūdata. caricaꝝ pinguiū iniube ſebeſtē. añ
p. ß. ſ. decoctio ad. ℔. ß. i q̄ diſſoluatꝭ caſſie fiſ. mūd
ʒ. i. ⁊ ß. fiat pot⁹. ❡ Scḋa aut tertia die poſt bal-
neet ſe. in aq̄ calīa ad placitū. Cōſequēter ſi ſcabi
oſa aut nimis rubea fuerit flōmetꝭ parū. Vtatur
vino limphato ⁊ moderato vſu. vitet allia cepas
porros nuces nō lactet puerū niſi añ fleuerit ꝑ
modicā pauſam. Portet puer i collo d radice pe
onie romane ꝙdiu portabit ſecur⁹ eſt dic Ba⁹:
aliq̄ actoꝝ eodē mō ponūt viſcum q̄rcinum ⁊ co
rallū ſuſpēſum in collo ⁊ ſubfumigetꝭ ſero ⁊ ma
ne cū modico ipi⁹ peonie vt ſubintret nares ſuaſ
eſt ſibi maximi iuuamēti ⁊ narib⁹ ſuis inſuffletꝭ
cū pluuia ſemel aut biſ in die pl'uis radicꝭ peonie
ſubtiliſſim⁹ vt allrol. Et vitet lac diuerſarū mu-
lierū: ſumat ꝑ aliqs dies ꝑ interualla potiſſime p⁹
peroxiſmū modicū de lacte capre cū modico mel
lis pmixti vt ſtomach⁹ mūdetꝭ a ſuo ſordido hoc
eſt ſibi valde vtile laudatꝭ a plurib⁹ ꝙ ſemel in ſe
ptimana. Detꝭ ſibi vnū coclear oximellꝭ ſquillitici
ꝑ ſe: vel cū vno cocleari decoctiōis cicerū rub. et
ꝙ ꝑ pauſam modicā poſt iponatꝭ ſibi digit⁹ in o-
re vel pluuia infuſa in oleo tepido taliꝭ ꝙ ꝓuoce
tur ſibi aliqualꝭ vomitus expellet de flāte qḋ erit
valde vtile. vel ɔſeruetꝭ ſquilla cū melle vt decet:
⁊ cuʒ digito imponatꝭ i ore ⁊ gutture ⁊ trāſgluti-
at poſt paululū vt ꝓuocetꝭ ſibi nauſea impone in
eius gutture pēnā infuſam in oleo tepido vlꝭ di-
gitū vt dictū eſt vt incitetꝭ vomit⁹. puer talis nō
balneetꝭ poſt cibū ꝰ poſt lactis ſuccionē vngatur
ſibi corp⁹ cū oleo roſ. cū quo miſceatꝭ peonia ſub
tiliſſime pluerſata. Si qs puer nō lactās vbera
infra. 7. ānos epilētiā habuerit opinādūʒ ē ꝙ ſit
ā ſto° ꝓut in cunabilis rōne guloſitatꝭ niſi q̄daʒ
ex ſignis dictis appareret. ❡ Intētio ergo cura
tiua duplex erit vna erit ꝑncipalꝭ ſcʒ mūdificare
ſto^m ⁊ ipm ɔfortare vt ipm bn̄ digerat. ❡ Secū
da itētio min⁹ ꝑncipalꝭ erit ɔfortare cerebꝝ quia
oīs epilētic⁹ habʒ cerebꝝ debile ꝰ nō ɔuertitur
dicit Raſ in ſuo ɔtinēte. ❡ Pro pⁱma intētione
⁊ ꝑncipali exequēda notare oʒ i talib⁹ die pero-
xiſmi pteritivt añ paroxiſmū vētuꝝ ſumat aliqd ad
mūdificādū ipm ſumat ꝑ. xv. dies quolibet mēſe
duo coclearia ſirupi acetoſi ſi macillentus fuerit
cū trib⁹ aq̄ cicerꝭ rub. ſit pot⁹ bn̄ calid⁹ anꝙ ſur-
gat ꝑ horā ſumat. Si cū cicerib⁹ poneres modi-
cū de abſin° nil tēptare nocet. multi pueri liberā
tur ab epilētia ſtomachali cū tali potu hoc vult
Raſ in ſuo cōtinēte: ⁊ ego ꝓbaui hoc. ɔ̄ir die. 6
aut. 7ª ꝓuocat ſibi vomitū. ℞. duo coclearia de-
coctiōis ſquille ⁊ atriplicꝭ duo coclearia olei oli-
uarū q̄tuor pilos croci: q̄tuor guttas aceti duo co
clearia oximellꝭ ſquillitici miſceantꝭ ꝙ tepefiant
poſt comeſtionē ꝑ horā ⁊ vltra adminiſtretꝭ vt vo-
mit⁹ ꝓuocetꝭ ɔ̄ir ɔti^a ſibi potū ꝑdictū. ⁊ poſt ali
os q̄nꝙ aut ſex dies: iteꝝ recipiat medicinā vo-
micā dictā qua ſumpta ſi poſt modicā pauſaʒ n̄
euomeret iponas ſibi i gutture plumā infuſam i
oleo oliuarū tepido die ſequēti. Poſt da ſibi de
mane de bono metridato i q̄titate fabe: da ſibi ꝑ
ſe vel diſſolutꝭ ſemel i ſeptimana cū modico vini
limphati nō comedat de. 4. horis trāſacto parox
mo: ſi ſupueniat da ſibi illā medicinā vomicam
Iſta oīa fiāt. xv. dieb⁹ q̄libet mēſe. Vngatꝭ ſibi
ſto⁹ q̄libet ſero ⁊ māe cū oleo de maſtice. regu-
letur in potu vini comedat carnes bn̄ coctas mu
tonis: pulloꝝ gallinarū colūboꝝ auicularū pua-
rū aꝭs euitādo vitādo etiā allia cepas porros pꝭ
ſces ſtāgnales offas potiſſime remollitas ſom-
nū diurnū in fine mēſe ſumat de puluere ſequēti
cū toſta ſine potu vini. ℞. ʒʒ¹ albi iteriorꝭ cinā^mt
añ. ʒ. ß. galāge pipis lōgi. añ. ʒ. ij. ⁊ ß. ḡnoꝝ para
diſi. ɔ. ij. cubebarum gariofi. añ. ʒ. ij. nucꝭ muſca.
radicꝭ peonie añ. ʒ. ß. panis ʒucri. ℔. i. fiat puluis:
ponatꝭ i ſacculo quo vtatur potādo ſubfumigan-
do iſufflādo in nares radices peonie modo dctō
❡ Lapides repti in ſtomacho irundinū ſuſpen
ſi in collo epilētiam ſanāt ſanatiōe cōpleta vba
ſunt raſ in ſuo conti^c. Si talis puer eſſet epilen-
ticus vicio cerebri vlꝭ alterius membri de hoc in
ſomari ꝑfecte ab eiſdem nō poſſumus rōne ei⁹

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

ignorātie nisi tempore sequēti si curati nō fuerit
¶ Si puer qui est infra septimū vsq; ad.xxv.an
nū epilenticus fuerit quia etatē habet notandi
q̄relas superius dictas inuestiga si non presentit
casum ⁊ si dolor ⁊ grauitas ⁊ capitis antecedit
peroxisinū ⁊ subsequitur:⁊ si quinq; sensus sunt
aliquādo turbati nec pot⁹ nec gust⁹ mutat⁹ ⁊ si
nō bene sapit cibum:⁊ si nō verecūdetur si spu-
māt i peroxisimo:nec fortiter stertunt cum tremo
re forti ⁊ ocul' tortis ⁊ stridore dentiū. Ista sciun
tur ꝑ assistētes tūc scias ꝙ est a capite ex hūore
flā co grosso horribili. Uel ex col'a nigra grossa ve
nenosa fetida horribili ista species ᵭterior ē int
oēs quia cerebꝝ magis leditur. Jdeo sunt ac-
ciden a dicta que sunt deteriora in casu ⁊ nō cu-
rantur vltra.xxv.ānuꝫ intētiōe Ga l ⁊ ypo.2. am
phori.quia cerebrū extunc nō pōt bene exsiccari
quia etas contradicit sic ante facit ad exsiccati-
onem sic curātur i etate dicta cām subtrahendo
que ꝯti e in talibus generātur cum medicis gar
garisantib⁹ sine sternutatiōibus subfumigatio
nibus ꝑ nares cerebrū exsiccādo ⁊ confortando
cum aere ⁊ pulueribus insufflādo subfumigan-
do odorādo ⁊ administrādo calida que faciūt hoc
a ꝯ oe ⁊ qualitate specifica vt diximus ⁊ dicem⁹
de peonia sizeleos aristolo l rotūda ⁊ similibus

Cura huius talis est. ℞.quolibet mense
ante tēpus poxisimi ꝑ.x.dies sumat
sero ⁊ mane de oximelle diuretico vl' squillitico
tria coclearia cum sex aque ciceris vbi sit modi-
cum saluie ⁊ maiorane. Ul' loco horum ⁊ meli⁹
sumat de isto mellicrato sero ⁊ mane mediū go-
bellū tepidū sine a a mixt'a. ℞.rad fen 1 rad acho
ri.an̄.iii. ℔. maiorane. basiliconis vtriusq; saluie
an̄.iii.℔.granorū lauri.ʒ.℔.se.peonie siseleos.an̄
ʒ.℔.nuc̄ muscate.ʒ.℔.vtriusq; sticados an̄.ʒ.ij.a-
ceti squilliticum.ʒ.℔.mell' albi despūati quart.i.
⁊ ℔.fiat mellicratum bene clarificatū ad ℔.i.℔.re
moueᵗ de q̄nq; in q̄nq; diebus:quo sumpto per
8.vl'.ix.dies sumat ᵭ bono gerologo ᵭ dissoluto
cū aqua cicerum rub.vbi sit modicum de stica ᵭ.
Uel detur in pill'is sumat.3.5.aut.6.taliter ꝙ as
sellet ter aut quater vltra solitum.hoc facto die
illa de sero faciat ter aut quater garga rma sumet
in crastinum de mane. ℞.se.sinap.ʒ.℔.sirupi ace
tosi compositi quod sufficit ad dissoluendum vt
fiat gargarisma tepidum vsq;quo flā de capite
per os notabiliᵗ expellatur quo facto prouocet
bis in die sternutatōem ante peroxisinuꝫ ⁊ post
in peroxisino duobus diebus ⁊ multis abbreui
abit peroxisinū. ℞.eufor biȷ castorei pulpe colo
quintide sticad.an̄.ʒ.℔.fiat puluis subtilis.de q̄
ponatur cō pluma vel canna infra nares in mo-
dica quantitate tamen:vel cum ill' que dicta sūt
in cura torture oris que valent bene in ꝓposito.
¶ Et aduerte ꝙ qualibet septimana vtatur se-
mel aut bis isto garga e.cōsequēter post horam
modicam prouocentur sternutatiōes transacto
peroxisino vsq;quo incipiat recipere ᵭ dicto mel
licrato vel sirupo quāq; die de sero ⁊ de mane re
cipiat fumigationē rad peonie taliter ꝙ intret ꝑ
nares ⁊ puluis eius subtilissim⁹ in nares insuf-
fletur cum pluma ⁊ capiat de mane aucte alexā
dri qui expertus est de piret o confecto cum mel-
le per interualla semel in.xv.diebus distempera
tus vel in for pill'ari sumat.ij.aut.iij. pill'as vel
distemperet eas ad placitum:nam istud bene ex
siccat cerebrum. Jdeo facit ad curam. ℞.piretri
subtilissime puluerisati.ʒ.i.mell' ros.ʒ.ij.misceā-
tur eligat sibi aerem siccum:ideo elongetur ab a
quis. Portet ruthā in manu ⁊ pollium monta
nū sizeleos ⁊ teneat iuxta se vigilando ⁊ dormi-
endo quia vapor eius attractus mirabiliter ex-
siccat cerebrum. ¶ Aliqui vtuntur isto puluere
ᵭ consilio geraldi cremoniens ⁊ exsiccat ⁊ curat
⁊ confortat caput a tota l natura specifica ad q ᵭ
facit eius qualitas similiter. ¶ ℞.ossium capi
tis humani combust iuxta commissuram.ʒ.i.ra
dicis peonie aristol.an̄.ʒ.ij.se.siseleos.ʒ.ij.iterior
cinamomi.ʒʒ 1.an̄.ʒ.i.panis zucri q̄rt.℔.fiat pul-
uis subtil' reserueᵗ in sacculo de aluta capiat de
isto puluere cū modico vini in q̄titate auellane
p⁹ vespas an̄ cenā ꝑ horā vnā semel in septima-
na ꝓprietas rei est multū ꝯsiderāda in actiōib⁹
nostris. Si q̄s infra.xxv.ānos exn̄s epilētiā ha-
buerit vitio sto l:etiā si.xxx.vel.xl.ānos habuerit
Cureᵗ mō sequētinā lꝫ illa q̄ ē de cā ꝑuata non
possit curari post.25 m ānū vt dictū ē itētiōe ypo.
⁊ Ga.illa q̄ ē ꝑ colligātiā poti me sto l q̄cūq; tꝑe
⁊ q̄cūq; etate pōt curari ⁊ ego curaui ꝯples q̄-
dragenarios cuꝫ potu yerapig e date a ga o.5.de
interiorib⁹.c.5.de inge o curādo illū grāmaticuꝫ.
Jdē ponit ras in plib⁹ loc̄.

Cura hui⁹ ē ꝑmis si tal' epi a vicio sto l eue
nit q: ꝑn̄tiᵗ euēr⁹ pox l cū ḡuitate ⁊
dolore sto l ꝑcedēte ⁊ sb̄seq̄nte pox m n c n nausea
⁊ idigētio sto l q̄ trēor sto l appellaᵗ.2 o.ᵭ mor o in
fine ꝑcedētib⁹ ⁊ subseq̄ntib⁹ pox iu poteᵗ q̄libet
mēse ꝑ.x.dies an̄ pox m vētuꝝ ᵭ siru o acetoso sq̄l
litico si flāticus multum fuerit cum aqua ciceris
vbi sit modicum desticados. Uel due partes
alicuius de istis sirupis Et tertia pars sirupi

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

ſticaꝺ.maneꝛ ſero.ꝯñt 7°aut 8°die ſumat ꝺ iſta
yerapigra.ʒ.vi.uľplus aut min⁹ talit̃ ꝙ accellet
q̃ter aut q̃nq̃es vltra ſolituꝫ. ℞.yerapigre.ʒ. vi.
pulpe coloq̇nti^c g̃ſſo mō pulueriʒate.ʒ.i.miſceát̃
icorpent̃ ꝛ fermẽtet̃ multũ i ſil̃.ꝛ i pixide reƀuet̃
accipias doſim dictá ꝛ diſtẽꝑa cũ aq̃ decoctiōis
cicerũ rub.vbi ſit modicũ abſintij̃.Aliq̇ volẽtes
dictá cãm forti⁹ eradicare ſũpto ſyru° dicto ꝑ.4.
dies dát medicinã vomicá .ꝑoſtea dát magis de
ſyru° ꝑ q̃nqꝫ dies ꝛ dát yerapigrá dictá. Iſtud eſt
de ꝯſilio raſis. Deꝫ g̃ q̇buſdá hñtib⁹ forte ꝑoxm̃
quocũqꝫ mẽſe p⁹ꝙ̃ yerapigra medicina vomica
vſqꝫ ceſſet ꝑox⁹. ℞.oximell̃ ſquilitici.ʒ.i.aq̃ deco
ctiōis attriplic̃ q̃r.i.ß.eľľi albi nō ꝯq̃ſſati iuoluti
in páno lineo raro ꝛ remoliti ꝑ ʒ.aut.4.horas.ʒ.
ß.colet̃ ꝛ adminiſtret̃.Aliq̇ faciũt alit̃ accipiũt ra-
dicẽ raphani ꝛ ꝑforát ꝛ itromittũt modicũ ꝺ cor-
tice eľľi ꝑ mediũ diẽ uľ ꝑ diẽ reponẽdo ſubt⁹ ter
rá:poſtea auferũt eľľm ꝛ bulliũt̃ radices cũ.m.i
attriplic̃. ℞.aq̃ decoctiōis attriplic̃ ꝛ raphani in
quo ſtetit ꝑ mediũ diẽ ꝛ vltra modicũ de eľľo al
bo ſubt⁹ t̃rá q̃r.i.ß.oximeľľ ſq̃litici.ʒ.i.olei oliuaꝝ
ʒ.ß.4.pilos croci.x.guttas aceti fiat pot⁹:quo ſũ
pto redeát ad ꝑ̃mũ ſyru^m ꝑ q̃nqꝫ aut vi.dies:ꝛ p⁹
ea dát yerapigrá dictá. Iſtũ ꝓceſſũ tenent donec
ſint curati:ꝛ ipſis curaꝝ faciũt ꝓceſſũ dictũ bis
aut ter i áno ut cura ꝑficiat. Vẽꝝ ego curaui ꝙ̃
pľes cũ ſyru°dicto ꝛ potu yerapi.mō dcō ſine me
dicina vomica ſũpta pig̃ ꝛ tráſacto ꝑox° ſi ſuꝑ-
uenerit bonũ ẽ ꝙ capiat de mellicto de abſintio
abſtergit ſtōm optime. ℞. radic̃ feñ.petro.apij̃.
añ.m.ß.abſintij̃.re.m.ij.meľľ albi deſpũati q̃r.i.ß
Ga.facit mellictũ de radicib⁹ cũ abſintio 7°de i
ge°.c.8.i ma^a iuiſcata i pellicuľ ꝛ viľľ ſtōi. ꝑ̃ſer-
uet̃ p̃° pa.cũ radice peonie q̃ ſubitrat nares:ꝛ in
ſuffľet̃ iſra nares puluis radicis peonie ſubtilis
ꝯfortat cerebrũ a tota natura ſpe^ca. uľ incorꝑet̃
peonia pulueriʒata cũ ſtorace liq̇do ꝛ iuoluat̃ to
tũ insil' in ſerico fiat pomũ qꝺ ꝯtinue portet i ma
nu ut odoret ipſum.vngat ſibi ſero ꝛ mane ſtōm
cũ oľo maſtic̃.pōt ſumere i fine mẽſe ꝑ ſtō ꝺ pul-
uere ſuꝑi⁹ dicto in ꝑ̃n° cure epilẽ^c. ¶ Cuiuſcũqꝫ
etatis v̇o ſi aliq̇s epilẽciá habuerit ꝑ colligátiaꝫ
alicui⁹ mẽbri ex ꝯſilio filij̃ hebe^c ſumat quolibꝫ
mane ꝑ ſeptẽ dies de coagulo leporis in ꝙ̃titate
fabe diſſoluꝝ cũ aceto añ ꝑox^m vẽturũ. ꝛ ẽ ꝯſiliũ
ga.ʒ° de intio.c.4°.in fine ꝙ liget̃ in ꝑte ſuꝑiori
ꝛ forti⁹ q̃n incipit fumoſitas eleuari ſi poſſibile
ẽ ligat̃a ꝓhibꝫ aſcẽſũ vaporis ut dicit ibidẽ ꝺ pu
ero 14.ánoꝝ q̇ habuit epilẽciá a crure ꝛ ligabat
coxá fortiſſime cũ vapor eleuabat̃. ꝛ tꝑe q̇eꝫ po-
nebat ſupra locũ de ſinapi cũ affrodillis ut veſi-
caret ꝛ corroderet ꝛ vapor haberet aliũ exitũ.raß
faciebat empľm tꝑe q̇eꝫ de ſinapi piꝑe euforbio
melle anacardio ut veſicaret ꝛ faceret ápullá cre
pabat eá ꝛ^c ille vapor diuertebat̃ ꝛ euacuebat̃.
Si mẽbrũ tale a quo ꝓueñit epi^a eẽt ꝑtial̃ ut di
git⁹ eo abſciſſo eẽt curat⁹ ut recitat ga.in loco di
cto de illo quẽ momordit draco in digito ſuo:ab-
ſciſſo digito ꝑ̃us ſuꝑi⁹ ligato fuit curat⁹ ſine alio
medicamĩe. Cōcludit ꝙ a ſiľi epilẽtic⁹ curaretur
nō negádo tñ curá ſuꝑi⁹ dictá de ligatura. ſi aũt
loc⁹ ligari nō pōt ut q̃n patit̃ epilẽciá a mirach:
a matrice uľ a renib⁹. Dico ꝙ aduenĩẽte ꝑ̃n° ꝑox^i
ꝙ ponat̃ vẽtoſa cũ modica ſcarificatiōe. tꝑibus
aũt q̇etis fiát empľa dicta ut loc⁹ ꝯ̃puleꝫ ut fumo
ſitas expellat̃:purgádo tꝑe q̇etis cũ oppo^co ſera
pino diſſoluto ꝛ cũ yerapig̃ duplata coloq̇ntide ꝛ
iſta ꝯtinuet̃ cũ ſyrupis dicꝫ mō ſuꝑi⁹ dicto quoli
bet mẽſe vſqꝫ quo ſint curati. Dico tibi ꝙ curaui
nobiles mľieres ſteriles epilẽticas ꝑ colligátiá
matric̃ cũ iſtis gũmis daꝝ i mẽſe quolibꝫ i potu:
i vna doſi habuerit pľes filios ꝛ filias ex tũc iſtiſ
tenẽt ꝑ̃ncipatũ i ꝓuocatōe mẽſtruoꝝ ut dicetur
Epilẽtic⁹ ſi q̇s ruborẽ i facie ꝛ i ocuľ hũerit:raß.
videt̃ dicere ꝙ fiat a malo ſáguie de cá ꝑ̃uata ex
ſuo mō loq̇ndi q̃n dicit i diuiſiōib⁹ ꝙ iplet̃ ꝛ in-
flát̃ vene alguidegi q̃ ſũt vene colli ꝛ facies ꝛ o-
culi rubeſcũt:pōt fieri ꝙ fiát iſta ꝑ colligátiá epa
tis ꝛ ꝑtiũ vicinaꝝ ꝓpt̃ qꝺ vult ꝙ ad maiorẽ diui-
ſionẽ flōmet̃ p̃° de ſophena.ꝯñt vẽtoſent̃ tibie ꝛ
ſcarificent̃ faciẽdo q̃dá de ꝑ̃dicꝫ ut tibi videbit̃.
Mulieri ꝑ̃gnáti epilẽcia ſi ſuꝑuenerit poſſibile
ẽ ꝙ duret ꝑ totá impꝑ̃gnationẽ ꝛ curet̃ p⁹ ꝑtũ q̃n
ꝑox⁹ ẽ lōg⁹ i tľib⁹ velocit̃ int̃ficit. verba ſũt ipſi⁹
raß.i ſuo ꝯti^c. Et finiet̃ ca^m de cura epilẽcie.ꝛc̃.

¶ Capitulum.12.de incubo

c

Um q̇s i ſōno q̃ſi rẽ gra
uẽ aliq̇d ſuꝑ ſe cadere ſẽ
ſerit:icubũ pati denũciã
d⁹ ẽ. In ipſi⁹ itaqꝫ cura
nō ẽ tardãdũ:ip̃e eni epilẽſie ꝑ̃am
bul⁹ ẽ ipſaꝫ quoqꝫ ꝑ̃cedit. Eger er
go ſi i colore rube⁹ fuerit ꝛ venas
hũerit plẽas ex ſophẽa erit minuẽ
dus ꝛ vẽtoſe in carnoſitate tibiarũ
ponẽde ſũt. Eger preterea a potu
vini ꝛ rerũ dulciũ comeſtione ab-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

stinēdus erit: ⁊ precipue ab oi re q̄ multū generat sanguinē. Q̄ð si huic ꝯriū acciderit vēter ex pillulis cochiis multotiēs erit soluēdus: ⁊ ei⁹ regimē subtiliādū: exercitio q̄ꝫ vtēdū erit: ⁊ mēbra inferiora erūt fricanda.

Incubus descriptiue loq̄ndo ē passio i q̄ sētit fantasma graue cōprimēdo corp⁹ ꝑturbās motū ⁊ loq̄lā. Passio ista dr̄ ab incubatiōe mētis ⁊ sensuū. iō noie accidētis dicit̄ ut dic̄ Ga. 5° sui passionarij. ⁊ denoiat̄ etiā a sīitudie rei extrinsece. q: incub⁹ ē nomē diaboli dicūt theologi qui cōprimit corpa de nocte dormiēdo. Laici dicūt q̄ ē vetula cōprimēs gētes d̄ nocte. Sꝫ nos medici scim⁹ ⁊ dicim⁹ alit̄. Ga. in libello de iuuamētis anhelit⁹ c°. 2° dicit: Epialdes. i. incub⁹ ē q̄dā epilen^a in sōno. ¶ Differt tñ a vera epilen^a in trib⁹. p° in ꝑticlā patiente q: in ista ē puppis sicut in vera ē ꝓra. iō nō venit nisi dormiēdo vice versa. ¶ 2° differt in mātia: q: i icubo peccat magis mātia in quanto q̄ in q̄li. nec in sub̄a. oppo^m ē in vera epile^a. ¶ 3° q: i icubo nō est spasm⁹: ut dictū est in ꝑcedētib⁹ cā d̄cā ē intelligēti: ex qua talis mātialis cā peccat magis in q̄nto q̄ in q̄li. nā ē mult⁹ vapor grauās et opilās rōne q̄nti. Et q: nō ē multū frigid⁹ nō pūgit pelliculas cerebri. nec ꝑ ꝯñs spasmat s̄ soluꝫ opilat meat⁹ puppis ut d̄cm̄ ē. ¶ Oēs auctores ꝯueniūt q̄ si lōgo tp̄e ut pluries in mēse ꝯtinuauerint: ē via ⁊ pambulū ad epilē^am ul' ad aliquā passionē capit̄ ex quo tāt⁹ fum⁹ ē eleuat⁹ ad partes illas.

Primo tu queres cui⁹ ꝑticule incub⁹ seu epialdes ē passio ꝑncipalr̄. Dicēdū q̄ puppis: ꝯñr aliarū ꝑtiū corpis: ꝓpt̄ qð ꝑncipalit̄ lędit̄ mot⁹ corpis ⁊ lingue. nā ipsi aliq̄lit̄ sentiunt grauitatē ⁊ nō pñt moueri nec loq̄. q: nerui motiui lingue hn̄t ortū a puppi. 3° de intior̄ib⁹ c° 5° nerui sensitiui ⁊ mouētes ꝑtes ⁊ musculos faciei a ꝓra ut ē ibi declaratū.

Secūdo tu queres si talis incub⁹ est passio ꝑ se ul' ꝑ colligātiā. ¶ Dicēdū q̄ coit ꝑ colligātiā venit ad cerebrū. qð venire nō debet s̄m naturā. q: mult⁹ ⁊ malus fum⁹ eleuat⁹ a sanguie colera: aut melēa innaturali. ⁊ venit ut plimū a pedib⁹ ⁊ a tibijs in hn̄tib⁹ satis magnas in ꝑtibus illis venas. de possibili venit a fumo indigesto st̄oi. Jdeo dicit Ga. in 5° sui passionarij q̄ venit ille fum⁹ ex replētiōe st̄oi ul' exinanitiōe ipsi⁹ q: tūc calor incitat̄ ⁊ mouet hūores corpis in venis. ut in multū ieiunātib⁹: nō q̄ sit inmātialis morb⁹ ut q̄dā putāt. q: morb⁹ imātialis nūq̄ fit subito a cā intnseca. 3° de intior̄ib⁹ ca° 4°. Jnanitio ḡ st̄oi nō pōt cāre imediate talē morbū incitādo calorē naturalē in corpe. Jō fum⁹ eleuat̄ magis veniēs ad puppim. quod patꝫ. q: nō contingit talis opila° nisi q̄n iacēt vice versa. Jdeo est passio ꝑncipalr̄ ipsi⁹ puppis: ut dictū est.

Tertio tu q̄res. Jncub⁹ q̄ passio ē in genere ul' in spē. ¶ Dicēdū q̄ officialis. q: opilatio meatuū puppis ab illo vapore multo ⁊ q̄to malo ⁊ in sub̄a eleuato a sanguie uel a co. alterat̄ in eo⁊ natura. ⁊ ut plurimū eleuat̄ a pedib⁹ ꝓpt̄ qð pa. p° icipiūt sentire ḡuitatē in pedib⁹ ut ipsi asserūt.

Quarto tu q̄res. Jncub⁹ cuius virtut̄ est nocumētū passiue intelligēdo. ¶ Dicēdū ut pluries sup⁹ est dictū q̄ regitiue naturalis ⁊ vitalis. si aūt iste virtutes nō errassent in actiōe cā talis nō fuisset ḡnata in corpore: ut dic̄ Ga. ca° 2° ⁊ octauo.

Quinto tu q̄res. Cui⁹ virtutis incub⁹ ꝑ passiōe descripta est pa° seu nocumētū actiue ꝑncipalit̄. ¶ Dicēdū q̄ motiue aiate ꝑncipalr̄. ꝓnter sēsitie ꝑ vicinitatē ⁊ colligātiā. Jō aliq̄lit̄ sentiūt ḡuitates ꝓpt̄ qð vellēt loqui ⁊ nō pñt. Cā hui⁹ dicti ē q: ē passio puppis cerebri q̄ ē sedes virtutis motie aiate ꝑncipalit̄. sicut ꝓra est sedes sensitie aiate ut dictū est 3° de intior̄ib⁹ ca° 3° ⁊ 4°. ⁊ oppo^m sequeret̄ si eēt pa° prore virt⁹ sensitia eēt magis ligata.

Sexto tu q̄res. Quib⁹ magis accidit. ¶ Dicēdū q̄ hn̄tib⁹ cachochi^am sanguis ⁊ colere sp̄alit̄ in ꝑtib⁹ inferiorib⁹. q: illi magis effumāt. licꝫ q̄busdā melācolicis seu hn̄tibus varices in tibijs hoc pluries ꝯtigit ꝓpt̄ sanguinē melācolicū in tibijs reclusū a quo multus vapor malus eleuat̄ grauās corp⁹: sp̄alr̄ partes superiores.

Jsti⁹ clarificatis cura incubi tibi patescit rasis in suo ꝯti°. nō ꝑtermittat̄ cura incubi. q: q̄n multiplicat̄ fniat̄ ad epilen^am uel paralisim. Jncipias a fl'omatiōe ⁊ purgatiōe. ḡ si talē venosū videris flōma ipsū si nō ꝑsumēdū q̄ fiāt vicio st̄oi humoris ⁊ aliarū ꝯcauitatū sple

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

nis:renū:epatis. ¶ Da sibi cassiafi.simplicē supi
us positā in ortu solis:⁊ iaceat i lecto duab⁹ aut
trib⁹ horis:nō comedat vsq3 in tertijs. Vel da si
bi p septē uel octo dies de isto mellicrato:abster-
git stōm:expellit mat'ias d̄ ɔcauitatib⁹ p vrinas
℞.radic̄ feñ. petro.apij.achori.añ.m.ß.absintij
m.i.cicerū rub.m.i.mell' albi despūati qrt.i.ß.fi-
at mellicratū bñ clarificatū ad lb.ij. ɔtinter da si-
bi.ʒ.i.uel.ʒ.4.yerapig^e ga.dissolute cū aqua ci-
cerū rub.vbi sit modicū de absintio. Vel da sibi
ʒ.vi uel plus de geralogod̄.dissoluat' ut yerapig̃
reficiat' cibis bone digestiōis ⁊ bone nutritiōis
potissime si ex ieiunio inanit⁹ fuerit ꝑpt' cām di-
ctā.vitet fruct⁹.subam leguminū ⁊ silia. Ut stō⁹
ɔforter' vtat' puluere sequēti cū tosta vini in fine
mēse sine potu si delicat⁹ fuerit. ℞.ʒʒ¹.albi intio
ris añ.ʒ.ß.galāge pipis longi.añ.ʒ.i.gnoꝝ padisi
∋.ij.cubebaꝝ gariofi.añ.ʒ.ß.nuc̄ muscate macis
añ.∋.i.panis zuccri lb.i.fiat puluis ⁊ de vespere
in introitu lecti sine potu.ista tibi sufficiāt,

¶ Capitulū.iz.de melancolia.

c Um alicui cogitatiōes
male sine cā manifesta
acciderit ⁊ timor ⁊ tristi
cia in eo ꝑualuerit me-
lācolie ꝑncipiū in eo erit. Cū autē
res ad hoc deuenerit ut ⁊ ea q̄ co-
gitare cepit ore ꝓmat verba sua at
q3 act⁹ ꝑmisceat iā melācolia pfe-
cta ē. Cui ergo he male cogitatio
nes ⁊ tristicia ⁊ tribulatio accidūt
āteq3 ꝑualere incipiāt succurrēdū
ē:q2 si ꝑualuerint cura erit difficil'
Qd̄ si cū melancolia fuerit dolor
vētris ⁊ iflatio ⁊ mal⁹ color ⁊ dige
stiōis corruptio ⁊ vomit⁹ acetosus
⁊ excreationū multitudo icipiēda
ē cura cū flōmia ex basilica aut sel
uatella sinistre man⁹ ⁊ si sāguis vi
sus fuerit niger dimittat' egredi i
quātitate multa.subtilis aūt ⁊ ru-
be⁹ si fuerit ille restringend⁹ erit,

Eger v̄o ex reb⁹ leniētib⁹ ē nutriē
dus:ut sl' alesl' fida legi q̄ fiūt ex car
ne hedina ⁊ arietina: ⁊ mittēd⁹ est
in balneū i quo nō diu morel' ꝑs⁹
hec autem decoctōe d̄ epithio quā
ego cōposui vtal': ⁊ hec ē decoctio
d̄ epithio. ℞ .mirabolāoꝝ idoꝝ.ʒ
x.polipodij.ʒ.v.sene.ʒ.ix. turbith
ʒ.iiij.sticados.ʒ.x. passulaꝝ enu-
cleataꝝ.ʒ.x.epithimi cretēsis.ʒ.x.
oīa excepto epithio in trib⁹ libris
aq̄ coq̄nda sl' donec ad vnā libraz
⁊ mediā redeāt.cūq3 hoc factū fue
rit addal' epithimū ⁊ illico ab igne
remoueāl' ⁊ dimittāl' donec ifrigi-
dari ceperit.cūq3 ifrigidata fuerit
māib⁹ fricata colel':deide sumāl' a
garici due ꝑtie.ʒ.vnı⁹.aloes.ʒ.i.sa
lis indi.ʒ.v.ellebori nigri qrta vni
us.ʒ.cōficiāl' cū melle aut cū iulep
⁊ fiāt ex eis pillule q̄ p tres horas
āte decoctiōis acceptiōe3 sumēde
erūt.postea sumat decoctōe3.dein
de trib⁹ dieb⁹ q̄escat. In his autē
dieb⁹ q̄b⁹ q̄escit nutrial' ex his q̄ ꝑ
diximu⁹ ⁊ i potu sumat vinū subtile
⁊ clarū ⁊ bñ odoriferū.p⁹ hec q3 ite
rū soluēd⁹ ē ut pri⁹.hoc v̄o ita ut ꝑ
diximu⁹ ꝗtio iterādū ē. Quarta q3
potio ei dāda ē. Eger v̄o ab oīb⁹
q̄ colerā generāt nigrā abstinēd⁹
ē:ut sl' carnes siluestres oēs ⁊ caro
vaccina ⁊ porcina ⁊ magnaꝝ capra
rū ⁊ fabe ⁊ caro salita ⁊ case⁹ vetus
⁊ ꝓpe lētes ⁊ oīa holera nisi hume
faciētia. Vitet ꝑterea vinū grossū

ꝛ laborē ꝛ vigilias: neq₃ patiat̃ famē neq₃ siti: vino vͦ subtili i potu vtat̃: ꝛ ꝑcipiēdū ei ut dormiat ꝛ studēdū i splenis curatōe ex his q̄ i seq̄ntibꝰ i caplo ꝺ splenis curatōe q̄ augmētat̃ dicturi sumꝰ. os q₃ stōi cōfortādū ē ꝛ ꝓpe ex medicis q̄rū mētionē i seq̄ntibꝰ facturi sumꝰ cū egritudīes stōi noiabimꝰ. Si autē cū melācolia ea q̄ noiauimꝰ nō fuerit acciderit q̄ pꝰ frenesim aut lōgā morā sub sole aut ꝑcussionē i capite i ꝑncipio ex cephalica flōmia ē faciēda ꝛ capiti studiū adhibēdū ꝛ reliquo regie qꝺ diximꝰ ꝓpe. aq̄ ꝑterea tepida ab alto loco sup̱ caput fūdēda ē. deiñ ol₃ rosaceū cu₃ aceto vini capiti ifūdat̃ ꝛ lac muliebre desup mulgeat̃. Naribꝰ etia₃ oleū ꝺ semie cucurbite dulcis ꝛ lac muliebre iniciāt̃ In balneū q₃ sepe mittēdꝰ ē: ꝛ multū ex aq̄ tepida capiti ē sup̱fūdēdū. Eger etiā oia odorifera q̄ frigida sīt odoret. Si aūt cū mlīa nihil fuerit eoꝝ q̄ diximꝰ in ꝑncipio matrix vena dextri brachii apiēda erit ꝛ sāguis erit cōsiderādꝰ: ꝛ ut ꝑdiximꝰ faciēdū ꝛ regēdū ut diximꝰ. Et postq̄ hoc regimē ifirmo adhibueris ꝑ aliquot dies q̄escere dimittēdꝰ ē: deide ut priꝰ i cura eiꝰ icipiēdū donec sanitat̃ fiat restitutio. Studiū vͦ totū qꝺ erga mlīcos ē obſuādū ē ut impinguet̃ ꝛ carnosi fiāt. ex quo eni₃ pigues ꝛ carnosi fuerint illico sanierūt. Cibi aūt q̄ illis cōgruūt sīt caro arietina ꝛ hedina ꝛ gallinacea ꝛ panis de simula. Opirꝰ aūt panis nullo mō ē eis cōgruꝰ. Uinū q₃ subtile ꝛ clarū eis cōueniēs est vinū₃ vͦ grossū ñ ē eis bonū neq₃ nigrū. lac aūt recent̃ ab vberibꝰ extractū dū adhuc calet eis cōfert ꝛ pisces recentes et sisami de zucc. facti et ol₃ amigda. p̄terea audire cātilenas et gaudet̃ et hr̄e añ se q̄ſ dormire plīmū cōfert eis. Ecōtrario vͦ cogitare ꝛ solꝰ morari ꝛ vigilare maxīe nocet eis. Pille que colerā nigrā expellūt ex q̄bꝰ datur his q̄ decoctōe₃ sumere neq̄ūt. ℞ epithi cretēsis. ʒ. xx. polipodii. agarici āboꝝ añ. ʒ. x. ellebori nigri. salidi āboꝝ añ. ʒ. v. sticados. ʒ. x. pulueris yerapigre. ʒ. xv. bibat ex eis ʒ. iiii. in diebꝰ vͦ q̄bꝰ q̄escit eger dꝫ sumere ꝛ ex electuario qꝺ vocat̃ letificāſ qꝺ. ℞. mellisse corticū citri gariof. galie musſ. masſ croci oriēt̃ cinamomi. nucis mꝰ. cardamomi neheremisch beē albi ꝛ rubei zedoarie doronici semīs ozimi maioris seis ozimi gariofilati oīu₃ añ. ꝑtes eq̄les musci q̄tū ē decia ꝑs vniꝰ. deide sumāt̃ kebuli. xx. ꝛ embl̃. xx ꝛ terāt̃ ꝛ i tribꝰ lt̃. aq̄ coq̄nt̃ donec ad vnā redeāt ꝛ colet̃. i colat̃a vͦ mittat̃ mell lt̃. i. deide bulliāt donec aq̄ cōsūpta sit. pꝰ ex hoc melle ꝯficiāt̃ ꝑdcē spēs qꝺ tñ in pōdere sit triplū ad spēs de; quo cū nece

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

fuerit ad magnitudinē auelane su
mēdū ē. Hoc eni medicamē leticiam ⁊ coloris pulchritudinē ⁊ digestiōis bonitatē operatꝰ ⁊ retardat
canos,

Emelācolia .i. ꝺ alieatiōe ⁊ corruptōe mētis ⁊ rōis sine fe. ⁊ a tp̄e. Dꝰ notāter a tp̄e ⁊ sine fe. qꝛ ille sūt alterius ꝯsideratiōis. ¶ Nota ꝙ alienatio mētis siue corruptio duplex ē. qdā ē a gn̄atione. talis dr̄ stoliditas mētis q̄ ē dispō silis fatuitati: infātie. talis fit ut pl'imū a maª hūida flācª. de ista non loquitꝰ rasis hic in isto caº. ꝫ de ista loquitꝰ i toto ꝯtiᵉ libro pº caº 1º de mēoria ⁊ intellectu intitulato. Alia est alienatio mētis seu eiꝰ corruptio sine febre a tp̄e. ista vocatꝰ mlīca passio. ꝺ ista rasꝭ intelligit in isto caº. ⁊ intitulat eā noīe sue cause: puta mlīe ut ē mos helenoꝝ: ut recitat Ga. 2º de ingeº caº 2º. ¶ Ulteriꝰ nota ꝙ ista passio dicta mlīa a tp̄e sine fe. fit aliqn̄ de hūore mlīco innaturali multiplicato in cerebro: ut in hn̄tibꝰ cōplexionē frām ⁊ siccā in cerebro: ut sūt plures macilēti hn̄tes a gn̄atōe pilos sbalbidos. qm̄ maª talis in suba cerebri imbibitꝰ. Aliqn̄ fit a fumo melācolico multiplicato in venis ⁊ in arterijs corpoꝝ ꝑ viā adustiōis rōne excellētis caliditatꝭ fit hec in brunis pilosis venosis crispis cum labijs grossis. hoc dic̄ rasꝭ in suo ꝯtiᵉ. nā fumꝰ inde eleuatꝰ inficit subam cerebri ꝭm eiꝰ diuersas ꝑtes: ꝓpt̄ qꝺ corrūpit eiꝰ actiōes regitiuas ꝭm plus ⁊ minꝰ Aliqn̄ fit ⁊ eleuatꝰ tl'is fumꝰ a sāguie mlīco multiplicato ꝭm eiꝰ corꝑis naturā non euacuati nec expulsi ꝫ eiꝰ naturā mō assueto ꝑ emorroiꝺ. ꝑ mēstrua: ꝑ flōmiā. talis sanguis calefit in venis illis ⁊ circūstātibꝰ: ⁊ sic fumꝰ multꝰ semiadustus eleuatꝰ ad cerebrū. qꝛ oīs fumꝰ adustionem acq̄rit rōne subtilitatꝭ in eiꝰ suba. ut declarat ga. de pilis capitꝭ 3º de cōplexiōibꝰ. Aliqn̄ eleuatꝰ talis fumus mlīcus a melancolia multiplicata in splene ratione debilitatis eiꝰ expulsiue. Isti sunt splenetici cū duricie splenis. Aliqn̄ mittitꝰ maxia q̄ntitas talis sordidi melācolici a splene ad ipsuꝫ stōm ꝑ poꝝ occultū q̄ t'miatꝰ in orificio stōi: ⁊ inde fumꝰ horribil' eleuatꝰ ad ipsū cerebrū a matia grossa t'rea sordida semimlīca ⁊ tēta in stō in ypocūdrijs in mes'aicis sine apate qꝛ tūc febricitareꝫ ¶ Rasis appellat mlīam mirachiam qn̄ cātꝰ ab vno istoꝝ locoꝝ ut dicit aucte filij hebeᵉ q̄tres sūt spēs mlīe. illa q̄ fit a capite. ⁊ illa q̄ a toto corpore modis dictis. ⁊ illa q̄ fit a stō ypocūdrijs ⁊ mes'aicis quā mirachiā vocauit ut dictū est. Un̄ fumꝰ ex his locis eleuatꝰ. qꝛ a maª diuersa ⁊ partes diuersas cerebri ꝭm plus ⁊ minꝰ inficit. Iō sūt decē mille spēs mlīe ⁊ vltra. ut dic̄ Ga. 3º de interioribꝰ caº 4º nō videbis duos eiusdē ꝯditiōis vnus estimat ꝙ celū cadat. altꝰ ꝙ sit gallus. ⁊ sic de singulis. ¶ Et suꝑ hoc aduerte ꝙ maª q̄ i venis: in arterijs: uel in ꝯcauitatibꝰ aduritꝰ diuersa est in se ⁊ in sui adustiōe. nā si sit in vltio adustionis diceretꝰ mania. potissime si talis maª sit sāguinea: colerica: aut coᶜª solū. Si nō sit in vltio adustiōis dicetꝰ mlīa. nā sꝑ retinet aliq̇d de natꝰa p̄mi hūoris: ut qn̄ sāguis solū aduritꝰ dicetꝰ mlīa canina. vbi est rixa rōne adustiōis tripudiū rōne sanguis. Qn̄ co. aduritꝰ dicetꝰ lupina ul' demoniaca. Iste oēs passiōes dicūt passionē siccā in cerebro ⁊ in corᵉ. ⁊ iō intentio p̄ncipal' curatiua erit humectare ut dicetur.

Primo tu queres. mlīca passio cuiꝰ ꝑticule ē paº. Soluit Ga. 3º de interioribꝰ caº 4º ⁊ 4º de intioribꝰ cº 3º ꝙ ē passio sube cerebri. nā eiꝰ suba ē altꝰata a mala cōplexione frā ⁊ sicca cū maª ul' sine ꝭm ꝑtē. ꝓpt̄ qꝺ non pōt in actiōes sibi debitas ꝑ naturā. naꝫ suba ⁊ spūs eiꝰ sūt obūbrati ⁊ obscurati ꝓpt̄ qꝺ nō pōt in eiꝰ actiōes. qꝛ virtutes nō senescūt nisi rōe obiecti ul' organi in erroribꝰ de aīa. ꝓpt̄ qꝺ hn̄tes subam cerebri ⁊ ipsoꝝ spirituū clarā hn̄t opportunū iudiciū. sic̄ multi nobiles sūt q̄ sunt gn̄ati ꝺ sanguie claro bono ⁊ inde nutriti. vn̄ Hebeᵉ dic̄ ꝙ cibaria tēꝑata velut galline ⁊ silia augmētāt rōnē rectā. ꝓpt̄ qꝺ agētes penitētias ⁊ male viuētes ⁊ magni potatores sūt mali iudicij. ut rustici ⁊ q̄plures bequini. Un̄ btūs paulꝰ loquēs de talibꝰ ⁊ ad tales dic̄ ꝙ obsequiū cuiuslibꝫ debet eē rōnale: ꝙ bono mō natura possit tollerare cū sanitate virtutū regitiuarū.

Secūdo tu q̄res. Ista passio mlīca ē ne passio ꝑ se uel ꝑ colligātiā Soluit Auic̄. 3º can̄. caº ꝓp̄o. ꝙ interdū ē ꝑ se: ut qn̄ cerebrū ē lapsū ad frīm ⁊ siccū naturalitꝰ ex q̄ lapsu multiplicatꝰ maª frā ⁊ sicca obumbrās eiꝰ subam ⁊ ipsoꝝ spirituū. hoc ꝯtingit multis mlīcꝭ ⁊ macilētis naturalitꝰ. Uel pōt eē ꝑ colligātiā. et hoc ē ut pl'imū qꝛ venit a venis: a stō: ab ypocundrijs: a mes'aicis: splene: matrice: ⁊ a mirach ad ipsū cerebrū qꝺ venire nō debꝫ ꝭm naturā: puta fumꝰ semiadustꝰ niger eleuatꝰ a colera nigra ꝫ plus ⁊ minꝰ in mēbris ꝓdictis 3º de interioribus

caº.3º. Jdē auic.3º.cañ.c.ppo.

Tertio tu qres cuiꝰ mēbri colligātia plu ries fit. Soluit Raꝭ in suo ꝯtinᵉ ꝙ nō in venosis ꝛ gulosis fit magꝭ ꝑ colligantiā stoˡ. ypo. duaꝝ meseraicarū cuiꝰ rei ꝓbatio quia tales remediātur ꝓpter vētris remollitiōem ꝛ exitum vētositatū in brunis ꝛ venosis fit magꝭ per colligātiā venaꝝ ꝛ arteriarū in qbus fit adustio rōne excedētis caliditatꝭ cordis ꝛ epatꝭ. vlꝭ q: mlꝭ tiplicātur tales matie in ipis ꝓpter nocumētum expulsiue venarū matricꝗ ꝛ ani.

Quarto tu qres mlīa q̄ passio ē in se i genere ꝛ in spē. Soluit lr̄a.3º de intioribꝰ.c.4. Jdē auic.c.ppo ꝙ est mala ꝯº fria ꝛ sicca cū maª vel sine. totū cerebꝝ alterans ꝛ offuscās aut aliquā sui ꝑtem puta anteriorē: ꝓpter qđ imagiatiua ē lesa interdū vt recitat gaꝰ. de seipo febricitāte.3º. de interioribꝰ.c.2º. Jnterdū mediā ꝑtem ꝓpter qđ discretio errat alijs virtutibꝰ aiatis satis saluis vt ipe vult loco dicto: ꝛ 2º. de morº.c.2º. Jnterdū puppi seu ꝑtē posteriorē: ꝑꝫ ꝙ aliqñ errat ꝟtus memoratiua. Et de h̄ dat exēplum in illis duobꝰ locꝭ allegatꝭ q̄liter quidam noīa ꝓpa dederūt obliuioni alijs regitiuis saluis. Hoc tñ raro accidit q: cōiter ad lesionem vniꝰ partis ps vicina ledit̄ in ꝑte ꝓpter vicinitatē ꝛ colligātiam ꝓpt̄ qđ vna sola regitiua aiata de raro sola leditur ꝛ ꝓpter istā diuersitatē particularū ꝛ cārū matialiū dictarū sunt q̄si infinite spēs mlīe vt recitat Gaꝰ.3º. de interioribꝰ.caº.4 subdit Gaꝰ ꝙ oēs ꝑñtem vitā vituperāt ꝛ odire hoies omībꝰ mlicis ꝑtinet. amare ꝟo mortē nō ē omībꝰ mlīcꝗ ꝯᵉ. nā q̄dem semꝑ timēt mortē. Alij mōstrāt se nō timere eā ꝫ desiderāt ꝑut dicūt Jo ypo. dicit mlīam esse timorē mētis: nā ꝓpter corruptiōem mētꝭ q̄cqđ vident odio h̄ñt ꝛ semꝑ tristes sunt ꝛ timorosi ꝓpt̄ tenebrositatē sube cerebri ꝛ ipoꝝ spirituū ꝟba sunt Gaˡ in loco allegaº

Quinto tu q̄res cuiꝰ ꝟtutꝭ mlīa est nocumētū passiue intelligēdo ꝑ morbo descripto. ¶ Dicēdū vt supra ꝙ regitiue natalis ꝛ vitalis expulsiue ꝯñr mēbri mādantis puta stoˡ meseraicaꝝ ꝛc̄. vt est declaratū.3º.ꝛ.6º de interioribus.

Sexto tu q̄res quibus magis accidit. Soluit Raꝭ in suo ꝯtiᵉ. ꝛ auic. 3º.cañ.c.ppo ꝙ viris q: lapsi sunt ad calidum ꝛ siccū ꝛ stant in malo regimie: ꝛ si mlīeribꝰ accidat tanto deteriꝰ est: q: est cū discōueniētia particularū maiori ꝓpt̄ qđ arguit̄ maiorē cā. Et si tu q̄ras quibꝰ hōibꝰ magꝭ accidit, soluit raꝭ i suo ꝯtiᵉ. liº.ꝑº.c.vi. de mlīa ꝙ pluries accidit ꝛ magis cito brunis calidis ꝛ sicꝗ clamosis ꝛ iracundis ꝛ leuis lingue. Potiᵐᵉ his q̄ sunt subtiles īgenio ꝛ multe ꝑspicacitatꝭ tales de facili incurrūt mlīam: ꝑ colligātiā venarū ꝛ arteriarū in q̄bus sanguis adurit̄: q: sunt veloces motꝰ ꝛ mlte per meditatiōis ꝛ imagiatiōis ꝓpt̄ qđ tales ꝑseruamus cū balneo aq̄ tepide ꝛ flōmijs pluries reiteratis. ꝛ iō vinosis accidit magꝭ vicio stoˡ ypocūdrioꝝ ꝛ meseraicarū vt vult Raꝭ. isti tales cōit̄ habēt mlīam mirachiā

Septimo tu q̄res cuiꝰ virtutꝭ mlīa ꝑ morº descripto ē passio actiue. Dicēdū ꝙ regitiuarū aiatarū ꝑncipaliū occulte cōꝑrehēdunt puta imaginatiue discretiue ꝛ mēoratiue. vel aliq̄rū harū ſm ꝙ sedes earum alterat̄ vt dic̄ gaꝰ.3º de interioribꝰ.c.4. idē.c.2º.

Octauo tu q̄res q̄bus tēporibus magis accidit mlīa. Soluit ypo. 2º. ampħ.cañ. illo. vere siq̄dē ꝛ cañ. illo. Autūno ꝟo ꝙ in vere fiūt ꝓpter dissolutiōem huoꝝ in autūno ꝓpt̄ mltitudinē mlīe nigᵉ: tpe estiuo calo ꝑcedēte ꝑ viā adustiōis. hec dic̄ ypo. vi. āpħ. cañ. illo podagra ꝛ mania ꝛc̄.

Nono tu q̄res q̄ ē res magꝭ ꝑseruās. soluit ypo. vi. āpħ. ꝙ emoroide fluētes tpe suo ꝛ flōie frequētate: si ex colligāª dictarū venaꝝ ꝛ artiaꝝ fiat. Si āt colligāª stoˡ vlꝭ ypocūdrioꝝ vlꝭ meseraicaꝝ fiat. Raꝭ dic̄ ꝙ vsꝰ absinˡ magꝭ ꝑbuat i decocᵉ ꝛ potꝰ yerapᶜ. dissolute c̄ illa

Decimo tu q̄res i q̄libꝰ abundat colˡa adusta h̄ videmꝰ i flōmijs potissime i fine iuuētutꝭ.2º. tegni i fine ꝑ augmastice etatꝭ nō fiūt q̄rtanarij in fine illiꝰ etatꝭ de facili q̄ ē cā q̄re nō patiūt̄ istā paᵉᵐˡ. Dicēdū ꝙ ex bonitate regitiaꝝ natalium ꝟtutꝭ talꝭ mlīa ñ sic ꝑmiscetur cū sanguie ꝙ turbet ipꝫ: yº residet in fūdo: sic dꝫ ꝓpt̄ qđ nō seq̄t̄ talꝭ idebita effūaº ad cerebꝝ iō dictū ē pluries ꝙ oēs morˡ matiales cāñt ex nocumēto regitiaꝝ digestie ꝛ expłsiue ꝛ aliaꝝ naturaliū virtutū.

Undecimo tu q̄res q̄re patientes istā passionē ꝑdicāt futura meliꝰ cetis. soluit raꝭ i suo ꝯtiᵉ q: aia i talibꝰ tōlr cessat a regie corꝑm ꝛ mltū abstinēt a cibo. iō q: aia exuta a mola cañsē spūalꝭ. iō videt spūalia i iferno ꝛ in ꝑadiso narrādo ꝺ his aliq̄lꝭ qñ sunt excitati a somno.

Duodecimo tu q̄res vbi nᶜ q̄liē nec quō talꝭ matia adurit̄ nec i mlīam ꝯuertit̄: sic aui.3º.cañ.c.ppo.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

ꝙ i epate ⁊ i venis:nã caloꝛ epaꝝ excedẽs ꝯsũtẽ-
do chilũ aduritꝗ ipm nisi sint ꝺ fris ⁊ grossis cib
ꝙ sit ꝓpoꝛ° ageꝝ ad passuz q̃ ꝓpoꝛ° stat i debita
resistẽtia:ꝓpt qꝺ mlt̃ũ calidi vt ruffi ⁊ nimiũ la-
boꝛãtes vt rustici hñt doloꝛẽ capiꝝ i die qñ sumũt
pullos ⁊ vitella ouoꝝ ⁊ silꝛ̃ia. Adurũt ẽt i artijs
coꝛdis mltum calidi velud i hñtibꝰ pectoꝛalia ⁊
mãmillas pilosas.vñ qꝛ splẽ creatꝰ ad attrahẽꝺ
fetulẽtiã san.a venis ⁊ arterijs si dicta attractia
⁊ expulsiua eiꝰ errauerit mltiplicat̃ vltra debitũ
talꝛ̃ mlꝛ̃ia i coꝛꝑe ꝓpt qꝺ qꝛ ipa necio effũat ad su
perioꝛa ificiẽdo cerebꝝ cãt dictã mlꝛ̃iaz potiᵐᵉ cer
tis hoꝛꝗ ⁊ q̃dris lũe:qꝛ motꝰ debet̃ hũoꝛibꝰ ex eo
rũ nat̃a ⁊ ab oꝛbe vt ꝺꝛ ꝑ° diamidiarũ. Idẽ ꝯtin
git qñ regitia nat̃alꝛ̃ potiᵐᵉ expulsiue alioꝝ mẽ-
bꝛoꝝ nõ vz i actũ ꝓpꝛiuz puta matriꝗ vapoꝝ sper
maticoꝝ vt saꝝ põit Ga.vi.ꝺ int̃.in fine.

Istis clarificatis. Cura mlꝛ̃ie tibi patescit
añq̃ in cura ꝓcedas oꝫ scire quam
spẽm mlie patit̃ qꝛ i h̃ cura diuꝛ̃sificat̃:nã si talis
mlꝛ̃ia fuerit ex hũoꝛe melãcoᶜ° sꝑso ⁊ mltiplicato
i venis ⁊ suba cerꝛ ex nat̃a ipiꝰ qꝛ frĩe ⁊ sicce ꝯ°-
nis digestiue ⁊ expulsiue ⁊ alie virtutes nat̃ales
deficiẽt nõ bñ decoq̃rẽt nec depurarẽt nutrim̃tũ
appositũ i venis ⁊ suba cerebꝛi exsiccãs ⁊ ꝑ ꝯñs
coꝛrũpẽs eiꝰ regitiuas qꝛ v̓tutes nõ senescũt nec
iuuenescũt nisi rõne instrĩ vꝛ̃ oꝛgani vt i erroꝛibꝰ
ꝺ aĩa. ¶ Ad qꝺ cõit fac ꝯ° eadẽ i p̃ncipalibꝰ pro
uidẽs ipi cer° ꝺ tali nutrimẽto tales sunt q̃dem
macilleti male barbati male coloꝛati g̃ciles cum
venis strictꝭ:itẽtio g̃ p̃ncipalꝛ̃ erit bñ hũectare cõ
petẽter calefacere intꝛ̃ ⁊ extꝛ̃ vt põit Ga.3°.de
int̃.c.4.iõ ipe curabat cũ assidua balneatõe ⁊ bo
nis cib boni chimũ seu hũoꝛẽ ⁊ vio claro. Idez
põit ad lr̃az raꝭ i suo ꝯtiᶜ.murat̃ g̃ talꝛ̃ gallinis ꝑ
dicibꝰ edulo capto. Raꝭ laudat talibꝰ carnes e-
duli:qꝛ hũide aucule vitella ouoꝝ ⁊ silꝛ̃ia eis con
ferũt teneat̃ solaciosꝭ i camera pulc̃ clara cũ vio
bono claro limphato vt docꝫ. In p̃mis g̃ det̃ si-
bi cassiaꝭ.supꝛ̃ dicta ⁊ cõit̃ hñt soꝛditiẽ aliq̃lem
in sto° ꝯñr fiat sibi sirupꝰ. ℞.radicꝗ bꝛusci sꝑagi
añ.m.ß.cũ toto fumiterre scabiose lupuli mellis
añ.m.i.sc.peonie.ʒ.ij.mediani coꝛticꝗ fraxi genc-
ste tamarisci. añ. m.i. aceti passulati. ℥.ß. panis
zuc̃.lꝛ̃.i.fiat sirupꝰ bñ coctꝰ ⁊ clarificatꝰ ad q̃rt̃.
vᶜ.dent̃.4.coclearia cũ.8.ciceꝝ rub. Vꝛ̃ cũ aq̃
simplici bullita sit tepidũ si vis fac mellic̃tũ cuz
q̃r.i.⁊.ß.mellꝭ:ß oꝫ renouare ipm de q̇nꝗ i q̇nꝗ
diebꝰ p̃ualebit q̃ sumat mediũ gobellũ sine alia
mixtura:dũ vtet̃ isto balneet se pluries.vi.hoꝛis
pꝰ cibũ in aq̃ tepida dũ erit in balneo in exitu vꝛ̃

añ parũ abluat̃ sibi caput cũ aq̃ decoctiõis istiꝰ
℞.floꝝ violꝛ̃ camo.melliloti.añ.p.ij. folioꝝ sene.
p.iiij.coꝛticꝗ papaueꝝ albi.m.ij. misceãtur capiãt̃
duo pugilli ⁊ bulliãt i aq̃ vna ebullitiõe ꝯtinet h̃
cũ balneo dicto.vtat̃ isto elc̃t° añ introitũ balnei
⁊ añ cibũ illa hoꝛa. ℞.pulꝛ̃ letiᶜ galꝛ̃.℥.i.elc̃tꝛ re-
sumptꝭ.ʒ.ij.puluis diapapaueꝝ.ʒ.ij.serici crudi.ʒ
ß.ãbꝛe grise.ʒ.i.auri ãticꝗ puluerisati.ʒ.i.panis zu
cari.lꝛ̃.ij.aq̃ roꝭ.aq̃ mellisse qꝺ sufꝭ.fꝭ.elc̃tᵐ i bolꝛ̃
¶ Alteriꝰ da sibi loco mellic̃ti ꝺ mãe selꝛ̃ aut bis
in septiana.de sero capꝛ̃no sic. ℞. sene polipodij
epithimi q̃rt.añ.℥.ß.fiat decoc° in sero capꝛ̃no qꝺ
sufficꝭ fiat potꝰ. Uel da sibi in.xv.diebꝰ vꝛ̃ tribus
septianis.istã colaturã in q̃ infundãt̃.ʒ.4.bõi ge
ralogodion sufficiãt ista ꝓ ista spẽ mlꝛ̃ie. Si ista
talis mlꝛ̃ia fuerit ex fumis mlꝛ̃icꝗ eleuaꝝ a sangui
ne ⁊ co.adustis in venis ⁊ arterijs rõne calidita
tis excedẽꝝ in epate ⁊ in coꝛde vt fit in q̇busdaz
bꝛunis venoꝭ barbaꝝ crispis. Pilosis i pectoꝛali
bus ⁊ alijs ꝑtibꝰ cum labijs satis coloꝛaꝝ. Pas-
sio sicca ẽ sicut ⁊ alioꝝ oim hñtiũ passionẽ istam
ꝭm plꝰ ⁊ minꝰ rõne caloꝝ Ultꝛ̃ talꝛ̃ adustiõis.intẽ-
tio g̃ curatiua in his p̃ncipalꝛ̃ erit hũectãte ipum
cũ somno cibo ⁊ potu vini clari bñ liphati ⁊ exte
rius cũ assiduatiõe balneoꝝ euacuãdo materiaz
talẽ siccã q̃ ꝑ sui p̃ñtiã purgat̃ g̃ sic. ℞.floꝝ vio
larũ boꝛagꝗ.sene polipodij epithimi q̃rcini.añ.℥
ß.tamarinꝺ electoꝝ.℥.iij.fiat decoctio in sero ca-
p̃no in q̃ dissoluãtur.mãne g̃nate ℥.i.ß.vel cassieꝭ
mũꝺ.℥.i.ß. Qñ colꝛ̃a sine flãte abũdat in stoma-
chis eoꝝ tc̃ cõpetit mãna. Si cũ flãte tũc cassiaꝭ
fiat potꝰ vel yeralogoꝺ.ʒ.iij.vel lapiꝺ armenici.
ʒ.iij.fiat potꝰ.vtat̃ triasandalꝛ̃ vel papaueꝝ.ʒ.iij.
fiat potꝰ pulꝛ̃ triasandalꝛ̃.ʒ.ij.4.sc.frioꝝ.añ.ʒ.i.aq̃
enꝺ aq̃ scolopẽꝺ.añ.qꝺ suffic̃ panis zuc̃.q̃rt.i.fꝭ.
elc̃tᵐ in bolis. Si vis adde auri fini.ʒ.ß. v̓m mi-
neralia nõ hñt locũ in passionibꝰ sicꝗ in q̃ pauci
adũtũt.⁊ sic de ista spẽ mlꝛ̃ie sufficiat. ¶ Si me-
lãcolia fuerit ex fumis mlꝛ̃icꝗ ad cerebꝝ eleuat̃ ex
sanguie melãcolico turbido mltiplicato in coꝛᵉ
nr̃o. Potiᵐᵉ in regiõe splenis ꝓpt retẽtiõem.m.
aut emoꝛroydarũ:qꝛ feculẽᵃ ꝑ ipm splenẽ nat̃alꝛ̃
attracta ꝑ dictas venas cõiter expellit̃ ⁊ ab eo ꝑ
tp̃s coꝛpꝰ ⁊ splen in mag̃ ꝑte depuratur q̃ si nõ
splẽ indurat̃ ⁊ magnificat̃ ꝓpt qꝺ medicꝰ ꝯcul-
catꝰ in p̃mis inuestigat talia vt distiguat int̃ spe
cies spãlissimas ⁊ ꝑ ꝯñs in earũ cura raꝭ in suo
ꝯtiᶜ ipiꝰ mlie dicit q̃ in tali mlꝛ̃ia nõ ẽ melioꝛ cu-
ra q̃ flõia in p̃mis ⁊ assidua purga° hũoꝝ mlꝛ̃ici
infrigidare epar ꝯfoꝛtare splenẽ aperire oꝛificia
emoꝛroiꝺ assuefacere balneũ flõia,de saluatella

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

nō est negligēda vt ipe pōit in pmis. g̃ det̃ cassi
afist. cōis tibi posita supi⁹. pñr flōctur de sophe-
nis ⁊ die tertia: p⁹ de epatica vtriusq; brachij vl'
de mediana si grossio: fuerit. vel d̃ saluatella ma
nus sinistre si mulr̃ splenetic̨ fuerit non dubites
satis euacuare de tali sanguine fetulēto. vtat̃ cū
hoc isto mellicto. ℞. radic̨ brusci spagi. añ. m. ß.
end̃ scolopēdrie citrac politrici fumiterre buglos
se cū toto sūmitar̨ lupuli. añ. m. i. anisi marat' a-
meos. añ. ʒ. ß. se. cucuste. ʒ. ij. aceti. ʒ. ß. mell' albi de
spūati qrt̃. i. ß. fiat mellictū bene clarificatuz ad
lb. ij. Vtat̃ mane ⁊ sero sine alia mixtura renoue
tur de. vᵉ. in. vᵉ. dieb⁹. Postq̃ vsus fuerit isto mel
licrato q̇busdā dieb⁹ sumat colaturā sequēte ℞
floꝝ viol'. boragi. añ. ʒ. ß. sene epithimi polipodij
q̄rcini. añ. ʒ. ß. agarici electi. ʒ. iij. ʒʒ'. anisi. añ. ʒ. i.
fiat decoc° in sero capno i q̄ dissoluat̃ geralogo-
dion. ʒ. ß. lapid̃ arme^{ci}. ʒ. ij. fiat pot⁹. Vel da sibi
ʒ. vi. de geralogod̃ dissolur̨ in decoctiōe cicerum
rub. liq̇ri^{e} sene epithimi. añ. ʒ. ß. Vel da sibi. ʒ. i.
yerapigre duplata coloq̇ntida dissoluta. ʒ. i. lap̄.
arme^{ci} multū appropatur huic passioni vt vult
raß in suo cōtinēte. Añq̃ des sibi istā medicinaz
⁊ p⁹ medicinā q̇busdā dieb⁹ balneet̃ sepe in aq̄
tepida: ⁊ si necesse fuerit reiterent̃ flōie dicte. Et
raso capite abluat caput q̄libet die poti^{me} in exi
tu balnei cū decoctiōe stati dicta in cura mł'ie cā
te a sanguine ⁊ co. adusta in venis ⁊ arterijs po
test vti isto electuario. ℞. ꝯserue buglosse. ʒ. i. cō-
serue roß. ʒ. ß. pul'. leti^{e}. gl. ʒ. ß. pul'. diamargl. ʒ. ij.
se. triti crudi. ℈. ij. 4. se. frioꝝ maioꝝ. añ. ʒ. ß. panis
zuc̄. qd̃ sufficit fiat electua^{m} in bol' cum aq̄ roß ⁊
scolopēdrie. Si tal' mł'ia fuerit ex fumis mł'icis
eleuatis ad cerebrū ab hūore sordido ⁊ fetulēto
sto' ibidē gñato vel misso ab ipo splene ingrossa
to p poꝝ occultū assistentē circa ei⁹ orificium: de
natura eruginosa vel ypocūdrioꝝ vel meseraica
rū vel venarū vētris q̧ om̄es iste mł'ie dicuntur
mirachie ppt̃ colligantiā ⁊ vicinitatē cū ipo mi-
rac. Verū raß vult q̧ interdū fum⁹ eleuet' ab a-
postemate calido venarū vētris tardāte suā ru-
pturā faciēs mł'iam mirachiā cū fe. ¶ Sig̃ me-
lācolie mirachie stomachal' ßm rasim in suo cō-
tinēte sunt eructua° acetosa in pñti ⁊ in pterito
hūidantia sputi humidi ardor sub ypocundrijs
rugitus. Hec sig̃ p⁹ horā comestiōis apparēt: nā
aliqualr̃ cessant: post horā comestiōis q: non fit
talis effuma°. ¶ Cōiter sunt gulosi voraces sub
dit rasis q̧ tales alleuiāt̃ post laxatiōem vētris
⁊ exitū ventositar̨ ⁊ post cōpletā digōem. ¶ Si
gna ista dicta cōicāt cōiter mł'iam mirachiā ipo
cūdrioꝝ ⁊ nō apparēt sig̃ supi⁹ ꝯsiderata i alijs
spēb⁹ mł'ie: cōiter iste spēs i regiōib⁹ fris q: gu-
losi ⁊ in calidis q: comedūt fruct⁹. ¶ Sig̃ mira-
chie meseraicaꝝ cōcomitāt̃ illā opilatiōem ⁊ re-
pletiōz earū: caliditas manuū vrina subtil' radio
sa citria mod⁹ viuēdi gulosus. ¶ Sig̃ mirachie
venarū vētris nob sunt occulta: ß p absentiā ali-
oꝝ signoꝝ ⁊ per aliquales q̄relas patiētes in p̄-
senti ⁊ in pterito venimus in aliqualem cogni-
tionem.

Cura mł'ie mirachie ßm q̧libet ei⁹ speciē
ꝑuocet̃ vomit⁹ de cōci° raß. ⁊ ß. eua
cuatio hūoꝝ mlici cū. ʒ. ß. epithimi. ⁊. ʒ. i. polipo-
dij bullir̨ in aquis casei: det̃ de mane ꝯtinuetur
trib⁹ aut. 4. dieb⁹. pñr ꝑuocet̃ vomit⁹. ℞. aq̄ de-
coctiōis attriplic̨ qrt̃. i. ß. cortic̨ ell'i albi nō ꝯq̄s-
sati. ʒ. ß. inuoluat̃ in pāno lineo raso ⁊ remoliat̃ i
dicta decoctiōe tepida p. 4. horas colet̃ ⁊ adda-
tur oximell' squillitici. ʒ. i. olei oliuarū. ʒ. ß. fiat po
tus admistret̃ de mane. Si nō est ꝑmpt⁹ ad vo-
mitū det̃ p horā p⁹ prādiū: ꝯñter dent̃ sibi in au-
rora q̄libet mane q̄tuor coclearia siru' acetosi cō
positi cū aq̄ ciceri rub. vbi sit modicū folioꝝ ab-
sinthij ꝯtinuādo istū sirupū ⁊ det̃ sibi p duos di
es in septiana pot⁹ stati dict⁹ cū aq̄ casei cū epi-
thimo. ʒ. ß. ⁊. ʒ. i. polipodij ß. decoc°. Si videat̃
talis mł'ia ꝑcedere a meseraicis vel a venis ven
tris da syrupū acetosum ⁊ sit tertia ps sirupi de
absinthio ꝯtinuādo istū ꝑcessium fac fieri istam
massaz pill'aꝝ ⁊ da sibi de ꝯci° raß. ℞. cortic̨ mi
rabol' indoꝝ epithi. añ. ʒ. iiij. ell'i nigri. ʒ. ß. sal' in-
di. ʒ. ß. polipodij lapid̃ arme^{ci}. añ. ʒ. ß. conficiat̃
massa cū sir° acetoso de q̄ fiāt pill'e dent̃. ʒ. ij. po
tes addere vel diminuere da pma vice. ix. pill'as
vel. x. hoc remittit̃ discretiōi tue. Hoc facto reita-
tur ad siru^{m} stati dictū aliq̄n in septiana da sibi
decoctiōem dictā aqua casei ⁊ semel in. xx. dieb⁹
de pill'is dictis. Si splenē durū habuerit catha-
plasinet̃ ter aut quater de mane cuz spongia vel
pāno lineo infuso in aceto decoctionis floꝝ ta
marisci sint ibi q̧diu durabit calor postea vnga-
tur cū isto vngento. ℞. armo^{ci} dissoluti in aceto
ʒ. i. vnguēr̨ dialtee. ʒ. iij. misceantur fiat vnguētū
Cibentur carnibus elecr̨ cum bono vino claro
vel albo limphetur competenter cum aqua ele-
cta ⁊ balneent̃ sepe post cibum per. vi. horas sal
tim vna die ⁊ alia non in exitu balnei abluatur
sibi caput cum floribus superius dictis: in cura
melancolie ex humore melancolico sperso ⁊ mul
tiplicato in venis ⁊ substantia cerebri de consi-
lio Rasis in suo continēte insufflet̃ in naribus

ml'ici modicū de puluere sequti cū lacte mlieris
puellā lactāt. ℞.croci musci aloes añ.ʒ.i.cāpho
re.ʒ.ß.panis zuc.ʒ.i.ß.ℛ.puluis capiat de pl'uere
modicū misceāt cū dicto lacte ⁊ i nares ei insuf-
flet. Si tal' patiens maniā habuerit cura parū
diuisificat.verū oz patiētē mag' infriare in dieta.
⁊ in sirupis ⁊ i vnctiōib' ⁊ ablutiōib' capitis ad-
dēdo olea mag' fria vngō dicto ⁊ radic' mādra-
gore dcoctiōib' dicti p ablutiōem capitis:⁊ sic ter
minet cura mlie.

De amore hereos

De amore hereos. Et nota
q amor hereos
cū sit vna spēs mlie ex q ē ibi alienat°
⁊ corruptio rōnis ⁊ apd qsdā antiqs
d: sollicitudo ml'ica q: vltra rōem sūt solliciti v-
sus mlierē ppt ɔcupiscētiā carnalē ɔceptaz ab
eis ⁊ vltiate deliciosaz habēdā ɔfidētes. ¶ No-
ta istud.ca^m.c°.dicto nūc ɔtinuare volui qm d ea
dē matia peccāte ptractāt. ¶ Et nō q amor he-
reos ē amor ml'tū excedēs sine rōne:iō d: amor
cū isania mētis ppt multū delectabile ab eis ɔce
ptū iā hndū.nā hereos grece ē multū delectabi-
le latine:⁊ lz tal' amor excedēs seu cū isania mētis
se extēdat apd plures hoies ad pl'es res vt ad fi
liū ad equū ad pecunias ad diuitias ⁊ ad pl'es
alias res estimātes illā eē vlti^m deliciei ⁊ felicita
tis mūdane.iō ribaldi aliq hnt talē amorē ad lu
dū ⁊ amorē i tabna estimātes h eē vltimū delici-
ei ⁊ cōplacētie tollerātes tales miserias ppt ta-
lem cōplacētiā hndā.ppe tn amor hereos vertit
se ad mlierē ppt deliciā carnalē vltiate eis deli-
ciosam habēdam. Nam qbusdā iuuenib' libidi
nosis videt q pticipatio carnal' cū qbusdā muli
erib' ē vlti^m deliciei ⁊ felicitatis mūdane:nam isti
ex spē mūdana sensata alicui' mlieris infixa ime-
moratiua p mēoriā freqntatā ymaginādo ɔditi
ones subiacētes:puta delicias vltiatas carnales
cū qb' mlierib' capti i amore tali ex ɔcupia car-
nali dicta vltiate ei deliciosa formāt spēm imagi
natiuā tāq sensatā q illa melior ⁊ pulcrior hone
stior ⁊ delectabilior qcūq alia mliere q pluries ⁊
pluries pntata discretiue ipse iudicat ipam fore
amādā sup oēs res ppt illā cōplacētiā vltimatā
ɔceptā:iō amāt eā vltra rōnē ⁊ cū insania mētis
¶ Ex qb' pz tibi q tal' pa° cāt a re pmitiua ex-
trisеca cū sollicitudie imagiatiue ɔtinuata dctā
exsiccāte cere^m q: ē pa° cere' sicca ppt qd forti'
infigit ydolū in ipo ⁊ ē pa° cere' poti^me i media
⁊ anteriori cellula q: p actiōe illa lesa ē nocumē
tū pncipal'r ipi' discretiue p colligātiā imagiati-
ue q habitat in ill' cellul' ⁊ illud nocumētū discre
tiue ⁊ imagiatiue ē pa° seu nocumētū actiue sē-
sus cōis mediāte morbo dicto sicco: qa dormire
nō pnt:nā accns pt eē cā morbi.3°.de morbo. cō
sequēter ē pa° regitiuarū naturaliū male digert
⁊ male appetūt ⁊ male nutriūt: iō demacerātur
y° pl'es moriūt nisi eis succurrat.

Cura

Cura istis bn clarificatis amoris hereos t'pa
tescit poti^me ex dictis a'ra si in diomb'
suis balneent ⁊ hūectētur ab extra qa pa° sicca
mediocrit dietet vt ma^a ml'ta in testicul' nō mul
tiplicet mutet de regiōe i regionē ⁊ ab ea elōge
tur cū alia coeat vt amor ex talib' ab ea mutet.
Ras vult q fortit inebriētur qbusdā dieb' vt ce-
rebrū hūectet ⁊ ipsarū obliuiscat:q: sic modica i
ebriatio insitat luxuriā ita mag obfuscat ppt ex-
cessiuā hūiditatē obliuiscūt talē actū dormiunt
velud stupidi:de q somno multū indigent. Et sic
termietur cura amoris hereos.

¶ Capl'm:xv.de catarro.

Uz caput alicui' i egressiōe
balnei discooptuz fuerit
aut p' exercitiū aut p' ali
ud fueritq3 aer frigid' ⁊ vēt' septē
trional' ⁊ acciderit ide narib' ⁊ pa
lato prurit' ⁊ cōmotio ⁊ sternuta-
tio pān' tūc calefaciēd' erit ⁊ ca-
piti supponēdus in quo tā diu mo
ret donec eger calorē in capitis p
funditatē penetrasse sentiat. Dei
de nigellā odorare incipiat ⁊ puo
cet sternutatio ⁊ caueat ne supin'
iaceat ⁊ cōedat parū a vino q3 om
nino abstineat. Qd si passio ex ap
positiōe pāni calidi alleuiata non
fuerit neq3 minuit p ip3 fiat flōia
ex cephalica ⁊ soluat nat a ex reb'
q nō exasperāt sicut hec decoctio
quā i potu sumere debet q tussim
patit ⁊ in pectore asperitatē habet
⁊ indiget vētris solutōe que. ℞ iu
iubas.xx.sebestē.xxx.pass enucle-
atarū.ʒ.x.violarum siccarū.ʒ.iiii.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

iras. liq̄ri. fricate. ʒ. v. fic⁹ citrinas coq̄nť i. iij. lľ. aq̄ donec redeāt ad vnā ⁊ coleť ⁊ i colaťa dissoluāť cas sieſi. ʒ. vij. frāniabi. ʒ. x. q̄d si neq̧ flōmia ꝓfuerit neq̧ vētris solo et maťia ad pect⁹ descēderit ⁊ cōmo ueāť tussis ⁊ febris illico fiat flōia ⁊ patiens a carne abstineat ⁊ vi no ⁊ ī potu sumat aquam ordei ⁊ muraba violatū ꝙdiu calor fixus pseuerauerit ⁊ tussꝭ fuerit sicca ⁊ a spera sȝ p⁹ꝙ calor q̄euerit ⁊ tussis mollificata fuerit ⁊ screare icepit hec decoctō q̄q̧ die cū muraba vi olata dāda erit donec pect⁹ mūdi ficeť ⁊ tussꝭ sedeť ⁊ vox clara red dať q̄. ℞. fic⁹ citri. v. iuiub. x. sebe stē. xx. passꝭ. alba. ⁊ enuclea. ʒ. x. li q̄ri. excorticato. ʒ. v. coq̄nť vsq̧ ad dissolōnē ⁊ coleť ⁊ denť ex hoc oī die. ℥. iij. ī potu cū murabꝫ. violľ. ʒ. v si vō tussꝭ iueťauerit ac diu pmāse rit tūc ondem⁹ q̄lr curāda sit cū d̄ tussꝭ cura tractabim⁹. ꝙ si cursus i narib⁹ diu pseuerauerit ⁊ n̄ fuerit calor flux⁹ erit restrīgēd⁹ suffumi gādo nares p traiectoriū. ⁊ si q̄d p nares effluit sōtile ac acutū ac citri nū fuerit suffumigatō fiat ex sul fure ifuso pri⁹ ī aceto ⁊ p⁹ea sicca to aut ex fabis aut ordeo excorti caťī ⁊ ī aceto pri⁹ ifusꝭ ⁊ p⁹siccatis aut ex ȝucc. al. ⁊ sādal. al. ꝙ sineq̧ colorʼ neq̧ rubed̄. ī facie fuerit suf fumi. fiat ex costo aut thure. Hec nāq̧ suffumigatō fluxū restrigit.

De catarro ⁊ de eius cura. **D**e catarro id est de humore cadente ad inferius ad partes subiacentes vel de reumate ꝓut intitulatur a quibusdam modernis. i. de hūore ruente ad ptes vicinas ⁊ subiacētes q̄z d̄ rōne grauis ē descēdere ⁊ ruere ad ptes subiacētes ⁊ bassas. vel intēdū ruit ad ptē q̄si laťalē ⁊ ad hꝰ facit natura expulsiua irregulata vt pȝ in obtalmia q̄ fit cōiť p viā catarri ⁊ reumatismi maͤ cerebri. ⁊ ista noīa sūt sinonima idē significāª. lȝ reuma sit nomē gn̄ale ad quecūq̧ hūorē cadētē. iō dicūt auctores ꝙ reuma ē mať oīuȝ egritudinū q̄z ruit ⁊ cadit ad mēbꝝ q̄d venire nō d̄ȝ ꝭm naturā ꝓpť q̄d fac̄ morbū p colligātiā. Sumēdo ꝓpe ē humor ruēs a capite ad alia mēbra. vn̄ v̄. Si fluat ad pect⁹ dicať reuma catarr⁹. Ad fauces branc⁹ ad nares dico corisam. Si fluat ad stōm fac̄ dolorē stōi. Agnoscim⁹ ꝙ dolor stōi fit a tali cā qn̄ venit post sōnū diurnū vľ tpe australi. Aliqn̄ fluit ad lat⁹ fac̄ pleuresim ⁊ q̄z hūor ruēs ⁊ cadēs ad ptes subiacētes ē subtilis i subā aliť nō caderet nec rueret. iō in oī maª reumatica cū febre et sine fe. ꝓhibem⁹ syruᵐ nisi in pn̄ᵒ ⁊ augᵒ ⁊ oia subtiliātia ⁊ apiētia q̄z maior flux⁹ ⁊ casus hūorū ꝓuocaret. Si sit sine fe. tľis reuma ⁊ hu. sint calidi frōs in tactu erit calid⁹ ⁊ erit aliq̄liť sitibūdus ⁊ ecōtra. ¶ Vlti⁹ nō. ꝙ oīs catarr⁹ vľ reuma ruit vľ cadit vno de trib⁹ modis. Vnoᵒ p viā dissolutōis a calido: tľe calidū cōiť ē extinsecū vt calor solľ potissime capite discoopto nimia coopťura capiť vľ foderatura d̄ varijs gͤssis de die et nocte facit hoīez reumaticū p viā dissolutiōis nimi⁹ mot⁹ balneū odores fortes lilij. mētastri. q̄z vapores calidi descisi ab illis reb⁹ subintrātes p nares ocľos ⁊ aures q̄z calidi dissoluūt hūiditatē cerebri. auster hꝰ idē facit q̄z ē ibi vapor marin⁹ calid⁹ mot⁹ subitrās p nares ⁊ alijs modis dissoluit hūiditates capiť ⁊ alioꝝ mēbroꝝ sintdū tľe calīn ē extinsecū vt fum⁹ eleuatus a cibis calidis ad caput puta ab allijs cepis porris potagio cū saťspēb⁹: a vino puro. multa reumata sūt d̄ pintalpho seu de pinta a crapula cibi ⁊ pot⁹ ab ebrietate seu potu magno vini puri seu male liphati fflomia silľr ē cā tľis eleuatiōis fūositaťp viam dissolutōis: nec nō ipsa dissoluit hūores ex se sic fac̄ ruere ⁊ currere hūores p corp⁹ in nō suo loco potissime facta i modica ꝙtitate ē casus quē dubito in magnatib⁹ flōmādo eos q̄z ex hoc peius sentiūt fcā flōmia p. 3. vel. 4. dies. ꝭ nos palliam⁹ dicētes eis ꝙ nō bn̄ se custodierūt a frigo

re vl' parū extraxīmꝰ ꝺ sanguie. Silr sōnꝰ diurnꝰ cito factꝰ pꝰ cibū replet caput ꝑpt magnā effumationē ad caput. q: cibꝰ nōdū descēderat ad locū bone digōnis puta ad fūdū stōi. nā fūdi ē digerere sic orificij appetere. 4° ꝺ morbo. ¶ 2° ruit ⁊ cadit tl'is hūor ꝑ viā cōpssiōis pellicl'aꝝ ⁊ nurigaꝝ cerebri a frō extn^co. nā frigꝰ extnsecū pōt pº ledere caput vl' ꝯnr ꝑ colligātiā pedū. nā pedes i frati infrant ꝑtē pꝰ partē supiorē sic ꝙ venit talis fritas si fortꝫ fuerit ad stōm ⁊ cerebꝝ. ⁊ iste casus sepiꝰ ꝯtigit q: pl'es sūt catarrizati ⁊ hñt lesionē stōi a frigore pedū mirātes ꝺ h cū teneāt caput satꝫ cooꝑtū. silr si tl'is cōpssio pellicl'arū cerebri ab aere vaporoso gsso reumatico attracto per nares ꝑut ꝯtigit dormiētibꝰ in cameris trreis et bassis. nā tl'is aer ē grossus ꝑpt vapores gssos trreos nō depuratus nec euētatꝰ ab illis. iō attractus ꝑ nares mordicat pellicl'as cerebri ꝑpt quā mordicationē ꝯstrigūtꝫ i se ꝑpt eaꝝ naturā. vt declarat ga. 5 archigenē 2° ꝺ intio. ad quā ꝯctionē neccio seqtꝫ exalatio suaꝝ hūiditatū. ⁊c tales hūiditates fluūt ⁊ ruūt ad ꝑtes subiacētes. iō dicimꝰ tl'ibꝰ accubātibꝰ i talibꝰ cameris teneatꝫ ibi ꝺ paleis ⁊c nō eleuātꝫ illi vapores trrei reumatici ⁊ sint fenestre apte ꝺ die potissime opposite vt vapor meliꝰ coletꝫ. ¶ Quibusdā delicatꝫ ꝯtigit tl'e reuma ꝑ viā ꝯpssiōis si exeāt camerā tꝑe vētoso nec eqtēt nā vētꝰ ē vapor motꝰ q subitrās per nares mordicās dcās pelliculas cerebri ē cā ꝯctiōis earū ex natura eaꝝ. ꝑpt quā ꝯstrictionē ruit ⁊ fluit ab ipis hūiditas i ipsis ꝯtinue ꝯgregata ꝑ viam effumatōis. ¶ 3° mō ruit ⁊ cadit hūor pellicl'aꝝ cerebri ex sui multitudie gvāte ꝯtētiuā ipsaꝝ. ꝑpt qꝺ ipsa debilitata a ꝙto desinit abire dictas humiditates. iste casus ꝯtigit in pnº veris q: hūores incipiūt rarificari. ¶ Et notādū ꝙ hñtes caput rarū cal'm: catarrizāt a cā extn^ca sic hñtes caput frm catarrizāt a cā intn^ca cal'a a cibo ⁊ potu calīꝺ. vt ab alliata pipata. imo forti pigmēto ⁊ similibꝰ dissoluētibꝰ hūiditates supfluas gñatas ⁊ multiplicatas i capitibꝰ eoꝝ ꝑpt debilē digōnē rōne cal'. natural' claudicātꝫ qꝺē hoꝝ: ꝯtic vl' q si sūt catarrizati loqntes cū naribꝰ ꝑpt ꝯtim descēsū hūoꝝ a modica cā intnseca q: multi.

Primo tu qres cuiꝰ ꝑticl'e capitꝫ catarrꝰ ꝑpe dictꝰ ē paº pnr. Dicēdū ꝙ i reumate vl' catarro a cā extn^ca pellicl'a coopiens craneū patitꝫ pnr vna cū lacertꝫ illis assistētibꝰ nā declaratū ē supiꝰ. c. ꝺ cephalea ālr in dolore capitis talis pellicl'a patitꝫ pnr. ⁊ si tl'is cā extn^ca fuerit fortiꝰ coicāt pellicl'e coopiētes ⁊ frenātes ipm cerebrū vna cū ipso cerebro. ꝑpt qꝺ i reumate a cā extn^ca fra valēt pāni linei calefacti pl'ies applicati i itroitu lecti sup caput vt vult rasꝫ ⁊ ē cura platoꝝ in reumate qn fecerūt offm suū in missis tꝑe frō. Et si vltiꝰ pānꝰ vltio applicatꝰ suffumigetꝫ cū thure erit meliꝰ in reumate. A cā intnseca ꝑticl'a pnr patiēs sūt pellicl'e coopiētes cerebruꝫ vna cū eo in q catarro valēt sacculi positi sup cōmissurā capitꝫ ꝺ milio ꝯqssato paꝝ ⁊ paꝝ exiccato sup tegulā calidā in tribꝰ ꝑtibꝰ ⁊ 4a ꝑte salis ꝯtriti fiūt duo vl' tres sacculi successiue vnꝰ pꝰ alium sepe ⁊ sepiꝰ applicētꝫ. fiāt sacculi intbastati i lōgitudie digiti ⁊ in latitudie triū digitoꝝ. ga. xij. de ingeº. c. vltio dic ꝙ miliū gnū ē leue ⁊ resoluit ⁊ exiccat sine pūctiōe. Auēzoar in pnº sui libri ꝑ ꝑuatiōe ⁊ cura reumatisini ⁊ catarri veniētꝫ a debilitate vtutꝫ nutritie cerebri ꝑut ꝯtigit hñtibꝰ cerebꝝ frm a gñatōe ⁊ a tꝑe iubet potissime tꝑe frō spgere sup antiorē capitꝫ puta sup cōissurā oi nocte in itroitu lecti gariofilos puluerizatos. et ābo gña mētastri ⁊ alijs tꝑibꝰ anni puta vere ⁊ autūno iubet spgere maq pluerizati supra cōissurā dictā ⁊ cortic citri pluerizati q: cortex citri nō ē tāte calitatꝫ sic maq. ⁊ mētastra sūt minoris caliditatꝫ ꝙ gariofili. Istis remedijs silr ego vtor cura ⁊ ꝑuatiōe catarri antiqti in magnatibꝰ: quia ē remediū gtū ⁊ vtile. loco huiꝰ facio puluerē de anthos. ⁊ pono supra cōissurā silr.

Secūdo tu qres si catarrꝰ ē passio per se vl' ꝑ colligātiā. Dicēdū ꝙ si tl'is catarrꝰ cāretꝫ a mlta maa gvante ꝯtētiuā in pellicul' cerebri cā em extn^ca cessāte qꝺ raro ꝯtigit tūc ē passio ꝑ se q: ex nocumēto ꝑpo ꝯtētiue pelliculaꝝ cerebri ꝑut ꝯtigit qbusdā ⁊ pauq i medio veris. Si aūt fiat a pmis duabꝰ cāis dictꝫ puta a calido dissoluēte vl' frō cōpmēte pelliculas cerebri extn^co vl' a vapore calido vl' frō subitrāte ꝑ nares cū vēto vl' iacēte in camera trrea. Dico ꝙ tūc ē ꝑ colligātiā rei extnsece q: tūc venit ad caput seu ad pellicl'as dictas qꝺ venire non dꝫ fm naturā puta calitas excedēs dissoluens vl' fritas excedēs cōpmēs dcās pellicl'as vl' vapor gssus trreꝰ vl' vētosus nā tl'ia venire nō dēnt ad ipsum cerebꝝ fm naturam in suo conseruari

Tertio tu qres catarrꝰ q paº ē in gñe ⁊ i spē. Dicedū ꝙ official' in via quia oppilatio viaꝝ a maa fluēte ⁊ morbꝰ i receptaculo q: repletꝫ a tl'i maa fluēte ꝯcomitādo secū morbū ꝯsil'em calidū vl' fri. tāqꝫ cām ⁊ h vult ga. viº. de morbo. c. penulº. ꝙ sit ꝯsil'is ⁊ official' ad lraꝫ ⁊ ꝯcomitatꝫ morbꝰ in supficie q: guttꝫ ⁊ cāna pulmōis exaspantꝫ. iō damꝰ penidias aqm tepidā cū satꝫ de zucco vicila ouoꝝ tremulosa i itroitu lecti

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

Quarto tu q̄res cui⁹ v̄tuꝶ catarr⁹ ē nocumētū p̄nr passiue intelligēdo. Dicēdū ꝙ ꝑ cā gn̄ata maꞇiali ē nocumētū regitiue natural' digestiue ꞇ nutritiue cerebri ꞇ ipsius expulsiue natural' ꞇ vitalis: nā si iste nō errasset t'lis ma^a^ nō fuisset gn̄ata. h̄ vult ga. 6° de morbo c. vltio. Jdē vltio de igenio. c. 2°. in cā veniēte per colligātiā ledit' sil'r digestiua ꞇ expulsiua natural' mēbri mādāꝶ vt vult ga. in loc̄ allegaꝶ. & ꝑ casu ꞇ fluxu h̄ūoris ē nocumētū p̄ncipal'r ꞇ imediate ipsi⁹ ꝯtētie pelliculaꝝ cerebri q̄ debilitas ē sibi ꝑ colligātiā vt pl'imū vt ē bn̄ declaratū in q̄dā q̄ōne ꝯtētia a q̄to gn̄aꞇ ꞇ icitaꞇ sic expulsiua a q̄li. vi. d' morbo i pl'ib⁹ loc̄. Jdē. vi. d' intio. c. p̄mo.

Quinto tu q̄res. catarr⁹ cui⁹ v̄tuꝶ ē nocumētū seu passio p̄nr actiue. id est cui p̄nr t'lis catarr⁹ infert nocumētū. Dico ꝙ ē nocūmētū p̄nr regitiuaꝝ naturaliū mēbroꝝ ad q̄ fluit ma^a^ puta digestiue retētiue attractiue ꞇ expulsiue nam talis ma^a^ male q̄litaꞇ alt'at mēbra ad q̄ fluit cōiꞇ ad malā frām ꞇ h̄ūidā cōpl'ōnē: ꞇ sic cōplexionē ꝓpriā corrūpēdo. ꞇ ꝑ ꝯn̄s actiōes eius naturales: q: v̄tutes nō senescūt nisi rōne instrumēti vl' organi in erroꝛib⁹ de aīa. ꞇ ꝯn̄r ē pa° seu nocumētū actiue officialiū v̄tutū. nā cadēdo ꞇ ruēdo t'lis ma^a^ oppilat replet ꞇ exaspat vias ꝯcōitātes supficiēs mēbroꝝ ad q̄ fluit ꞇ opilādo pōt inducere malā cōpl'ōnē calidā vt videm⁹ in maꞇia fluēte ad st̄ōm ꝙ cābūt malā frām ꞇ h̄ūidā i st̄ō. ꞇ malā calidā in epate venas meseraicas opilādo ꝓpꞇ q̄d in catarro frō appēt vrine infrdū rubee.

Sexto tu q̄res q̄b⁹ hōīb⁹ catarr⁹ pl'ies accidit. Dicendū ꝙ colerici raris caluis ꞇ nō caluis de facili a cā calida ꞇ frā cito accidit. nā rōne rare ꝯtexture stati patiūꞇ a cā extrinseca. Fl'atici aūt cito catarrizāt a cā intrinseca vaporosa dissoluēte. nā q: tales h̄nt debilē digestiuā ꞇ nutritiuā in capitib⁹ eoꝝ in cerebro ꞇ pelliculis nutrimētū eueniēs ꝑ venas in sup fluitatē ꝯuertiꞇ. h̄ vult ga. 6° de morbo. c. vltio. ad quam maꞇiā multiplicādā i cerebro ꞇ pellicul' facit debilitas st̄ōi ꞇ epaꝶ ꝓpꞇ calorē naturalē claudicātē in eis i q̄busdā hoꝛis ruit maꞇia a cerebro pximalit' ter aut q̄ter. ad pect⁹ ad st̄ōm a cā modica extrinseca vt ab austro vl' a sōno diurno vl' sine cā extrinseca maīfesta rōne mltitudis ma^e^ fluit et ruit a debili ꝯtētia. ꞇ iste cas⁹ ē i q̄busdā dn̄is cardinalib⁹ ꞇ aliꝭ dn̄is. Jn istis multū ꝓficit ꝯsiliū auēzoar ponere sup cōmissurā puluerē gariofi. vtri usꝗ mētastri. ꞇ alio maq̄ ꞇ cortic̄ citri. ꞇ anthos nā t'les pl'es exiccāt ꞇ ꝯfortāt digestiuā cerebri ꞇ pelliclaꝝ calefaciē° ꞇ altādo malā cōpl'ōnē eoꝝ.

Septimo tu q̄res a quib⁹ cāis pl'ies hodie ꝯtigit catarr⁹. Dicēdū ꝙ a cooptura capiꝶ idebita de nocte ꞇ de die capita rarefiūt ꞇ debilitāꞇ sic catarrizāt cā duplici. nā t'lis cooptura rarificat cōpositionē capitis sic debilitāt ei⁹ actōes nat'ales ꞇ aīales. auic. 3°. caṗ. c. ꝓpō. q: ꝯpō fac̄ ad vtrāꝗ actionē lꝫ p̄ncipali⁹ ad officialē. ¶ 2° nō q: t'lis cooptura excedēs dissoluit h̄ūiditates cerebri. ꞇ fac̄ ruere ꞇ cadere h̄ūores ad st̄ōm: mlti h̄nt debilē st̄ōm ex h̄ꞇ malā ꝯpl'ōnē frām ꞇ h̄ūidā cū ma^a^ in st̄ō. ſex hoc etiā mlti disponūꞇ ad ptisim ex t'li excessiua cooptura capiꝶ ꝓpꞇ talē dissolutionē h̄ūiditatū cerebri. Sil'r ꝯtigit t'lis catarr⁹ cōiꞇ hodie plus ex potu vini excessiuo. nā ex t'li potu i cerebro mag̃ mltiplicaꞇ per viā effumatōis. sil'r ex t'li fumositate mltiplicata caloꝛ natural' cerebri ꞇ pellicl'aꝝ debilitaꞇ ꞇ hebetaꞇ. sic cā duplici ex t'li potu catarr⁹ multiplicatur.

Octauo tu q̄res si ma^a^ catarrisās ꞇ fluens a capite ad ptes iferioꝛes fluit ꝑ venas ꞇ arťias aut ꝑ poros capiꝶ aut al's. Dicēdū ꝙ si ma^a^ catarrizās ꞇ fluēs a capite ad ptes iferioꝛes fuerit sāguinea i toto vl' in pte vel co^ca^ tē ruit ꞇ cadit iferi⁹ ꝑ vēas ꞇ arťias q̄d pꝫ in obtal^a^ co^ca^ ꞇ san. q̄d demōstrat ēt flux⁹ vētri h̄ūoral' ꞇ coleric⁹ spūos⁹ ꞇ forsā aliq̄ pleureꝭ. nā talis ma^a^ ꝯcidiꞇ a vēis ꞇ arťiꝭ cerebri ꞇ pellicl'aꝝ ei⁹ ꞇ ꝑtiū supioꝝ i q̄b⁹ pauci medici adūtūt ꝓpꞇ q̄d isti cāib⁹ rab ꞇ aliꝭ auctores faciūt flōmias trās acꝶ trib⁹ dieb⁹. si āt t'lis ma^a^ catarrizās fuerit fl'atica tē ē ex vēas q: ibibita i pellicul' cerebri ꞇ suis ꝯcauitatib⁹: tē fluit ꝑ poros ꞇ meat⁹ diūsos puta ad oclos ad nares ad palatū ad st̄ōm ad pectus ad collū ꝑ ꝯcauitates lacertoꝝ. iō q: lacti colli ꞇ nerui colli reūsiūꞇ iuuēiles h̄ūectāt nimis faciētes advocē. iō catarrici s̄t rauci. fluit aliq̄n ad l. r⁹ ad dorsū i ml'ꝭ ē q̄rela ptiū dcāꝝ st̄ōi colli dorsi lateꝶ ꝓpꞇ ma^am^ ruētē catarrizātē. ꞇ si venerit p⁹ sōnū vl' tpe pluuioso vl' australi tē cog̃scim⁹ ꝙ h̄ est ꝑ viā catarri ꞇ reuma' vt declarat ga. 2° d' ꝯpl'ōib⁹

Nono tu q̄res vtꝝ flōia cōpetat i catarro. vr̄ ꝙ non expiē^a^ vulgi male se h̄ñt ꞇ fiūt rauci i tota vita eoꝝ ꝓpꞇ q̄d abhoꝛrēt facere i catarro. itē augm̄tat cāꝫ ꞇ catar. pꝫ q: flōia ex se fac̄ currere ꞇ ruere h̄ūores. itē ꝑ substrauōe ma^e^ trahit maꞇias magnas ifra vēas q̄ p'ri⁹ erāt ex. ¶ Jn ꝯriū ē rab ꞇ aliꝭ i ista ma^a^ i. c. d' pleuresi ꞇ d' sq̄nātia ꞇ i ml'ꝭ cāib⁹ reūatic̄. Dicēdū ē ꝙ solutū ē itelligēti ꝑ dcā i q̄ōe p̄cedēti ꝙ i catarro de ma^a^ sāguinea col' vl' salsoꝛa ꝯpetit trāsfac̄ ꝓmis diebus. h̄ vult rab ꞇ aliꝭ auctoꝛes ꞇ interdū 2^a^ die

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

aut 3ª vt in pleuresi i catarro de maª fria flātica
in toto vel i parte nō cōpetit flōia ꝓpt rōnes di-
ctas nisi faceret apā in pte nobili vt in gula ⁊ in
pectoralib⁹ vt ꝑipleumōia vl'plesi ⁊ nō cōpetit
poti^{me} in pn° nā si talis catarr⁹ ꝓlongaretur ⁊
maturaret ⁊ pa. haberet venas latas ⁊ eēt assue
tus facere flōiam tūc posset cōpetere nā oēs cō-
ueniūt ꝙ in catarro antiq̄to ⁊ digesto cuiuscūq
ma^{c} fuerit nō ē melior medicia ꝙ flōia ⁊ stupha
q: matia tūc nccio ē venal' ⁊ fit ꝑ flōiam ⁊ ꝑ stu
pham maª optime repellit.

Undecimo tu q̄res q̄re plres flōati in pn° catarri ⁊ reu-
matis facti sunt i tota vita eoꝝ rauci: Soluit lr̄a.
pmo de int. c. vij. ⁊ .4. de int. c. de nocumēto voc:
vbi dicit ꝙ qn̄ nerui iuuenles ⁊ nerui reūsiui q
sunt nerui ꝓpij voc ⁊ sūt in faucib⁹ qn̄ isti nerui
vna cū lacert ⁊ pelliculis guttur ⁊ colli patiun-
tur: q̄cūq mō patiātur poti^{me} si patiātur malā
ꝯ°nem hūidā ⁊ friam tūc vox amputat: ⁊ q: i ca
tarro frio dicte ptes patiūtur dictā malā ꝯplōez
friam ⁊ hūidā ꝓpt ma^{am} cadentē in ptibus ill'
ꝑ vias ⁊ cōcauitates lacertoꝝ: iō catarrici rauci
sunt ⁊ q̇a in flōia fit maior flux⁹ ⁊ cursus hūor
ad loca dicta: iō fit ita forꝫ mala cōplō fria ⁊ hu
mida in ptib⁹ ill' q̇a bn̄ curari nō pōt. ¶ Et si cu
rat nō curat de mag̈ tempe forsan de anno. Et
aliqn̄ auctores dicūt ꝙ hūores capit ita habili-
tantur in fluxu illo ex hoc ꝙ semꝑ ruūt ⁊ fluūt ꝑ
ptes illas: iō semꝑ sunt rauci qđ nō ꝯtingit i ca-
tarro calido de sanguine vl' de colā q̇a matia est
intra venas ⁊ arterias cerebri ⁊ ei⁹ pellicularuꝫ
nec forsan fit i catarro frio antiq̄to ⁊ maturo q̇a
matia intrauit venas poti^{me} in venosis in habē
tib⁹ venas latas q̇a vie sunt ꝓmpte ⁊ aperte: q̄
vie ꝯtinguātur cū dicta matia cerebri ꝓpt qđ ta
lis matia in ꝓcessu subitrat venas illas ⁊ h° fit đ
possibili in cōcauitate pector ꝙ matia in conca
uo pector detēta aliqn̄ subintrat vt declarat ga.
vi. de interiorib⁹. c. iij. in fine caplī.

Duodecimo tu q̄res: q̄ sunt illa q̄ mag preseruāt a
reumate poti^{me} in hoib⁹ q̇busdā disposit ⁊ pa-
ratis ad reuma. Dicēdū ꝙ cooꝑtura capit mode
rata: nā excedēs cooꝑtura capitis cōtinuata de
die ⁊ đ nocte rarificādo caput dispōit ad reuma
Simil'r ire ad stuphas siccas bis vel ter in āno
sto° ieiuno ꝑseruāt. Simil'r sumere đ metridato
bis in septimana vel ter si tp̄s pluuiosum vl' fri-
gidū fuerit in q̄titate duarū fabarū grossarū cū
vino modico claro dissoluto det in aurora vel p⁹
cenā .4. aut. v^{e}. horis. ¶ Aduerte tn̄ ꝙ vina alba
⁊ subtilia ⁊ petrociliū sunt multū vitāda q: reu-
ma ꝓuocat vias aperiēdo hūorē subtilē generā
do: tales ergo suspecti vtant riso bis in septima
na cocto cū brodio carniū vl' alīs vtātur coctanis
piris coct in fine mēse in modica q̄titate tn̄ vta
tur vino grosso vitādo potū int duas comestio-
nes. vitēt etiā ꝯsortiū mulierū potissime p⁹ cibū.

Cura catarri. Istis clarificat cura catarri cū fe. ⁊ sine fe. tibi patescit. Nā ꝯclu
sum est in p̄cedētib⁹ ꝙ matia q̄ fluit in catarro a
capite ad ptes subiacētes ē subtilis: alit nō flue
ret ingrossetur ergo in partib⁹ supiorib⁹ in pmis
dieb⁹ ne fluat ad dicta mēbra ⁊ ledat ea naꝫ ca-
dens ad organa sensuū ledit ea ⁊ ꝑ ꝯn̄s sensus
cadens ad fauces causat raucedinē remolliēdo
neruos iuuenles reūsiuos q̄ sunt neruivoc mo-
uētes lacertos guttur in formā cāpane informā
do vocē. p° ⁊ .4°. đ intio. ⁊ q: motiui debēt eē sic
ci in coꝝ natura cadēs in gutture: vl' in cāna pul-
monis facit apā squināticū: vel asꝑitatē guttur
⁊ cāne: q: matia mordax ex q̄ est fria salsa acuta
vl' colica: vl' q̇a ineq̄lr inheret in ptib⁹ ill': iō exa-
sperat cadēs ad pulmonē ⁊ pect⁹ cāt tussim vel
apā ꝑiplonicū: nā sensitiua illarū partiuꝫ sentiēs
nocumētū incitat expulsiuā naturalē vt expellat
fortiter cū conatu motiue aiate. Illud nocumen
tū talis mot⁹ đr tussis vt declarabit in sequētib⁹
cadēs ad stomachū facit dolorē stomachi: cadēs
ad lat⁹ facit pleuresim siccum est ergo talē ma-
teriā ingrossare vt talis fluxus nociu⁹ sedetur in
pncipio g̈ cuiuscūq catarri cal'i vl' fri frigida cū
substātia mediocri vel grossa administrētur vt ma
teria cadēs in catarro igrosset ⁊ casus ei⁹ ꝓhue-
tur. ¶ Si q̇s catarrū de matia cal'a vel fria sine
fe. habuerit in pmis dieb⁹ vtat risi ordeato inte-
gro bn̄ cocto cū aq̄ pulle vl' cū lacte amigđ. vtat
pull' ꝑdicib⁹ auicul' ꝑuis edulo bullit vl' assatis
⁊ meli⁹. vtat piris ⁊ coctanis coct in modica tn̄
q̄titate: vino grosso limphato cū aq̄ ꝯfracta se-
mi tepida. vl' ꝙ in tacea ponat tosta panis cal'a
qn̄ voluerit potare qđ facim⁹ pncipalib⁹ poti^{me}
tꝑe frio postponāt somnū ⁊ offas. Si mlr tal' ca
tarrisat⁹ g̈uaret da sibi 3ª vl'. 4ª die cassiāf. ℞.
prunoꝝ damasc̄ vuarū pass. mūdat ab aril' ca-
ricaꝝ piguiū iuiube sebestē. an̄. p. b. f. decoc° i du
ab⁹ lb'. aq̄ donec redeat ad lb'. b. in q̄ dissoluat me
dulle cassief. bn̄ mūdate a g̈nul'. ʒ. i. b. vl'. ʒ. ij. in q̄
busdā cōpact dure eductiōis f. pot⁹ det i ortu so
lis iaceat i lecto ꝑ tres horas capite basso sūpta
cassiaf. abluāt os cū cassiaf. postꝙ iacuerit in le

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

cto ꝑ tres horas surgat vadat ꝑ domū ad vnā
horam ⁊ vltra. Postea dato ꝙ parum assellaue
rint: potent de brodio pulle macriori ⁊ pran⸗
deāt q: magꝭ assellabūt pᵒ pradiū si nō placeret
sibi da ei clistere cōe. ℞. maluarū sicle mercurial'
añ. m. i. an' marat'. añ. ʒ. ß. furfurꝭ grossi. m. ß. f. de
cocᵒ i q̄ dissoluat̄ yerapigᵉ gal'. ʒ. ß. cassieſ. mūd
ʒ. i. olei cōis q̄rt. ß. sal' cōis ſ. clistere. pl' vʒ iᵃ cas
siaſ. ꝙ. x. clisteria i h̄ casu. ¶ Cōseqnt si maᵃ ca
tarri fuerit cal'a qđ patescit q: vrine coloᵉ facies
aliq̄l'r rubea calor i frōte si sit venosus ⁊ assuetus
flōia fac sibi flōiaʒ. 6ᵒ die đ epatica vl' mediana
si grossior fuerit vtat̄ diadrag. frio l' diapapauer̄
i pnᵒ catarri vsq̄ ad mediū augmēti. postea pote
ris ꝑmiscere vnā ꝑtē diairis salomōis: q: t̄tiā vel
q̄rtā ꝑtē vt matia fluxa satꝭ ingrossata ꝑ sputum
expellat̄ trāsacto medio augm̄ti ipiᵘ catarri faci
es viceūsa. Pōe eq̄l'r đ istꝭ el'ciis vl' pl' đ diarriis
facies sic. ℞. ꝯserue capilli venerꝭ. ʒ. ß. ꝯserue iso
pi. ʒ. ß. diairis salomōis. q̄rt. i. ß. diadrag̃. fri q̄rt. i.
pānoꝝ auri puri ſ. ꝯditū i modū zuc. roſ. vl' da si
bi de diaysopo. ¶ Tu dices i q̄ cognoscā pnciᵐ
augmēti ipiᵘ catarri. Dicēdū ꝙ pnᵐ catarri du⸗
rat ꝙdiu matia ē subtil' aq̄sa intelligas pnᵐ ca
tarri q̄ ad digōeʒ mō exponit̄ pnᵐ augmēti ē q̄n
matia q̄ icipit igrossari ⁊ q̄n cōpetet̄ ingrossatur
ē i fine augmēti vl' i pnᵒ statᵘ q̄n bn̄ ⁊ fortit̄ ē in⸗
grossata tūc ē statᵘ catarri q̄ ad digōeʒ mᵉ puta
ꝙdiu matia spuit̄ subtil'r debemᵘ dare igrossati
ua vt tibi ꝑdixi. ¶ Nota tn̄ ꝙ tꝑa catarri q̄ ad ca
sum seu descēsuʒ matie nō distiguūt̄ penes illa
q̄ dicta sūt s;q̄ ad maiorē ḡuitatē ꝑtiū subiacētiū
⁊ abūdātiā tal' matie in ore ⁊ i gutture cōit̄ mate
ria currit ⁊ fluit ꝑ maiori ꝑte i tribᵘ ⁊ q̄tuor die⸗
bᵘ ꝓpt̄ qđ ē ꝯciliū ꝙ 3ᵃ vl' 4ᵃ die des sibi cassiā⸗
filtu. dictā vt matia fluxa i pectoralibᵘ ⁊ stoᵒ eua
cuet̄ postꝙ trāsiuerit. 6. dies ⁊ catarrᵘ q̄ ad dige
stionē matie fuerit i statu facta flōia si ꝑdicta fu
erit faciēᵃ ad h̄. Stuphet̄ sibi caput i introitu le⸗
cti prudet̄ ⁊ sudabit ⁊ dormiet stati tota materia
spuēdo ⁊ sudādo erit euacuata. ℞. floꝝ cāomil⸗
le mell'. añ. p. i. ysopi. p. ij. vuaꝝ pass'. p. ij. ſ. decocᵒ
i aq̄ cū aq̄ stuphet̄ i facie ⁊ i frōte ⁊ i introitu le⸗
cti vt dictū ē. ¶ Sup h̄ nō ꝙ ad catarrū cōit̄ sub
seq̄tur tussis aliq̄l' q: portio aliq̄l' descēdit ad pec
toralia: q: patiens a tali modica tussi nō mltū
ḡuat̄ nō stamᵘ i remediis sup tali tussi qđ si esset
fortꝭ admistramᵘ de pillis q̄s teneat vnaʒ in ore
ꝯtiᵉ. Et lʒ infra in. c. de tussi hēat locū magꝭ inter
dū pill'e hn̄t locū i isto casu q: matia mlta i pnᵒ
catarri icipit fluere ad pectᵘ teneat đ ill' pill'is q̄
sunt satis placide ⁊ ꝓhibēt casū matie ad pecto
ralia, maᵃ igrossando i pnᵒ catarri anꝙ maᵃ spu
at̄ grossa spissa đ q̄cūq; maᵃ fuerit siue cal'a siue
fria, q: ꝙcūq; matiaʒ igssāt. ℞. se: pap. al. se. portu
lace, caude pemdiarū dragagā' ifusi. añ. ʒ. i. opij.
ʒ. i. ꝯficiātur cū sirᵒ mirtino vl' de papaᵉ fiāt pil⸗
lule ad modū lupini vl' medie fabe. Velᶜ de q̄bᵘ
vtimur i curia romana. ℞. gūi arab. ʒ. ß. gūi albi
drag'. ʒ. i. amidi. ʒ. ij. zuc. cādi q̄r. ß. panis zuc. q̄r.
i. gūi i aq̄ roſ. dissoluāt̄ ꝑ duos dies ⁊ sil' icorꝑen
tur fiāt pill'e ꝑue ad modū lupini vl' ꝑue fabe q̄
exsiccēt̄ ꝑ duos dies: Iste pill'e igrossant matiaʒ
iō sedāt tussim h̄ vult serapio pᵒ suoꝝ simpliciuʒ
c. de medicis sedātibᵘ tussiʒ: verū magꝭ appropri
ant̄ i matia cal'a lʒ i vtraq; valeat q: quēcunq; i
grossant: postꝙ matia spuit̄ bn̄ igrossata nō de⸗
bes vti istis pill'is s; vtarꝭ de diairis salomōis. vl'
de carnibᵘ iris ꝯseruatꝭ cū melle faciūt ad expl'si
onē mᵉ ꝑtiū pectoraliū cōpetēter teneat i ore loᵒ
pill'aꝝ: ⁊ pᵘ pausaʒ trāsglutiat si nō sit curatᵘ a
tali reumate ifra. x. vel. xij. dies da sibi cassiāſ. ite
rū dictā mō dicto. ¶ Postea vadas ad stuphas
nā matia digesta i catarro flōie ⁊ stuphe sūt vlti
me medicie ꝓpt̄ qđ reiterāda ē sil'r flōia: si ꝑticu
laᵃ req̄rāt anꝙ vadat ad stuphas. Si q̄s aūt ca⸗
tarrū de matia cal'a vl' fria cū febre effimera ha⸗
buerit qđ pluries ꝯtigit tūc apparēt vrine aliq̄l'r
inflāmate ⁊ nō multū ⁊ ypostasis appꝫ hn̄t ca
lorē ꝑter naturā s; nō multū intēsuʒ. Vl' putridā
habuit vbi vria ē ꝯfusa icol': eleuata sine residēᵃ
multū calidᵘ ⁊ satꝭ sitibūdᵘ cū dol'. cap. tali cōpe
tit dieta igrossatia i pnᵒ ꝑ. 4. vel. 5. dies vt dictū
ē supiᵘ vt sedet̄ fluxᵘ matie ⁊ casus ad ꝑtes sub
iacētes: i ꝑmis ḡ vtat̄ aduenato risi coctꝭ cū lac⸗
te amigđ. dulciū. Vitet carnes si pt alit̄ capiat đ
brodio ꝑue pulle vtat̄ pirꝭ ⁊ coctanis coctꝭ in pru
nis ꝑ tres ⁊ ꝑ. 4. dies i pnᵒ dūtaxat postponant
vinū. verū si patiat̄ effimerā tuciᵘ pt sibi ꝯcedi vi
nū ⁊ pulla ⁊ ꝑdices ⁊ auicule ꝑue si al'r non pōt
transire: vtat̄ ptisana potiᵐᵉ ꝑ se vel cū seie pap.
in ꝑmis diebᵘ. Si putridā habuerit. ℞. ordei cū
cortice. ʒ. iij. se. papa. al. ʒ. i. iuoluāt̄ i pāno lineo ⁊
bulliātur i aq̄ fontꝭ electa. vl' potet de aq̄ simᶜ' bul
lita cū iulep. roſ. cū. i. cocleari iulep. vl' sir' roſ. po
tes facere vnā taceā plenā aq̄ bn̄ mixtis. Trāsa
ctis ꝑmis diebᵘ puta. 4. vl'. 5. post ponas pira: ⁊
coctana ⁊ suffic̄ tibi aq̄ ordei simplex sine se. pa⸗
pauerꝭ. 2ᵃ vl'. 3ᵃ die da sibi clistere cōe. ℞. quinq;
herbarū cōiuʒ. añ. m. i. anisi marat'. añ. ʒ. ß. ſ. de⸗
cocᵒ in q̄ dissoluat̄ olei cōis q̄r. i. cassieſ. mūd. ʒ. i.
sal' cōis. ʒ. iij. fiāt clistere, Cōciliū ē vt nō ponas

opiatas in febricitātib⁹: q2 exficcāt iteftina ꝛ cale faciūt, ꝑpt̄ qd̄ poftponas q̄tū potis ꝺ ꝯci° Ga¹. ad glaucone. 4ª die da fibi caffiaſt. cōez ftati di- ctā i cura catarri fine fe. mō dicto. Et fi ꝑticula ꝯcurrāt ꝙ fit faſt colorat⁹ i facie cū vrinis faſt colo raſt ꝛ fit venofus affuetus flōias flōet in. 6°. die ¶ Cōfeqnt̄ q2 matia q̄ exponet̄ erit cōpetet̄ in- groffata ponas loco fe. papauer| cu3 ptifana de capill⁹ ve. aut q2 fubtiliāt matias ꝟ q2 matia in- fpiffat̄ ꝛ deopilat ptes pectorales pōs ꝛ cū hoc modicū ꝺ ifopo i ptifana ifta. ptifana hēbit locū firu¹. Adūte tū ꝙ i catarro cū fe. ꝛ fine fe. non cu- res firuppare q2 fi fint ftiptica nocebūt fe. opilā do fi fint apitia erūt fubtiliātia matiā fic ꝯrriabū tur itētiōi curatie i q̄ errāt moderni. elct³ eis cō- petētia dicta fūt i cura catarri fine fe. ¶ Cura tū ꝺ ꝯci° ga. ad glaucone ꝛ ꝺ inge°. ꝛ ēptra moder nos feqntes auic. ꝙ i aliq̄ fe. mūdiſi des medici- nā attractiuā q2 illa ē cal'a ꝛ augmētat difcrafiā ꝛ attrahēdo ꝑmifcet ncc̄io malignū cū benigno: iō ex ncc̄itate augmtat̄ malignū ꝛ ꝑlōgat̄ mor- b⁹ q2 trahit̄ ps fubtil' ꝛ rēanet groffa: ꝛᶜ ꝑlōgat ꝛ nō folū ꝑlōgat: imo et ex talib⁹ ꝑiclitat̄ ꝛ mu'ti nō dubito moriūt̄. vtinā tenuiffe3 iftud ꝯciᵐ tpi- b⁹ ꝑterit̄ qd̄ nō feci ibut⁹ i erroribus modernoꝝ ex q̄bufdā dict̄ auic. male itellect̄ vt l' explicaui i ex pofitiōe. xi. ꝺ ige° fanitat̄. caffiaſt. māna clifteria cōia fūt medicie bte i febricitātib⁹ ꝛ potes reite- rare i. 4. dieb⁹ clifteria fi op⁹ fuerit ꝛ fel' in q̄tuor dieb⁹ caffiaſt. ꝛ māna fine picl'o. Et q2 tales cōit̄ hn̄t dolorē capit̄ rōne catarri cū fe. ꝛ fine fe. ego facio eis facculos ꝺ ros. ex itētiōe galteri q̄bus mirabilr̄ fedat̄ dolor. Rẏ. ros. rub. nō ꝯcaffataru3 qd̄ fuffic̄t. facculi ꝑ frōtē ꝛ iterbaftati i pāno li- neo raro iterbaftati cū duab⁹ baſt in me°duo ex ill' ponāt̄ i aq̄ vſq3 q̄ icipiat ebullire. poftea capi at̄ vn⁹ ꝛ cōpffus cū fciffori⁹s poftea cū manib⁹ frōti applicet̄ ftet ibi q̄diu durabit calor. poftea capiat̄ alt̄ de olla ꝛ fic cōpffus frōti applicet̄ ꝛ ille reitromittat̄ i olla q̄libet applicet̄ bis vl' ter ꝟ fiat mae ꝛ fero. q̄b⁹ fact̄ terti⁹ faccul⁹ ficc⁹ capia tur ꝛ frōti applicet̄ liget̄ cū benꝺ i vtroq3 capᶜ ꝛ dormiāt cū ifto ficco. Et fic termiet̄ cura catarri.

¶ Cap'lm. 15 de obtalmia.

Us ea q̄ i ocul' alba fūt i rubedinē mutata fuerit fluxeritq3 lacrime ꝛ i āgu lis oculoꝝ lacrimalib⁹ lippitudo collecta fuerit. dicem⁹ tūc egꝝ pa- ti obtalmiā ꝛ q̄nto pl⁹ fintomatu3 vehemētia aut ipoꝝ affuerit mio- ratio tāto erit obtalmie fortitudo aut ei⁹ debilitas. Deterior āt ob- talmia ē cū alba oculoꝝ videt̄ ifla ta ꝛ adeo eleuata vt oculoꝝ coope riāt nigredinē ꝛ palpebre iuerfen tur. In ꝑncipio ꝟo curationis ob talmie cephalica ē flōmāda ex ma nu vl' brachio ptis ꝯtrarie i q̄ ē o- cul⁹ infirm⁹ nifi leuis fuerit obtal mia. Et q̄nto fortior fuerit obtal mia tāto pl⁹ ē minuēdū ex fangui ne: deide vēter ex mirabolanis ci trinis ꝛ terraniabi ꝛ fucco fructu- um foluēd⁹ ē ꝛ eger a carne ꝛ vino ꝛ a reb⁹ dulcib⁹ abftinere d3 ꝛ ci- bū minuere. Qd̄ fi ifta nō fuffece rit fiet̄ albū i lacte puellā lactātis fricādū ꝛ i ocl'o diftillādum. Et fi lippitudis multitudo i oleo colle- cta fuerit radi⁹ coto iuoluat̄ ꝛ ma defiat i aq̄ ꝛ cū eo ocul⁹ ab illa lip pa mūdet̄. Deide puluis alb⁹ afꝑ gat̄ ꝛ fupponendo ocul' aliq̄d fua uiter fuftētet̄ ꝛ liget̄. ꝛ eger in do- mū tenebrofa3 mittat̄ ꝛ igeniādū ē q̄ntū poffibile ē vt fomn⁹ ꝑuoce tur. Caueat tū ne fuꝑ oculū ifirmū dormiat ꝛ ne caput depffum. fit f3 fuperi⁹ eleuatū neq3 veftimētorū caputia fint ftricta neq3 i facie3 fe diu ꝑijciat. Si āt oculus leuior fi at ꝛ dolor fedet̄ ac lacrie minuāt̄ flōia iā facta ꝛ vētre foluto balne- um multotiēs ꝛ freqnter igredia- tur. Ex hoc em̄ paffiōis reliq̄e dif foluēt̄. Qd̄ fi i aulo ħuerofitas et

grauedo remāſerit puluis citrin⁹
erit imitted⁹. Ex his āt q̄ habēti
obtalmiā multū ꝯferūt ē vt frons
ꝛ palpebre ex hoc liniāt̄ epithima-
te qḋ ℞. ſiet memithe roſaꝝ aloes
licij ſandali rubei ſaufel croci oꝛiē
tal' oīm an̄. ꝑtes eq̄les fiāt ex his
pill'e Cūq₃ neceſſe fuerit reſoluat̄
vna ex eis i ſucco coꝛiādri aut i ſuc
co ēdiuie aut cū aq̄ roſata ꝛ liat̄ cū
eo ꝛ liberabit̄ ſi ḋs voluerit. ꝯfectō
ſiet albi ℞. ceruſe ablute. ℥. x. ſarco
colle groſſe. ℥. iiij. dꝛagag̃. ℥. i. opij
℥. ß. fiāt ex his foꝛme lēti ſiſes. pul
uis citrin⁹. ℞ ſarcocolle. ℥. x. aloes
℥. ij. croci. ℥. ij. mirre. ℥. i. licij. ℥. ij.
ex eis optie tritis imittat̄ puluis
cū op⁹ fuerit. ¶ Puluis albus ℞
ſarcocollā albā ꝛ piguē q̄ mittat̄ i
lac mulieris qḋ meli⁹ erit cū alicu
ius iuuēcule fuerit ꝛ dimittatur in
vmbꝛa donec ſiccet̄ ꝛ terat̄ optie
ꝛ oīb⁹. ℥. x. ipſius addāt̄ de ſiet me
mithe. ℥. ij. q̄ iterū optie trita repo
nantur ꝛ cum opus fuerit in ocu-
lum mittantur.

Eobtalmia

.i. de apa-te ſangui
neo ca. cū poꝛtiōe col'e vl' flā vtplr̄in
vltie tunice ocl'i puta ipi⁹ ꝯiūctie. Nō
p̄° ꝙ obtalmia duplex ē vera ꝛ nō v̄a. nō v̄a fit ꝑ
diſſolutionē ꝛ rarificatiōe₃ hūor̄ i ocl'o a cā aliq̄
extriſeca puta a fūo a puluere cāte dol'. ſui q̄lita
te pūgēte vl' moꝛdicāte. iſta ḋ facili curāt̄ remo-
ta illa cā p̄initia. ꝓpt̄ qḋ dic̄ ga⁹. ꝯ archigine p̄°
de int̄. c. ij. ꝙ tal' paſſio nō ē i eēn^a^ oculi q₂ nō re-
manet cā fluēte ceſſante. Locu° ē ꝓpa i arte na₃
Ga. vult ꝙ moꝛb⁹ nō dicat̄ eē in eēn^a^ mēbꝛi niſi
remaneat cā fluēte remota. h̄ declarat ibidē ꝛ in
c. 5. de in digeſtiōib⁹ ſto¹ a radicibus vl' ab ouis
frixis mal' ꝛ i ſilib⁹ ꝙ q₂ ill' cib euomit ꝛ expul-
ſis ſto⁹ ē curat⁹ a tali nocumēto ꝛ idigōnē ꝙ ſto⁹
egrotabat ſ₃ nō in eēn^a^. Iſta tal' obtalmia p̄t ve-
nire i verā q₂ tal' cā extriſeca p̄t eē ita foꝛt̄ ꝙ erit
cā notabil' flux⁹ hūoꝝ ad oculos ꝛ tūc q₂ tal' ob-
talmia remanebit i ocl'o cā illa p̄initia ſiue extri-
ſeca remota ꝛ ceſſante necnō illo fluxu hūoꝛali
ceſſante tūc bn̄ dicet̄ tal' obtalmia eē i eēn^a^ oculi
Iſte ſūt locutiōes ꝓp̄e ꝛ i q̄b⁹ n̄ adūtūt moder^a^
nr̄i rūpētes ꝛ excoꝛiātes p̄ncipē art̄ i locutiōib⁹
ſuis. V̄a obtalmia ē ap̄a calīn ſāguineū ext° vl'
i ꝑte cōit̄ cū poꝛtiōe colere vl' flā qḋ flā ꝑ putre
factōe₃ ꝛ motū calefit i ocl'o: tal' cāt̄ ꝑ fluxū hūo
rū dictoꝝ ad ip̄m ocl'in ꝓpt̄ qḋ tal' pa° ocl'oꝝ ſꝑ
ḋ₂ eē ꝑ colligātiā vt dicet̄ hūoꝛes fluētes ad ḋc₃
ocl'in replēt vēas ꝛ poꝛoſitates ipi⁹ ꝯiūctie. ꝛ^c^ ꝙ
ꝙ imedi^e^ iſit ipi ꝯiūctie erit ꝓp⁹ ꝛ p̄ncipal' moꝛ-
b⁹ ocl'i vt declarabit̄ p̄° ꝛ 3° q̄ſito. ¶ Vlti⁹ nō:
vt videas bn̄ paſſiōes diūſas ocl'oꝝ n^c^ n̄ ꝑticl'as
q̄b⁹ imedi^e^ iſūt paſſiōes tl'es ꝙ i ocl'o ſunt duo
n̄ui q̄ obtici dn̄^r^ ꝛs hūoꝛes ꝛ. 7. tūice. iſti duo ner
ui q̄ obtici dicūt̄ ſūt p̄^m^ par neruoꝝ capit̄. 4. ḋ it̄.
c. 5. idē dic̄ ſat̄ i. c. p̄°. iſti ſolū ſūt ſenſibil'r ꝯcaui.
4. ḋ moꝛ° i. c. 3. vt poꝛtēt ſp̄us viſibiles ꝙ plures
ad ip̄os ocl'os ꝓpt̄ ꝯti^am^ actōe₃ eoꝝ circa obie-
cta ꝓpiq̄ ꝛ remota q̄ ſp̄us diffūdūt̄ ad ocl'₃ ꝑ to-
tū ocl'in ip₃ illūinādo p̄n^r^ vſq₃ ad criſtallinā ꝯn̄r
vſq₃ ad coꝛneā vltimā pelliculā q₂ exeūt pupillā
vſq₃ ad coꝛneā vt dic̄ ga. 4. ḋ moꝛ°. c. p̄°. idē dic̄. i.
ꝓnoſti. ꝯ° illi⁹ mobilitat̄ ſig̃ manuū ex q̄ mlt̄i di
cūt ga. opinaſſe ꝛ fuiſſe itētiōis ꝙ viſio fieret ex̄
mittēdo qḋ n̄ ē v̄m q₂ n̄ vult ꝙ exeāt coꝛneā. iſti
tl'es n̄ui obtici ꝓcedūt a capite a dex° ad ſiniſt^m^
crucifignādo vt tm̄ ſit ibi vnū foꝛamē i q̄ cācellē
tur ydola rerū viſibiliū ꝛ tāq₃ vnū a q̄cūq₃ re ſen
ſui cōi p̄n̄tet̄: ne vna iudicet̄ dupl'x q̄ nerui obtici
v^a^ c̄ pāicul' q̄buſḋ ſūt i oꝛbita ocl'i ꝛ extrēitates
ipoꝝ obticoꝝ i q̄libet ocl'o dilatāt̄ ꝛ extendūtur ꝛ
āpliāt̄ ꝛ cōp̄hēdūt tres hūoꝛes q̄ ſūt i q̄lib₃ ocl'o
ꝛ iſti nerui obtici ſtāt tēſi vt ꝯcauitas eoꝝ rēane
ret i ſuo eē ꝛ tēdūt̄ cū q̄buſdā lacert̄ ꝑuis q̄ ḋ fa
cili i ſemb⁹ ꝑaliticāt̄ rōe excedēt̄ hūiditat̄ cere^i^:
eoꝝ ꝓpt̄ qḋ n̄ ē i ip̄is dicta ꝯcauitas libera ꝓpt̄
qḋ ceſſat trāſit⁹ ſp̄uū viſibiliū ꝑ eos ꝛ^c^ ꝑdūt vi
ſu₃ c̄ pulcritudie ocl'oꝝ. 4. ḋ intio. c. p̄°. q̄ caſ⁹ ſil'r
ꝯtigit q̄buſdā an̄ ſeniū ꝛ ego vidi ſic nerui illi pa
tiūt̄ ꝑ colligātiā illoꝝ lacertoꝝ nō tēdētiū dictos
neruos. Tūice ſūt. vij. p̄^a^ tūica imedi^e^ aſſiſtēs ip
ſis obtic̄ eſt tunica ſclirotica. i. dura que oꝛitur a
duꝛa mr̄e puta a pellicula ſuꝑioꝛi ipſius cerebꝛi
natura creauit ipſam duram ne ocul⁹ a duricie
cranei lederet̄. Secūda tunica ſtati adherēs eſt
ſecūdina q̄ oꝛit̄ a ſecūda pellicl'a cerebꝛi puta a

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

pia matre. Tertia tunica sequēs imediate ē reti
na q̄ ꝯphēdit ocl̄ꝫ mag̃l sic rethe ꝯphēdit vēatō
nē q̄ oritˀ a rethe mirabili q̄ oritˀ a pelliᵃ sᵬtiliᵐᵃ
cereˀ ꝯphēdēte cerebꝛ ad moᵐ reṫ. ꝯñt vēit pri
mˀ hūoꝛ ab itra q̄ dicitˀ vitreˀ q̄ ē semirubeus ad
modū vitri liq̄facti ex q̄ nutritˀ hūoꝛ cristallinus
ꝑpt q̄ð nō sūt in eo v̄tutes naturales ex quo est
suba nutrimētalˀ tm̄. Cōseqn̄tˀ venit imediate hu
moꝛ cristallinˀ q̄ nutritˀ ex illo ꝑpt q̄ð adheret
sibi imediate ⁊ ē clariˀ ad modū vt meliˀ recipe
ret spēs reꝝ visibiliū tāq̄ speculū rē in medio cir
culi sic rex in regno: qꝛ ē ps p̄ncipalioꝛ oculi. ta
lis hūoꝛ in se ē mēbꝛū ꝯsilˀe ꝑpt q̄ð pōt sibi ines
se mala cōplō. 4ᵒ de morbo. c. pᵒ. rōne officij est
officialˀ ꝑpt q̄ð pt sibi ineē p̄mo morbˀ officialˀ
puta tortio. Idē ē intelligēdū de alijs ptibˀ ocli
⁊ alterˀ organi. Cōseqn̄tˀ venit 4ᵃ tunica q̄ dici
tur aranea q̄ nascitˀ ex extremitate rethine: ⁊ iste
due tunice se ꝯiūgūt sic due scutelle cōtinentes
duos liq̄res ꝯdiuisos ⁊ diuersos saꝶ inspissatos.
Cōseqn̄tˀ venit hūoꝛ albugineˀ q̄ ē tāq̄ supflui
tas hūoꝛ cristallini q̄ in creatiōe ocli seq̄stratˀ ⁊
ꝯtiᶜ augmētatˀ ꝑ nutritionē cristalline. iō nō h̄nt
v̄tutes naturales ꝑut dictū ē de hūoꝛe vitreo lꝫ
sit ps sp̄matica coadiuuās in orgaᶜᵒ puta actōe
visiua ocloꝝ nā positˀ ē añ vt defēdat cristallinā
a rebˀ extrīseq̄ potissime a siccatōe supflua ex ca
loꝛe solis ⁊ aeris vlˀ ignis. ꝑpt q̄ð medici ꝓhi
bēt ne p̄lati vlˀ p̄ncipes qn̄ calefiūt teneāt faciē
apud ignē ꝫ voluūt dorsū: nā in senectute hu. o
culoꝝ minoratˀ ⁊ exiccatˀ in ꝓcessu etatū: ꝑpt q̄ð
oculi p̄uificatˀ in eis. ⁊ ita intelligas de oī hūidi
tate sp̄matica. ꝑpt q̄ð si cā extrīᶜᵃ coadiuuet foꝛ
tiˀ ⁊ de facili mag̃l minorabūt ⁊ ꝯsūmetˀ. Cōseqn̄
ter venit 5ᵃ tunica q̄ dicitˀ vuea coloꝝ medij int̄
nigrū ⁊ viridē vt virtˀ visiua fortificetˀ ꝑ vnionē
spirituū q̄ tunica vuea oritˀ a secūdina ⁊ sūt sicut
due scultelle mediocres ꝯphēdētes illos tres hu
mores dictos vt dcm̄ ē cuiˀ foramē d̄r pupilla.
Cōseqn̄tˀ venit 6ᵃ tunica q̄ d̄r cornea coloris ad
modū cornu lucidi ꝯtexta ex q̄ttuoꝛ pellicl̄is ē la
tis foꝛꝫ cōpacta lucida vt p̄ntet spēs visibiliū et
defēdet cristallinā a nocumēꝶ extīseq̄. 7ᵃ tūica
d̄r ꝯiūctina q̄ ē alba piguis cū venulˀ ꝯtexta oc
culꝶ p̄ma frōte ⁊ ē ps tunice coopiēꝶ c̄neū vt di
cit raᵬ in suo ꝯtiᶜ. c. ð passiōibˀ ocloꝝ in p̄nᵒ. ꝑpt
q̄ð citiˀ apatˀ ⁊ in ea fit obtalmia.

Primo tu q̄res cuiˀ ptiᶜ oculi obtalmia
ē passio p̄nʳ. Dicēdū obtalmia si
ꝑua fuerit ē paᵒ p̄nʳ ipsiˀ ꝯiūctie vt ē ps cōsilis.
qꝛ tc̄ tl̄is obtalmia ē morbˀ ꝯsilis ꝑpt q̄ð tm̄ iest
sibi pᵒ ⁊ p̄nʳ ⁊ imediate ⁊ secūdaᵒ ipsi toti oclo
qꝛ h̄ ē de rōne morbi ꝯsil̄is ꝙ pᵒ isit pti ꝯsili ꝯnr
ipsi toti, seu ꝯposito toti. h̄ declarat ga. pᵒ de moꝛ
bo i duobˀ capl̄is vltimis. Si aūt obtalmia ma
gna fuerit ꝙ ledit rōne tūoꝛis motiuā ⁊ visiuā o
culi sil̄r tūc tl̄is obtalmia mag̃ imediate iest ipsi
ꝯiūctie vt ē ps officialˀ p̄nʳ ⁊ p̄mo ierit in toto o
culo ⁊ erit pᵒ ⁊ p̄nʳ paᵒ ocli. rōnē dat ga. pᵒ ð moꝛ
bo. c. vltio qꝛ actō totiˀ leditˀ p̄nʳ ⁊ morbˀ d̄r re
spectu actōis lese imediate. pᵒ ð moꝛᵒ i p̄mis ca
pitulˀ ⁊ vltis ⁊ in. c. 8ᵒ. 7ᵒ. ⁊ ꝯiūctina nō hꝫ actio
nē i organico. Sꝫ iuuamētū ꝑpt q̄ð lꝫ imediate
sibi isit p̄nʳ ⁊ pᵒ ierit toti oclo. h̄ tibi explicaui in
expōne pˀ de moꝛᵒ in. c. vltio. ¶ Et tu argues ꝯ
h̄ tl̄is obtalmia iest sibi imediate. ḡ p̄mo sibi in
erit. añs ē p me stati. ꝯña tꝫ ex v̄tute vocabuli ex
q̄ sibi imediate ierit. Itē textˀ dic̄ pᵒ de moꝛ. c. vl
timo si vulnˀ magnū sit i cornea ꝙ vuea egredi
atˀ tc̄ oculˀ lederetˀ in actiōe visiua ⁊ tl̄e vulnˀ so
li cornee ptinꝫ. ¶ 3ᵒ arguitˀ sic: q̄ð soli iest p̄nʳ ⁊
illi pᵒ iest tl̄e vulnˀ soli cornee ptinet vt dic̄ gaˀ.
¶ 4ᵒ q̄ð iest toti rōne pꝶ nō iest p̄nʳ ipsi toti: sed
accn̄ʳ. pꝫ ꝑ ga. in. c. vltio pˀ. de moꝛᵒ nā ex h̄ ꝑua
obtalmia qꝛ ē morbˀ ꝯsilis ⁊ iest pᵒ ipsi pti vt dc̄
ad l̄ram in capl̄o vltio p̄mi ð moꝛᵒ ꝙ ē accn̄ʳ in
toto. moꝛē ponit qꝛ rōne cornee vulnerate. Iteꝫ
oculˀ leditˀ in actōe ad lesionē pꝶ igitˀ nō leditur
p̄nʳ nec p̄mo. Itē ps coadiuuās in orgāico pōt
eē cā imediata subiectia morbi officialˀ. igitˀ pri
ma ⁊ p̄ncipalˀ. añs ē ga. pᵒ de morbo. c. 7ᵒ. ⁊ 8ᵒ.
⁊ morbˀ i nūero diminuto ē i loco in q̄ fuit facta
abscisio pꝶ ⁊ nō i toto p̄nʳ nec p̄mo. Dicēdū ad
h̄ rōnes iste fortes sūt p̄ma frōte ꝫ q̄ bn̄ videt di
cta ga. pᵒ de morbo nulliˀ sūt valoris. ¶ Et sciē
dū ꝙ q̄libꝫ scia hꝫ ꝓpas locutiōes ⁊ ꝓpos t̄mi
nos. vñ fm̄ locutionē aristo. p̄ma rō ꝯcluderet. ꝫ
locutōes aꝶ. si aliq̄n obſuetˀ in medicia vt arist.
ponit faciūt errare medicū vt vult hali 2ᵒ tegni.
nā q̄ð imediate inest alicui nōiest p̄mo nec p̄nʳ
apud medicū. Cā dicti ē qꝛ morbˀ d̄r respcū acti
onis lese imediate nā actio lesa seq̄tˀ morbū ime
diate velut vmbra corpˀ. 3ᵒ ð moꝛᵒ. mō ps coad
iuuās i orgaᶜᵒ sic ꝯiūctia nō hꝫ actōeꝫ i oclo ꝫ iu
uamētū nō p̄mo nec p̄nʳ. ḡ pt eḡtare actio totiˀ
ocli puta visiua p̄mo ⁊ p̄nʳ leditˀ. igitˀ tl̄is morbˀ
p̄mo ⁊ p̄nʳ sibi ierit: imediate tm̄ ierit ipa ꝯiūctie
vt ē ps officialˀ vt vult ga. pᵒ ð moꝛᵒ. c. 7ᵒ. dic̄ ꝙ
ps coadiuuās ⁊ p̄ncipalˀ ꝯueniūt ꝙ vtraq̄ꝫ pōt
eē cā imediata subiectia morbi sic in passiōibus
oculoꝝ est explicatū in proposito in obtalmia et
in vulneribus cornee quando cornea exit lꝫ ime
diate insint talia coniūctine ⁊ cornee p̄nʳ ⁊ ꝑ
mo inerunt toti oculo. Ex quo actio totius ocu

li puta visiua ⁊ motiua ledit̃ ꝑmo ⁊ ꝑnci^r^. Ad idē
loquit̃ ga. 4° de morbo. c. p° dicit ꝙ si ꝯiūctia ob
talmiā hūerit magnā ꝑ se ⁊ ꝑmo visui nocebit ⁊
ꝑnci^r^ lꝫ imediate insit ipsi ꝯiūctie. sic pꝫ tibi rō ꝑ
ma. que prima fronte est apparens ꝙ est nulla.
¶ Ad 2^m^ dicendum ꝙ tale vuln⁹ soli cornee ꝑti
net q: sibi inest imediate: lꝫ ꝑmo ⁊ ꝑn^r^ insit toti
oc'lo: q: actio toti⁹ ledit̃ puta visiua ⁊ motiua ocu
li ⁊ cornea nō habet actionē in oc'lo. ꝫ iuuamen
tū ut ē dictū in anatho^a^ oc'li. ¶ Ad 3^m^ qđ soli in
est. dicēdū ꝙ soli cornee ⁊ imediate inest t'le vul
nus. ꝑmo ⁊ ꝑn^r^ inest toti oc'lo in nocumēto actō
nis visiue. ¶ Ad 4^m^ ꝙ inest toti verū ē si iesset
ꝑti ei⁹ actionē corrūpēdo: ꝫ nō iest sibi nisi cor-
rūpēdo iuuamētū ꝓpt̃ qđ n̄ pōt sibi ꝑmo nec ꝑn
cipalit̃ in eē ꝫ toti exq̄ actio toti⁹ ꝑor ꝑn^r^ leditur
¶ Ad aliud verū ē si lederet̃ ad lesionē ꝑtis in
actiōe ꝫ nō ledit̃ nisi ad lesionē ei⁹ in iuuamēto,
⁊ respectu iuuamēti lesi nō dicit̃ morb⁹ ꝫ cā mor
bi ut ē declaratū p° de morbo c°. 7° ⁊ 8° ⁊ vltimo
¶ Ad vltimū ꝯcedē° aňs: nego ꝯňam ꝓpt̃ cām
dictā p'lies q: nō habet actionē i organico ꝫ iu-
uamētū. Ista verba ⁊ ista decisio nō intrabūt ca
put asini nec medici abortiui. ¶ Cōtra aliud ver
bū ꝙ obtalmia ꝑua q: ē morb⁹ ꝯsil'is nō isit p°
nec ꝑn^r^ in ꝯiūctiua. Tu argues fortit̃ q: si hoc es
set tūc morb⁹ ꝯsil'is ꝑmo ineēt ꝑti officiali. conse
quēs ē falsū in ꝑmo de morbo q: tūc nō eēt cōsi-
milis. q: morb⁹ cōsil'is dicit̃ ꝯsil'is q: ꝑmo inest
mēbro ꝯsili ⁊ ꝑmo ledit actiōes mēbri ꝯsil'is q:
differētie ꝓpe morboꝝ sumūt̃ a mēbro cui ꝑmo
insūt vt vult ga. p° de morbo in capl'is ꝑmis ꝓ-
bat̃ ꝯňa q: ꝯiūctia ꝑs officialis ab offō in oculo
vt defēdat cristallinā. ⁊ ē ꝯtexta mollis rara cum
venul'in lītis. Dicēdū ꝙ ꝯiūctia pōt ꝯsiderari 2^r^.
vno° rōne officij ⁊ sic ē officialis q: ꝑs n̄ saluat
rōnē toti⁹ i recto. sic nō inest sibi ꝑua obtalmia ꝫ
mag̃ vt dictū ē stati. Alio° pōt ꝯsiderari i se seclu
dēdo offm̄ sic ē ꝑs ꝯsil'is ⁊ sic pōt sibi ꝑmo ineē
morb⁹ ꝯsil'is vt ꝑua obtalmia declarat ga. p° de
morbo capl'is duob⁹ vltimis. nā lꝫ veridice cōpo
nāt̃ ex diuersis ꝑtib⁹ q: t'l'is ꝑma frōte sēsibil' nō
ꝯsiderat̃ a medico i locutiōib⁹ coib⁹: ⁊ nō ꝯside-
ram⁹ illā nisi velim⁹ deuenire ad vltimā inq̄sitio
nē veritat̄ nō alit̃ vt dic̄ ga. p° de morbo. c. 4°. et
c. 3° ⁊ de cōpl'onib⁹ in. c. 4°. Tunc ad rōes nego
ꝯňam q: ipsa ꝯiūctiua in se ē ꝑs ꝯsil'is ꝑma frō-
te ex q̄ ꝑma frōte nō ꝯficit̃ ex diuersis iō pōt fieri
sibi inesse morbus puta obtalmia parua.

Secūdo tu q̄res q̄re obtalmia melius
inest ipsi ꝯiūctiue ꝙ cornee.
Dicēdū ꝙ cornea ē mag̃ dēsa ⁊ dura min⁹ veno-
sa. ꝯiūctia ē magis mollis porosa venosa: iō de
facili fluit san. in porositatib⁹ ei⁹ inducēdo tumo
rē apostemosū. silr̄ q: ē ꝑs tunice coopiētis cra-
neū magis silr̄ approꝑiat̃ venis lacertoꝝ capitis
iō restringim⁹ fluxū hūoꝝ ad eā per applicata in
timporib⁹ qñ venerit a sāguie venarū extra cra-
neū qñ venit a pellicul' intriseq̄ nō restrigūt̃.

Tertio tu q̄res obtalmia est passio ꝑ se
vel ꝑ colligātiā. Soluit l'ra 4° de
intio. c. ꝑmo ꝙ ois passio oculoꝝ potissime mat̃i
alis ē ꝑ colligātiā q: venit a venis pelliculaꝝ ce-
rebri vel a venis pellicule coopiētis craneū san.
coleric⁹ vel flātic⁹ ꝑ viā catarri qđ venire nō de
bet ꝫm naturā. veꝝ aliqñ auctores dicūt ꝙ fit de
cā ꝑuata q: venit a pellicul' cerebri ꝓpt̃ vicinita-
tē: ⁊ q: pellic'le oculi decidūt̃ a pellicul' cerebri
vt dictum est statim.

Quarto tu q̄res. obtalmia q̄s morbus
est in se i gn̄e ⁊ i spē. Dicēduꝫ
ꝙ ꝑua obtalmia ē morb⁹ cōsil'is q: mala cōpl'o
ca. cū ma^a^ q̄ ꝑmo inest ꝑti puta ꝯiūctie vt est ꝑs
ꝯsil'is vt dictū ē. ꝯñr ipsi toti vt ē bn̄ declaratum
in ꝑcedētib⁹. ¶ Magna v̄o obtalmia ē triplex
gen⁹ morbi mala cōpl'o dicta mala cōpositō: q:
mala figura ⁊ solutio ꝯtinui q̄lit̃ mala cōpl'o pri
mo inest ꝑti ꝯsili puta ipsi ꝯiūctie mala cōposi-
tio ipsi ꝯiūctie imediate vt ē ꝑs officialis lꝫ p° ⁊
ꝑncipal'r insit ipsi toti. hoc ē bn̄ declaratū statim
questione prima.

Quinto tu q̄res. cui⁹ v̄tutis obtalmia
ē passio ꝑnci^r^ seu nocumētum
passiue intelligēdo. Dicēdū ꝓut ē supi⁹ p'lies di
ctū ꝙ regitie natural'. ⁊ vital' mēbri mādātis pu
ta digestiue ⁊ expulsiue natural' ⁊ vital' vt pꝫ. p°
de ige°. c. 2° ⁊ 8°.

Sexto tu q̄res. cui⁹ v̄tutis obtalmia est
passio ꝑn^r^ seu nocumētū actiue
Dicēdū ꝙ ꝑua obtalmia ē passio regitie natural'
⁊ vital' ꝯiūctie ⁊ toti⁹ oculi. Mag̃ aūt est passio
aiate motie ⁊ visiue oc'li ꝯñr regitiaꝝ nālīū dcāꝝ

Septimo tu q̄res. q̄b⁹ oc'lis obtal-
mia mag̃ iest seu accidit
Solvit ga. 3° āpho. cōmēto illi⁹. de tꝑib⁹ v̄o si q̄
dē ꝙ oc'li calidi ⁊ mobiles p̄ cetis patiūt̃ obtal-
miā. nā tunice oc'loꝝ ortū hn̄t a pellicul' cerebri
vt ē dictū i anatho^a^. ⁊ t'les oc'li mobiles arguūt
caliditatē in pellicul' cerebri ⁊ i cerebro i q̄ nccio
abūdat hūor ca. subtilis q̄ modica occasiōe cāe
ꝑmitiue puta cal'. vl' frigoris fluit ⁊ cadit ad ocu
los potissime a pellic'la coopiēte c̄neū vt p'limū.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

Octauo tu q̄res. in obtalmia debʒ ne dari medicina forꝫ ⁊ attractiua in pncipio morbi nō pcedēte syruᵒ. Soluit littera. xiijᵒ. de ingeᵒ. c. 6ᵒ ꝙ obtalmia ⁊ si forꝫ ⁊ magn̄ fuerit curatꝰ in pncipio cū forti medicina laxatia scʒ cū pillꝰ. cochijs si maᵃ fuerit in pte flātica. vel cū aureis si fuerit colerica in crastinū sūt curati dicē ga. ibidē ⁊ de facto videmꝰ. idē vult rasꝭ in toto ptiᶜ. Hoc idē dicit de passiōibꝰ iūcturarꝫ dicē ꝙ cū forti medicia ꝗples curati sūt in crastinū a tali porᵒ. Ex qbꝰ verbis ↄcludit ꝙ tales morbi curant a bono medico in pncipio vlꝰ augmēto vlꝰ absqꝫ hoc ꝙ veniat ad statū nec ad declinationē sūt verba notāda. Si arguas ex dictis ga. pmo⁊ 2ᵒ de crisi ꝙ ois morbꝰ salubris habʒ q̄tuor tpa dicēdū ꝙ verū ē ex se nō aūt si bonꝰ medicꝰ apponat manū. nā plēs curant ↄfesti vtꝫ pꝫ in sinocha nō putrida nono de ingeᵒ. vel fe. putride forsan nō curātꝰ q̄n hēant q̄tuor tpa de alijs morbis loq̄bātꝰ textꝰ allegati

Istis clarificatis cura obtalmie tibi patescit qꝛ ↄclusū ē intelligēti ꝙ ois obtalmia venit p viā catarri cū hūor cadat ⁊ ruat a venis pellicularū coopiētiū cerebrū vel a venis pelliculę coopiētꝫ craneū qd̄ ē vt plurimū qꝛ q̄ttꝰ vlꝰ qꝛ q̄lis vel vtrūqꝫ. Ad qd̄ facit intēdū dispō totiꝰ corporis coadiuuāte calꝰa extrīseca pmitia caliditate vel frāte aeris vel fumo vel puluere pūgētibꝰ ⁊ stimulātibꝰ pelliculas dictas ⁊ cōmouētibꝰ humorē in orbita oculi ⁊ ptiū vicinarꝫ. Regēdi sūt tlēs i pmis diebꝰ aūt catarriꝰ q̄etādo hūorē ⁊ aliq̄lit ingrossādo hūores ne fluat. In pmis ḡ sit i loco semiobscuro ⁊ ligādo caput cū bēda vt humores nō fluāt ad eos lucē effugiēs qꝛ hu. cōmouēt ⁊ subtiliāt. dormiāt supra ptē sanā capite eleuato raso vlꝰ tōso. pili retinēt fumos. ⁊ supponatꝰ tiporibꝰ ⁊ oculis emplꝰm factū de folijs populi i aceto pistatꝰ ⁊ applicatꝰ ab intra. ponatꝰ colliriuʒ factū de selo sumac cū aq̄ eiꝰ. Ista valēt multuʒ in pnᵒ obtalmie qꝛ repcutiūt matiaʒ. cōitꝰ valʒ in obtalmia cū rubore notabili in pmis diebꝰ puta p q̄tuor dies ponēdo tuthia seq̄nti duas vlꝰ tres. hoc vult rasꝭ in suo ptiᶜ. ponat in tiporibꝰ de hoc p modū emplꝰi i forma digiti grossi. ℞. farinē thuris myrrha aā. ʒ. ß. albuminis oui qd̄ sufficit: fiat emplꝰm vt dictū ē vlꝰ fiāt emplꝰa supra frōtē ⁊ sup duobꝰ tiporibꝰ ex ↄsilio rasꝭ in suo ptiᶜ diminuatꝰ cibꝰ. vitet vinū potissime clarū ⁊ bn̄ potet aquā: cibꝰ sit auenatū ordeatū risi amidū. Et infra oculū iponatꝰ albugo oui agita cū aq̄ rosꝭ. vel plātaginis vlꝰ decoctōis se. fenugreci abluti pꝛiꝰ cū aq̄ calida plꝰes i die ⁊ nocte vlꝰ hēas lanā mollē isūde in albumē oui cū aq̄ rosꝭ. vlꝰ cū modico lactis vlꝰ aq̄ endꝰ. vlꝰ plātagꝰ. vlꝰ decoctiōs sumach vel se. fenugreci sm̄ qd̄ maᵃ ē calꝰa posita supra oclꝰos de nocte bis vlꝰ ter qꝛ sedat dolorē. si aūt ifra triduū cū istis repationē notabilē nō hūerit sumat clistere cōē vlꝰ sumat cassiā. coēm positā in caᵒ pcedēti i cura catarri i pn. ⁊ faciat i crastinū flomiā de vena cephalica ⁊ i bona q̄ntitate de pte opposita qꝛ i plectoᵃ nō sufficꝰ vnꝰ diametꝰ. h vult rasꝭ in caᵒ. de ↄsilio aūt ga. xiijᵒ d̄ ingeᵒ. c. 6ᵒ ⁊ meliꝰ sumat syruᵒ nō pcedēte medicinā fortē in forma pillꝰ. Si flꝰa coicat cū sanguie sumat. ʒ. ij. ⁊ ß. pillꝰ. cochiarꝫ ⁊ vltra. i. pillꝰ. si coᵃ coicat repantur bn̄, imo curātꝰ aliq̄n. Postea 2ᵃ die seq̄nti si opus fuerit flōmetꝰ de cephalica eiusdē ptꝰ i bona q̄ntitate. tn̄ rasꝭ dicꝰ in ptiᶜ ꝙ flōmia de vena frōtꝫ multū valʒ ad curā obtalmie i ābobꝰ oculꝰ sicꝫ flōmie āgulorꝫ seu tiporꝫ q̄libʒ in cura obtalmie oculi illiꝰ ptis. ↄnr si opꝰ fuerit ponat retro aures i fine augmēti vlꝰ i statu in fōtinella colli cauteriū istd̄ ℞. cantaridarꝫ remotꝫ capitibꝰ ⁊ alis plꝰuerizata rū fermēti aā. ʒ. ß. misceātꝰ cū aceto ⁊ modico saluie qd̄ sufficit: fiat pācilla satꝫ liq̄da: applicetꝰ cū pāno pforato vt decet i crastinū crepetꝰ āpulla et apponatꝰ foliū caulꝰis rubei plꝰes i die renouādo foliū 3ᵃ die cutꝫ erit renouata. Istud aūt colliriū nō dʒ applicari vsqꝫ qꝫ ē i fine augmēti vlꝰ i statu nā pnᵐ obtalmie dicitꝰ q̄diu lippa ē subtilꝰ aq̄sa. tūc nec colliriū nisi albumē oui dictū. nec cauteriū applicādū. Augmētū obtalmie ē cū lippa notabilitꝰ igrossatꝰ statꝰ q̄n lippa ē grossa claudens palpebras. rasꝭ dicꝰ in ptiᶜ ꝙ palpebre nō adherēt nisi obtalmia fuerit de sāguie vlꝰ de flāte. In augmēᵒ obtalmie calide ponimꝰ tlē colliriū cōitꝰ factū de muscilagibꝰ ⁊ lacte. m. ℞. muscilagꝰ. se. psilij se. citōiorꝫ fcē in aq̄ rosꝭ vlꝰ i decoctōe papaueris albi si maᵃ mltū coᶜᵃ fuerit aā. ʒ. ij. exprimātur fortitꝰ ⁊ cū modico albuminis oui bn̄ despūati bn̄ agitetꝰ ⁊ addito modico lactꝰ. m. fiat colliriū h̄ eni sedat dolorē ⁊ repcutit maᵃᵐ posset eē tātus dolor ꝙ oporteret addere. ϶. ß. opij i fine augꝰ aliq̄n addimꝰ modicū d̄ muscilagꝰ. se. fenugreꝰ. q̄m maturat tlꝰe apa obtalmicū. vlꝰ sic. ℞. ceruse plūbi. ʒ. ij. pistetꝰ cū aq̄ rosꝭ. ⁊ desiccetꝰ ter: addatꝰ camphore. ϶. ß. fiat puluis vlꝰ misceatꝰ cū aq̄ rosa fiat colliriū seu sicꝰ. In statu aūt fiet tale colliriū. ℞. muscilꝰ. dragāti gūi arab. se. fenugꝰ. aā. ʒ. ij. exprimātꝰ fortitꝰ ⁊ cū lacte mulierꝫ icorpentꝰ fiat colliriū, oia q̄ infra oclꝫ adnistrātꝰ dēnt applicari actu

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

Fra. xiiij. de inge° in. c. 6° īfra aures ca ła: ꝯhiť i p- cessu statꝰ aliqn̄ lac. m. puellā lactāť in ocuł iniji- ciať qm̄ maturat abstergit ⁊ mūdificat ⁊ doł. se- dat. Lippa mūdificeť cū pāno lineo ātiq̄ itincto lacte. m. In declinatōe aūt vtať colliriū sarcocoł ℞. sarcocoll nutrite i lacte. m. aq̄ roẜ. qđ suffic̄ fi at colliriū. oēs ātiq̄ ꝯueniūt ꝙ sarcocoll. nō cōpe tit i obtalmijs nisi i decliatōe spōgia ifusa i deco ctiōe se. fengꝰ pl̓ies applicata valꝫ ⁊ i declinatōe obtal^ca qn̄ flā i ꝗtita^e notabili cōicat applicamꝰ i fine statꝰ ⁊ i declinatiōe pl̓ies spōgiā ifusā i aq̄ vbi sit 3^a ps vini albi floꝝ camo. melliḱ. ⁊ facimꝰ colliriū de sarcocoł. nutrita ⁊ distēpata cū lacte m. vł asine cū. ℈. i. aloē vł myrrhe ł cinamōi subti lissime puluerizato vt alchool. Ista sufficiāt tibi ꝓ cura obtalmie.

¶ Capłm. 16^m de vlceribꝰ oculoꝝ.

Cum in ocło fortꝭ dolor ⁊ pūctio nociua ac pulsꝰ sētiūť ⁊ lachrimaꝝ fluit mltitudo ⁊ palpebre ele uāť ⁊ ocłi apiūť loca q̄ sūt i albis ipsoꝝ īueniūť rubea ⁊ si totū fue- rit rubeū ⁊ vnꝰ locꝰ magis rubere īueniť aut i nigredīe locꝰ aliquis albꝰ apparet pustula iā in oculo exorta ē ad hāc v̓o curādaꝫ passio nē necessariꝰ ē medicus in curis oculoꝝ valde īstructꝰ nos tn̄ cu- ratiōis ipius sūmas ⁊ aggregatō nes dicemꝰ. Dicimꝰ itaqꝫ ꝙ vlce ra q̄ in cōiūctiua nasciť hoc ē in albis oculoꝝ n̄ adeo sūt timēda vt ea q̄ i cornea hoc ē i ocłi nigrēdi ne fiūt. Deteriꝰ v̓o vlceꝝ est illud qđ i nigredīe sꝫ pupilla existit emi nētia naqꝫ ad illud ē velocior. Ho rū āt vlceꝝ curā cū flōmia icipe de bemꝰ ⁊ sāguis extrahere mltitudi- nē sm̄ qđ possibile fuerit. ꝯnr aūt veť soluedꝰ ⁊ eger sibi cauere dꝫ a carne ⁊ vino dulci ⁊ eē ꝯtētꝰ herbis frigidis ⁊ in potu sola aq̄ vti. In oculi v̓o initio sieť albū cum lacte mulieris mittēdū ⁊ si pulsꝰ iā alle- uiari ⁊ sedari videť sperādū est ꝙ egritudo solueť sn̄ saniei collectōe. Quo si pulsus post sanguinis ex- tractōeꝫ ⁊ vētris solutōeꝫ ac sieť albi īmissiōeꝫ q̄escere nō videtur pua fiducia i hoc qđ diximꝰ ē ha- bēda. Est itaqꝫ tūc sieť đ olibano mittēdū i ocreū ⁊ pila aliq̄ oculos supponēda ⁊ cū ligatura stringēda. āte v̓o ꝙ hoc eueniat oculꝰ suaui- ter ē ligādꝰ ⁊ sine suppositiōe pi- le et nō cesses i oculū de sieť de thu re sepe distillare donec sanies in pila videať. Ex quo em̄ hoc visū fuerit sieť đ plūbo vti erit necesse vsqꝫquo ꝓfunditas fiat plana et tota caro genereť. Ea tn̄ que dixi- mꝰ tūc sūt faciēda cū pustula n̄ est magna qm̄ cū magna fuerit fue- ritqꝫ iux̄ pupillā: aut iferiꝰ ea erit tūc necesse vt cū eliescir medicetur ne oculꝰ emineat. Ad pile ꝙ sup- positionē ⁊ ligaturā erit redeūduꝫ. Eger p̄terea sp supinꝰ iacere debꝫ ⁊ a forti motu abstinere. cū aūt ca ro in loco vlcerū pfecte gn̄ata fue rit vł vlcꝰ apatis carne repletꝰ fue rit remanebit ibi i ocło albedo. ꝙ si vlcꝰ fuerit ꝓfūdum albedo erit grossa ⁊ si i supficie tm̄ cornea fue rit subtił vlcꝰ ꝙ si a pupilla fuerit īmotū steterit separāt p se vestigiū

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

illud quod remanet nihil mali fa
ciet si autem iuxta pupillam fue-
rit quandoq; post vlceris curatio
nem vestigium remanēs prohibe
bit visionē. Qua ppř tūc ē vtēdū
medicis qbus vestigiū qd diximꝰ
abstergi ꝛ deleri possit. Sief d
thure. ℞. armōiaci sarcocolle ābo
rū ana.ʒ.v.thur.ʒ.x.croci.ʒ.ij.cō-
ficiāť ex muscillagie fenugreci ꝛ fi
āt ex eis sief. Sief d plūbo. ℞. plū
bi adusti āthimonij tuthie ablute
calcuce caumenō gummi arabici
dragagātis oīuʒ aā.ʒ.viii. opii.ʒ.
v.teranť ꝛ cuʒ panno sericino qui
sit subtilissimus cribellenť ꝛ con-
sperganť ex pluuiali ꝛ fiāt ex eis si
ef Sief ex quo caro in vlceribꝰ
oculoꝝ generať ꝛ vuee egressio p-
hibeť ꝛ vestigiū subtilieť. ℞. cli
mie ablute tuthie ablute ceruse an
timonii thuris oīuʒ aā.ʒ.ii. myr-
rhe.ʒ.i.sarcocolle grosse.ʒ.i.ꝛ ß.sā
guinis draconis aloes apii oīum
aā.ʒ.i. fiat ex eis sief. Elescir
quo est vtēdū cōtineť ne ex vlcere
vuee sequať egressio. ℞. antimo-
nii ematistis āboꝝ aā.ʒ.x. acha-
chie.ʒ.iii.aloes.ʒ.i. teranť ꝛ fiant
ex eis sief. ꝛ administrenť apud
necessitatem.

b De vlceribus oclʼoꝝ puta coniūctine
vel cornee qꝛ vlcera oculoꝝ sūt in aliq
istarū tunicarū vt vult rasis ꝛ alij au-
ctores. veꝝ alij auctores qꝫ plures faciūt duo ca-
pitula de vlceribꝰ istarū tunicaꝝ. Rasis qꝛ breui-
loquꝰ tm̄ facit vnū caplʼm. ꝛ qꝛ cura lʒ sit magis
difficilʼ in cornea. ¶ Nō. qꝫ vlcera istarū tunicaꝝ
sūt duplicia. qdā sūt ppe dicta: in talibꝰ est dep-
ditio saniosa sube tunice. Alia sūt vlcera istaruʒ
tunicarū largo mō dicta que dicūť solutō ↄtinui
simplex istarū tunicaꝝ sine depditiōe sube ꝛ sine
sanie manifesta: q̄ vlcera ppe vel iproprie dicta
cāuť interdū ab aliqua cā extrīseca vt trāscundo
p nemora vel ab ictu. Alioº intdū ꝛ pluries cāuť
a cā intrīseca puta ab hūoribꝰ acutis salsis fluē-
tibꝰ p modū catarri ad oculos soluētes vlceran
tes ꝛ corrodētes vnā de dictis tunicis oculoꝝ et
tale vlcꝰ cū depditiōe lʒ imediate isit isti vel illi
tunice vt tibi demōstrat sensus visus puta ipsi
cornee vel ↄiūctie pmo tm̄ inest toti oculo qꝛ actō
totiꝰ oculi pnr ꝛ pmo ledit. Ulcus largo modo
dictū puta solutio modica simplex ē passio pnci-
paliť ꝛ pmo ipsiꝰ tunice ꝛ illi imediate primo ꝛ
pncipalʼr inest vt est ps cōsilis qꝛ talis solutio ē
morbꝰ ↄsilis ꝛ ē ad modū capitis fornice quā-
do ē i cornea ꝛ sp ē p colligātiā venit ab itra ad
oculos quod venire nō debʒ fm naturā a venis
ꝛ arterijs pelliculaꝝ cerebri vel coopiētiū cneuʒ
cā extrīseca coadiuuāte talis solutio cū depditōe
sube saniosa ē morbꝰ officialis puta i figura lʒ
imediate insit ipsi tunice pmo ꝛ pncipalʼr inerit
ipsi toti oculo: qꝛ actio totiꝰ puta motiua ꝛ forsan
visiua lediť pmo ꝛ pncipalʼr vlcus istaꝝ tunicaꝝ
largo mō dictū put ē simplex solutio ↄtiʼ ē morbꝰ
cois consilis. ¶ Nota ex intētōe ga. sup illo caº.
xiº. pmi de morº vt maª tibi clarescat qꝫ spēs ime
diate sequētes tertiū genꝰ morbi puta solutionē
ↄtiʼ sūt morbꝰ cois cōsilis vt modica solutio ↄti
nui in vena vel alia pte ex q̄ nō lediť actio officia
lis ß naturalis digestiua illius ptis. Alia species
ē morbꝰ cois officialis oculi vel alteriꝰ mēbri:
lʒ vtraqꝫ eaꝝ imediate insit ipsi pti. pma solutio
puta simplex ꝛ modica pmo ꝛ pnr inest ipsi pti:
quia illa pmo egrotat secūdario inest ipsi toti qꝛ
morbꝰ ↄsilis pmo inest pti ↄnr ipsi toti pmo de
morbo caplis pmis ꝛ duobus vltimis in. ca. xiº.
Mag̃ solutio ↄtiʼ q̄ dicit morbꝰ cois officialis
lʒ imediate insit ipsi pti pmo ꝛ pncipalʼr ierit ipsi
toti: qꝛ pmo totꝰ oculꝰ egrotat. qꝛ actio eiꝰ pmo ꝛ
pncipalʼr lediť ꝛ nō ptis qꝛ ps in organico non
habet actionē ß iuuamētū vt plies est dictū. ꝛ sic
pʒ tibi maª clara. verū ista maª nō itrabit caput
asini. Et ē nocumētū passiue regitie naturalʼ mē-
bri mādātis vt ē plies dictū ex intētiōe ga. xiº. de
ingeº. caº. iiº. ꝛ 8º. nā si iste nō errasset cā tlis nō
fuisset gñata. ꝛ est passio pncipalʼr seu nocumen
tū actiue aiate motiue oculi ꝛ visiue ↄnť ipsoruʒ

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

naturaliū ipius oculi ⁊ sepius insūt ocul' cal'is: ⁊ hñtibus caput reumaticū ⁊ hñtib' oculos debiles passibiles rõne cõtexture rare cõiter insūt colericis raris ⁊ rare cõtexture.

Istis clarificatis in cura horū ꝓcedas ante ne sis deceptus ꝓut plures decipiūtur estimantes ꝙ sit modica obtalmia ⁊ nõ est. Si dolor cū multitudine ⁊ punctura lachrymaꝝ in oculo fuerit ⁊ loca aliqua cõiunctiue rub. inueniātur aut cū tota paꝝ rubescit vn' locus magꝭ rub. iuenit̃ aut nigrescere cum q̄dam cõcauitate occl'ta parū saniosa ad modū capitis vnius musce vl' formice: scias ꝙ vlcus iam factū ē in illa ꝑte. ⁊ nõ ē modica obtalmia vt plures credūt bene cognita da sibi cassiamꝭ cõem datā ter in recepta pluries sp̄aliter in cura catarri in ꝓncipio. Cõseq̄nt̃ flõma ipm de cephalica eiusdem ꝑtis. Cõseq̄nt̃ pone sibi cauteriū de cātaridib': ꝓut ordinaui in cura obtalmie ⁊ in fine augm̄eti vel stat'. Infra oculū tu pones ꝓmis diebus de al būie oui agitato cum modico aque plātagꝭ ⁊ ex spumato pone de hora in horā vnam guttā ꝑ duos aut tres dies. Cõseq̄ter pone ibi de lacte mulieris puellā lactātis pluries in die: abstergit Vel fac sief de olibano seu de cortice thuris puluerizato: vt alcohol cū lacte mulierꝭ dissolue cū lacte. post ꝙ erit exiccatū ⁊ pulueres pone desuꝑ. Et si cuz istis non curet̃ ⁊ talia vlcera augm̄etāt̃ ꝓpt̃ fluxum mat̃ie multe reumatice ad ipos oculos. vel q: cõsequūtur obtalmias malas vel aliā sol'onē cõtinui malā: remitte curā alicui syrurgico bñ instructo ⁊ expto in curis oculoꝝ: ⁊ ipse vtat̃ sief: vel collirio de thure vel de plūbo datis tibi a rasi in capl'o ⁊c̃.

Capl'm. 17m. de hijs que in oculo cadūt.

Umatur resina id ē gūma pini ⁊ per oculuz trahatur: ⁊ extrahit illud qđ in oculo cecidit.

Ehis Que i oculo cadūt vt stramina vel areste bladi ⁊ similia. Nota ꝙ talia rasis iubet remouere cum resina liquefiat ⁊ gutta in oculis ponatur cum pluma ratõne gūmositatis attrahit. Loco huius nos ponimus lac ab vbere mulieris cum capite corrigiole vel panni linei extrahatur ⁊c̃.

Capitulum. 18. de albugine oculorum.

Lbugo q̄ in oculo cõtingit ē vestigiū post vlceꝝ curationē remanens q̄n cõsolidatur. Que cū in ocul' pueroꝝ sit: leuior ē ad curandū ꝙ cuz accidit annosis. Cū em̄ in ānosis fit fortis ad sanādū: fortassis ipossibilis existit: nisi subtilissima fuerit. Hec aūt passio ex hijs medicaminib' curāda est postꝙ eger balneū egressus fuerit: aut facie super vaporē aq̄ calide vsqꝫ quo rubea sit tenuerit. Si tñ ex hoc medicamine in venis oculi rubedo ⁊ dolor prouenerint: ꝑ aliquot dies ab eo qui escēdū est donec ocul' quiescat. et post ad id redeundum. Medicamē valde vtile ad albuginē rēouēdā ⁊ cito eradicādā. Ego ꝙ nõ vidi qđ eo meli' aut eq̄le eēt ad albuginē delēdā. Rx massacume spume maris stercoris magni lacerti baurach zuccari higeri oīum ꝑtes equales. Deinde sumātur achori celidonie seni āboꝝ añ. ℥. x. coq̄nt̃ in libra vna aque donec ad q̄rtaz redeat ⁊ colētur. ⁊ ex hac aq̄ imbibātur sp̄es q̄s ꝓdixim' ita ꝙ conficiāt̃ ex ea siccētur i vmbra. deīde interi terāt̃ ⁊ cõspergāt̃ vt ꝑus et siccētur. Qđ postꝙ quater factū fuerit siccet̃ ⁊ terāt̃ ⁊ i oc'lo mittāt̃ Hoc em̄ medicamē nulli vt ꝓdiximus cõpar existit in remotõne albugīs. Remouet em̄ hoc medicamē grossā albugīez ex ocul' aīaliū

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

E albugine Oculoꝝ .i. de macula
alba vel subalbida oculoꝝ seu de cica
trice remanēte in cōiūctina vl' cornea
post vlcerū curōnem. ¶ Nota albugo duplex est
Una ē cicatrix macl'osa remanēs post vlcerū cu
rationē in obtalmijs ⁊ variol'. Raꝫ curā hoꝝ po
nit in puericia .in senectute repant' ſ non curāt'.
¶ Alia ē albugo sine cicatrice in cōiūctina l' cor
nea ex fluxu humorꝝ flātici gñata ꝑ viaꝫ coagu-
latōnis ⁊ nō est ibi cicatrix. ⁊ medici cursores cu
rāt interdū cum sit cicatrix magna ⁊ sunt decep
ti: ⁊ fugiūt habita pecunia. Est ꝯsiliū ꝙ in ātiqꝝ
nec i sembꝰ ñ pōas manū vt breuit' ꝓcedā i istis
passiōibꝰ ocl'oꝝ: vt ñ ꝓcedāꝰ q̄stionādo. dico ꝙ tal'
albugo inest imediᵉ ꝯiūctine vel cornee p̄ᵒ ⁊ pri
cipal'r tñ inest: ⁊ ē passio totiꝰ oculi motiua est: et
forsan visiua p̄mo ⁊ principaliter leditur. Ideo
totus oculus egrotat ⁊ est ꝑ colligātiam venarū
venit ad oculos quod venire nō debet scd̄m na-
turam: puta humores flegmatici q̄ coagulantur
Et est passio officialis in genere. in specie ē mor
bus in nūero. quia ibi est res addita numeralis
p̄ter naturam: ⁊ ē nocumētuꝫ passiue regitie mē
bri mandātis: vt pluries est dictum ex intentōne
galieni .xi. de ingenio in .c. 2. ⁊ .8°. ⁊ est passio no-
cumētū actiue ⁊ visiue. qꝛ si oculꝰ male mouet' nō
pōt bene videre ad vtrāqꝫ differentiā positōnis

Istis Clarificatis ⁊ bñ declarat' multi me
dici decepti sunt ex dictis rasis i cu-
ra istius ⁊ illiꝰ albugis ⁊ post vlcerū curōeꝫ pu-
ta variolarū vel similiū in cornea pueroꝝ. nā ac-
cidit qꝛ nulla cicatrix curatur: lꝫ aliqualit' in pue
ris nouelle etatis si antiq̄ta nō fuerit subtilietur
¶ Alia aūt albugo q̄ nō conseq̄tur curatōem vl
cerū ſ fit ex flāte grosso coagulato in porositati-
bꝰ cornee. illa magꝭ de rōne est curabil' cū abster
siuis. ¶ Si qs g̃ puer īfra .x. ānū sue etatꝭ fuerit l'
circa maculā i sua cornea post curatōꝫ variolaꝝ l'
alioꝝ vlceꝝ habuit ⁊ antiq̄ta nō fuerit: ꝙ īfra me
diū ānū fuerit: subtiliet' lꝫ nō curet'. ꝑ hūc modū
ponat' d' lacte mulierꝝ masculū lactātis. qꝛ hꝫ ma
iorē abstersionē pl'ies i die abstergēdo subtilia-
bit infra duos aut tres mēses. Uel alit'. mollifica
dictā cicatricē ꝑ aliquos dies: imponēdo vnam
guttā istiꝰ sir' pl'ies. l' aquā decoctōis. ℞. folioꝝ
maluaꝝ bismal. aā. m. ß. se. lini. ℥. ß. suc' q̄rꝭ. i. ꝭ si
rupꝰ bñ coctꝰ. Iste siruꝰ multū mollificat si pl'ies
ponat'. postea ponat' de osse sipie subtiᵐᵉ pulue-
rizaᵒ: vt alcohol. Uel pone desuꝑ de stercore la-
certe. Aliq̄ dubitāt ꝙ talia vlceratia: qꝛ augmētāt
cicatricē. iō applicāt de lacte mulierꝝ pl'ies i die
⁊ melius. Uel applicare de puluere anabati sic
de pane zuccari ⁊ de zuccᵒ cādi. mollificat et ab-
stergit ⁊ mollificādo ꝑ aliquos dies cū siruᵒ di-
cto ⁊ abstergēdo cū dicto puluere bonū rascare
dictā cicatricē ꝯfero ad hoc. ¶ Si q̇s autē puer
maculā i cornea habuerit ⁊ antiq̄ta nō fuerit ex
fluxu hūorꝝ flāci: i ip̄a cornea ibidē coagulati qd̄
tibi pꝫ: qꝛ nō ꝯseq̇t' curationē variol'. vel alioꝝū
vlceꝝ: vtarꝭ lacte mulierꝝ vt dictū ē i alia albugie:
⁊ de osse sipie vel de stercore lacerte nigre vel de
spūa maris. vel sic ⁊ fortiꝰ ¶ ℞. succi papa. rub.
succi cētauᶜ mi. aā. ℥. ß. misceāt' cū melle. applica
vnā vl'. ij. guttas sepe. istud remeᵐ ꝓculdubio cu
rat albugies ⁊ macl'as i puerꝝ nouelle etatꝭ si āti
q̄te nō fuerint. ¶ Idē fac' succꝰ ligue passerine q̄
appellat' poligonia apud diascoridē assil'at' mira
bilit' cētinodie. Ista em̄ ē herba quā hyrūdines
portāt pull' suis cū ꝑforat' oculꝰ eoꝝ cū acu: ⁊ re
cuperāt visū. ¶ Si aūt herba nō iueniat': ꝑforet'
oculi pulloꝝ hyrūdinū: ⁊ post triduū accipiāt' q̇
recuꝑauerūt visū: ⁊ ꝭ puluis q̇ i ocul' hñtibꝰ ma-
culas iniȷ̄ciat'. Si aūt macula fuerit idurata: vix
curat': mollificet' cū syrᵒ suꝑiꝰ dicto. ¶ vel c̄ aq̄ de
coctiōis maluaꝝ bisinalue ⁊ modico zucᵒ. Post
ea applica vnū de dictꝭ remedijs vt. s. capimꝰ cē-
tinedinā ꝑ lingua passerina succū de tribꝰ in tri-
bꝰ diebꝰ ꝑmiscēꝰ aliq̄s guttas mell' ⁊ iponimꝰ. ij.
guttas bis l' ter i die ñli ꝯsūit albugies ⁊ telas ⁊ c̄
¶ Capitulum. 19ᵐ. de scabie ⁊ de sebel.

**Uꝫ palpebra inuersat' ⁊
iteriꝰ appet rubea ⁊ aspa
scabies adest. ⁊ cū suꝑ al
ba oculoꝝ ac suꝑ nigredine vide-
tur silitudo pāniculi ex venis ru-
beis ⁊ grossis texti: adest passio q̄
vocat' sebel. Hee vō due passiones
graues sūt ⁊ cronice ⁊ vix curabi-
les. patiēs tñ dū sanꝰ ē flōia ex bra-
chio ⁊ frōte ⁊ vētris sol'one vti dꝫ:
vitare dactilos ⁊ sisamos de melle
⁊ i comestione vitet ebrietatē. Et
qñ nō ē plenꝰ sepe ingredi balne-
um ē ei vtile: et frequēter imittere
ocl'o sief rubeū sil'r cōfert. Sief
rubeū. ℞. mathicis colcothar cōbu**

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

sti ãbor̄ añ. ʒ. iij. eris vsti. ʒ. ij. mir
re croci ãbor̄ añ. ʒ. i. piperis lõgi. ʒ
ß. cõsp̄gant̄ ex vino veteri ⁊ fiat ex
eis sief. Ibijs p̄terea egritudib⁹ vi-
ride cõfert sief: cui⁹ descriptio i ca
pitulo de vngula continet̄. Qđ si
passiões iste vetuste fiãt scabies fri
catiõe idigebit ⁊ sebel collectione:
nõ tñ tõsure huius libri cõgruit vt
de hijs tractemus.

E sebel .i. de venis rubeis dilatatis
vlt̄ debitũ s̄ ꝯiũctinã ad
mo^m pãnicli. iõ gord⁹ i titulat đ pãnicul'
i ꝯiũcti^a ⁊ đ scabie ocl'or̄ .i. đ grossi^e prurigiosa c̄
rubore a sp̄itate aliq̃li i labijs palpebrar̄ q̃ scabi
es p̄cedit inuersatõnē palpebrar̄ ⁊ vlcera ipor̄.
nã tal' scabies ē i ocul' caliginos̄ ⁊ obltalmiq̃ ru
bicũdis p̄ magnũ tp̄s. Rasis ponit curã har̄ pas
sionũ sil' in isto cap̄lo. q: cura hor̄ fit cũ abstersi-
uis ⁊ exiccatiuis ⁊ ꝯsũptiuis. sebel ē passio vēa-
rũ ꝯiũctine. scabies oculi ē passio venar̄ oculi p̄
colligãtiã. venit qđ venire nõ đz puta san. ca. di-
latãs ⁊ replẽs venas vltra debitũ. Scabies silit̄
ē p̄ colligãtiã venit san. collic⁹ vel salsus ad pal-
pebras qđ venire nõ đz scđm naturaʒ. Sebel et
prurit⁹ palpebrar̄ sũt passiões officiales. sebel ãt
i sui p̄n° ē morb⁹ i via. q: dilata° venar̄ ꝯiũctine.
⁊ repletio ⁊ i p̄cessu. sebel ē morb⁹ i nũero q: pan
nicul⁹ q̃ manu cirurgici ē remouēd⁹ tãq̄ res nũe
ral' distincta. h̄ vult ras i. c. Prurit⁹ aũt i specie est
mala figura: q: mal⁹ tumor palpebrar̄: ⁊ in p̄n°
sui ē morb⁹ i sup̄ficie. ⁊ forsan i p̄cessu. q: ꝯsperi
tas labior̄ palpeb^e. Sebel ⁊ prurit⁹ sunt nocu^m
passiue intelligẽdo regitie m̃lis mẽ' mãdantis ⁊ re-
cipiẽtis digtie ⁊ expulsiue. nã si nõ errassent: cau
sa tal' mor' nõ fuissz. Et sebel ē passio v̄tutis moti
ue oculi ⁊ visiue. scabies aũt ē passio motiue aiate
palpebrar̄ oculi. Iste passiões mag' insũt calis
⁊ venosis hñtib⁹ ocl'os caligiosos.

Isti sclarifi. cura sebel ⁊ scabiei palpebrar̄
tibi patescit. pl'es patiẽtes sebel flõati
de vtraq̄ cephã^ca ⁊ de vena frõtis vel tipor̄ cura
ti sũt. h̄ vult ras i suo ꝯtinẽte: eo q̄ m̃l'titu° san. ca.
ē i cã flux⁹ ipi⁹ ad vẽas p̄p̄t qđ sola ⁊ bõa ei⁹ ab
strac° libat eos. qđ si ñ leuet̄ aliq̃ sebel c̄ istro fer
reo ⁊ icidat̄ sb̄dit q̄ ear̄ icisio ē melior vt fit eleua°
vene c̄ đctõ istro posita sb̄ vẽa acu c̄ filo: ⁊ remo-
ueat̄ istr̄z vt liget̄ vẽa: ⁊ h̄ fiat i oib⁹ alijs vẽis q̃s
icidere voluer̄is. ⁊ caute t̄has fila ipi⁹ ve^e ⁊ icidẽ su
bito: ⁊ ē valde leuis op̄atõis. v̄ba st ipi⁹ ras i suo
ꝯti^e. Si q̃s g̃ sebel i ꝯiũctia hũerit: sũat p° cassiãs
cõez i ortu sol' positã ter l' plies i p̄mis cap̄lis ⁊ i
cura catarri i p̄n°. ꝯñr flõet̄ de vtraq̄ cephã^ca i ea
dẽ hora successiue tñ p̄us ñ de p̄te opposita ex q̃
m̃l'titu° san. col'ici ē i cã. ꝯñr p⁹ q̃sdã dies flõmet̄
de vẽa frõtis l' tipor̄ de p̄te eadẽ. Si istud ñ suffic
da. ʒ. ij. pill' ar̄ aurear̄ i itroitu lecti sine sir°: i ma
terijs reumatiq̃ ñ ꝯpetit sir⁹ vt sup̄i⁹ dictũ ē i cura
catarri. q: p̄uocat̄ cõit̄ flux⁹ hu. ad me^m p̄p̄t ap̄
tionẽ vẽar̄ ⁊ subtiliatõz ma^e. Si ista tibi ñ suffi-
ciãt: hẽas cyrurgicũ ⁊ iscide mõ dicto. vl' põe de-
sup̄ đ isto pul'. Rx. testar̄ ouor̄ recẽt. postor̄ tpẽt
i ace° forti^mo p̄. ix. dies inouã° ace^m bis l' ter in ill'
dieb⁹ desiccẽt̄ in vmbra. postea pl'uerizẽt̄. Rx pl'.
testar̄ ouor̄ p̄ator̄. ʒ. 7. aloẽ. ʒ. ß. misceãt̄ ⁊ fit .pul'.
subtil' vt alcohol c̄ sindõe. Si vis facere colliriũ
adde aq̃ eufra^e qđ suff̄. colli^m mag' approbo in
pul'. vl' facies sic. Rx thutie ablute. ʒ. ij. gũmi ara.
ʒ. i. eris vsti. ʒ. ß. puluizẽt̄ c̄ sindo^e vt alcohol ⁊ misce
at̄ c̄ aq̃ pluuiali. fit colli^m. ista valet i p̄n° sebel. q̃a
restrigũt vẽas illas. l' fctã mag̃ substractõe sã. iã
dicta. sil' vz colli^m c̄ solo sumach fctm̃ cũ aq̃ đco
ctiõis ei⁹ q: restrigit ⁊ rep̄cutit Si q̃s pruritu seu
scabiẽ palpebrar̄ hũerit sirupet̄. Rx. sir' stica. sir'
acetosi ꝯpositi añ. lb. i. capiat scro ⁊ mãe. 4 clocle^a
c̄. vi. aq̃ cice. ru. vbi sit modi^m maiora^e yso'. q̃° facto
sũat. ʒ. ij. pill' ar̄ cochiar̄ i itroitu lecti. assidua di-
stilla° lactis m̃l'ier̄ mascl'in lactãtis i ocul' seu i palpe
bris m̃ltũ vz abstergit ⁊ r̄soluit. ablu° ocl'or̄ potissi^e
palpebrar̄ assidua l' plies reitata c̄ aq̃ đcoctõis
se. feni' multũ vz. l' q̄ spõ^a ibiđ isusa tepida appõt
⁊ detẽta ⁊ reitata plies q̄diũ tepida fuerit. vl' la-
uet̄ palpe^e it⁹ ⁊ ex c̄ vi° al. ⁊ claro ros guano in q̃
isusũ ⁊ dissolutũ fuerit aloẽ puluiza^n dissoluat qđ
occl'tũ ē resoluit ⁊ abstgit. iõ reitet̄ đ hora i horã
Aduũte tñ q̄ itđũ tal' g̃ssicies ⁊ duricies palpebrar̄
ē ita ãtiq̃ta q̄ñ p̄t c̄ istis r̄moueri p° oz r̄currere ad
sief viride qđ põit ras Rx flor' eris. ʒ. i. calcãti vsti. ʒ.
ij. arse^ci m̃' spũe maris añ. ℈. ß. sal' armo' ℈. ij. sal ar
mo^m. i succo rute dissoluat̄ ⁊ spẽs eo disp̄gãt̄. fit.
ex his sief cũ q̊b⁹ palpe^e fricẽt̄. pl'es hu. huidi i ãti
q̃ta sca^e seu duri^e cũ rub i ipis pal. Aduũte tñ q̄
fctã purgatõe vadãt ad stufas sto° ieiu° bis i septi^a
i fine vz ablu° palpebrar̄ c̄ aq̃ celid^e l' fenicli l' vbe
ne ⁊ põere sup̄ palpebrã inũsatã đ pul' sb̄tili gala
rũ vt alcohol. nã r̄mouet radicẽ scabiei palpebra
rũ stipticã° ⁊ restrigẽ° p̄tes ne vlti⁹ ma^am recipiãt
h̄ sufficiãt tibi p̄ cura scabiei palpebrar̄ ocl'or̄ ⁊ c̄

¶ Capitulum .20. de lachrymalibus cum pruritu.

Indiuia tenera sumatur et coteratur: et fiat ex eo magdaliones pui et ex oleo violato inungatur: et oculis supponatur et in hora dormiendi ligetur rosatum tamen melius est et citius cofert. Et si hoc no suffecerit: letes absque corticibus et sumach et rose rubee et granati carnositas sumatur. et contrita ex careno cosperganf et more emplastri supponatur. Quod si no suffecerit: ex cephalica prius flobothomet patiens. Deinde ex vena frotis et ex venis que sunt in angul lachrimalibus Venter quoque frequeter soluatur et balneu multotiens ingrediatur.

E lacrimalibus

cu pruriut. i. de pruritu lacrimalium: na lacrimale e duplex. maius et minus Maius in angulo maiori q e iuxta nasum. minus lachrymale e i angulo oculi versus tipora. Et quamquam pruritus de possibili fiat in vtroque angulo vt plurimu fit in maiori. quia vie sunt magis late per quas fit fluxus per via effumatois colere et flegmatu salsi psequedo clarificatione. 4. c. sine qonibus dicas q pruritus p morbo descripto e passio pncipaliter lacertor lachrymal oculi et coniuctiue. na ibi sut lacti claudetes et apientes oculu: et ab intra sut lacerti retinetes lachrymas oculi. q lacerti vna cu aliis ptibus oculi hnt motum a secudo pari neruor capitis. 4. de int. c. 5. orto a prora cere. vt dicit. 4° de inte. c. 3. ¶ Ad lram ponit. et e passio p mor° descripto p colligatiam venaru intrinsecaru retine venit ad eos qd venire non debet scdm naturaz puta ma^a colerica vel salsa. et p morbo descripto e morbus officialis in receptaculo. et in via: qa vene et porositates replent vltra debitu illar ptiu concomitado secu morbu csilem. i se aut e malus motus expulsiue. naturalis ipor lacertor magis debilis inter alios malos motus. 5. de mor°. c. vltio. Et est nocumetum passiue p morbo descripto regitiue naturalis digestiue et expulsiue mebri man dantis vt pluries e dictu. et p ipo malo motu est nocumetum passiue virtutis expulsiue naturalis ipsor lacertor lacrymal oculi. qa e eius malus motus puta impetuosus et innaturalis. et e passio pncipalis p morbo descpto motiue aiate oculi. et p ipso malo motu puta p ipo pruritu e passio seu nocumetum actiue vna cu morbo descripto ipsius motiue aiate oculi silr qa ipedit eius motu volutariu.

Istis clarificatis

Et bn intellectis: cura pruritus lacrymaliu oculi tibi patescit. ¶ Aduerte tn no negligas tale pruritu. qa coiter si durauerit rubescit lacrymale et fistulatur. studeat ergo bis i septimana et lacrymale lauet cu aceto tepido limphato. Et emplastret locus cu foliis populi recetibus bullitis cu aceto pistatis desup applicatis. Si cu hiis pruritus no cessauerit: purget cum. ʒ. ij. pillar aurear. ista tibi sufficiant.

¶ Capitulum .21. de vngula oculi.

Um aliqd paniculo silr ex angulo que e a parte naris oriri videt et albuz oculi coopire et puenit vsque ad nigredine: generatur passio q vngula dicit. Cuius nocumetu tuc soluz e peius cu puenit ad nigredinis ptem q est iuxta pupillam. Hec igitur passio du subtilis e cu sief viridi et sief da calcatho e medicada Si at vetusta fiat et grossa: cu ferro e expoliada. Sief viride qd cofert sebel et scabiei: et angule et albedini. ℞ simar. ʒ. iij. colcothar vsti. ʒ. vi. arsenici ru. baurach spue maris oiz an. ʒ. i. salis armoiaci. ʒ. v. armoiaci. ʒ. ij. armoiaco i succo rute dissoluatur et spes ex eo cospgatur: et fiant ex eis sief. e em mirabile. Sief de calcatho qd cofert vngule ℞ eris vsti calcati abor an. ʒ. v. simar. ʒ. ij. salis armoiaci baurach arseici sublimati oim an. ʒ. i. terat et p ebdomada

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

vnā dimittatᷣ. deinde fiant ex eis si ef ꝛ fricetur vngula cum eis.

De vngula oculi ꝛ ei⁹ cura. ℂ Nota ꝙ vngula ocl̄i ē excrescētia modica carnosa in ꝯiūctina ad modū vngule puuli pueri nouiᷣ geniti: vt pl'rm fit i maiori āgulo ꝓpter latitudinē venaꝝ. ꝛ lȝ insit imedi^e i ꝯiūctia: vt ē ꝑs officialᷣ ē pa^o p̄ncipalr̄ oculi. q: morb⁹ officialᷣ p̄mo inest toti: ꝯn̄r p̄ti. lȝ imediati⁹ sit ipi parti h̄ ē bn̄ declaratū aucte ga^l. in capl'is p̄cedētibus de obtalmia ꝛ vlcerib⁹. q: actio officialᷣ p̄^o ꝛ p̄ncipalr̄ lediᷣ motia oculi. ꝛ ꝑs coadiuuās i orga^co non hȝ actōem ſ̃ iuuamētū i orgāico. morb⁹ diciᷣ r̄specto actōis lese. cā mor^l respectu iuuam̄ti. p̄^o d̄ mor^o i pl'ib⁹ loc̄ poti^me i. c. 8. ꝛ ē passio ꝑ colligātiā venaꝝ intrisecaꝝ rethine. venit ꝑ eas ml'titu^o hu. puta sāguis q̇ venire nō dȝ ſ̄m naturā i tanta abūdātia. ꝛ ē morb⁹ officialᷣ i gn̄e: ꝛ in spē ē morb⁹ i nūero. q: dic̄ vnū suppo^m nūerale cāns malā ꝯpositōꝫ i re addita nūerali. iō vngl'a n̄ ē morbus. q: ē suba. ſ̃ describit morbū dictū tāꝙ cā. nā rōe cāe interdū describim⁹ mor^m. 2. de inge. c. 2^o. Et ē nocu^m passiue regitie n̄ lis digtie ꝛ expulsi^e mēbri mādanᷤ ꝛ recipieᷤ. Et ē nocum^m actie seu passio vtuᷤ motie oculi ꝛ al'n si multū excrescat vi siue sil'r ipsi⁹ oculi.

Istis clarificatis cura vngule q̄l'r ē possibilᷣ tibi patescit. nā nō p̄ōt curari nisi cū corrosiuis puta cū sief viridi fricādo dictā vngulā cū sief dicto stati i cura scabiei ātiq̄te ipaꝝ palpebraꝝ vl'cū sief d̄ calcāto qd̄ ponit raſ̄ i. c. de cura vngule. p̄us t̄n purgādo cū. ʒ. ij. pill'aꝝ cocħ. ꝛ stufando sto^o ieiuno ꝛ vngulā remolliēdo q̇busdā dieb⁹ cū aq̄ decoctōis folioꝝ malue bismalue ſ̃ fumigādo oculū ꝛ ab intra ponēdo. veꝝ magꝭ cōsulere ꝙ remoueretᷣ cū manu cirurgici bn̄ expti i talib⁹: ꝛ sic termineᷣ cura eius.

Capitulū. 22^m de macula ru. ex ꝑcussiōe l' alia re

Cum in oculo ex ꝑcussione aut ex re alia p̄uctū rubeū fieri cōtingit: sāguis q̇ ibi ē dissoluēd⁹ ē postꝙ estuatio q̇euerit. Sumātᷣ igiᷣ arsēici rubei olibani mirre armōiaci oīm p̄tes eq̄les et fiāt ex eis sief. q̇ i succo coriādri fricenᷣ et i oculū distilleᷣ tā diu ꝙ dolor ꝑseuerat. albugo oui sumēda ē et oleo roseo miscēda et cotū ex eis inuolutū ocl'o ē superponendum.

De macula rubea oculi. i. d̄ sang. aggregato ꝛ coagulato ad modū gutte san. in ꝯiūctia iā d̄: macula rubea ꝯiūctine. ꝛ lȝ imediate insit ꝯiūctine ē passio p̄mo ꝛ p̄nci^r oculi. q: ipedit ꝛ corrūpit ei⁹ actōeꝫ motiuā: ꝛ est ꝑ colligātiā venaꝝ intrisecaꝝ retine. venit ꝙtitas san. ex ictu vel alias. q: multū a cut⁹ q̇ inspissaᷣ ꝛ coagulaᷣ supra ꝯiūctinā. ꝛ ē morb⁹ officialᷣ i gn̄e in spē est in nūero. q: res addita nūeralᷣ corrūpēs actōem naturalē: ꝛ ꝑ ꝯn̄s actōem motiuā ei⁹ oculi. ꝛ ē nocu^m passiue regitie n̄lis digtie ꝛ expl'si^e mē^l mādanᷤ ꝛ recipiētis ꝯiūctine ꝛ retine. nā si nō errassȝ. talᷣ ma^a nō fuisset gn̄ata nec fluxa nec ibidē coagulata. Et ē nocu^m actie seu pa^o motie aiate oculi. nā illa res cāns malā ꝯpl'oem nūeralē ledit mediate motū volūtariū oculi.

Istis clarificatis cura macule ru b^e in ꝯiūctina tibi patescit. in p̄n^o ei⁹ flōeᷣ d̄ cepha^ca eiusdē p̄r̄. teneat dietā tenuē ne ocul⁹ apostemeᷣ. Agiteᷣ albumē oui ꝛ spumeᷣ ꝛ cū modico aque roſ̄. ꝛ boliar^l subti^me pulueriȝati incorꝑeᷣ ꝛ i oculo distilleᷣ. h̄ ſ̃ cū de nouo talᷣ macula euenerit. Vel pone guttati de h̄. ℂ ℞. succi coriandri. ʒ. ij. albumis oui agitati ꝛ exspumati. ʒ. ß. misceanᷣ i modū collirij ꝛ sup̄ locū ꝑcussū ꝛ maculatū p̄ōatur. In ꝓcessu lac. m. cal'm sepe i ocl'o distilleᷣ: et si nō cureᷣ cū hijs: infudanᷣ. ij. vel. iij. gutte san. cal'i de ala poti^me dex̄ colūbi extct⁹ dū extrhitur in oculū distilleᷣ calid⁹. h̄ ſ̃ freq̄nt̄. Vel distilleᷣ aq̄ rafani distillata vbi sit modicū mirre ꝛ aloē subtilissime pulueriȝatᷣ. si cū istis nō cureᷣ recurre ad sief raſ̄ qd̄ ponit in. c. talᷣ macule rubee.

ℂ Capitulū. 23^m. de lachrymis oculoꝝ.

Cuȝ lacrimales ocl'oꝝ anguli sꝑ hūidi videᷣ patiens quotidie ieiun⁹ balneū igrediaᷣ ꝛ i oculū alcohol istō imittat. Istō āt alcohol ℞ thutie. ʒ. x. coralli rub. mirabolᷣ. citrini

fricati aloes oīz an̄ .ʒ.ij .piperis.ʒ.
ß, fiat ex his pul. q̄ assidue imittat᷑

E lacrimis oculoꝝ

¶ Nō ꝙ lacrime ve
niētes ī angul᷑ oculoꝝ veniūt ītˀdū
a cāis ꝑmitis extrīseq̄: sic a casu ꝑcus
siōe. nā rōe ꝯcussiōis ⁊ dol. fluūt hūores ad ocu
los ibi ponim᷒ albumē oui cū san. dra. Intˀdū fi
unt a calore sol᷑ ⁊ a cal. febrili: tūc fluūt hu. ad o-
culos ꝑ viā dissol᷑ōis hūoꝝ ī pellicul᷑ cereᵗ. intˀdū
fiūt a frigore penetrāte ꝑ viā ꝯp̄ssiōis pellicl᷑aꝝ
cerᵗ fluūt hūiditates ad oculos. intˀdū fiūt ex ac
cidētib᷒ aīe ex gaudio ꝑ viā rarefactōis pellicl᷑a
rū cereᵗ exalant᷑ hūiditates ad oculos. De istis
lacrimis rab nō loq̄t᷑ hic. nā tales lacrime n̄ fiūt
ī eēntia oculi. q: cāis ill᷑ ꝑmitis remoꝝ remouēt᷑
lacrime. ꝓpt᷑ ꝙ tales lacrime nō dicūt passionez
ī eēntia oculi. vt declarat ga᷒ ꝯ̄ archigenē p̄°. de
inꝝ. c. 2. ¶ Idē declarat ī nocumēto actōis stoᵗ ī
eodē p̄°. c. 4. Et h᷑ al᷑n fiūt ab alia cā ꝑmitiua ex-
trinseca, puta a cyrurgico ꝯsumēte carnē muscl᷑i
in lacrimali ī cura fistule cū cauterio actuali. De
ista rab nō loq̄t᷑ hic sil᷑r: q: tal᷑ ē incurabil᷑. ¶ In
terdū fiūt lacrime a cāis intrīseq̄ puta a v̓tute de
bili retētiua ⁊ digestiua oculi vt qn̄ ocul᷒ ē moll᷑
⁊ albid᷒ ¶ Intˀdū etiā fiūt ab alia cā ītrīseca pu
ta a fluxu hūoꝝ a cer° ꝓpt᷑ml᷑titudinē hūoꝝ ml᷑
tiplicatoꝝ ī ip̄o cer°. a debili dig̃tia ip̄i᷒ tales lacri
me lꝫ immediᵉ īsint ip̄i cōiūctie distribuūt pas
siōnē eē p̄° ⁊ ꝑncipal᷑r toti oculo. q: actio totius
puta motia ⁊ visiua ledit᷑ sit accn̄s imediatū ip̄i
mor°. ʒ. de mor. ⁊ īsūt tales lacryme ꝑ colligātiā
cereᵗ ⁊ ei᷒ pelliculaꝝ ⁊ venaꝝ. venit ab eis q̄d ve
nire nō debet scd̄m naturā. ⁊ ē morb᷒ official᷑ lo-
quēdo ī spē: tn̄ ē morb᷒ ī receptacl᷑o. replent᷑ po-
rositates ⁊ lacrimale oculi. ex q̄ repl᷑ōe cāt᷑ mala
actio motia ⁊ visiua oculi. ⁊ ē nocuᵐ passiᵉ regiti
ue n̄lis ꝺg̃tie ⁊ expl᷑siue mēᵗ mandanꝝ ⁊ recipiēꝝ
⁊ ē nocuᵐ actie motie ⁊ visiue ocl᷑i ⁊ palpebrarū
oculi c̄ aliq̄li ardore illaꝝ ꝑtium.

Istis clarificatis

cura lacri
maꝝ ocl᷑o
rū tibi patescit. ¶ Anq̄ꝫ in cura ꝓcedas scire oꝫ
dispōnē oculoꝝ quō ⁊ q̄ de cā patiūt᷑. nā q̄daꝫ o-
culi lacrimant᷑ ex eoꝝ debilitᵉ n̄li a gn̄atōe: lꝫ ī p̄
mis etatib᷒ parū. ¶ Sūt eñ creati rari laxi rare
ꝯtexture cū debili calore n̄li cū v̓tutib᷒ n̄lib᷒ debi
lib᷒ potissiᵉ cū debili dig̃tia ⁊ retētiua: vt sūt q̄dā
ml᷑ici adusti ⁊ macilēti q̄ hn̄t ocl᷑os molles hūi-
dos subalbidos saꝝ ꝑuos, tales eñ ocl᷑i recipiūt
matias ⁊ hūiditates aliq̄s a cer° q̄d facili: dato ꝙ
excessū nō fecerit: ⁊ illas n̄ digerūt nᶜ resoluūt in
sensibil᷑r ꝓut aliȷ̄ q̄ nō bn̄ digerūt nutriᵐ appoᵐ
tales curari nō p̄nt: lꝫ ī aliq̄ possint repari. ¶ Si
oculi lacrimant᷑ ꝓpt᷑ fluxū hūoꝝ sup̄fluoꝝ a caᶜ
seu pellicul᷑ ei᷒ ⁊ vēis intˀdū a vēis q̄ sr̄ ex̄ cneum
q̄d ꝑcipit᷑ ꝑ tēsionē seu plectoriaꝫ vēaꝝ fronꝝ ⁊ ti
poꝝ ī tali casu applicam᷒ stiptica ⁊ sicca tiporib᷒
vt farinā thurꝫ mirre cū albūie oui mixꝝ ⁊ sup̄ pā
no extēsis ꝟ empl᷑m ī forma digiti g̃ssi. Vel scin-
dant᷑ veᵉ in tiporib᷒. Intˀdū recipiūt matiaꝫ a ve
nis itra craneū: q̄d ꝑcipit᷑ qn̄ sig̃ p̄dicta deficiunt
⁊ flux᷒ antiq̄t᷑ cū sternutatōib᷒. v̓ba sūt rab ī suo
ꝯtinēte. Isti tales diūsificant᷑. q̄daꝫ eoꝝ n̄ habēt
ocl᷑os multū g̃uatos nec plenos hūorib᷒ ꝟ soluꝫ
lacrimant᷑ lacrima saꝝ clara modicū ca. sine cali
gine ⁊ rubore nō bili oculoꝝ ⁊ palpeb. Quidā la
criant᷑ ⁊ hn̄t ocl᷑os caligiosos ru. ī se l᷑ ī pal. plēos
hūiditatib᷒ ca. vt sr̄ q̄daꝫ vetl᷑e flētes ꝑctā sua po
tātes intˀdū bonos haust᷒: ꝓpt᷑ q̄d ocl᷑i repleti
sr̄ hūiditatib᷒ salb ⁊ calis sup̄fluis ⁊ excedētib᷒.
¶ Si q̄s lacrimas ī ocul᷑ hūerit q: debiles ī eoꝝ
ꝯpōne ⁊ ꝯpl᷑ōe seu calore n̄li ⁊ ꝑ ꝯn̄s ī v̓tutib᷒ n̄li
b᷒ vt ē declaratū ꝓpt᷑ q̄d ī p̄ma senectute icipiūt
mag̃ abluāt caput semel ī. xv. dieb᷒ cū aq̄ decoc-
tiōis bethoᵉ exiccate ī vmbra vl᷑ floꝝ camo. melliᵗ
sene vtriusq̄ꝫ sticad. sero ⁊ mane ocl᷑os suos cuꝫ
vi° al. rob gnano vel alio clare°. vl᷑ cū aq̄ fenicl᷑i vl᷑
celidoᵉ istis abstersis pōat modicū d̄ isto pul᷑. ℞
olibaᵗ seu thurꝫ c̄ cortic̄ subtiᵐᵉ puluīzaᵗ: vt alco-
hol. ʒ. ß. infūdat᷑ ī lacte ml᷑ierꝫ masculū lactāꝝ q̄d
suffꝝ vt dissoluat᷑ stet ī vit° vsq̄ꝫ q̄ totū sit bn̄ exsic-
catū terat᷑ iteꝝ ⁊ colet᷑ c̄ sindoᵉ talit᷑ ꝙ sit pul. sb-
til᷑ vt alcohol ⁊ ī pixide diligēt᷑ r̄seruet᷑. d̄ isto pul᷑
sepe pōas ī ocl᷑o modicū cū plūa. l᷑ ꝙ bōbax ibi d̄
appodiet᷑. ⁊ c̄ h᷑ ocl᷑i apti abstergāt᷑ vt pul᷑ sꝑgat᷑
sup̄ totū ocl᷑m. Vl᷑ vtat᷑ isto colli° mirabili ī h᷑ cāu
Accipiat᷑ vn᷒ mirabol᷑ kebul᷒ l᷑ duo ipastet᷑ c̄ pa-
sta ⁊ asset᷑ ī tegula supra ignē doᶜ rubescat pasta
⁊ exinde sumat᷑ cortex illi᷒ mirabol᷑. ⁊ terat᷑ ⁊ pul-
uerizetur subtiᵐᵉ vt alcohol cū sindōe ⁊ cū valde
modico croci. cum. 6. granis croci fiat colliriuꝫ. si
sūt duo miraboᵗ. pone. ℈. ß. croci ⁊ vltra modicuꝫ
si necc̄e fuerit est mirabile in hoc casu. ¶ Si quis
lacrimas multas in ocul᷑ hūerit sine caligīe mag̃
seu rubore oculoꝝ nec palpebraꝝ: vt ē dictū stati
de q̄busdaꝫ. Cōsidera si lacryme veniūt a venis
exteriorib᷒ vl᷑ intiorib᷒ ꝑ sig̃ tibi data sup̄i᷒ q̄ mō
veniat. vadat sepe ad stufas sto° ieiuno. Et pur-
get᷑ cū pill᷑is cochijs. ʒ. ij. ⁊ ß. Naꝫ q̄buscūq̄ꝫ hn̄-
tib᷒ lacrīas, stufa ꝯpetit: q: ꝯsumit sup̄fluitates

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

tere. ¶ Si ma͠ venit a venis ex̃ cñeũ põe i timporib⁹ qđ stati dictũ ẽ de farina thuris mirre cũ albumie oui. vel scindant vene in tĩpib⁹ h̃ntib⁹ sic lacrimas sine caligie ⁊ rubore mag̃ i ocul' ⁊ palpebris a vẽis ex̃ cñeũ vel ĩfra põe ĩfra ocl'os đ pul' tali. h̃eas. 4. mirabo. citrios. stẽt p tres dies i aq̃ tepida. deiñ colet̃ aq̃ illa ⁊ i ilª ibibat̃ ãthiorũ ablutũ p alios tres dies. ʒ. i. postea exsiccẽt ⁊ subti^me^ terãtur ⁊ cribelletur c̃ sindo^e^ ⁊ fi pul' vt alcohol q̃ vtaris: colli^m^ stati dictũ factũ đ cortice adusto mirabol' ⁊ croco. sili' vz i h̃ casu pul. raf quẽ ponit i c. bonũ ẽ accipe mediã dosim ⁊ fac p̃cedẽte purgatõe cuʒ. ʒ. ij. ⁊ ß. cochiaꝝ ⁊ stufis frequẽtaris. Si q̃s lacrimas habuerit a venis ex̃ vl'itra c̃neũ cuʒ caligie seu rubore oculoꝝ vel palpebraꝝ plẽis m̃l'tis h̃uiditatib⁹ calis ⁊ salsis: vt sunt q̃daꝫ vetule vt ẽ tibi dictũ stati purget̃ p̃mo cũ. ʒ. ij. ⁊ ß. pill'arũ cocb. p̃cedẽte oxicelle cũ aq̃ ciceꝝ. 4. vel. 5. diebus. p̃hr stufet se semel i septiana: ⁊ abluat caput suũ cũ aq̃ decoctõis betho^c^ ⁊ sticađ ⁊ sene addita modica lexiuia: ⁊ vtat̃ isto colli^o^. ℞. thutie bñ p̃pate. ʒ. ij. calamine. ʒ. i. coralli ru. vsti. ʒ. ß. oia s̃btilit̃ puluizentur vt alcohol: ⁊ adde axũgie porcine sine sale. ʒ. ij. fi collĩriũ. reseruetur vt decz ⁊ vtaris. habui amorẽ vetulaꝝ ex hoc collirio. vel vtaris isto pul'. ℞ ossiũ mirabo. nigroꝝ bellericoꝝ cõbustoꝝ añ. ʒ. iij. gallaꝝ cõbustaꝝ. ʒ. ij. oia subti^m^e pl'uerizent̃ ⁊ colẽtur bis vel ter cũ sindone fi pul' vt alcohol q̃ vtaris. ponas sero ⁊ mane in ocul'. Si videas in talib⁹ venas timpoꝝ magnas ⁊ inflatas: signum ẽ q̃ talis materia fluit a venis ext̃ craneũ scindantur ibi vene in tiporib⁹ vel portet ibi empl'm statim dictũ factũ đ farina thuris mirre si vis addere farinã fabaꝝ cũ albũie oui. Ista tibi suff. p cura lacriaꝝ q̃cũq̃ mõ venerit ⁊c̃.

¶ Capl'm. 24^m^. de debilitate visus.

Si cũ đbilitate vis⁹ h̃uiditat̃ sig̃ appuerit mãifesta q̃ i tpe famis exercitij parũ dissoluãt̃. Pille cochie m̃l'totiẽs erũt assidue tribuẽde. Nutrimẽtũ q̃ patiẽt̃ desiccatũ ẽẽ đz ⁊ eger sepe vomere cogẽd⁹ ẽ. pulueres etiã desiccatiui ocul' sũt imittẽdi. Qđ si cũ p̃dicta egritudie affuerit siccitas ⁊ corpis obfuscatio: nutrimẽtũ erit augmẽtãdũ ⁊ vinũ i potu tribuẽdũ: ac sup caput ipi⁹ aq̃ tepida fundẽda ⁊ icuruatio super ea faciẽda. Balneũ p̃terea ingrediat̃: i quo tñ ñ multũ sudet naribus q̃ oleũ de amigdal' dulcib⁹ atq̃ aurib⁹ ẽ imittẽdũ. Ocul' vo lac mulieris adolescẽt̃ quolibet die ẽ iniiciẽdũ qđ etiã freq̃nt̃ fieri cõuenit. hec q̃ debilitat̃ vis⁹ spẽs fortior fit i tpe famis ⁊ dũ vẽt̃ vacu⁹ fuerit.

Cõfectio alcohol quod valde acuit visum qui causa humoris debilitatur. ℞. thutie ablute ⁊ exiccate. ʒ. xx. deide extrahat̃ succ⁹ sãsuci viridis ⁊ p noctẽ vnã residere dimittat̃ ⁊ colet̃: ex quo thutia cõspsa dimittat̃ quousq̃ siccet̃ postea terãt̃. deide sumãt̃ ʒiʒib. piperis ni. macro pipis celidõie oiꝫ añ. ʒ. ij. sal' armõiaci. ʒ. i. cuꝫ thutia fuerit. ʒ. xx. p⁹ hec oia terãt̃ ⁊ ex succo teneri feniculi cõspergãt̃ ⁊ siccata iteꝝ terãt̃ ⁊ reponãt̃. ⁊ cũ necesse fuerit ocul' imittat̃ ad hoc p̃terea valde cõfert sief de fellibus

E debilitate visus ⁊ ei⁹ cura. Adũte debilitas vis⁹ tpe plẽs g̃d⁹ hꝫ i sui maliª: ⁊ plures cãs ⁊ diũsas in spẽ. ⁊ lꝫ sp̃s mutati i q̃to ⁊ in q̃li puta in clarit^e^ ⁊ obscurit^e^ ⁊ in m̃ltitu^e^ eorum faciant ad diuersitatem actõnis visiue vt vult galien⁹. 4^o^. de morbo. in. c^o^. p̃mo. Hic tamẽ in ista materia p̄iacẽte volum⁹ loqui de intẽtiõe rasis de debilitate vis⁹ rõne humiditatis materie vel non grosse supuenientis in vijs visibilibus ⁊ tunicis maxime cornee ⁊ alijs exteriorib⁹ ingrossantibus ipas. Qua de causa Rasis in isto. ix^o^. Almans ⁊ in libro diuisionũ multuꝫ procedit in cura talis debilitatis: euacuando cerebrum cum yerapiª ⁊ gargarisimis ⁊ a sto^o^ ⁊ impone^o^ collirĩa s̃btiliãª h̃uiditates ibi flu. ⁊ ipas tũicas extrisecas

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

Si aliq̃n supuenit alicui a tp̃e debilitas visus pau
latine φ vix iudicat int̃ hoies de ꝓpe ꝓpt̃ hũidi
tates fluẽtes ab ip̃o cere°. qꝫ augmẽtãtur post co
mestionẽ ⁊ somnũ ꝑ capita venarũ spuẽtium il-
las humiditates sup̃fluas in vijs visibilib⁹ ⁊ su
ꝑ tũicas potissime exteriores eas ĩgrossantes ꝓ-
pter qꝺ spẽs visibiliũ non p̃nt subintrare in earũ
ꝑfectõne ꝓut dependet a re visibili obiectia nec
nõ obscurãtes ⁊ obfuscantes dictas spẽs visibi
les subintrãtes q̇bus de causis non bñ apprehẽ
dunt̃ a v̇tute. nec visiua iudicari a sensu cõi quia
lux interior ⁊ exterior forma ẽ visionis. 4. ꝺ mor.
⁊. 2° de aia. Aliq̃n talis humiditas fluens a cere
bro ⁊ eius venis est ita grossa terrea nigra φ ita
obfuscat ⁊ denigrat dictas spẽs subintrãtes ⁊ in
spissat dictas tunicas potissime exteriores φ nil
apprehẽdunt nisi stantib⁹ radijs solaribus. ideo
non videt̃ post occasum solis. hoc cõtingit qua-
dragenarijs causis iam dictis ⁊ in fine senij qui
sunt quasi cẽtenarij silr̃ contingit. ¶ Aliqui ad-
dũt ⁊ bñ φ ex talibus spũs visibilis in eis ĩgros-
santur ⁊ obfuscãtur ⁊ denigrãtur faciẽtes ad ma
iorem debilitatẽ visus. Ex q̇bus patescit tibi cla
rificatio capl̃i de noctilupa: ⁊ sic nõ reiterabo i. c.
de noctilupa. ¶ Interdum venit talis debilitas
visus a fumis eleuatis ab ip̃o sto° puta a matia
ꝯtẽta flãtica ad oculos tũc oculi nil mali habẽt
in eoꝝ eẽnᵃ saltim ꝑ tẽpus aliqꝺ. dic̃ Rab in di-
uisionibus. Idẽ dicit ga⁹. contra archigenez p̃°.
de inter. quia cã fluẽte cessante curati sunt. vnde
talis fumositas eueniẽs ad oculos: puta in vijs
visibilibus obfuscat ⁊ obumbrat spẽs visibiliuꝫ
subintrãtes ꝓpter qꝺ non bñ app̃hendũtur a v̇-
tute visiua nec ꝑ ꝯsequẽs iudicãtur a sensu com
muni nisi spẽs subintrãtes visibiles. ⁊ si durauе
rint ingrossant tunicas oculi ꝓpter quod debili
ter vident ⁊ app̃hẽdunt res mediocres in cõpe-
tenti distãtia nisi multũ approximet̃. In isto ca
su Rab vult φ sepe purgẽt̃ cũ pill̃is coc̃ ⁊ sepe
cogant̃ vomere et imponãtur pulueres desiccati
ui in oculis. ¶ Aliq̃n talis cã stomachal̃ non est
fortis nec magna ꝓpter qꝺ effumãs ad oculos
debilitans eos in actiõe visiua dũtaxat in reb⁹ mi
nutis in litteris legẽdis ⁊ silibus. Ista cã cõtin
git cuiqꝫ in p̃ncipio senij ꝓpt̃ quod indigẽt beri
cul̃: vt spẽs visibiᵐ subitrãtes ꝑ corneã ĩspissẽt̃ ꝑ
reflexionẽ ⁊ melius app̃hẽdat̃ a v̇tute visiua. si-
milit̃ debilitata in essentia rõe paucitatis spũuꝫ
aduenientis in senio.

Sed tu queres p̃mo q̃re ista de
bilitas vis⁹ eue
nit oibus in p̃ncipio senij dũtaxat ⁊ nõ añ: cum i
p̃ma senectute flegma ꝯgreget̃ i stomachis eoꝝ
qꝫ calor ñalis incipit claudicare. ideo dicit ypocꝰ
Senes facilime ferũt ieiuniũ. Dicẽdũ φ verꝫ ẽ φ
cõiter talis debilitas visus inest. qꝫ indigent be-
ricul̃ in p̃n° senij in. lv. ãno vel circa. qꝫ licet fleg
ma ꝯgreget̃ in stõachis eoꝝ in p̃ma senectute: n
tãtũ nec ita grossum mel̃icũ. qꝫ v̇tus digestiã for
tior. silr̃ ẽ ibi portio colere cõiter cũ tali flãte. ⁊ sic
tal̃ fum⁹ inde eleuat⁹ non sic obfuscat spũs sub-
intrãtes nec denigrat: nec v̇tus visiua ẽ ita debil̃
adhuc in radice. ꝓpter quod videt satis ꝯpetẽt
res minutas nec indigẽt ita bericulis.

Secũdo Tu q̃res. quare in p̃nci° senij
magis indigẽt bericul̃ φ i me
dio senij. nam de facto videm⁹ multos i medio se
nij legere sine bericul̃ postφ attingũt. lxv. annũ
⁊ vltra: qꝺ videt̃ esse ꝯtra rõem: qꝫ maior debꝫ ẽ ẽ
debilitas v̇tutis in medio senij φ in p̃nci°: ⁊ ma
ior copia flãtis in orificio stõach̃. Dicẽdũ φ verũ
ẽ qꝺ tu ponis ⁊ de facto videm⁹ in aliq̇b⁹ ⁊ i plu
ribus. cã est: qꝫ in p̃n° senij flã grossũ acetosũ a-
bũdat in sto° potissime i eius orificio. in processu
aũt orificiũ stomaˡ inanit̃ flãte ꝑ viam cõp̃ssiõis
ip̃i⁹ orificij stõachi a mala compl̃one fria excedẽ
te ip̃i⁹ orificij. sic flã descẽdit ad fũdũ stoˡ: sic ces-
sat effumã° directa ad ocl̃os ⁊ vias ei⁹ visibiles.
iõ qꝫ spẽs subintrãtes ñ sũt sic obscurate a dicto
fumo. iõ ꝑcipiũt̃ meli⁹ solito. φ p̃dicta sint vera:
φ tũc orificiũ stoˡ sit inanitũ: patꝫ. qꝫ tũc tp̃e illo
pl̃a appetũt ⁊ pl̃a comedũt ꝓpter illã ꝯtinuã ia-
nitionẽ orificij qꝫ fames ẽ inani° sẽsata. 4. ꝺ mor.
ꝓpt̃ istã cãm. frigid⁹ v̇o vent̃ bon⁹ ẽ appetere: ma
l⁹ v̇o digerere. 2. teg. In h̃ senes decepti sunt cre
dẽtes φ v̇t⁹ visiua i eis fortificet̃ qꝺ nõ ẽ. silr̃ qꝫ tẽ
pore illo cornea aliq̃lit̃ ĩgrossat̃ ꝯpetẽt̃ ⁊ nõ i ex-
cessu ꝓpt̃ hũiditates fluẽtes a cer° ad ip̃os ocu-
los: q̃ sic ĩgrossata tꝫ locũ bericlis ꝓpter qꝺ videt
sine bericlis. Oppoᵐ ẽ i fine senij: tãtũ ĩgrossãt̃
φ ꝑdũt visũ. ex h̃ qꝫ spẽs visibiles ñ p̃nt subitrare
sic ꝑdũt visũ i senio i fine. ¶ Int̃dũ venit debili-
tas vis⁹ alicui a tp̃e rõe ianitõis spũũ ⁊ exiccatõis
⁊ ꝯsumptõis hũiditatũ oculi ⁊ siccitatũ cornee rõe
fe. ardẽtissiᵉ. vel ex appropriatõe lõgeua igni ma
gno sic v̇t⁹ deficit rõe instr̃i ⁊ organi. h̃ vult rab. i
c. qꝫ spẽs nõ bñ p̃nt subitrare. ⁊ si intrẽt ñ bñ ap
p̃hẽdũt̃: ex q̇ v̇t⁹ defic̃. Ex q̇b⁹ pꝫ tibi φ pa° descp̃-
ta i debilitᵉ vt pl̃rm ẽ pa° p̃ncipal̃r spũs visibil̃ a
cruci figtiõe ad extremũ cornee. Alii ẽ pa° p̃nciʳ
ip̃i⁹ cornee: ⁊ ẽ ꝑ colligãtiã cerˡ stoˡ vel rei extiᶜᶜ:
⁊ ẽ morb⁹ official̃ in gñe in receptaculo est in spẽ

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

vel ꝯsilijs cornee ⁊ totius oculi q: mala siccavl' of
ficialis in supficie: si sit grossities cornee ⁊ est no
cum passiue digestiue mēbri mandantis ⁊ recipiē
tis ⁊ est passio virtutis visiue.

Istis clarificatis. Cura debilitatꝫ visus ti
bi patescit. pus tñ ꝙ in cura pcedas
optet te scire ⁊ cognoscere cām talis debilitatꝫ puta
an sit fumositas a capite veniēs. vel a sto° vel sit
manitio ⁊ exsiccatio ocli ⁊ ptiū ei' vel igrossa° cor
nee ipi' ⁊ scire optet gdū in malia tal' debilitatis
ipius visus. In pmis ḡ si qs debilitatē visus no
tabil' ⁊ magnā patiat' ex humiditatib' fluētib' a
capite ad ipos oclos obscurātib' dictas spēs visi
biles ⁊ ingrossantib' corneā. ⁊ si gssa nō fuerit vl'
grossa terrea qd̄ demrat q: nō videt post occasuꝫ
solis qd̄ demōstrat plectoria capitꝫ ⁊ tēsio venaꝝ
ei' et nō decrescit nec augmētat' tpe famis. Pur
get' cū yerapig ga' vel cū pill'is cochijs paulati
ne: ⁊ sepe flōetur ex duab' cephalicꝫ q̄ nō inueta
de mediana ꝯūr ex frōte si necesse fuerit dādo si
bi dietā senūabluat' cap. i septiaa cū ðcoctiōe floꝝ
camo. melli' fol' sene. vtriusqꝫ sticadō bethonice.
Si qs debilitatē visus notabil' habuerit ex fumo
sitatib' a sto° eleuatꝫ qd̄ demrat q: fit forꝫ cū ē sa
tietas nauseatia ⁊ tpe famis destruit'. vel parum
dissolui ⁊ minorari videt'. De oci° rab purget' cū
pill'is cochijs. ʒ.ij. ⁊ ß. Cōseqnt' siruper pl' ⁊ ꝓ
uocet' sibi vomit' talis. ℞. aq̄ decoctōis attripli
cis qrtꝫ. i. ell'i al. ꝯqssati in pāno lineo raro remol
liti ibidem p. 4. horas. ʒ. i. colet' ⁊ addat' oximell'
squillic'. ʒ. i. croci pilos. v. aceti. ʒ. i. ß pot' si tal' de
facili euomat det' de mane: si nō detur post prādi
um p duas horas vl' circa ista paulati exequet' ⁊c
¶ Si qs tñ debilitatē visus a cerebro vl' sto° for
tē nō habuerit q̄ som attēdit' penes ꝯphentōem
rerū puaꝝ puta lraꝝ ⁊ siliū. q: nō apprehēdūt ni
si cum bericlis: vt dcm est. vt purget' cuꝫ yerapig
bis in anno pmitte° tale mellicratum. ℞. saluie
mēte maiorane absin' mellisse ysopi añ. m. i. rad
herbe tunice. m. ß. an' marat' ameos añ. ʒ. ij. mell'
albi despūati qrtꝫ. ß. ß mellicratū bñ clarificatum
ad. lℏ. ij. large. Si est em̄ multū delicat' pōe her
bas q: mag placidas remoue absinm potet q̄libꝫ
mane sine mixta alia q̄ facto potet illā yerapigrā
¶ ℞ yerapigre ga'. ʒ. i. pulpe coloqnc. ʒ. ß. misce
ant' incorporent' ⁊ fermentet' p duos dies postea
distēpet' cū aq̄ ðcoctōis cicerū ru. vbi sit liqric qd̄
suffic' ß pot' ex talib' nō curabit' ꝟ repabit' ⁊ pser
uabit' a peiori. Si qs sit patiens debilitatē visus
fortē supius dictā vel debilē istā stati dictā vtatur
metridato bis i septimana tpe frior ⁊ semel i tpe
cal'o de mane ieiuno sto°: vel post cenā qttuor vel
q̄nqꝫ horis i ꝯtutc vini' amigc gsse depilate: cum
modico vini. vel p se si mag sibi placuerit: lꝫ ñ tm̄
valeat si i illo vino bulliat' saluia maiorana meli'
erit. Vtant' silr' de mirabolanis kebulis ꝯfectꝫ p'
cenā qttuor horis vel in aurora ⁊ vtant' isto pul'.
cū tosta panis in fine mēse sine potu. ℞. eufrasie
saluie mēte exiccator' i vmbra añ. ʒ. ij. an' marat'
silerꝫ mōtani añ. ʒ. ß. ʒʒ' gariofl' pipis longi. añ. ʒ.
i. interiori cynamo'. ʒ. i. nuc̄ muscate. ʒ. ß. pāis ʒu
can qrtꝫ. i. ß pul' ꝯfuet' in sacculo de aluta aliq̄ ad
dūt corticꝫ mirabol' kebul'. ʒ. ij. in pdicto pul' non
placet eis potes facere in q̄busdā. Quilꝫ horum
abluat oclos suos cū aq̄ seqnti sero ⁊ mane, ꝑpt'
hūiditates fluxas ad dictos oclos ingssantes cor
neā. ⁊ aliā tunicā. ℞. celidonie fen. rute sylerꝫ mō
tani eufras' v bene añ. lℏ. ß. rosaꝝ ru. ʒ. i. gariofl' pi
perꝫ lōgi añ. ʒ. ij. cōquassent' ⁊ ponat' in alēbico ð
vitro ⁊ fiat lētus ignis ⁊ ß aq̄ distillata. Vel po
nant' de collirio seqnti ð q̄ magri mōtispessulani
habuert mltos honores. ¶ ℞. silerꝫ mōtani ma
iorane eufras' rute celidoc summitatū fenicl'i ana
ʒ. iij. ʒʒ' spicenardi pipis lōgi gariofl' thucie extin
cte ⁊ nutrite sarcocoli nutrite in lacte azine ligni
aloes añ. ʒ. i. fel aq̄le ⁊ ancipitris yrci incolātꝫ mō
tana vnū de q̄lꝫ balsami. ʒ. ß. mell' rosacei. ʒ. i. cō
q̄ssanda ꝯqssent' in vlti° sicut decꝫ colliria liq̄faci
enda liq̄fiāt. si fuerit estas misceāt' in sole cal'a p
dies. xl. otic sp agitādo. ⁊ si fuerit hyēs ꝯficiant' i
cinerib' vbi sit cal' ad modū galline cubātꝫ: ⁊ agi
tent' ⁊ fuent' in vase vitreo ⁊ oclis instillet'. ē tan
te vtutis ꝙ decrepitū facit lras minutas leger e
sine bericlis. Tales vitent pisces offas potissime
remollitas. poma: pira: magnā cenā: somnū subi
tū post cibū: potū inter duas comestiones vorace
comestionē vtat' vino rubeo grosso: carnib' ex
ctis bene coctis. Ista tibi sufficiant ꝑ cura.

¶ Capl'm. 25m. de tumore palpebrarum.

Epithimetur ex epithi
mate quod in capitulo
de obtalmia nominaui
mus.

E tumore palpebrarum. ¶ Nō: ꝙ pal
pebre inflant' a causa extrinseca vt a
ranee punctura ⁊ siliū: vel ab odo
ratione ruthe ⁊ similibus in puncturis tu appo
nes tiriacam. In odoratione rerum calidarū. tu
appones oleum ros' vnfancinum: aliquando in

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

grossatur a causa intrinseca ab humore aquoso coquatur mentastrũ in aceto comprimatur: et applicetur supra palpebras vel teratur ciminũ: et distempetur cum vino albo et emplin. Vel pann⁹ line⁹ vel spongia infundatur in aqua ardenti vel celidonie: vel achori et applicetur tepidum etc.

Capitulum. 26m. de pilis palpebrarum qui curuati intrant oculum et pungunt eum.

Si pilus fuerit vnus aut duo alijs palpebrarũ pilis cum mastice aut oleo sceni sũt ānectēdi aut radicit⁹ euellant̄ et in loca a quib⁹ euulsi sũt cũ ferro acuto vt ac⁹ adurant̄. Si autē multi fuerit necesse ē vt caro palpebre incidatur: loq̄ tñ de hoc nr̄i libri mēsurā pretergredit̄.

De pilis palpebrarum qui curuati intrant oculum. te remitto. Pro cura pili euellātur et locus inunguatur cum sanguine rane: aut catuli canis.

Capitlm. 27m. de cataracta, i. de aqua descēdente in oculum.

Quandoq̄ alicui videt̄ quod āte se habeat cimices aut alia pua corpora subtilia et radiosa Quod aliquādo cũ stomacho aliquādo ex pprio nocumento ipius oculi contigit. ideoq̄ differentia inter hec duo cōsideranda est neq̄ p paruo est habendũ: cum hoc accidens euenerit Ex eo nāq̄ qd causa tam stomachi accidit nō est multum timendũ quod oculo nocumentũ inferat. Ex eo vero hoc eēm aque principium existit quod ex pprio vitio oculi contingit valde timendum est. hec autem passio dum recens est vt in principio cum medicinis curabilis est sed cũ iam ad perfectionē deuenerit sanari nō potest nisi cum incisione et fortasse etiā icisio pdesse nō poterit. Quapropter differentia inter hec duo p̄dicta diligenter est inuestigādum que ē put dicemus. Quādo ymaginationes q̄ videntur vtriq̄ apparent oculo extimandũ est cōtingere hoc ex vitio stomachi et econuerso Et cum ymaginatōes in hora fastidij et in hora male digestionis plura solito videntur in hora aũt famis et laboris pautiora apparent extimandum est etiā hoc ex stomacho esse. Et si ex quo iste ymaginatōes acciderũt duo preterierũt menses aut plures et in pupilla non fuerit visa cōturbatio extimandũ est etiam hoc esse ex stomacho. Qñ aũt iste extimatōnes tibi aggregate fuerint pillulas cochias in potu tribue et si passio oīno remouet̄ iam extimatōnes p̄dicte certificate fuerunt. Si aũt vni tñ oculo apparuerit et vno modo in oīb⁹ horis pmanserit extimādũ est vitiũ aque adesse: pcipue cũ in pupilla non fuerit obfuscatio. Obfuscatio nāq̄ si fuerit ī pupilla dubitatio iā tūc erit sublata Cũ aũt passio hec in oclo ppa fuerit: phibēdũ est īfirmo ne cũ vētosis minuat sanguīem neq̄ ex brachio: neq̄ comedat pisces nec oīa q̄ humectare pñt. Vēter vero freq̄nter soluendus ē ex pillulis cochijs: et

eger et calefactiuis et desiccatiuis nutriēdus est. ydromel p̄terea in potu ei tribuendū in ocl'is sic̄ de fellibus mittendū. Sic̄ de fellib⁹ q̄ꝺ ꝓficit aque a p̄ncipio ⁊ dilatationi pupille ⁊ eis q̄ post occasum solis nō vident ⁊ tenebrositati visus q̄ ē ex hūore. ℞. fellis gruis fellis saboth fellis yrcini fellis ancipitris fellis aq̄le fellis ꝑdicis oīm siccoꝝ vnū aut plura. Sumat̄ q̄ꝫ ꝓ omibus. ʒ. x. istoꝝ siccoꝝ euforbij coloq̄ntide serapini oīm an̄. ʒ. i. trita aggregentur ex succo feniculi teneri ⁊ mittantur in oculo.

E cataracta

id ē de aq̄ in ocl'o descendēte. Nō: q̄ꝛ aqua nō descendit ſ; fumus q̄ ꝑ coagulatōem a frio in ip̄is oculis in aquā cōuertit̄ sicut vapores qui a terra eleuant̄ ad mediū intestitiuꝫ aeris in aquā ꝯuertūtur a frio intestitij congelante talis fumus q̄ in aquam ꝯuertit̄ est grossus humidus satis q̄etus in scothomia fumus est magis siccus. mobil' vētosus ꝓpter q̄ꝺ non coagulatur nec in cataractā ꝯuertit̄ que cōiter euenit col'icis: vel in iuuētute vel post egritudines acutas vel aliq̄ual'r caluis: ⁊ de facili h̄ñtibus vertiginē: q̄ꝛ ē vna vl' duab⁹ reuolutioib⁹ ⁊ durat ꝑ menses ⁊ annos sine nocu° oculi in eēntia: oculi oppo^m est de p̄n° cataracte vt dicetur. In cura ista sunt notāda Ga⁹ vult. 4° de morbo c°. p̄°. circa mediū capl'i: q̄ꝛ talis fum⁹ disꝑgitur in humore albugineo q̄ꝛ grossior q̄ꝫ dictus humor albugine⁹ causat sp̄em suam in humore cristallino ⁊ sic venit se multiplicando vsq̄ꝫ ad crucisignationē: ⁊ ꝑ ꝯ̄ns p̄ñtatur sensui ꝯmuni q̄ hꝫ iudicare suꝑ tali p̄sentatōe. Ideo iudicāt se videre muscas ⁊ musculas ⁊ cimices tūc cataracta: non est firma ſ; incipiens firmari dicit rasis in diuisionib⁹ suis ca° ꝓpo. ſ; q̄n talis fumus est in aquā ꝯuersus q̄ꝺ pꝫ q̄ꝛ tunc cessat aꝑitio muscaꝝ cum obfuscatione pupille tūc est firma ⁊ ꝑmanens ⁊ firmata: ⁊ hꝫ sua tꝑa p̄n^m q̄ꝫ diu nō cōgelatur augmentū q̄n ꝯgelatur statum q̄n est cōgelata. Tūc dicim⁹ cataracta ē ꝑfecta ad deponē dū ista clari⁹ dicet̄ i executōe cure. Aliq̄n i febribus ꝑniciosis tales sibi aliq̄l'r oblōgi ad ocl'os ab hūorib⁹ q̄ disꝑsi i hūore albugi^eo q̄ꝛ g̃ssiores ip̄o ⁊ in foramie vuee cāntes sp̄ēꝫ sil'ēꝫ i hūore cristallio ⁊ ꝑ ꝯ̄ns i crucisignatōe ⁊ sēs⁹ cōis iudicat se videre paleas filos. Et recitat ga⁹ de seip̄o. 4. ꝺ inť. c. 2° Iꝺ vult ypo. p̄° ꝑnostic. manuū mobilitaꝝ signū ē casus mortalis al'n appent q̄busꝺ in l'iq̄ fumi tales g̃ssi terrei h̄ñtes figuras diu̾sas anceꝝ vel alteri⁹ aialis vt dyaboli alati ⁊ iudicāt tales in l'ici seu insēsati se videre dyabolos alatos ⁊ alias res ꝑnitiosas ⁊ timorosas vt recitat ga⁹. 4. ꝺ inť. c. 2. Isti tales in l'ica sṫ cōiť cū oculis emmētib⁹ ⁊ rotūdis ⁊ distātib⁹ seu elōgaꝝ a naso ē ꝯp̄ō mala in phisono^a ꝯ̄ñr fiūt demētes añq̄ꝫ sint i. xl. āno. Ulteri⁹ nō: q̄ꝛ vl'ť istos duos casus pl'es h̄ñt aꝑitōes tales muscaꝝ ⁊ cunicū i. 4. casib⁹: vt vult ga⁹. 4° de mor°. c. p̄°. i catactādis. De q̄b⁹ ē p̄ñs ca^m i scoto^a. ⁊ est suꝑi⁹ dc̄m i c°. p̄°. in h̄ñtib⁹ vlcera ⁊ cicatrices i cornea i opp° pupil^e nā talis cicatrix cāt sp̄ēꝫ suā ab itra i cristalinā ꝓcedē° putā ⁊ alie sp̄ēs visibiliū ⁊ h̄ñtib⁹ hūorē albugineū sb̄tilissi^m ⁊ sēsuꝫ vis⁹ acutissi^m. iō q̄ꝛ vaꝑes ꝯti^e subitrātes oculos q̄ ꝯti^e exalāt̄ q̄ꝫtūcūq̄ꝫ fuerit subtiles cābunt sp̄ēꝫ aliq̄lē i cristalia ⁊ q̄ꝛ cū sꝫ i talib⁹ sēsus visus ē acutissim⁹. iō iudicāt se videre muscas ꝑuulas ⁊ ñ cadūt i aliꝺ nocu^m. Ista ꝺclarat ga⁹. 4. ꝺ mor° c°. p̄°. Iꝺ dic̄ satis. p̄°. ꝺ inť. c. 2. cataracta ime^e i est ip̄i vuee puta forami ei⁹. p̄° ꝺ mor°. c. vlti. ⁊. 4. de mor°. c. p̄°. ſ; q̄ꝛ ip̄a vuea ñ hꝫ actōeꝫ ſ; iuua^m in orga^co. iō ñ dꝫ dici morb vuee: ſ; dꝫ dici morb⁹ et pa° ocl'i q̄ꝛ actio ocl'i pri° ⁊ p̄nci^r ledit̄. ꝓprie ⁊ stricte loq̄ndo sꝑ ē ꝑ colligātiā q̄ꝛ vēit a sto° l'a capite q̄ꝺ vēire ñ dꝫ s̄m ñam. 4. ꝺ inť. c. 2°. Uerū rasis vult: si vēiat a capite q̄ꝛ si pa° ocl'oꝝ ꝑ se cā^le dupl'x vna ē: q̄ꝛ h̄ñt vicinitatē ⁊ colligantiā ⁊ ortū ꝓpinquū a cerebro q̄si sint vnū. Alia cā ē. q̄ꝛ stati sṫ sibi ꝓpria ⁊ eēntialis q̄n fit a cerebro ꝓpť q̄ꝺ cauēda ē vt vult rasis i c°. ē morb⁹ offic̄. i g̃ñe. pri° ꝺ morbo. c. vlti°. In sp̄ē āt ē opila°. 4. ꝺ. mor°. c. pri°. lꝫ tal' fum⁹ sꝑgat̄ suꝑ albugi^eo ip̄ꝫ ing̃ssan° vt dicit ibiꝺ. nō ledit actōeꝫ i orga^co puta visiuā nisi interpo° se i foramie cauē° sp̄ēꝫ sibi sil'ēꝫ: vt opilan° et ꝓhibē° t̄nsitū sp̄ēruꝫ visibiliū ꝑ albugineū ad cristalinaꝫ ⁊ ad crucisignatōeꝫ ꝓpť q̄ꝺ cataracta firmata ⁊ ꝑmanēs ē ꝓprie opila° foramis vuee est nocu^m vt pluries ē dc̄m regitie ñalis ⁊ vitalis mēbri mandanꝝ ⁊ recipiēꝝ. naꝫ si digestie ⁊ expulsiue nō erraret nō adesset talis vapor i mēbro mandante ⁊ recipiente ⁊ est passio principaliter virtuꝝ visiue, nam ip̄a leditur: vt dictum est,

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

Jstis clarificatis Cura cataracte tibi patescit ꝑus tm̄ ꝙ i cura ꝓcedas scire oꝫ an tal' cataracta sit icipiēs firmari. vel sit firma ⁊ ꝑmanēs seu ꝯfirmata: ⁊ si tūc est in ꝑn°vel augmēto vel i statu. 2°. aūt optet scire an talis cataracta icipiēs a stomacho vel a capite: qꝛ cura in h̄ diuͤsifica. Adūte tm̄ sup h̄ nā talis cataracta incipiēs a sto° cōiter euenit flegmatiq vel in ꝑ^a senectute vl' hn̄tib⁹ eīm igneā ⁊ nō venit caluis nec coleriq nec dispositꝭ ad vtiginē in qb⁹ euenit, scoth^a q̄ sūt tibi plimū ꝯsideráda. ¶ Si qs cataractá icipiētē firmari seu ymagines ⁊ aptōes corá ocl'is muscl'aꝝ ⁊ cinucū ⁊ silia. ipis absentib⁹ habuerit ⁊ ab ipo sto° habuerit: qꝛ i ábob⁹ ocl'is ⁊ alleuiāť tꝑe vno ⁊ aggrauanť alio f̄m aliá dispōeꝫ sto' hoꝛa replectōis ⁊ indigōis p'l'a hoꝝ apparet ⁊ vnū vl' duos mēses trásiuerint ꝙ ocl's nō fiat aliť obfuscatus tūc certū ē ꝙ tales apitōes dicunt mihi. Cataractá incipientē firmari ab ipo sto° de q nō ē ml'tū timēdū ꝯvenit in cataractá firmá seu ꝯfirmataꝫ vt dic̄ Ga⁹. 4. de inťi. in. ca. 2°. Verū ipe curabat hn̄tes tales ymagies seu apitōes cū potu yerapigre vt ipe recitat ibidē. deť g̃ sibi semel i mēse. ʒ. i. yerapig^e dissolute cū aq̄ citrinū ru. l' cū d̄coctōe absin^t qd̄ suffic. h̄ pot⁹ detur i auroꝛa. Deť de metridato semel i septimana i q̄ti^e amigd̄ cū modico vini i introitu lecti vel q̄tuoꝛ hor| post cibū Vitet pisces salti in mag̃ q̄tit^e fruct⁹ spál'r pira poma offas spáliter ⁊ mollitas cená nisi modicá ml'ti sunt libati cū abstinē^a cene ꝙ paꝝ saltim tenēt q̄ tibi sufficiūt ꝓ cura illi⁹ ¶ Si qs cataractá incipientē firmari seu ymagines apitōes corá oculis muscaꝝ ⁊ cinicū ⁊ sil'iū habuerit ⁊ ab ipo cerebꝛo qꝛ in vno oclō sine aliq̄ interpolatōe seu alleuiatōe: y° ꝯti^e vniformiť appent ē etiá pauci tꝑis ꝙ incipit h̄ valde timēdū est: qꝛ nisi cito ei succurrať: venit breuiť in cataractá firmá ⁊ cōfirmataꝫ Jste vitare dꝫ pisces offas ⁊ oino oia q̄ hūectant ⁊ nutriať cū cibis aliq̄l'r calidis ⁊ siccis, ⁊ sumat bis in septimana de metridato in q̄ti^e amig^e cū modico vini sumat de mane i auroꝛa vel an̄ oꝛtuꝫ solis minoꝛ et cená: vitet somnū festinū post cená vigilet ad mīn⁹ tribus hor| post cená capiat sepe de pill'is cochijs ⁊ in modica dosi suffic. ʒ. i. h̄. vel capiaťr ⁊ meli⁹ de yerapig^a duplata coloq̄n^a fiat sic. ¶ ℞. yerapig^e ga^t. ʒ. iij. pulpe colloq̄n^e grosso modo puluerizate. ʒ. i. misceanť ⁊ incoꝛꝑentur sil' vt totū fermētetur fac pill'as de ista massa. Capiat de. 15. in. 15. vel. 20. diebus. vel. xi. vel. xiij. in introitu lecti taliter ꝙ assellet bis vel ter vltra solitū augmētando vel diminuendo numerū: vt tibi videbitur loco sirupi. non cenabit illa nocte. Et q̄libet die sumet duos vel tres bolos herbaꝝ istaruꝫ in bꝛodio carniū. ℞. saluie mente maioꝛane basilico. melisse ana folia. 6. vel. 5. ligentur cum filo ⁊ decoquanť vna ebulitione. Si esset hyems ⁊ átiquus puta in prima vel secunda senectute sumat duos bolos de mane de rutha in vino madefacto Abluat caput suum stomacho ieiuno semel in septimana cum aqua decoctōnis betonice absin^t sit tertia vel quarta pars vini albi vel clareti vl' lexiuij. h̄ caueat illa die poti^{me} avēto Si q̄s cataractá firmatá l' ꝯpletá hūerit: qꝛ tales apitiōes cessát cū obfuscatiōe pupille. scire optet an talis cataracta confirmata sit in sui ꝑncipio ꝙ aqua so^m sit congregata ⁊ in aliquo nō congelata: quia cognoscitur qꝛ ymagines ꝑdicte iam cessant: h̄ videt nebulá magná: ⁊ hoies non tm̄ distingūt inter hominē ⁊ hoiem vident digitū eleuatum: sed non distingūt digitū a digito vel sit in sui augmēto ꝙ aqua incipiat cōgelari tunc minus vident ⁊ peius distingūt rem a re ⁊ pupilla mag| obfuscatur vl' dealbať vel sit in sui statu ꝙ nihil videát nisi vmbꝛá ⁊ in sui ꝓcessu nil vident nisi radicē sol' nam qn̄ est in sui ꝑncipio ⁊ mediū augmenti nō transiuerit adhuc cū medicinis ⁊ collirijs curabilis est. Dieteť g̃ ⁊ purgeť sicut dictū est de hn̄tibus cataractá incipientē firmari vitio cerebꝛi. Et vtatur collirijs de fellibus. raꝑ. fel austarde auis curat cataractá ꝑ modū collirij: fel ácipitris mixtū cū modico mell' ⁊ modico succi fen^t ꝑ moduꝫ collirij multū vꝫ dissoluit illam aquá ne cōgleť: ⁊ consumit eam. Jdem facit balsamū. ¶ Si q̄s medium augmenti transiuerit vel in statu fuerit: ꝙ non videt nisi quandam vmbꝛam: vel nihil videt nisi radium solis: tunc signuꝫ est ꝙ illa aqua congelatur ibi multum: vel est congelata. talis non potest curarari nisi cum acu ꝑ cyrurgicū expertum in hoc. Nam opoꝛtet anteꝙ̄ deponať: ꝙ sit bene inspissata cōmuniter tardat per annū ad bene spissandum postꝙ̄ ex toto perdiderūt visuꝫ dempto radio solari ⁊ cognoscimus talem inspissatam congelatam quando est bene deponibilis quando est col' aeris: vel fungi non alba nec nig̃ nec citrina: nec gipsea tūc nimis sunt antiquate vel indurate non possunt capi ab acu ⁊ quádo alter oculus clauditur ⁊ pupilla illius cum pollice fricatur ⁊ subito aperitur si pupilla per fricationem dilataret: signū est cure. 4°. de moꝛbo in c°. ꝑ°. qꝛ opticus nō videť opilatus ex q̄ spūs dilatātes tráseūt ad pupillá ⁊ ꝙ cataracta tenet mediū

in substantia purget᷑ ergo modicū c̄ pillis supꝰ dictꝭ: ⁊ post ꝑ tres dies deponat᷑ ꝑ cyrurgicū expꝰtum et emple᷑ locus: scȝ oculus cum vitellis ouorum ⁊ modico albuminis ⁊ stupis canabinis et stet in silentio ⁊ in obscuro decem diebus cū dieta tenui. Ista sufficiant tibi pro cura.

Capitulū. 28m. de victolopis: id est qui post solis occasum non vident.

De hoc vtile existit epar caprinū scidere ⁊ ponere sup vnā sectōneȝ pip longū ⁊ coopire ipaȝ ex alia sectōe pipe lōgo i medio existēte Deinde ponere ipm in furno ⁊ dimittere sibi donec asse᷑ ⁊ nō desicce᷑. Qđ ꝑfecto piper longū quod in medio erat suma᷑ ⁊ bn̄ tera᷑ cū q̄ pauco musco. deinde ex liquore ex epate assato expssus fuerit cōspga᷑ ⁊ sicce᷑ ⁊ in oclm mitta᷑. Aut fel caprinū cū melle mixtū in cucuma sup ignē misceat᷑: deīde radius eo illinitꝰ imittat᷑ oculo. Qđ aūt ad magis valet est vt sie᷑ de fellibꝰ in oculo mittat᷑. Si aūt hoc nō suffecerit vēter soluatur ⁊ sanguis ex duabus cephalicis ⁊ ex fronte minuatur ⁊ regimen subtilie᷑.

De his qui post occasuȝ solis nihil vidēt. Materia huiꝰ capli tractata est in speculatōe ⁊ i cura supius in caº. de debilitate visus explicando cām diuⁱsitatis cause huiꝰ passiōis ⁊ debilitatis intellecte in illo caº. Iđo remitto te ibi.

Capitulū. 29m. de dilatatione pupille.

Cum pupilla hoc ē foramē qđ est in nigredine oculi adeo dilatari videtur vt vndiqȝ ꝑtīgat ad albedinē fueritqȝ post vehementē cephalice dolorē ꝑua habēda ē fiducia in eiꝰ cura: sȝ si dilatatio ꝑua fuerit tūc assidua solutōe vētris ex cochijs multotiēs ⁊ sie᷑ de fellibꝰ in oculo mittendū. Qđ si pupillā post ꝑcussionē dilatari cōtingat n̄ est inde timēdū qꝛ remouebi᷑: fiat itaqȝ emplm ex farina fabaꝝ ⁊ camomilla ⁊ euisco cuȝ vino ⁊ aqua.

De dilatatione pupille sup accn̄tali: qꝛ n̄alis est icurabil᷑. Tu dices q̄re rubrica tacet de ꝯstrictōe pupille. Dicēm: ꝙ intelligēti non tacuit: qꝛ ꝯstrictio pupille hȝ tres causas q̄ꝝ due sūt incurabiles ex vna cā facta cura᷑ sic̄ ⁊ dilatatio cū sie᷑ de fellibꝰ vt patebit ꝓpt᷑ qđ apud scientē nō tacuit. Nota: ꝙ dilataº pupille accn̄tal᷑: qꝛ de illa est pn̄s sermo fit causa duplici: vt dic̄ Gaꝰ. 4º. de morbo. cº pº. vna cā potnia sūt hu. mlti fluētes ꝑviaȝ catarri vl᷑ ex ictu vel al᷑s ifra vueaȝ extēdētes ipam. Iō extendi᷑ foramē sic̄ videmꝰ in vtre ⁊ vesica plenis dilataº accn̄talis fit ex ista cā hūoral᷑ fluxa sic̄ naturalis ex magnitudine albuginei: qn̄ talis accidental᷑ dilataº magna ē: ꝙ q̄si ꝑtingat ꝯiūctinaȝ: tūc incurabil᷑ est qꝛ argui᷑ magnꝰ fluxus hūoris a capite dilataº ꝑua subito facta: qꝛ fit a ꝑuo hūore. fluxa ipa est curabil᷑: qꝛ nō argui᷑ tātus fluxus hūoris: q̄ intelligit Raß in caº. 2ª. causa dilatatōis pupille est aliqual᷑ siccitas excedēs i vuea qꝛ mag̃ ⁊ fortꝭ ꝯstringit pupillā corrugando ipaȝ vueam. vt dice᷑ statim: modica aūt dilatat pupillam: qꝛ trahū᷑ ꝑtes cētrales circa ꝯferētiam: ista fit paulatim ista ē incurabil᷑. qꝛ nō possumꝰ medicamen bn̄ hūectans ipaȝ vueaȝ approximare. iō Raß tacuit de eiꝰ cura. Cōstrictio aūt pupille fit causa triplici: vt dic̄ Gaꝰ. 4º. de morbo caº. pº Una causa ē fortis exsiccaº vuee corrigās ipsaȝ sic̄ coria fortit᷑ exsiccata corrugant᷑ ⁊ foramina corruganº claudū᷑ ⁊ ꝑuificā᷑. h̄ demōstrat sensꝰ ⁊ expieª sensus ⁊ facti 2ª. cā ē nimia hūiditas remolliēs ipaȝ vueā ⁊ ipaȝ molificā: tūc ꝑtes eiꝰ extēdū᷑ sic̄ foramē eiꝰ diminui᷑: vt pȝ in crebro ꝑforato remollito 3ª. cā est si albugineꝰ minore᷑ mltū: qꝛ tūc vuea cadit sup cristallinā sic corriga᷑ ⁊ eiꝰ foramē ꝑuifica᷑: sic ꝑuitas pupille pessimos morbos ꝯcomita᷑. iō mala. Ga. in loº alleº ex se

aūt nō:qꝛ mag̃ repleť ſpiritib⁹ facta apa cā ꝛ vl
tima ē incurabił.a ſecūda cā eſt curabł̃is:lꝫ cum
difficultate cū ſieť de fellib⁹ ſicut diſtillatio facta
cū aliq̃li fluxu hūoꝛis: ſic pꝫ tibi ꝙ in rubꝛica nō
tacuit intelligēti de ꝯſtrictōe pupille ꝑut tu cre-
debas ❡Et ſcias ꝙ lꝫ dilatatio ꝛ ꝯſtrictio pupil
le imediate inſint ipi vuee ſunt tñ paſſiones ꝑ re
deſcripta ꝛ pmo ꝛ pncip̃ ipius oculi qꝛ actio ocl'i
puta viſiua ꝛ motiua pmo ꝛ pncipał'r ledıť ꝛ moꝛ-
bus dꝛ rōne actōis leſe imediate: vt pl'ies ē dc̃m
ſupi⁹.Et ſt̃ paſſiōes p colligātiā venit mala ma^a
vl' q̃litas acq̄riť ab aliq̄ cā pꝛimitia q̄ venire ñ dꝫ
ſm naturā.Et ē moꝛb⁹ in via ipa dilata^o cōcomi
tādo ſm moꝛbū i receptaclō puta ianitōeꝫ ſpūuꝫ
ꝯſtrictio aūt ꝑſe nō ē moꝛb⁹ qꝛ ex h̃ nō fit nocu^m
actōis viſiue:qꝛ tūc repleť mag̃ ſpiritib⁹. Sꝫ bñ
ꝯcomitať peſſimos moꝛbos dictos ꝯſil'es l' offi-
ciales.ꝛ ē nocu^m regitie ñał' digeſtie ꝛ expulſiue
mēbꝛi mādātiſ ꝛ recipiēť. ꝑaꝝ ptiū ocl'i ꝛ ſt̃ paſ
ſiōes vtuť viſiue.ꝛ pꝫ tibi ꝙ dilata^o ñał' ē peioꝛ
ꝙ accīitał':qꝛ accītał' ē curabił:vt ē dc̃m Et ꝯſtri^o
pupille fctā a nimia ſiccita^e ē detioꝛ.ꝙ illa q̄ fit ꝑ
pter hūiditatē ꝛ qꝛ illa icurabił facta ab hūidi^e ē
curabił facili⁹ ē exſiccare ꝙ hūectare.h̃ vult Ga⁹
4.d moꝛ^o.c.p^o.ꝛ tīnieť pulc̃ ſpecula^o ꝛ ſciētifica

Iſtis clarificatis cura dilata-
tōis pupille
tibi pateſcit:verū ſi mag̃ fuerit ꝙ q̄ſi ptigat ꝯiun
ctiuā q̄ cōiter fit poſt magnū doloꝛē capiꝶ nō ap-
ponas manū:qꝛ icurabił' ē. ar^r inſtitu^o ma^e ibid
fluxe.Si āt modica fuerit ꝛ ſubito euenerit et in
vna hoꝛa ſig^m ē ꝙ modica ma^a fluxa ē iſra vueā
extēdēs dictā vueā ꝛ p ꝯñs dilatās ei⁹ foꝛamē ſic
videm⁹ i vtre ꝛ veſica repleꝶ. Cōſidera tñ ſi talis
ma^a ē ibi fluxa p viā catarri vl' ex ictu nā in h̃ cu-
ra diuſificať ꝛc.❡Si q̄s aliquē dilatatōeꝫ pupil
le ſubito ex ictu habuerit ñ tm̃ tunēda ē ſtati flōe
tur de cepha^ca eiuſd ptis i ꝯpetēti q̄ti^e. Et ocl's
empl'eť. ❡℞.farine fabaꝝ.ℨ.iij.floꝝ camo^e.ℨ.i.
ꝛ.ſ.vini ꝛ aq̄ qd ſuffic̃ fiat emplꝫ cu⁹ vna ps ſ̄ o-
culū ponať renouā^o dc̃m emplꝫ de.6.in.6.hoꝛis
Cōſeq̄nť eadē die de ſero appliceť vētoſa cū ſca-
rificatōe i fontinella colli i oppo^o ocl'i in craſtinū
flōeťur de vena q̄ ē in angl'o ocl'i.Bonū ē ad cau
telā ſtati in pn^o empl'e tempoꝛa cū ſan.dꝛa.ꝶra ſi-
gillata mixꝶ cū modico albuminis oui extēſi ſ̄ pā-
nū lineū vel cū thure mirra ꝛ albumine oui ſubtili
ter puluerizaꝶ. Teneat ſp dictā tenuē de auēato
de amido paꝝ de vino liphato.Trāſacꝶ tribus vł
q̄ttuoꝛ dieb⁹ diſtilleť iſra oculū lac.m.calidū ꝛ ap
pliceť ſepe ſpōgia deſuꝑ iſuſa in aq̄ calida deco-
ctōis ſe.fenu^ci Poſtea diſtilleť ab itra ſan.calid⁹
dū exierit ab ala colūbi ꝛ appliceť illa q̄ applicať
i cura macl'e rubee l' ipi⁹ obtał^e dū ē in declīatōe
Si q̄s āt dilatatōeꝫ pupille ſubita habuerit p viā
catarri:qꝛ ſine ictu purgeť ſtati cū pill'is cochijs
deꝶ.ℨ.ij.ꝛ ſ.ñ pcedēte ſir^o. Cōſeq̄nť reitereť vt.10.
vel.12^o.die.i minoꝛi tñ q̄tit^e ſufficiūt.ℨ.ij.ꝛ ſieť.ſeu
collirīū d fellib⁹ dc̃m i cura catharache ipōať ca
ueas tñ a falſ ꝑmiſſiōib⁹:qꝛ cū max^a difficul^e ta
lis ma^a ſubſtrahiť ꝛ ꝯſumiť dato ꝙ i pn^o vocat⁹
fueꝶ.Si āt macileť⁹ eticat⁹ dilatatōꝫ pupille pau
latine habuerit:h̃ fit qꝛ vuea aliq̃l'r exſiccať qꝛ tē
trahūť ptes cētrales v̄ſus circūferētiā.iſta icura
bił' ē:qꝛ ñ poſſum⁹ medicinā hūectatiuā bñ ap.p
riare ipi vuee ꝑpt qd raꝶ tacuit d ei⁹ cura.Verū
vt i aliq̄ ſibi ꝓficiam⁹ ordinam⁹ ſibi dietā hūecta
tiuā ſeu reſūptiuā:viuat i ocio et i q̄ete.Balneeť
freq̄nť fomēteť ocl's cū aliq̄s fris tēpaꝶ cucurbi-
te ꝛ ſimiliū.ꝛ ab itra ꝛ ab extra diſtilletur lac. m.
iuuenis puellam lactantis.Et ſic terminetur.

❡Capitulū.30^m.de fiſtula in lacrimali

Um angulus lacrima
lis reſudat et cōpꝛimiť
ſanies ꝛ vir⁹ ab eo egre
diť fiſtulā pati itelligiť
q̄ cū cauterio curaťDe hoc tñ loq̄
pluſ ē ꝙ huic noſtro attineť libꝛo
Nos tn iā ei adiūgim⁹ medicamē
qd ſi adhibitū fuerit ipam p mul-
tos menſes adeo tardare facit. vt
eger ſan⁹ videať. Medicamē āt il
lud.℞.aloes thuris ſarcocolle ſan
guis dꝛaconis balauſtie ātimonij
alūis oim ptes eq̄les ꝫimar q̄tuꝫ
eſt q̄nta ps vni⁹ fiāt ex eis ſieť Cū
ꝙ neceſſe fuerit fiſtula in tm̃ pma
tur vt q̄cq̄d ſaniei in ea cōtineť e-
grediať. Deinde infirm⁹ ſup lat⁹
in quo ñ ē fiſtula iaceat de pdicto
ſieť aliq̄d diſſoluať in aqua d quo
in angulo lacrimali treſ gutte aut
q̄ttuoꝛ inq̄natiꝫētur magno exꝑi-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

te īsterstitio inter ꝓiectionē vnius
gutte ⁊ alteri⁹. Quo facto eger ꝑ
tres sic iaceat horas. in mane quo
qꝫ seq̄nti die simulit̄ fistula bn̄ pri
mat̄ ⁊ fiat eadē cura. Pōſt ꝑ ebdo
madā vnā fieri cōuenit ⁊ etiā taꝫ
diu donec nihil a fistula egrediat̄
cōprimit̄. Ex hac naq̄ꝫ cura locus
multis mēsib⁹ siccus permanebit
De curis oculorū q̄ntuꝫ huic loco
necessariū eē putauim⁹ iā satis di-
ctū est credimus. Alia vero q꜠ suā
de curis q̄ ꝑ ferrū exercētur dimit
tamus. q꜠ multis indigēt medica
minibus Sūt tamē quedā ex eis:
q̄ in locis in q̄bus de decoratōne
tractauimus ⁊ sanitatis custodia
cōtinetur.

Ē fistula q̄ fit i lacrimali an
gulo ocl'i. Nō. q꜡ fi
stula n̄ ē aliđ q̄꜡ vlc⁹ in carne sordidū
cū ꝯp̄mit̄ đ mane ⁊ de sero exit pus ⁊
ē vlc⁹ ꝯcauū ⁊ iteri⁹ ⁊ callosū. i. durū i labijs inte
riorib⁹ exteri⁹ āt nō ē ꝯcauū: ỽº strictū. Iste ꝯditi
ones sꝛ sp̄ i fistula in q̄cū q̄ꝫ ꝑte fuerit rubrica ca¹
de fistula oculi. i. de vlcere sordido ꝯcauo ⁊ callo-
so āplo mag꜠ iteri⁹ q̄꜡ exteri⁹ i carne maior꜠ anguli
ocl'i. ℂ Nō: q꜡ fistula causat̄ i p̄dicto āgl'o ocl'i et
ꝯtiº ⁊ fluxu lōgeuo hūoꝝ acutoꝝ ꝯrrodētiū car
nē ibidē. ħ cōit̄ ē ꝑviā collectōis trūbose ⁊ apose
sat̄ occl'te ꝑue s'balbide l' s'bru. al'i fit bothoꝛ a ꝑ
ua pustula i dc̄o āgl'o. In alijs āt mēbr꜠ cōit̄ ꝯse-
q̄t̄ apa mag꜠ māifestū. tal' fistula ocl'i l' alteri⁹ mē
bri iterdū ꝓfūdat̄ vsq̄ꝫ ad os. Istđ ē q̄n durat per
ānū ⁊ vlt̄. itēº ypo. 6ª. āpħ. cān illo. Vulnera q̄cū
q̄ꝫ ānua fuerit l' lōgi tp̄is os necc̄e ē emitti ⁊ cica-
trices cauas fieri tc̄ sil'r exit pus mag꜠ citrinū tal'
fistula nō p̄t curari sine cautio actuali: ħ vult rasͤ.
Et scias q꜡ tal' fistula ē paº p̄nci' lactoꝝ lacrimal'
ocl'i ꝯn̄r ꝑtinūviciaꝝ: ⁊ ē paº ꝑ colligātiā vēit q̄đ ve
nire n̄ dꝫ ꝑm n̄aꝫ. Et ē morb⁹ offic꜠. mala ꝯpoº ⁊ i
figura ⁊ ē nocu'm mēbri mādāt̄ ⁊ recipiēt̄ nam si
digestiā ⁊ expl'siua hoꝝ mēbroꝝ n̄ errasset maªtal'
n̄ fuisset gn̄ata. Et ē paº motie ip̄oꝝ lactoꝝ ⁊ ocl'i
Cōseq̄n̄t naturaliū v̄tutū ꝑtiū illaꝝ ⁊ ocl'i ꝯsil't, pi-

pter qđ transit ⁊ rubescit caro vicina.

Istis clarificatis cura fistu^e ocl'i tibi pa
tescit. i cura fistule ocl'i q̄ nō ē annual' sic ꝓcedat̄
Purget̄ p̄º cū pill'is cochijs det̄ sibi. ʒ. ij. ⁊ ß. p̄re
cedēte oximelle diure^co ꝑ. 5. vel. 6. dies. Cū aq̄ ci
cerū ru. vbi sit modicū saluie maiorane toto tp̄e
purgatōis ꝯp̄rimat̄ de mane fistula ⁊ mūdificet̄
Et fomētet̄ locus cū spōgia īfusa i aq̄ decoctōis
rosͤ. vbi sit q̄rta ꝑs vini l' duo coclea^a mell' ista fiāt
tp̄e sir' ⁊ medicie. ℂ Ꝯn̄r ꝓcedam⁹ cū potu ap ꝓp-
pato ad ħ ⁊ cū pl'ib⁹ ap ꝓ p̄riat̄: vtat̄ de mane isto
potu ꝑ tres mēses. ℞. fol' agrimōie. ʒ. ij. fol' oliue
siluestris cetrac. an̄. ʒ. ß. ꝯq̄ssēt̄ ⁊ remoliāt̄ ꝑ noctē
i modico vini al. clari roꝫeregni. De mane to'm te-
pefit colet̄ ⁊ pot⁹ detur de mane an̄ ortū solis. Dū
vtet̄ isto potu dilatet̄ foramē fistule cū modica tē
ta laureole l' gētiane l' briōie ⁊ iponas ab itra ter
i die vel bis l' q̄ter guttas succi agrimōie vel đ la
cte titimali. Ista fortit̄ abstergūt callositatē illaꝫ
q̄ mollificata labia vniūt̄ moll' cū molle facilit̄ v-
nit̄. 6º. đ morº. Iđ dic̄. 13º. de igeº. loº hoꝝ foramie
dilatato iponim⁹ de pul' 1º q̄ forti⁹ opat̄ i mortifi-
cāº fistula. ℂ ℞. alūis. ʒ. ij. sal' armo^ci. ʒ. i. floꝝ er꜠
ʒ. ß. f̄ pul' subtil', vt alchool iponat̄ de isto pul' in
foramie l' addat̄ fec̄ ol'i q꜡. s. f̄ vng'm cū q̄ vnguat̄
tēta q̄ ponat̄ i foramine Vel ponat̄ de isto pul' q̄
vtebat̄ Bordo⁹. ℞. viride eris attramēti salis ar
moniaci vitreoli calc꜠ viue auripigmēti cāctarida
rum aluminis an̄. ʒ. i. fiat puluis subtilis q̄ impo-
natur in foramie fistule i ꝑuissima q̄ntitate: tamē
Vel misceantur cū vrina pueri non polluti ⁊ fece
olei antiqui fiat vng'm de quo tenta intinguatur q̄
foramini fistule imponatur. Fiat vnguentū mor
tificata fistula seu remota illa callositate q̄ ꝯmu-
niter fit in. 20. vel. 30. diebus. pone de succo pillo
selle q̄busdam diebus intra illam. concauitatem
fistule vt raro regn̄et̄. Vel inūguat̄ tenta cū ħ vn
guēto vt caro regn̄et̄. ℞. aloes olibani sarcocol'
nutrite an̄. ʒ. ij. f̄ vng'm Aliq̄ ātiq̄ scripsert̄ q꜡ colli
gat̄ đ agriª ⁊ orōe dn̄ica ⁊ portet̄ i collo ⁊ curāt̄. si
cū istꝭ n̄ curāt̄ l' ifra ānū durauit r̄currēđ ē ad ma-
nū cirurgicā vt appōat cautiū actu^e i q̄ cōit̄ tal' ē
ꝓcess⁹. ℂ p̄º āpliat̄ foramē cū flōmo ꝯn̄r appōit̄
tēta đ medul^a sābuci sicci bn̄ ꝯp̄ssa cū digit꜠ bis i
die, ꝓcedēº sic ꝯti^e g̃ssioꝛ ꝯn̄r appo' tēta gētiāe cō
p̄ssa cū digit꜠ l' laureole l' briōie. Aliq̄ apponūt tē
tulas modicas bn̄ ꝯp̄ssas cū digit꜠ cū spōgia ma
rina q꜠ ē salsosa ⁊ corrosiua verū attediāt̄ i ħ rōe
sēsibilitat̄ ꝑticl'e loº illo a ꝑte vsq̄ꝫ ad os nasi tūc
cauterizat̄ locus apponitur patula lōga argenti
inter oculū ⁊ foramen factum ne oculus ledatur

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

⁊ applicat̄ tria vł q̄ttuoꝛ cauteria ꝯpetēter ignea Hoc ꝯmittit̄ arbitrio ope̅antis coq̄uēdo ⁊ cauterizādo in latitudine. i. digiti ꝑui: vt nihil remaneat de osse coꝛrupto. Interdū fistula ē antiq̄ta q̄tuoꝛ vel q̄nq̄ annoꝝ: ꝙ os nasi est tm̄ coꝛruptum ꝙ nō pōt cauterizare vndiq̄. Ideo ad cautelam cū vltimo cauterio ꝑfoꝛamus os nasi bn̄ impinguēdo vt soꝛdities ibi fluens euacuet̄: ⁊ exeat ꝑ nares ad cautelā facimus si est dubiū: ꝙ os coꝛruptū nō fuerit cauterizatū ꝑm om̄es ꝑtes apponimus h̄ facto coꝛrūpentia scarā de vnguēto pulegeō ⁊ silib᷒. Ista tibi sufficiāt ꝓ cura fistule annualis vel antiquate in angulo oculi.

Capitulū. 31m. de doloꝛe auris.

Si cū doloꝛe q̄ fit i aure fuerit ī facie inflāmatio ⁊ pulsatio sanguis ex cephalica erit minuēd᷒ et oleū ro. aut oł'm de floꝛib᷒ salicis tepidū cū pauco aceto imittēdū: lac q̄ȝ ita cał'm vt ex māmilla egredit̄ multotiēs distillādū erit vēter preterea ex mirabolanis citrinis ⁊ scamonee ⁊ aloe vehemēter soluatur Mō hoc mō fiet mirabolanoꝝ citrinoꝝ: ℥. xx. sumant̄ ⁊ pulueri zati in duab᷒ libꝛis aq̄ coq̄nt̄ dōec ad duas vni᷒ libꝛe tertias redeāt ⁊ colēt̄. Post hec sumat̄ aloes ℥. i. scamonee sexta ꝑs ℥. i. aggregētur cū rob de citonijs ⁊ fiāt ex eis pillule q̄ ꝑ duas hoꝛas an̄ decoctiōem sumant̄. deīde bibat̄ decoctio. Mō si doloꝛ nō q̄euerit paꝝ opij ī oleo ro. resoluti in aurē mittat̄ ⁊ si pulsatio redierit ⁊ trib᷒ dieb᷒ ꝑseuerauerit oł'm sisaminū ī quo anatꝭ aut galline adeps fuerit resolut᷒ in aurē sepe mittat̄. Ibi nāq̄ est pustula q̄ maturatōe indiget. Cū āt doloꝛ q̄euerit putredo iā tūc collecta erit: ideoq̄ pus subito extinsuꝑato de aure egredit̄ Cū aūt doloꝛ i aure fit p᷒ fastidiosā satietatē: aut p᷒ vētos frigidos oł'm ī quo ruta aut sepe cocte fuerint in aure distillet̄ Aut oł'm de lilio sumant̄: ⁊ cuiq̄ ℥. ex eo misceat̄ eufoꝛbij recentꝭ ℨ. i. castoꝛee ℨ. i. ſȝ si hoc nō suffecerit vēter ex pillulis cochijs soluatur. patiēs q̄ȝ balneū ingrediat̄ ī quo etiā sudet vinū q̄ȝ vetus ⁊ foꝛte ei tribuat̄. Si āt cū doloꝛe auris fuerint sonit᷒ ⁊ tinitus atq̄ vētositas panicū siue miliū ī sartagie toꝛrefactū cał'm multotiēs supponatur Et auris q̄ȝ suꝑ vapoꝛē aq̄ ī q̄ sint cocta mētastrū ⁊ sticad᷒ arabicus ⁊ sansucus teneat̄ de castoꝛeo p̄terea ⁊ eufoꝛbio in ol'o sambucino dissolutꝭ quoꝝ vnīuq̄d᷒q̄ q̄ttuoꝛ grana oꝛdei pōderet in aurē mittat̄

De doloꝛe auris: vt videas ꝑticulā p̄ncipal'r patientē in doloꝛe auris: in vlcere auris: in tinitu ⁊ sonitu auris: in grauedine audit᷒ ⁊ in his q̄ intrant aurē. ¶ Nō. ꝙ auris put est oꝛganū audit᷒ ꝯstat ex q̄ttuoꝛ ꝑtib᷒ inter q̄s est vna p̄ncipal'. cetere sunt sibi coadiuuantes sicut in ocl'o ⁊ in q̄cūq̄ alio oꝛgano alicui᷒ sēsus seu vtutꝭ aīate. 4º. de moꝛbo. 2º. c. Id᷒ dicit Auic. 3º. cān. fen. 4ª. caº. p̄º Est ibi neruus dur᷒ veniēs ab vno pari neruoꝝ capitꝭ hn̄s oꝛtū magꝭ a puppi i 8. ⁊. 6. de iuuamētꝭ caplis secūdis. Id᷒ aui. 3º. cān. fen. 4ª. cº. p̄º. cui᷒ extremitas ē ꝑs p̄ncipal' in oꝛgano audit᷒ seu in aurib᷒ vt dicet̄. ⁊ est creat᷒ durus a n̄a vt cito nō lederet̄ a ꝑcussione aeris extrinseci: vt dic̄ Ga᷒. in loq̄ allegatꝭ ⁊ sunt nerui ꝯcaui post opticos vt multitudo spūum recipet̄ cā appꝛehendēdi ⁊ iudicandi obiecta remota ꝓpt̄ qd᷒ sensus audit᷒ est magꝭ subtilis ⁊ iuestigatiu᷒ post sē suz visus. 4º. de intꝭ. caº. 3º. in p̄nº: ꝓpt̄ qd᷒ moderni nr̄i mōtipedēses puta Gilbert᷒ goꝛdo᷒ i psalterijs suis vocāt istos obticos ¶ 2º. ē ibi os durū

ꝑforatū tortuosum qḋ dr̄ petrosum ē creatū tor
tuosum ne exteriora subito subintrēt ⁊ ledāt viij.
de iuuamētis ⁊.ix.cal'.scḋis. ¶ Per cuiꝰ foramē
subintrat caput illiꝰ nerui dictū cooperiēs ipsuꝫ
foramē ⁊ inuoluēs ipm̄ ꝑ modū pellicule āplian
tis se ⁊ dilatātis ꝑ modū cuiusdā cōcauitatis: ⁊
ista extremitas nerui sic se ampliātis ⁊ extēdentꝭ
suꝑ formā ossis petrosi est ꝑs p̄ncipal' in organo
auditꝰ: cetere sunt sibi coadiuuātes sicͣ cristallia
est in ocl'o.4.de morᵒ.c.2. Idē in libello de iuua-
mētis anhelitꝰ.c.ij. ¶ Tertio ē ibi aer cōnatura
lis stās in illa ꝯcauitate pelliculosa ip̄ius nerui
dicti rōne cuiꝰ ⁊ inundatiōis ⁊ motꝰ a ꝑcussiōe
aeris subintrātis exteriꝰ cōprehēdit̄ sonitꝰ ⁊ vox
in aure ⁊ fit auditꝰ. Et si inundat̄ ⁊ moueatur a
vapore fit sonitus ⁊ tinitꝰ vt dicet̄: q2 sitis per pu
pillam subintrat spēs visibiles ad cristallinā: sic
per aerē illum quietū cōnaturalem in dicta ꝯca-
uitate pelliculosa subintrat aer percussus percu
tiēs ⁊ inundās p̄dictū aerē pᵒ ꝯn̄r p̄dictaꝫ pelli-
culā que plena in suo ꝯcauo spiritibꝰ audibilibꝰ
cōprehēdit ⁊ audit illā inundatiōem sensu com
muni iudicāte suꝑ tali sensatiōe sic. Vel sic tonā-
te vel percutiēte vociferāte ꝓpt̄ qḋ bn̄ ꝯcluditur
ꝙ illa extremitas nerui pelliculosa cooperiēs il-
lud os petrosum cū quadā ꝯcauitate est ꝑs p̄nci
palior in dicto organo auditꝰ. ¶ Quarto est ibi
in organo auditꝰ cartilago plicabilis tortuosa ē
plicabil' vt decētius adhereat in latere sub pilis
Aliter staret auris eleuata sicͣ auris chati vel al-
terius aīalis ⁊ tortuosa est vt melius defendat or
ganū a rebꝰ extrinsecis ne subito subintrēt ⁊ me
lius formaret̄ sonꝰ: q2 elōgatio organi ⁊ instru-
mēti facit ad hoc vt vides in cornu ⁊ in tuba hoc
dicit Ga. ⁊ auicͣ. locis allegat̄. Et nō est in orga-
no auditꝰ v̄mis vt vulgꝰ credit nisi exteriꝰ subin
tret vel ibidē per putrefactiōem generet̄. ¶ Vl-
teriꝰ nota ꝙ dolor in aure nccͣio causat̄ ab ap̄ate
vel a mat̄ia generāte vel pūgēte dictā pelliculaꝫ
vel a vētositate descēdēte illam neruosam ⁊ sol-
uēte ip̄am vel f̄.ab vtroqꝫ tūc est fortis dolor mo
dicꝰ arguit modicā mat̄iam vel modicā ventosi-
tatē. Et licet talis morbꝰ immediate insit d̄ possi
bili ip̄i pellicule p̄mo tn̄ ⁊ p̄ncipal'r inest toti or-
gano q2 actio totiꝰ p̄ncipal'r ledit̄ puta auditiua
Et morbꝰ dr̄ respectu actiōis lese sicͣ cā morbi re
spectu iuuamēti lesi hoc ē bn̄ declaratū supra in
capl'o de obtalmia. aucͣte ga. pᵒ de morbo.c.vlti.
nā mat̄ia illa exn̄s in illo ꝯcauo rōne ꝙti ⁊ q̄lis
g̃nat ⁊ extēdit ip̄m ⁊ pūgit eam soluēdo eam in
ꝯtinuo ꝓpt̄ qḋ causat dolorē satis fortē. Aliqn̄
est ibi sola vētositas distēdēs eā aliqual'r resol-
uēs ꝓpter qḋ causat aliqualē dolorē in ip̄a auri
cula loq2 ꝓprie de dolore auris ab intra ⁊ nō de
dolore in parte vicina puta in pelliculis cerebri:
⁊ in trūco nerui illiꝰ veniētis tunc dolor ē magis
ab intra ꝑ colligātiā venit a capite ab intra vl' a-
liūde mat̄ia ꝙta ⁊ qualis. vel vapor vētosus vel
q̄litas mala acq̄rit̄ ibidē. vel aliqua cā p̄mitiua
vel a mat̄ia ibidē fluēte illū ventū generās q̄ vē
tositas soluit ⁊ distēdit dictā pelliculā extēsaꝫ su
pra ip̄m os. ¶ Pro morbo aūt descripto ē morbꝰ
officialis puta ap̄ata vel in receptaculo repletur
vltra debitū a tali mat̄ia hūorali g̃uāte pungēte
distēdente ⁊ soluēte ꝯtinuū in dicta pellicl'a ve
rū talis morbꝰ in receptacl'o associat secum mor
bū ꝯsil'em puta cal' in cōit̄. iō ponimꝰ ol'in rof cū
vna gutta aceti mixti vt vult Rab. Dolor aūt in
se est accn̄s morbi puta actio lesa i genere in spē
ē actio corrupta: nā om̄is dolor causat̄ ex sensu
rei cōtrarie cū corruptela. 3ᵒ. de morbo.c. 2ᵒ.⁊.3ᵒ
Verū in dolore ꝑuo ē ꝑua corruptela talis est in
morbo incipiēte firmari q̄ morbꝰ noie cōi appel
lat̄ neutralitas. 2ᵒ. tegⁱ. Torcō v̄o in vētre in do
lore magno ē magna corruptela q2 ē accn̄s mor
bi firmi ⁊ ꝑmanētis dolor in aure. Pro morbo d̄
scripto ē nocumētū passiue itelligēdo regitiē na-
turalis mēbri mandantꝭ ⁊ recipiētis nā si digesti
ua ⁊ expulsiua dictoꝝ mēbroꝝ nō errassent cau-
sa morbi ibidē nō fuisset. hoc vult ga. xi. de ingeᵒ
cᵒ.2ᵒ.⁊.8. vt est pluries dictū: nā vene q̄ ibi conti
guant̄ portātes nutrimētū interdū replent̄ a q̄n
to ⁊ a quali. Dolor aūt in se ē nocumētū v̄truꝫ sen
sitiue: q2 dolor fit ex sensu rei cōtrarie cū corrup-
tela organi in ꝯᵒne vel cōpōne ⁊ in vtroqꝫ. Do-
lor auris ꝓ morbo descripto ē passio seu nocum̄
tū actiue p̄ncipal'r auditiue ꝯn̄r aliarum natura
liū organi seu ꝑtiū organi.

Istis clarificatis cura do l'. aurū tibi
patescit: p̄us aūt ꝙ in cura ꝓcedas scire oportꝫ
cām p̄ncipalē ⁊ imediatā ip̄ius dolorꝭ nā tal' cā
multiplex ⁊ diuersa est in genere. aliqn̄ ē sola vē
tositas interclusa extēdēs pelliculā illaꝫ ⁊ alias
partes dilatabiles organi. aliqn̄ est cal'itas vl' fri
giditas sine mat̄ia qḋ raro fit aliqn̄ tn̄ mat̄ia flu
ente ꝑ illas ꝯcauitates in ip̄o organo ꝑ viam ca
tarri qḋ ē vtpl'rm fit aliqn̄ ab ill' q̄litatibus cum
maᵃ apostēosa fluēte ꝑ venas illas q̄ magꝭ imbi
bitur in porositatibꝰ pellicule organi ꝓpt̄ qḋ ge
nerat ap̄a alterans dictā pelliculam ꝓpter qḋ ē
maior dolor ꝑ ceteris causis potiᵐᵉ qn̄ mat̄ia est

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

cal'a,imo inducit p̄iculū ex h̄ in iuuenib⁹ rōne a
cuitatꝫ matie vt vult ypo.3°.pnost.vt dicet̃ i cura
Si quis ergo aliqualem dolorem in auribus ha
buerit rōne vētositatis qđ cognoscit̃ q: tal' dol'.
venit paulati anq̄ sit bene fortis q: tardāt p̄ diē
vnā ⁊ vltra ⁊ nō est excedēs in malicia:q: cā nō
est fortꝫ q̄litatis solum extendit pelliculam illam
Jō est dolor extensiu⁹ sine magna ponderositate
partis:q̄a sine matia hūorali sil'r equitauit c̄ ven
to.Uel fuit capite discooꝑto flante vēto fiāt ḡ si
bi sacculi p̄ui q̄drati in pāno lineo raso antiquo
de milio vel panico cōquassatis suꝑ tegulam ⁊
aurib⁹ pluries bn̄ cal'i applicet̃ ipos renouādo
đ hora i horā:nā miliū ⁊ ḡna sui generꝫ resoluūt
q: fū⁹ eleuat⁹ a milio resoluit ⁊ ꝯsūit illā matiaꝫ
ventosaꝫ sine mordicatōe vt dic̃ ga.xiij.de ige°.c.
vltꝫ.Et i itroitu lecti euaporet̃ aurꝫ cuꝫ decoctio-
ne sambuci ysopi maiorane ⁊ origani ⁊ in fi-
ne aliq̄ gutte de illa aq̄ tepida aurib⁹ istillet̃.O-
leū amigđ.amararū valet sil'r q̄ aliq̄ gutte tepiđ
q̄tuor vel q̄nq꜡ in aurib⁹ distillētur mane ⁊ sero.
⁊ claudat̃ auris cū lana succida.Et si q̄s dol'.au
ris habuerit ex matia cal'a ⁊ fria ibidem fluxa p̄
viā dissolutiōis a cal'o extriseco excedēti.Uliper
viā cōpressiōis a frio excedēti vel al's qđ cogno-
scit̃ q: satis subito puta i media die talis dol'.for
tis est ⁊ est dolor ponderosus ḡuatiu⁹ cū cōitate
cā extriseca excessiua iam dicta.Et si matia ē ca
lida erit dolor aliq̄l'r pūgitiu⁹ cū calore in tipori
bus ⁊ cōpl'one colica etate faciente ad hoc.Et si
matia sit fria erit ecōtra.Et si q̄s ergo dolorem
habuerit de matia cal'a mō dicta stati in p̄rimis
dieb⁹ inungat̃ ab extra cū oleo rof. vnfancino.
cū modico aceto siml' agitatis infra aures distil-
let̃ sero ⁊ mane modicū olei rof.tepidi vbi fuerit
vna pars aceti bene agitati:⁊ nisi scđa die sit re-
paratus sumat de sero.ʒ.ij.pill'arū aurearū nō p̄
cedēte sir° vt cōclusum est supi⁹ in passionibus
capitis ⁊ ocl'oꝝ intētiōe ga.xiij.de inge°.c.vi.hoc
idem vult raf in passionib⁹ capitis ⁊ mēbrorum
capitis.Uel flōmet̃ tertia die loco medicine ⁊
flōmet̃ de cephalica eiusdeꝫ partis.Si venosus
fuerit q̄ nō inuēta fiat de mediana in p̄ua q̄tita^e
Et si dol'.habuerit de matia fria mō dicto qđ co
gnoscit̃ cū signis dictis ⁊ loc⁹ nō est excedentis
caliditatis ⁊ etas ⁊ ꝯ° faciūt ad hoc inungat̃ au
ris intus ⁊ extra cū oleo camo.tepido:oleū lauri
tepidū positū infra aurē ⁊ extra est de nobiliori-
bus medicinis in dolore aurꝫ a causa fria dic̃ raf
in suo ꝯti^e ⁊ suffumiget̃ auris cū decoctiōe ab-
sintei abrotani mētast'.Postea imponat̃ auri đ
ol'o tepido rađ per°.Uel de oleo muscatellino vl'
de oleo nardino:si nō habeas in p̄mptu ista ol'a
de ꝯcilio raf bulias modicū de allio in oleo ⁊ i-
pone aliq̄s guttas illi⁹ olei tepidi infra aurē ⁊ i-
pone aliquas guttas aque decoctiōis absinthij
poti^me sicci tepidi infra aurē.hoc vult raf in suo
ꝯtinēte.vn̄ Ga⁹.xiij.de inge°.c.vi.vult q̄ tepida
aurib⁹ instillētur ⁊ fria actu oculis iponātur ha-
bēdo ꝯsiderationē ad naturā mēbri.¶ Aduerte
tn̄ q̄ nisi scđa die cū istis dictis reparatiōem non
habuerit.da sibi.ʒ.ij.ß.pill'arū cochiarū non pre
cedēte sir° vt dictū ē stati intētione ga.⁊ raf.Et
si q̄s dolorē magnū in aurib⁹ habuerit ex matia
apostemosa qđ cognoscit̃ q: talis dolor est fortꝫ
⁊ molestus in pauq̄ horis p̄pt̄ subitū fluxū mate
rie in tali casu ⁊ febris cōcomitat̃ faciēs ad subi
tū fluxū matie calefaciēdo ⁊ dissoluēdo ipam ⁊
est dolor fortior p̄ ceteris:q: est ibi triplex cā do-
loris poti^me si cā fuerit ca.imo est ita fortis ⁊ a-
cutus q̄ iuuenes periclitāt rōne magne sensibi-
litatis p̄pt̄ cōpassionē cerebri ⁊ moriūtur ante-
q̄ auris saniet̃ vt vult ypo:3°.pnost.Aurium vo
dolor.idem vult Ga⁹.in cōmēto.Jn tali ḡ dolo-
re siue sit de causa cal'a siue fria in p̄mis diebus
instillet̃ infra aurē oleū rof tepidū.Uerū si ma^a
fuerit cal'a qđ cognoscit̃ in acuitate dolorꝫ ⁊ i ru-
bore ⁊ dolore faciei ⁊ cal'.p̄miscem⁹ q̄ntā vel.6.
partem aceti boni siml' agitatꝫ:qđ nō facimus si
matia sit fria ß solum oleū rof.tepidū duob⁹ die
bus iponim⁹ infra aurē vel extra.Aut iponim⁹
in cā ca.de oleo tepido viol'.vel se.iusquiam.vel
de aq̄ distillata folioꝝ saliq̄ vel decoctiōis foliorū
¶ Scđa die vel 3^a ad longi⁹ flōmetur in cā cali
da si plen⁹ fuerit de cephalica p̄tis cōtrarie qua
nō inuēta de mediana eadem die de sero si dolor
crudelis fuerit flōmet̃ de cephalica eiusdē p̄tis
q̄ nō inuēta de mediana cōciliū est ga.4.de int.
Uel purget̃ cū pill'is aureis puta cū.ʒ.ij.⁊ i cā
fria purget̃ cū cochijs.ʒ.ij.⁊ ß.large.Sed si fue
rit in cā ca.ꝯtinuētur inunctiōes frie dicte q̄bus-
dam dieb⁹ in cā fria ꝯtinuet̃ inunctio ca^e cōti-
nuet̃ inunctio cū oleo camo.quo facto instillet̃ i
vtraq꜡ cā duob⁹ dieb⁹ lac M.duꝫ exit ab vbere
in causa multū cal'a misceat̃ modicū opij.Jn cā
fria ꝯn̄r valet axūgia anatꝫ ⁊ galline guttati istil
latꝫ infra aurē ⁊ ex dū fuerit in augmēto cū q̄ cō-
comitat̃ pulsa° fortꝫ:nā iste axūgie maturāt ac se
dant dolorē resoluēdo.Hoc vult Raf in suo cō-
ti^e ⁊ sic p̄cedēdo cābit̃ sanies.Uerū in pl'ib⁹ iu
uenib⁹ de cā cal'a natura nō pōt expectare ḡna-
tionē cōpletā saniei p̄ nimio dolore ⁊ cōpactiōe
cerebri moriūtur vt vult ypo.in loco allegato.iō
oꝫ ponere opiū cum ol'o rof.in vtraq꜡ cā vicꝫ i au

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

gmēto ⁊ circa statū ⁊ in declinatiōe saccellationes facte cū decoctōe camo. ⁊ ꝑnr cū o'lo eiusdē liungere in augmēto ⁊ in statu int⁹ ⁊ ex: ꝑnr ab extra dūtaxat: q: ab intra ponem⁹ ea q̄ dicentur in cura saniei exeūtis ab aurib⁹. Et sic terminetur cura dolor] auriū.

¶ Capitlm. 32. de vlcere ⁊ sanie auris.

Cum pus ab aure egreditur idromel tepidū multotiēs ī vna die ī aure ē distillādū. Deide hoc medicamē optie faciēs ad hoc ē imittēdū qḋ ℞. sarcocollā aloē ⁊ sanguinē draconis th⁹ squamā ferri simar. Ex eo ī aceto dissoluat ⁊ ī aurē mittat ⁊ liciniū melle illinitū ī p̄dict̄ intigat ⁊ sic imittatur patiēs itaq3 ex hoc medicamie ⁊ idromelle medicetur donec san⁹ sit.

E vlcere ⁊ sanie auris

Nota ꝙ vlcera fiūt in aurib⁹ puta in illa pellicula iuoluēte illud os petrosum cā duplici vno mō ꝓpt̄ apa dictum qḋ inter dū gñat in aurib⁹ vt fuit dictū crepat ⁊ soluitur in ꝯti° illa pellicula ⁊ ꝑ ꝯns vlcerat ab illa materia acuta corrosiua tūc exit sanies q̄busdā diebus in mag̃ q̄ntitate p̄cedēte dol. satis forti. Aliqñ fiūt vlcera in aure puta in dicta pellicula ꝓpt̄ acutos hūores q̄ fluūt ꝑ capita illarū venarū cōtiguatarū tūc est sanies in modica q̄ntitate p̄cedēti aliq̄li dolore in aure: interdū exit sanies feculēta sine vlcere aliqñ i mag̃ q̄ntitate dieb⁹ aliqb⁹ interdū mult̄ ⁊ postea iterpolati tūc venit a cerebro post magnū ⁊ cronicū dolorē capit̄ ⁊ sorditi es talis exit ꝑ capita venarū ꝑ viā crisis ⁊ mundificatiuis nature. ¶ Vlteri⁹ est sciēdu3 ꝙ i isto caplo possum⁹ itelligere de sanguie exeūte ꝑ aures. verū cōiter exit ꝑ aures ꝓpt̄ cās p̄mitiuas ꝓpter casum vel ꝑcussione3 de possibili: aliqñ exit ꝑ viā crisis in magno dolore capit̄: nā vene ibi apenūtur rōne q̄ntitatis vel q̄litat̄ san. iō fluit ad ꝯcauū auriū. vn̄ pellicula illa coopiēs illud os petrosum patit̄ imediate. verū totū organū audit⁹ patit̄ p° ⁊ p̄ncipalr̄ q: sua actio puta auditia p̄mo ⁊ p̄n^r ledit̄ vt dictū est supi⁹ pluries ⁊ i passionib⁹ ocl'or̄ auctate. ga. ꝙ morb⁹ ḋr respectu actiōis lese imediate sic cā ḋr respctū iuuamēti ⁊ ē pa° ꝑ colligātiā illar̄ venarū ꝯtiguatarū spuētiu3 illud sordidū i dicta pellic'la auris ⁊ est morb⁹ official' mala figura q: ꝯcauitas cū aliq̄li ꝺpditio ne sube sanies āt ñ ē morb⁹ i se. bñ dic morbū in receptac'lo receptaculū replet̄ vltra debitu3 sue nat̄e ꝺ sordido inat̄ali. Et vlc⁹ ⁊ sanies sunt ex nocumēto regitie nat̄alis expulsiue mēbri mādātis ⁊ recipiēt̄ vt pluries ē dictū ⁊ ē nocumētū regitie nat̄al' actie seu passio aiate auditiue

Istis clarificat̄ cura vlcer] ⁊ saniei aur] tibi patescit. p⁹ āt ꝙ in cura ꝓcedas ꝯsiderare o3 q̄ntitatē ⁊ modū exit⁹ saniei: q: sanies veniēs ab aurib⁹ p⁹ dolorē capit̄ vl' ei⁹ ꝯcutionē vēit ꝑ viā mūdificatōis ⁊ aptiōis venar̄ cōtiguatar̄ i cōcauo aur] ⁊ nō i vlcere: sanies āt veniēs p⁹ dolorē aur] ex mat̄ia apostemosa vel al's fluxa potissime q̄ nō q̄escit nec intpolat bñ arguit vlc⁹ i ꝯcauo aur] vt dicet̄. Si q̄s sanē i aurib⁹ habuerit i mag̃ q̄ntitate ⁊ sic aq̄ fetens tenuis se misaniosa p⁹ ꝯcussionē vl' laborē seu ḡuitatē capit̄ q̄ tp̄e subseq̄nti intpolāt ⁊ ꝑorsināt ⁊ i medica q̄ntitate notū ē rctō artifici ꝙ tal' venit ꝑ via3 mūdificatiōis cerebri ⁊ nō ex vlcere aur] ꝓpt̄ qḋ tal' nō ḋ3 ꝓhiberi vt dic Rat̄ i suo ꝯti^c ꝟ ḋ3 diuti ⁊ ꝓhiberi ne gñet̄ ⁊ ꝑ aliā ꝑtē euacuari ꝯfortando ꝑticulā recipiētē ⁊ mādātē. In p̄mis succurram⁹ mēb° mādāti abluēdo caput ꝺ trib⁹ i trib⁹ dieb⁹ sto° ieiūo cū aq̄ decoctiōis flor̄ camomille mellilotī folior̄ sene vtriusq3 sticaꝺ añ. m. i. misceat̄ ⁊ decoquat̄ i aq̄ vna ebullitione vadat ad stuphas sto° ieiūo sel' i. xv. dieb⁹ teneat patiēs i manu raꝺ yreos ꝯq̄ssat̄ ⁊ odoret vt sepe sternutet ⁊ supfluitates cereb^i expellat ꝑ nares ⁊ masticet masticē cū pipe ⁊^c atthat supfluitates per palatū ⁊ garganzet ꝺ māe bis l' ter ꝺ mostardo dissoluto ē aq̄ citrini vl' ē brodio camiū vl' cū aq̄ sim^ci tepida: ista sūt ꝓ euacuādo ⁊ diūtēdo ⁊ minorādo mat̄ia3 ne ad aures fluat ꝓut erat assueta fluere patiēs tñ sp̄ dormiat supra aurē lesa3 nē ꝯfortem⁹ ⁊ stipticē⁹ ⁊ alterē⁹ ꝑticla3 lesā q: ē ca lesā ⁊ debilitata rōe tal' supfluitat̄ currēt̄ cal'e ⁊ mordicāt̄ rōe cui⁹ intdū sitt vlcerat qḋ ꝯgscit̄ q: ñ itpolat sanies v° ꝯti° exit tc̄ ē ꝓcedēdū sic i vlcere vt dicet̄ istillet ifra aurē sero ⁊ mane .4..5. gutte succi tepidi folior̄ salic̄ clarificati ꝑ r̄sidētiā nō est vltimatū remediū in h' casu altera3 confortat ꝯstrigēdo vias sine violētia vl' sufflet̄ in aure cū camilla ꝺ gall' vl' ꝺ aluie vsto puluerisat̄.

¶ Si q̄s veram saniem in auribus cum vlcere

habuerit|subsequētē ad dolorē fortē auriū3 rōne
matie fluxe ⁊ fluentis acute vel apostemose ab
ipo cerebro vl' nō subsequētis ad dolorē aurium
ß veniēs a cerebro p viā mūdificatiōis p ꝯtinua
tionē vlcerauerit pelliculā ab intra q: mordax et
acuta qd cognoscit q: ex toto nō interpollat nec
qescit. Et sic bis vel ter in die instilleť infra aurē
lac.in.dū exit ab vbere renouādo lac ⁊ eijciendo
bis vel ter: ⁊ inijtiať infra aurē de hoc ydromel-
le tepido ad abstergēdū ⁊ mūdificādū vlcus. ℞
aque fontis in q̄titate vni⁹ vit¹ mell'.ʒ.ß.vl' duo
coclearia bulliať sil' modica ebulitiōe imo dū in
cipiet ebulire deponať ab igne vel inijtiať d vi-
no albo. ¶ Conseqnter imponať de hoc medi-
camine nullū habēs par in desiccādo vlc⁹ in au-
re. ℞.squamā ferri subtilissime pluerisatam vt a
chool ⁊ colatā cū serico.ʒ.ij.aceti fortissimi.ʒ.8.
decoqtur vsq3 ꝙ cōsumať p mediū ⁊ tūc impo-
nať in aure cū tenta sero ⁊ mane post instillatio
nē ⁊ ablutiōem cū lacte dicto vl' cū ydromelle di
cto. Vel sic. ℞.aluis vsti.ʒ.ij.mirre.ʒ.i.puluerizē
tur subtilissime incorpeť cū melle liciū inuoluať
⁊ intromittať.verū ꝓpter antiqtatem vlceris ali
qn labia fiūt callosa semidura.iō d: ꝙ loc⁹ fistu
latur qd demōstrat citrinitas ⁊ virulentia saniei
tūc facta mūdificatiōe cū supius dicť imponā-
m⁹ de hoc medicamie ℞.thur| sarcocolle arseni
ci ruffi.añ.ʒ.i.ß.puluis subtilissim⁹ vt al chool co
latus cū sindone habeať liciū seu tēta de panno
lineo inuoluātur modicū ⁊ intingať cū melle de
inde inuoluať in puluere ⁊ infra aurē imponať:
hoc ꝯtinueť vsq3 sit curat⁹.vel loco istius pulue
ris capiať solū arcenicū ruffū3 vel vitriolū pul-
uerisef ⁊ cribelletur vt dictū est ⁊ tenta illa dctā
aspgať intromittať. ¶ Aduerte interdū exit san
guis in q̄titate sufficiēti ꝓpter cām ⁊ percussio
nē:vel q: mult⁹ ⁊ acut⁹ in istis casib⁹ facim⁹ flō
miam de cephalica ptis cōtrarie iterū in crasti-
nū si nō sit repatus de cephalica eiusdē partis q̄
non inuenta de mediana ⁊ iponim⁹ infra aure3
de succo vge pastoris vel plātagi[n]is clarificatis
per residentiā.vel habeať aqua de[c]octionis su-
mach ⁊ iponať modicū d san.draco.subtilissime
puluerisato ⁊ collato cum sindone qd.s.vt sit ad
modū mell' clari istilleť infra aurē tres vl' quat-
tuor gutte.

¶ Capl'm.xxxiij.de sonitu ⁊ tinnitu auriū.

Ortasse qñq3 ꝯtingunt
ex subtilitate sensus au-
ditus ⁊ ei⁹ claritate, Cui⁹ signum
ē ꝙ in tpe famis augeť ⁊ in hora
ebrietatť ⁊ sacietatť minuiť. Qui
ppa nō indigēt cura nisi supflui-
tatē obtineāt Tūc em̄ de opio dis
soluto in oleo imittēdum ē in au-
re q̄tū duo ordei grana pōderāt.
Si aūt hec cū grauedine capitis ⁊
audit⁹ debilitate affuerit oleū de
semie raphani ⁊ oleu3 de amigdal'
amaris ⁊ oleū rosa.in quo castore
um fuit resolutū sunt remittenda
auris ꝙ sup vaporē aq̄ in q̄ sansu
cus sticados arabicū absinthium
mētastrū origanū cocta sūt ponē
da. Et venter multotiēs ex pillis
cochijs est soluēdus ⁊ cibaria mi-
nuēda ⁊ vinū dimittēdū.

Ota ꝙ sonus ⁊ vox fit ⁊ perci-
pitur in aure ex pcussione
pellicule cooperiētis os petrosum q̄
pellicula est extremitas nerui venien
tis a q̄nto pari neruoꝝ capiť aures vt fuit supi⁹
dictū:nā percutiť ab inundatiōe aer| cōnatural'
ibidē exñtis cū modica innouatiōe:iō diciť ꝯna
tural':nā dict⁹ aer inundať ⁊ moueť ab inundati
one ⁊ motu aeris extriseci subintrantes p aures
nā vox ⁊ sonus seu pcussio facta ab extra in aere
⁊ in reb⁹ cōmouēt aerē assistentē ⁊ ille aer mot⁹
mouet aerē vicinū sic ꝓcedēdo p modū aliqlis i-
undatiōis mot⁹ subintrāt aures ⁊ tunc subitrā-
do mouet illū aerē cōnaturalē ibidē stātē conti^e
q̄ est bñ calid⁹:q: paꝝ in pte solū innouať ꝓpter
qd illa pcussio apphēdiť a vtute auditiua mediā
tib⁹ spiritib⁹ audibilib⁹ in illa ꝯcauitate exñtib⁹
in illa ꝯcauitate pelliculosa dicta ⁊ iudicať talis
vel talis vox a sensu cōi interdū inundať ⁊ mo-
ueť ille aer cōnaturalis dictus a vēto interclusō
seu a vapore grosso moto interi⁹:q: vētus est va
por mot⁹ ⁊ percutit dictā pelliculā ꝓpť qd facit
modicū sonū:ideo facit tinitū ⁊ modicū sonitu3
nā per caput illarū puaꝝ venarū ꝯtiguatarum
aliquādo fluit aliqual' matia licet modica ad cō
cauitatē auriū q̄ matia mota a natura:i.ab expl'-
siua mediāte cal', naturali effumat ⁊ euaporat q̄

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

vapoꝝ grossus mot⁹ mouet dictū aerē cōnatura
lē ⁊ ꝑ ꝯñs ꝑcutit dictā pelliculā ⁊ facit sonū gros
sum vel subtilē ſm quod fum⁹ est grossus vel sub
tilis in quo cognoscim⁹ naturā hūoris qui fluit
ad aures. siłr eleuat̄ a sto° rōne gulositat̄ ⁊ indi-
gestiōis: vt in ꝯualescētib⁹ in crapula: in ebrieta
te: in multiplicatiōe ciboꝝ nō bñ digestoꝝ intdū
eleuat̄ vapoꝝ a toto corꝑe sic in crisi. intdū inūda
tur aer cōnaturał auriū a re violēta ꝑimitia a vo-
mitu: a cursu forti: a circūuolutōe cōmouēte hūo
res capit̄ ⁊ corꝑis ⁊ faciēte effumationē illā va-
porosā grossā mobilē mouēte inūdatōe dictū ae-
rem cōnaturalē in ipsis aurib⁹ tłis inūdatio ⁊ ꝑ
cussio dicte pellicłe curat̄ illa cā ꝑimitia cessante
p⁹ea curat̄ cū remedijs rasis posit̄ in c°. Tu di-
ces cōit̄ fit aliqlis expulsio aliqlis supfluitat̄ co
lerice ꝑ capita artiaꝝ in oib⁹ vt pꝫ tibi in sordicie
exeūte ꝑ aures. ḡ fit ꝯtinua euaporatio ⁊ inūda-
tio illi⁹ aeris cōnaturał in oib⁹ ⁊ ꝑ ꝯñs ꝑcussio il
li⁹ aeris cōnaturał in oib⁹. ⁊ ꝑ ꝯñs ꝑcussio illius
pellicłe q: corꝑa nr̄a ꝯti^e effumāt. 2° de cōplōni
b⁹. ḡ ꝯtinue ꝑcipiet̄ sonit⁹ ⁊ tinnit⁹ aliqł in oib⁹
⁊ tinnit⁹ aliqł in oib⁹. tꝫ ꝯña ex supi⁹ dict̄. Dicen
dū ꝙ tu bñ arguis. Jō ras vult ꝙ illud ꝑcipit ex
subtilitate sensus audit⁹: puta qñ illa pellicula q̄
ē ꝑs ꝑncipał est multū subtił ⁊ spūs auditui sūt
bñ subtiles. hoc fit in q̄busdā ꝓut ē dcm̄ de aptō
nib⁹ imaginū in hn̄tib⁹ subtiles spūs in suba et
q̄litate q: sicci ⁊ nō fit in oib⁹: q: ille vapoꝝ nō sꝑ
eleuat̄ a chimis malis in naturalib⁹: nec sꝑ ē bñ
grossus nec mot⁹: iō nō ꝑcutit nec inundat vltra
naturā ꝓpaꝫ illū aerē cōnaturalē vltra sui natu-
rā ꝓpt̄ qđ nō bñ comphēdit̄.

Sed quereret aliqs q̄d ē sonus. Quidā dixerūt ꝙ
ē mot⁹ aeris nō valꝫ q: mot⁹ ē de nūero cōiū sē
sibiliū 2° de aia. son⁹ aūt est ꝓprium obiectū sēs⁹
audit⁹ 2° đ aia 3° de moꝝ°. c°. 2°. Alij dixerunt ꝙ
ē aer. nō valet q: singulū eoꝝ q̄ sūt ſm passioneꝫ
sensuū passibiliū q̄litas đꝛ. 3°. de moꝝ°. c. 2°. Ideꝫ
aristo. in ꝑdicamēt̄. ḡ son⁹ ē q̄litas. ꝯña tꝫ. q: so-
nus ē passio audit⁹. ibidē. Dicēdū ḡ ex itētōe ga.
de iuuamēt̄. c. 2°. ꝙ vox ⁊ son⁹ ē aer ꝑcussus seu
collectio in aere seu q̄dā q̄litas ex ꝑcussiōe aeris
gn̄ata in organo ⁊ apphēsa ab eo. Tu dices si so
nus ē ꝑcussio in aere seu collectio in aere. ḡ son⁹
erit in aere. Dicēdū ꝙ sic: ꝟ nō apphēdit̄ nisi ille
q̄ subintrat organū audit⁹. ḡ ⁊c̄.

Secūdo tu q̄res aer cōnaturał auriuꝫ
inouat̄ ne vł ꝯſuat̄ sine ino-
uatōe durāte sensu audit⁹ in organo. Dicēdū ꝙ
q: aer ꝗ mot⁹ exterioꝝ subitrat mouēs ipsū ꝙ in ali
quo inouat̄ nō tm̄ ex toto: imo diu remanēs fit in
organo cōnaturał ⁊ calid⁹. q: organū audit⁹ est
bñ calidū in sui natura qđ demōstrat sordicies
citrina colerica q̄ discidit̄ a dcō organo ⁊ qđ de
cidit̄ ab alio attestat̄ ei a q̄ descidit̄. ga. p° amph
Et si tu dicas cū cerebꝝ sit multū frigidū vñ po
test venire tłis supfluitas multū colerica. Dicen
dū ꝙ natura ordinauit ꝓ dci organi ꝯſuatiōe in
sui natura vt aliq̄ arteria cū dcō organo ꝯtiguet̄
op⁹ nature ē op⁹ intelligētie 3° de cretiq̄ diebus

Tertio tu q̄res q̄re obiectū audit⁹ est sic
accn̄tale ⁊ successiuū obiectuꝫ tm̄
alioꝝ sensuū ē magꝭ actuale ⁊ ꝑmāsiuū. Dicēduꝫ
ꝙ q: cā ei⁹ ē successiua ⁊ imꝑmanēs puta mot⁹

Quarto tu q̄res. cur⁹ ꝑticule auris tin
nit⁹ ⁊ sonit⁹ ꝓ moꝝ° descripto
ē passio ꝑncipalit̄. Dicēdū ꝙ nō ē passio ꝑncipa-
lit̄ alicui⁹ part̄. nā actio toti⁹ organi ꝑncipałr le-
dit̄ ē passio ꝑmo ⁊ ꝑncipałr toti⁹ organi. nā moꝝ
bus đꝛ respectu actōis lese imediate ⁊ ꝑncipałr
vt ē declaratū supi⁹ in passiōib⁹ oculoꝝ. c. de ob-
talmia. aucte ga. ꝑmo de morbo. c. 8°. Siłr quia
est morb⁹ official vt dicet̄ stati ꝑmo inerit ipsi to
ti. ꝯñr ipsi ꝑti vt ē dcm̄ ꝑmo de morbo. c. vltio. ⁊ lꝫ
insit ꝑmo ⁊ ꝑncipałr ipi toti iest tm̄ immediate il
li pellicłe q̄ ē ꝑs ꝑncipał ipius organi q̄lit̄ hoc ē
supi⁹ tibi explicatū est in. c. de obtal^a. Vez posse-
mus dicere ꝙ immediaci⁹ inest ipsi aeri cōnatu-
rali, nam ille aer cōnaturał ē ꝑs coadiuuās in or
ganico vt est dcm̄ in anatho^a ꝑcutiēs dcām pel
licłam. ꝟ q: tłis aer nō ē ꝑs sꝑmatica nec sāgui-
nea ⁊ ꝯtinue inouat̄ in aliq̄: veri⁹ ē ꝙ attribuam⁹
ipsū inesse imediate ipi pellicule dicte.

Quinto tu q̄res. tinnit⁹ ⁊ sonit⁹ in auri
bus ꝓ morbo descripto est ne
pa° ꝑ se vel ꝑ colligātiā. Dicēdū vt płies ē dcm̄
intētōe ga. ꝙ semꝑ ē ꝑ colligātiā. venit qđ veni-
re nō đꝫ ſm naturā ad ipsas aures nisi tinnitus
fiat rōne subtilitat̄ audit⁹ vt ē declaratū supra.

Sexto tu q̄res. tinnit⁹ ⁊ sibil⁹ auriū q̄s
ē morb⁹. Dicēdū ꝙ in se non est
morb⁹ ꝟ ē actio lesa. immo est actio corrupta sꝑ
si modic⁹ aut fort̄ fuerit. lꝫ aliq̄ dicant ꝙ sit actio
diminuta. quod est cōtra ga. in locis dictis. 3°. de
morbo. capū°. 2°. idē. 2°. teg¹. in fine can̄: illo. ſm
auditū vo iō est accn̄s morbi descriptiue tm̄ ē moꝝ
bus in receptaculo in organo audit⁹ quod non
debet recipi ſm naturā.

Septimo tu q̄res. tinnit⁹ ⁊ sibil⁹ cu
ius virtut̄ ē nocumētum

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

passiue intelligẽdo. Dicẽdū ꝙ in se ꝯsiderãdo est
nocumẽtū passiue itelligẽdo ṽtutꝭ auditie: q₂ est
actio corrupta ipius ꝑ morbo descripto ẽ nocu-
mẽtū regitie natural' digestie ⁊ expulsiue mẽbri
mandantis ⁊ recipientis vt est pluries dictum ꝯin
tentione galieni. xiº. de ingenio capitulo secũdo
⁊ octauo.

Octauo tu q̃res. tinit⁹ ⁊ sibilus cui⁹ vir
tutꝭ ẽ nocumẽtū actie. Dicẽdu₃
ꝙ itelligẽdo tinitū ⁊ sibilū i se ẽ nocumẽtū itelle-
ctiue. nã accñs morbi põt eẽ cã morbi. 3º. de mor
bo pl'ies declaratū. hoc itelligẽdo morbū descri
ptū est nocumẽtū ṽtutis auditie. q₂ sibi ifert pas-
sionẽ ⁊ nocumẽtū, q₂ actõnẽ corruptã.

Istis clarificatis cura sonit⁹ ⁊
tinnitus tibi
patescit. Pri⁹ aũt ꝙ̃ i cura ꝓcedas scire o₃ cãm
tinnit⁹ ⁊ diuersitatẽ cãꝝ cognoscere. q₂ i hoc cu-
ra diuersificat̃. nã tinit⁹ ⁊ sonit⁹ fit aliqñ ex debili
tate sensus audit⁹: vt in ꝯualescẽtib⁹. ⁊ alñ fit ex
acuitate ⁊ claritate sensus audit⁹: vt fit i q̇busda₃
colericꝭ delicatꝭ. Et aliqñ fit ex maª vaporosa int
clusa in aurib⁹. hoc vult rasis i diuisionib⁹ suis.
¶ Tu obijcies ꝯtra hoc. ois tinnit⁹ fit ex vapore
agitãte ⁊ inũdãte aerẽ cõnaturalẽ in aurib⁹. ⁊ ꝑ
ꝯñs pelliculã extẽsã suꝑ os petrosū. igit̃ erit vna
sola cã tinitus. Dicẽdū ad hoc ꝙ verū ẽ ꝙ ois fit
mediãte vapore agitãte ⁊ inũdãte illū aerẽ cõna
turalẽ ⁊ illã dcãm pelliculã. ⁊ ẽ verū ꝙ corꝑa no
stra ꝯtinue effumãt. 2º. de cõpl'onib⁹. ex actõe ca
loris natural' in hũores. ⁊ illa effumatio vadit ad
ex̃ ꝑ porositates ⁊ ꝑgit̃ ꝑ organa sẽsuū ad ocu-
los ⁊ aures ⁊ alios sẽsus. verū tl'is vapor eleuat⁹
aut ẽ nat̃al' ⁊ modic⁹ q₂ ex calore nat̃ali agẽte in
hũorib⁹ nat̃alib⁹ illi corꝑi tl'is veniẽs nõ ꝑcipit̃
a sensu auditus. sẽsus audit⁹ sit subtilissim⁹ i se ꝙ
aer cõnat̃al' ⁊ pellicl'a illa intrinseca sint subtiles
i se ⁊ clare: ⁊ spũs auditiui sint subtiles i se ⁊ ml'
tū clari: vt fuit dcm̃ in sẽsu visus ꝙ rõne ei⁹ subti
litatꝭ apphẽdit tl'es vapores nat̃alit̃ eleuatos vl'
tl'is sẽsus audit⁹ sit i se debil': vt i ꝯualescẽtib⁹. nã
in tl'ib⁹ sẽsus sũt debilitati ꝓpt̃ resolutõnẽ ꝑtiu₃
organi in eaꝝ suba ⁊ ꝓpt̃ resolutionẽ spirituū. et
q₂ poª patit̃ ab obiecto. 4º. de mor°. ⁊ 2º. de aia.
q₂ in apphendẽdo ipsū poª laborat ⁊ fatigat̃. q₂
ñccio aliq̇d de organo resoluit̃. Jõ ipe sẽsus de-
bilitat⁹ a re obiecta impmẽdo patit̃. cū apphẽsio
ne eiusdẽ. sic p₃ q̄lit̃ in ꝯualescẽtib⁹ fit tinit⁹ au-
riū. Aliqñ tl'is vapor q̇ eleuat̃ ẽ inat̃alis excedẽs
in q̄to ⁊ q̄li. q₂ grossus ⁊ mult⁹, q̇ eleuat̃ a malis

chimis: tl'is vapor aut eleuat̃ a maª i organo tũc
ꝑseuerat tl'is tinit⁹ vno° aut eleuat̃ tl'is fum⁹ a ma
teria cerebri vl' stoi: l₃ nõ duret nisi q̄tū durat e-
brietas vl' crapula vl' alti⁹ ꝑtis corꝑis ꝑ capita
venaꝝ vel alias porositates: tũc tl'is tinnitus d₂ a
rasi i suo ꝯtiᵉ magꝭ vẽtosus: tl'is int̃pollati incita
tur ⁊ mitigat̃. verba sũt raꝭ in suo ꝯtiᵉ ⁊ sũt ṽba
notãda in cura. q₂ qñ maª est fluxa in organo o₃
magꝭ ꝓcedere cū iscisiuis ⁊ subtiliatis infra au-
res cū stuphis seu vaporositatib⁹ auriū ⁊ alijs vt
dicet̃. Sic p₃ solu° tue obiectõi. q₂ ꝯcedẽ° ꝙ ois
tinnit⁹ fiat mediãte vapore agitãte: ꝫ ille vapor i-
terdū ẽ modic⁹ debilit̃ agitat⁹ ꝑ ꝑtes illas. igit̃ ñ
apphẽdit̃ nisi vl' a sensu acutissimo ⁊ claro vl' de
bilitato: vt ẽ tibi bñ declaratū. ¶ S₃ tu dices qñ
tl'es vapores apphẽdunt̃ ex debilitate sẽsus au-
dit⁹ vt in ꝯualescẽtibus notū ẽ. Sed tu queres q̄
lit̃ cognoscã qñ apphẽdũt̃ tl'es vapores ex subti
litate ⁊ acuitate sẽsus auditus. Soluit raꝭ hoc i
suo ꝯtiᵉ ꝙ in tl'ib⁹ in tꝑe famis tinnit⁹ augmẽta
tur. q₂ sẽsus remanet magꝭ clarus tꝑe saturitatis
miorat̃: q₂ ei⁹ claritas ꝯturbat̃. sil'r tl'es patiẽtes
sũt velocis sẽsibilitatꝭ ⁊ teneritatꝭ i alijs mẽbris:
vt sũt colerici delicati. Sil'r augmẽtat̃ tinnit⁹ in
tl'ibus post sternutationẽ frequentatã ꝙ non fit
in alijs ꝓpter diuersionẽ ⁊ euacuationẽ materie
¶ Si q̇s tinnitū habuerit ex subtilitate ⁊ clarita
te ipius sensus auditus, nõ indiget cura nisi mul
tū magnificet̃. ꝙ si sic istillet̃ i aure duo gña opij
dissoluti cū ol'o rosaceo qḋ suffic̃ reiteret̃ ista q̄ti
tas post quosdã dies. Vel fiat sic. ℞. castorei iusq̇ami añ. ℈. ʒ. terant̃ ⁊ dissoluant̃ cum aceto tepi
do guttatim ꝑ vices in auribus imponat̃ tepide
quattuor vel quinq₃ gutte. Et si q̇s tinnitū habu
erit ex debilitate sensus auditus vt cõtingit ꝯua
lescẽtibus impone in aure guttatim. ꝑmo de de-
coctõe absintij tepidi ⁊ lauet̃ tota auris ⁊ calefi
at cū illa decoctõe tepida: deide imponat̃ ifra au
rem oleū rosaceū tepidu₃ vbi sit. 7ª. vel. 8ª. pars
aceti simul bñ agitatis. ¶ Si q̇s tinnitū i aurib⁹
habuerit a vapore grosso innaturali in ipsis au-
ribus agitãte ⁊ mundãte violent̃ aerẽ illum ⁊ di
ctam pellicl'am. o₃ considerare si talis vapor ve-
niat a mat̃ia int̃clusa in organo auditus. qḋ fit
vt pl'imū ⁊ cognoscit̃ in duobus. ꝑmo q₂ ꝑseue-
rat ⁊ ꝓcedit vniformit̃ in suo sono. q₂ maª ẽ ibi
vniformit̃ assistẽs ⁊ sonat grosso sono: quia tl'is
materia grossa flãtica: ideo fum⁹ grossus humi-
dus eleuat̃ q̇ facit sonum grossū coiter ad modū
aque cadentꝭ in molendino. verū de possibili põt
esse colera grossa: ideo sonus erit min⁹ grossus,

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

vel si veniát a vaporib⁹ capiṫ vel alteri⁹ membri
considerare opꝫ ꝙ cognoscit̄.q꞉ cōicat gṽedo ca
pitis ⁊ auditus debilitas:⁊ nō perseuerat nec ꝓ
cedit vno modo: q꞉ interpolatim incitat̄ ⁊ miti
gatur.hoc vult raſ in suo ↄti^e.talia sunt ex inten
to considerāda.q꞉ quādo venit ṗmo indigemus
plus medicinis incisiuis ⁊ subtiliatiuis interius
infra aurē applicandū ꝑ modum liquoris ⁊ va
poratōis cum decoctōe herbarum.Sed q꞉ talia
remedia ⁊ quecūqꝫ alia valēt in vtroqꝫ casu licet
ſm plus ⁊ min⁹.ideo rasis execut⁹ est curam sił
amborum ⁊ nos idem faciem⁹. Et illa modica
uersitas in remedijs applicādis tue discretōi cō
mittat̄ cum consideratōe predictoꝝ.❡ In ṗmis
igit̄ purgetur cuꝫ yerapigra duplata.ga.ʒ.ij. pul
pe coloquintide grosso modo puluerizate.℈.i.ß
bdellij.℈.ß.incorporēt̄ simul ⁊ fermentet̄,capiat
ʒ.6.ṗmo precedēte isto syrupo duobus aut trib⁹
diebus.℞.oximellis sq̄litici q̄r.i.aque cicerū ru
beoꝝ vbi sit modicū saluie maiorane.łł.i.misceā
tur.talis sumat mediū gobellū sero ⁊ mane.p⁹ea
capiat piłł.suas:⁊ de.xv.in.xv. diebus sumat.ix.
vel.xi.de illis piłł. talit̄ ꝙ ascellet ter vel quater
vltra solitū.Et loco syrupi sumat in fine cene du
os vel tres bolos saluie maiorane ⁊ basiliconis
ysopi ligati cum filo ⁊ bulito in brodio carnium
vna ebullitōe.quolibꝫ mane gargarizet bis aut
ter de synap̄.seu mostarda dissoluto cum aqua ci
cerū rub.vel masticet de mastice mixto cum pipe
euacuat flā a capite:vadat ad stuphā hoc semel i
x.diebus stomacho ieiuno.ↄñr prouocet sternu
tatōes constringēdo ⁊ claudendo nares sternu
tando vt vētositas cōtenta in auribus cōmouea
tur ⁊ expellat̄. teneat in manu de maiorana vel
de radice yreos ↄquassata ⁊ odoret ꝫvt ꝓuocetur
sternutatio.vel ponat infra nares de illis ł pōat̄
īfra nares ꝺ i^o pluere c̄ cānula.℞.ↄdisi.ʒ.ij.ß.pul
uis subtilis.vel de isto. ℞.piretri stafisagrie.añ.
ʒ.i.castorei.ʒ.ß.fiat puluis subtilis.Vel ꝺ isto.℞
ełłi.albi.ʒ.ß.condisi.ʒ.i. fiat puluis subtilis.Cō
sequenter euaporet̄ a longe:non sit nimis caliꝺ.
auris quolibet sero ante cenam cum ista decocti
one.℞.origani.ysopi.maiorane.añ.m.ij. vtriusqꝫ sticaꝺ.florum camomille.melliloti.añ.m.ß. a
nisi.cimini.maratre.decoquant̄ vt decet ⁊ perfu
metur auris cum emboto.Istud consumit vento
sitates ⁊ commouet materiā infra aurem. Ideo
peius se sentiunt per aliquos dies.Sed continu
entur omnia supradicta cum dieta tenui ⁊ modi
ca cena.Ista decoctio valet tribus vel quattuor
diebus.Consequenter in fine euaporationis in

funde in aurem.v.vel.vi.guttas tepidas huius.
℞.nitri puluerizati.ʒ.ij.dissoluatur cum aceto te
pido ⁊ auri instilletur. Vel loco huius post ali
quos dies facta euaporatione instillentur in au
re.v.gutte vel.vi.decoctionis ellebori nigri. Vel
teratur elleborus niger vel albus si niger non in
ueniatur conficiatur puluis cum melle despuma
to:liniatur supra lichiniū seu tentam ⁊ ponatur
infra aurem. Vel instillentur in aure sero ⁊ ma
ne.vi.aut octo gutte aque decoctionis coloquin
tide tepide. ❡ Rasis dicit in suo continente ꝙ
parum castorei ad modum lenticule misceatur
cum oleo nardino ⁊ in aure inijciatur.nam plus
confert ventositati aurium alijs rebus si gutta
tim ponatur in aure sicut oleum rosaceum va
let contra tinnitum causatū ex caŀ. quando inij
citur.❡ Aduerte super hoc quando pŀures inij
ciuntur cum oleo seu alio liquore propter residē
tiam aliquando opilant meatus ⁊ inde causant
surditatē:propter quod non bene placet mihi,

❡ Capitulum.34^m.de grauedine auditus.

c Um in auditu cōtingit
grauitas cōsiderādū ē
an sit ibi sordities q̄ vo
cat̄ cera q̄ fit in aure: q̄
si īu etrauerit mūdet̄ aut cū medi
cinis ſm quod diximˀ aut cū cura
man⁹.Si aūt sordes non affuerit
⁊ euenerit hoc post sacietatē fasti
diosam que eam ṗcessit aut egri
tudinē acutā auris ponēda est su
per vaporē aque in qua ea que ṗ
diximus cocta fuerit traiectorio iṁ
posito quousqꝫ fum⁹ ascēdat.Mō
hoc mō fieri cōuēit res iste in cu
cuma habente os acutū coquant̄
Deide traiectoriū ori cucume su
perponat̄ ⁊ ne vapor egredi pos
sit pann⁹ obuoluatur:⁊ auris su
per os traiectorij ponatur Istud
pterea sief in aurē mittatur. Mō

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

℞.coloqntide.ʒ.i. baurach terti-
aꝫ.ʒ.i.castorei aristologie rotūd
succi absintij oīm.añ.ʒ.ß.costi qr-
tā.ʒ.i.euforbij sertā.ʒ.i.fellis vac
cini q̄ntū sufficit ad p̄dicta sufficiē
da fiāt ex eis sief.Cūqꝫ necesse fu
erit vnū ī oleo de amigdal' amaris
resolutū auri īmittat᷑.Hoc em̄ val
de vtile existit dolori flegmatico ⁊
vētositati ac sonitui ⁊ tinitui q̄ ex
grosso vēto fuerit ⁊ sorditati q̄ ē ex
grossis hūorib⁹.Si aūt debilitas
audit⁹ ꝯtigit p⁹ ieiuniū aut vigili
as:fueritqꝫ facies extenuata ⁊ ocu
li cōcaui:eger balneū sepe ī̄gredia
tur ⁊ largiori cibo ac potu vtat᷑:et
ī somno fiat ꝓfūdior sup caput q̄ꝫ
aquā tepidā cū oleo fūdat donec
sanet᷑.Qd̄ si p⁹ frenesiꝫ cōtingat
ex medicis p̄mis curet᷑.

E grauedine

audit⁹:
⁊ d̄ acti
one diminuta audit⁹ qn̄ diminute au
dit:puta qn̄ nō audit nisi cū clamore
magno vt videm⁹ ī plurib⁹ ī p̄ma senectute ⁊ de
ei⁹ cura:nā de actiōe corrupta ip̄i⁹ auditus puta
de sibilo ⁊ sonitu obiecto extriseco absente dcm
ē i.c.p̄cedēti.De actiōe ablata ip̄i⁹ puta de ipsa
surditate q̄ est nihil audire rab nō fac mētiōeꝫ h
q: illa cōiter ē a gn̄atōe ⁊ illa ē incurabil'.¶ Vl-
teri⁹ nota ꝙ ꝯsiderata anathomia ip̄i⁹ orgāi au
dit⁹ ⁊ alijs ꝯsideraꝝ q̄ dicta sunt ī caplis p̄cedēti
bus saꝝ de facili p̄t cognosci ꝑticl'a seu imediate
patiēs ī ḡuedie audit⁹ seu ī actiōe diminuta au-
dit⁹ qn̄ nō audit nisi cū mag̃ clamore ⁊ in actōe
ablata ip̄i⁹ puta in h ꝙ ē nihil audire ⁊ pōt cito
cognosci causa q̄ pluries accidit a tempore ⁊ a
generatione.nam surditas a generatione perfe
cta que ē nihil audire illa fit ex errore informa-
tiue ꝓpt̄ qd̄ ē incurabil':nā illi nerui q̄ sunt q̄ntū
par neruoꝝ capiꝝ.4.de intio.sūt de possibili idu
rati nō bn̄ ꝑforati callosi potissime ī extremitate
pelliculosa ī osse petroso qd̄ nō sentiēt iundatio-
nē nec ꝑcussionē aerꝭ.istā credo esse cām potissi-
mā surditaꝝ a gn̄atiōe:surditas āt aliq̄l' a tp̄e q̄
ē male audire:si nō alleuiet᷑ ex se q̄busdā tp̄ibus
potissime flāte vēto aliq̄.vel tp̄e claro illa curati-
onem nō hꝫ arguit᷑ cā forꝭ valde ⁊ ecōtra qd̄ est
valde ꝯsiderādū añq̄ manū apponas .Ista tal'
a tp̄e q: fit cā triplici.aliqn̄ fit a sordido fetulēto
ad modū cere nigre fluxe ꝑ capita venarū ⁊ ex-
pulso ab ip̄is venis ī radio sol' videt᷑ tal' sorditi-
es.Intēdū fit a grosso fluxo ⁊ expulso per capita
venarū ibi ꝯtiguataꝝ q: plene vl' q: cōpsse a fri-
gido vel dilatate vl' rarificate a cal'o:nā ista duo
adherēdo pellicule ī ꝯcauo aurꝭ opilāt meatū ner
ui ꝑ quē veniūt spūs ⁊ ꝓhibēt ꝑceptiōeꝫ iunda
tiōis ⁊ ꝑcussiōis veniēꝝ ab aere extriseco media
te illo aere cū nat᷑ali sic diminuūt auditū.Tertia
cā ē vētositas grossa fria igrossans illū aerē con
naturalē ⁊ indurās subam illi⁹ pellicule ꝓpt̄ qd̄
nō recipit nec ꝑcipit iundatiōeꝫ aerꝭ cōeꝫ.nisi sit
valde fortis ⁊ clamosa ad modū tube fctā. Ista
distiguit᷑ a 2ª:q: cū ista stat tinit⁹ gross⁹ ad mo-
dū aq̄ cadēꝝ in molēdino fit etiā ex carne addita
que est incurabilis:fit etiam ex āpate causato in
ꝑticula ista curat᷑ curādo āpa ⁊ ei⁹ reliq̄as.Ex q̄
bus iā dicꝭ via curatia erit tibi apta.

Primo

tu q̄res cui⁹ ꝑticl'e aurꝭ ḡuedo
audit⁹ ē pa° p̄ncipal'r.Dicēduꝫ
ꝙ ḡuedo audit⁹ ē accn̄s ī se q: actio lesa puta di
minuta vt stati dictū ē ꝓ morbo descripto ē pas-
sio p̄° ⁊ p̄n' toti⁹ organi ꝑ qd̄ toti⁹ actio p̄ncipa
liter ⁊ p̄° ledit᷑ ⁊ morb⁹ d̄: respectu actionis lese
p̄°d̄ morbo ⁊.3°.imediͤ m̄ iest ⁊ p̄n' ip̄i pellicule
ꝯcaue.vl' neruo illi opilato ab hūore a tp̄e vel in
durato ⁊ opilato opilatiōe coartatoria a gn̄atōe

Secūdo

tu q̄res ḡuedo audit⁹ ꝓ mor
bo descripto ē ne ꝑ se vl' per
colligātiā.Dicēdū ꝙ sp̄ ꝑ colligātiā venit qd̄ ve
nire nō d̄ꝫ:abla° aūt ip̄i⁹ audit⁹ a gn̄atiōe p̄t in-
eē ip̄i organo ꝑ se a creatione:q: a creatione illa
pellicl'a erit multū idurata:vl' ille neru⁹ ē opilat⁹
opilatiōe coartatoria:q: idurat⁹ multū.

Tertio

ḡuedo audit⁹ q̄ morb⁹ in gn̄e ⁊ i
sp̄e.Dicēdū ꝙ in se nō ē morbus
ß accn̄s morbi q: actio dimuta sensus audit⁹ pro
morbo āt descripto ē official' i gn̄e i sp̄e aūt ē vt
pl'rin morb⁹ in receptaculo replet᷑ illa ꝯcauitas
pelliculosa sordi° feculento flā͠co vel ventositate
grossa ⁊ frigida vel cū portiōe flātis vitrei vl' al-
teri⁹ speciei.Id̄o nō p̄t bn̄ ꝑcuti ab inūdatiōe ae
ris cōnatural' inundāꝝ ⁊ agitāꝝ ⁊ ꝑcutiēꝝ ipsaꝫ
aliqn̄ ē in sp̄e ip̄a opila° i neruo illo veniēti a v°

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

pari neruoꝝ capitꝭ nã opilatᷣ a matia fluēte ꝑ ca
nalē nerui. vlꝛ a matia adherēte in ꝯcauo pellicu
le claudēte viã ibi spūū descēdētiū a cerebꝛo.

Quarto tu q̄res q̄uedo audit⁹ cui⁹ vir
tutꝭ est nocumētū passiue itel-
ligēdo. Dicēdū vt pluries ē dictū ꝙ regitie natu
ralꝛ puta digestiue ꝛ expulsiue mēbꝛi mãdãtꝭ ꝛ re
cipiētis. Idē p̄t dici de surditate a re tꝑali q꞉ sur-
ditas a ḡnatiōe ē nocumētū iformatie ṽtutꝭ errã
tis in figuratiōe mēbꝛi.

Quinto tu q̄res: q̄uedo audit⁹ cui⁹ ṽ-
tutꝭ ē nocumētū actie seu pa°.
Dicēdū ꝙ ipi⁹ intellectie idē intelligas de surdi
tate ꝛ de actiōe coꝛrupta ipi⁹ vt de tinitu ꝛ sibi-
lo vt fuit dictū: nã audit⁹ poꝛta ē itellect⁹ in h̄ cō
uenerūt oēs ãtiq̄ ꝑpt̄ qd̄ surd⁹ a natiuitate ē mu
t⁹: nã accn̄s moꝛbi. 3°. de moꝛ° i ꝑlib⁹ loq̄ p̄t eēl cã
moꝛbi. Si itelligam⁹ moꝛbū descriptū tūc ē pa°
seu nocumētū actie ṽtutꝭ auditie: q꞉ sibi ifert p̄nͬ
nocumētum: q̄re q̄dã sunt surdi naturalꝛ seu a
natiuitate dictū ē ad hoc stati in p̄n°.

Sexto tu q̄res q̄re surd⁹ naturalꝛ ē mu
tus. Dicēdū ꝙ audit⁹ poꝛta ē in
tellect⁹ ꝛ itellect⁹ ē cã locutiōis q̄ cessante cessat
locutio. Iō cessante illo cessat actio intellect⁹ in-
exterioꝛib⁹ ꝛ ꝑ ꝯn̄s in iterioꝛib⁹: q꞉ nihil ē in itel
lectu q̄n p° fuerit in sensu. 3°. de aīa.

Istis clarificatꝭ. Cura surditatꝭ tibi pate-
scit. Priusq̄ aūt in cura ꝓcedas sci
re ꝛ inuestigare oꝫ si est antiq̄ta q꞉ ex q̄ ãnū tran
siuerit male curatᷣ cã est habituata silꝛ q̄cūqꝫ in-
uestigare oꝫ si ex q̄ accidit alleuiatᷣ aliq̄n vel nō:
ꝙ si nō incurabilꝛ ē fugias manū nō iponas naꝫ
causa talꝛ nocumēti videtᷣ eē foꝛtꝭ ꝛ fixa si alleuia
tionē aliq̄n habuerit scire ꝛ iuestigare oꝫ cãꝫ ei⁹
q꞉ i hoc cura diūsificatᷣ vt dicetᷣ. ¶ Si q̄s ḡ sur-
ditatē aliq̄lē a tꝑe habuerit q̄ alleuiatiōeꝫ aliq̄n
hꝫ aliq̄lē respicias aurē ab itra i radio solꝛ: an sit
ibi soꝛdities fetulēta ad modū cere sub citrine ꝛ
subnigꝛe adherētis infra aurē ꝛ ꝓhibētis sensa-
tiōem ꝑcussiōis aerꝭ rōne adherētie ꝙ si sic r̄mol
liatᷣ cū oleo cōi tepido istillãdo bis vel ter in die.
q̄nqꝫ vlꝛ. 6. guttꝭ cū oleo fenugreci vlꝛ cū olō vmbͤ
pisċ ē. Vel cū pinguedie ãguille cadēte dū assa
ta vlꝛ cū aq̄ ramꝛoꝝ vitꝭ albe recollecte dū cōburi
tur. Multi paupes curãtᷣ cū vno solo hoꝝ reme-
dioꝝ. Et euapoꝛetᷣ de sero ipa aurꝭ cū aq̄ decoctio
nis folioꝛum malue bismalue: q̄ soꝛdicie rēollita
remoueatᷣ ꝯtēta. Vel alio instrō vt erit possibile
et ꝓuocetᷣ sternutatio strigēdo os ꝛ nares vt me
h⁹ expellatᷣ c̄ puluere cōdisi vel cū puluere piretͥ
ꝛ stafizaͤ. castorei elli i al. ãn. ℈. i. vel ℔. Vel faciat
puluerē de vno solo insuffletᷣ infra nares cū can
nula ꝛ ipone cãnulꝛ in aure ꝛ sugge foꝛtiꝰ ꝛ sepe
ista ꝯtinuētᷣ donec ista extrahatᷣ. Et si q̄s ḡuē au
ditū vlꝛ surditatē aliq̄lē habuerit rōne sup̄fluitatꝭ
flãᶜᶜ grosse fluxe a capite ꝑ capita venarū quoq̄
mō rōne plectoꝛie venarū capitꝭ ꝛ coꝛpis. Vlꝛ ra
tiōe catarri vlꝛ ꝯcussiōis vlꝛ frigiditatꝭ vlꝛ calidita
tis excedētꝭ extrisece. vlꝛ habuit surditatē rōne vē
tositatꝭ vapoꝛose multū frie ibidē ḡnate. a modi-
ca poꝛtiōe matie soꝛdide multuꝫ ꝛ magꝭ frie silꝛ
mō fluxe a qua vapoꝛ multū actu frigid⁹ ꝑ actio
nē calꝛi eleuatᷣ: q̄ mot⁹ a calꝛ. debili dicit mihi vētū
Vel de possibili fluit talꝛ vapoꝛ frigid⁹ a cerebꝛo
q꞉ a matia multū fria i venis ei⁹ recōdita ꝛ ꝑ eo
rū capita expulsa ad ꝯcauū aurꝭ. nã istis duabus
de causꝭ fit cōitᷣ maliᵃ audit⁹ ꝑpt̄ qd̄ cuꝫ vtraqꝫ
cōitᷣ stat tinit⁹ grossus debilꝛ cū ꝑma foꝛtꝭ ad modū
aq̄ cadētis de molēdino cū scd̄a. Et fit maliᵃ
audit⁹ causꝭ iã dictꝭ ꝑpt̄ pl̄a. ꝑmo q꞉ talia alterãt
ꝛ imutãt ꝯ°nē natᷣalē pellicꝛe ꝛ toti⁹ oꝛgani cuꝫ
q̄ fiebat sensa° rei obiecte debita q̄ alterata n̄ p̄t
cū ipa fieri. ¶ Scd̄o q꞉ tales maͤ adheret cū ip
sa pellicula ꝑpt̄ qd̄ ꝓhibēt ꝯtactū inundatiōis
ꝛ ꝑcussiōis aerꝭ cōnaturalꝛ. ¶ 3° q꞉ sic adherēdo
claudūt vias spuum audituoꝝ. ¶ 4°: q꞉ ista ta
lia ingrossant illū aerē cōnaturalē q̄ ingrossato
ꝛ sensu dicte pellicule dinuto nō apphēditᷣ inun
datio aerꝭ connaturalꝛ: nec ei⁹ ꝑcussio a pellicula
nisi sit valde foꝛtis ꝛ clamosa ad modū tube ve-
rū aliq̄n de possibili lꝫ talia raro fiunt a mala cō
plexiōe multū fria aerꝭ subintrãte cui⁹ cura fit sꝛb-
intrãdo facilꝛr instillãdo in aureꝫ olea calꝛa: ꝛ fit
silꝛr a mala ꝯ°ne sicca acq̄sita in oꝛgano aurꝭ ꝓ-
pter vigilias ꝛ abstinētias cui⁹ cura fit humectã
do cū sōno ꝛ balneo aq̄ tepide ꝛ plimo nutrimto
¶ Si q̄s ḡ hn̄s surditatē a causꝭ duab⁹ iã dictis
sic purgetᷣ cū yerapigᵃ duplata cuꝫ coloq̄ntida.
℞. yerapigͤ ga. ʒ. i. pulpe coloq̄ntide grosso mō
pluerisate. ℈. i. bdellij. ℈. ʃ. incoꝛpentᷣ silꝛ capiat. ʒ.
℔. i pillꝛis. ꝓcedēte oxilͤ squillitico ꝑ. 3. vlꝛ. 4. dies
gargariset q̄cūqꝫ mãe bis vel ter de sinapi vlꝛ de
mostarda dissoluta cū aq̄ cicerū rub. masticet po
stea ð mastice mixto cum pipe vt flã a capite ex
pellatᷣ: euapoꝛetᷣ aurꝭ cū aq̄ decoctiōis calaᵗ ab-
sintij folioꝝ lauri oꝛgani. fiat aliq̄lꝛ ra lōge vt va
poꝛ nō sit nis calid⁹. q̄ facto istilletᷣ in aure due vlꝛ
tres aq̄ tepide decoctiōis elli i nigri vlꝛ de olō ra-
dicū ꝛ saxifrage. ℞. coꝛtiċ radiċ fen. petrosi rafa
ni. petrosi exsiccati ꝑ duos dies i vmbꝛa. ãn. m. i.
saxifrage ꝯq̄ssate. ʒ. ij. baccaꝝ lauri. ʒ. i. olei cōis

qđ ſuffic ad cooperiēdū recōdāř i amphora bñ
coopta ⁊ ponāř ad ſolē.xl.dieb⁹ p⁹ feſtū bti Jo.
baptiſte. Jn defectu hui⁹ ponas ſup cineres ca-
lidos p duos ⁊ tres dies. Uel iponař i aure de b
qđ ē valde bonū. ℞.coloq̄ntide.ʒ.i.nit¹. ℈.i: ca-
ſtoree ariſtoř.rotūde ſucci abſin¹.añ.ʒ.ß.coſti.℈.
i.eufoꝛbij g̃na.vi.felř vaccini qđ ſcꝫ fiat ex cis ſi
eř cū nccē fuerit vnū đ illř in olˀo amigđ.amararū
reſoluař ⁊ auri.4.vř.5.gutte immittanř iſtud re
mediū ē forte ⁊ bonū: q̄libet die añ pꝛādiū ⁊ an-
te cenā ꝓuoceř ſternutatio reſtrigendo os ⁊ na-
res cū iā dictꝫ ſtati ⁊ i ꝓceſſu ꝓclameř i aure pa.
magne voces ⁊ clamoſe vt tube.

Caplm.35.de vermib⁹ aurīū aliꝫs aialib⁹ ipſam
ingrediētib⁹.

Um i aure fuerit titilla-
tio ⁊ pꝛurit⁹ ⁊ doloꝛ: dei-
de ceciderit vmes ab au
re īmittař auri ſucc⁹ mētaſtri: aut
de folijs pſicoꝝ: aut oleū de nucle
is ipoꝝ. aut aloes i aq̄ diſſoluāř ⁊
īmittař. hec em̄ vmes auris pua
aialiū igrediētia ipaꝫ q̄n erūt i au
re ⁊ i vlcerib⁹ naſcūtur interficiūt

E vermibus auri

um ⁊ alijs aialib⁹ ipas ingrediētibus
vt ſūt pulices ⁊ ſilia. ¶ Nota ꝙ vmili
⁊ alia aialia aliq̄n ſubītrāt doꝛmiēdo i terra ſeu i
vmbꝛa arborꝫ ⁊ pulices tpe eſtiuo aliq̄n gñāř v-
mes i aurib⁹ p putrefactiōeꝫ ſic i pſib⁹ flātiq pu
trefiūt ſupfluitates apoſtemoſe. vř nō apoſtemo
ſe ⁊ vtute oꝛb foꝛa i mačia diſpoſita itroduciř ſic
fit i mēbꝛis. ¶ Notū ē cuiqꝫ ꝙ moꝛb⁹ deſcriptus
ē poꝛ pncipalř i toto oꝛgano qꝛ officialř vt ſtati di
ceř.p° ineſt toti ꝯñr pti lꝫ imedič inſit ipi ꝯcaui-
tati aurīū ⁊ ē p colligātiā venit qđ venire nō dꝫ:
⁊ ē moꝛb⁹ officialř igñe i ſpē moꝛb⁹ i nūero q̄ res
ē ſuba b dicit malā cōpōnē ex re addita nūerali:
⁊ ē nocumētū paſſiue regitiue aiate puta diſcre-
tiue: qꝛ ſi nō erraſſent tlia nō ſubintraſſent. Et ē
pa° vtuꝫ auditie: qꝛ illi nocet ⁊ illi infert nocumē
tū raſis curat tales iponēdo ſuccū mētaſt¹ vel
folioꝝ pſici vel ſuccū abſin¹ vř cucumerꝫ aſi¹ vř đ
aceto ⁊ baurach ſilř mixtis.

Caplm.36.de his q̄ cadūt i aurē extriſec⁹ vř que
eam impediūt.

Um aliq̄d figitur i aure
oleū tepidū ē imittēduꝫ
⁊ patiēs balneū igrediēſ
ibi moꝛā faciat donec coꝛp⁹ eius
mollificeř. deide narib⁹ iſuffleř cō
diſi ⁊ teneař āhelit⁹ donec ſternu
tatio ſeq̄ř. foꝛſitā em̄ ſic egredieř.
Sin āt fuerit difficile ⁊ nō exierit
erit neceſſe vt cū ferro auri imiſſo
extrahař. Qđ etiā i narib⁹ ē faciē
dū: ſi q̄d eas igreſſum fuerit qđ ex
trahi nō poſſit. Qđ ſi aq̄ itrauerit
capite ad ptē auris illi⁹ icliatio ſa
liat eger ⁊ ſi nō exierit ꝓuoceř ſter
nutatio vt dixim⁹. deide tepidum
multotiēs īmittař neqꝫ hoc ꝓ par
uo ē habēdū: ⁊ pcipue ſi res malā
hñs q̄litatem igreſſa fuerit. Ex ea
nāqꝫ grauis ſequetur doloꝛ.

E his que cadunt in aure extrinſecus vel

que eam impediūt. Rubꝛica clara
i paſſione ⁊ i ptičla ⁊ i colligā ⁊ i no
cumēꝫ vtutū ita ē itelligēdū vt ē dictū i.c.pcedē-
ti. ⁊ pꝫ ma auriū clarificata. Raß vult ꝙ cū ſter
nutatiōib⁹ retinēdo āhelitū ⁊ claudēdo os ⁊ na
res expellāř ⁊ nō debeat tardari i cura qꝛ ei⁹ mo
ra lōga iduceret piculū ⁊ dānū audit⁹ mltū vtiř
cōdiſi herba ē q̄ aſſilař ſpatule: flos ei⁹ aſſilatur
violř. ⁊ q̄dā ſūt citri¹ ⁊ glauci ß.pluis ⁊ narib⁹ in
ſuffleř loco cōdiſi faciū⁹ puluerē de piret° caſto
reo ſtaphiſag° ellˀo vel de vno eoꝝ termieř.

¶ Caplm.37.de ſanguie ex narib⁹ fluēte

X his q̄ ſanguis ex nari
b⁹ fluxū retinēt ē ſuccus
albedura gi cū cāphoꝛa
fuerit i eo diſſoluta narib⁹ imiſſus
Cōfert em̄ ei q̄ hāc paſſionē icur-
rere ſolit⁹ ē añ eā iiect⁹. Aut i ho-
ra egeſtiōis aut ſumař gipſum: ci-

nis carte ꝺ pāno galle sāguis dra
conis calx segi ⁊ pulueri ata nari
b⁹ isuffleť Aut liciniū i eis intictū
mittať i nares: aut alumē iameni
puluerisatū vt alcohol cum amilo
eiusdē q̄titatis narib⁹ isuffleť. qꝺ
si adhuc vehemēter manauerit su-
periores adiutoriū ptes apud as-
cellas cū istitita ⁊ coxe apud igui
na ligeť ⁊ testiculi silr sūt ligandi.
Si vo passio inualuerit flōmeť ce-
phalica eiusdē ptis de q̄ fluit san-
guis. Si āt nec hoc mō strict⁹ fue
rit: magne vētose cū igne superpo
nanť vētri ab ea pte de q̄ fluit san
guis. Medicamē qꝺ vehemē
ter valet ad sanguinē ꝯstrigēdum
Sumať calx alba ⁊ leuis q̄ vtūtur
aurifices ⁊ sepe narib⁹ isuffleť si-
ne interpolatiōe ⁊ liciniū albumi
ne oui illinitū ea iuoluať ⁊ narib⁹
imittatur

E sanguine a naribus fluēte. No
ta ꝙ sāguis fluit a narib⁹ q: vēa i na
rib⁹ seu i frōte apiť. 3°. ꝺ mor°. c. penl'
timo. Idē vult ga. 6. ꝺ mor°. c. 5. Uñ vena apitur
i frōte seu i narib⁹ cā triplici si a cā itriseca apiať
vt diċ ga. i loc̄ allegať. vno° apiť vena i fronte a
forti expulsiua expellēte, put dꝫ i bōa crisi signis
digōis pcedētib⁹ vt in ptresi in sinocha in tertia
nasifreneſi piplo ⁊ silib⁹ ⁊ ꝯsilr ptigit ẜm q̄dā
neutralitate decidētie i etate sanguis ⁊ ivenosis
talis nō ē restrigēd⁹ nisi q̄titatē excedat. q̄ autē
sit illa q̄titas hoc diceť statim. alio° apiť vena
a sanguie mutato a sui naťa i q̄ti° excedēti: naꝫ
q̄titas excedēs appit venā: ẜ vult ga. 6. de mor°
c. 5. Alio° apiť vena i frōte a sang° mutato a sui
naťa i q̄li: q: acut⁹ pūgitiu⁹ rōne cui⁹ apit caput
vēne rōne cui⁹ q̄litať icitať expulsiua ad expellē
dū i de bi te. 6. de mor°. capi. de exeūtib⁹ p vesicā
sic rōne q̄titať dicte excedeť ꝯtētiua debilitať ⁊
guať. 6. de intio. c. p° in fine. ¶ Istis duob⁹ dicť
modis silr si vena apiať nō dꝫ subito restrigi nisi
tal' sanguis q̄titatē excedat: q̄ aūt sit illa q̄titas
stati diceť. Si autē exeat p venas matricis vel ani
aperiūtur vene istis de caus̄ dictis. ⁊ aliqñ simili
ter aperiūtur vene in ill' duobus locis rōne defe
ctiōis venarū: q: rara tenuis moll' a gñatōne vl'
tēpore, ppť hūiditates fluētes ad ptes illas. Ex
isto casu multe mē. flātice vel rare ꝯtexture hñt
fluxum mē. in excessu quas curam⁹ cū ablutiōe
decoctionis aluis ruppe ⁊ pluuie ⁊ galarū ⁊ cū
suphis p embotū cū cortice thuris. hoc diceť in-
fra suo loco crepātur aliqñ in pectore: alib⁹ tussien
do, ppť istā defensionē vel ppť vltimā duriciē ibi
nō apiūtur cōiť ẜ crepāť: ẜ diceť in sequētibus.
¶ Ulterius nota ꝙ sanguis exiens p nares vel
aliunde est accidēs morbi dictū exiēs a corpore
mutatū q: est accñs morbi vt exes: quia exit ex
nocumēto contentiue vel expulsiue vel vtriusqꝫ.
Uel est accñs morbi vt tale exiēs puta, q: mutat⁹
in q̄to vel in quali vel vtroqꝫ modo vt stati diceť

Primo tu q̄res sanguis exiēs p venas
narīū cui⁹ vtuť ē nocumētū siue
ptic'e ē pa° pn' loq̄ndo p mor° descpto. Dicēꝺ
ꝙ orificior venarū narīū: q: sāguis exit a narib⁹
q: vene illarū ptiū apiūť. 3°. de mor°. c. penultio.
Idem. 6. de morbo, c. 5.

Secūdo tu q̄res flux⁹ sang. narīū est
ne passio p se vl' p colligātiā
loq̄ndo p mor° descripto. Dicedum ꝙ si aperia-
tur a vtute expulsiua forti expellēte ⁊ curāte mor
bū tūc nō erit pa° i capitib⁹ venar q: illa dilata
tio, orificij venarū fit a natura ⁊ ñ ē cā imediata
nocumēti actiōis venar. iō ē cā sanitať corpis ⁊
venarū q: sanitas acq̄riť: iō ē actio nat'e ñ mor'
ẜ vult ga. 3°. de mor°. c. penul. aucte theophili. si
aūt venit illa aptio venarū illarū rōne sāguinis
mutati i q̄to vl' i q̄li vl' i vtroqꝫ mō tc ē p colligā
tiā q: vēit ad venas frōť qꝺ venire ñ dꝫ ẜm natu
rā: q: san. mutat⁹ siue vene apiāť i mrice. l'i ano
rōne raritať dicte ⁊ mollicici a supfluitatib⁹ acq̄
sis q̄liter ē declarabiť infra suo loco puta in. c. de
menstruis. ⁊ emorroiꝺ. ⁊c.

Tertio tu q̄res flux⁹ san. narīū qs mor-
b⁹ ē. Dicedū ꝙ flux⁹ san. narīuꝫ
⁊ vniuscuiusqꝫ alti⁹ pť i se ē accñs mor': dcm exi
ens a corpe mutatū: nā erit accñs vt exiēs si nō
seq̄ť iuuamētū q: exit a nocumēto vtuť ꝯtētiue si
peccet tm̄ sui q̄titate: nam expulsiua excitatur a
q̄li: sicut cōtētiua a q̄to. 6. de intio. c. pmo in fine
Idē dicit Ga. 6. ꝺ morbo, c. de exeūtibus perve

ficaꝫ. Tu dices ꝙ̄ ſi fluxꝰ ſanguis ⁊ q̄cunqꝫ alia
res exiēs ſit accidēs vt exiēs. qꝛ exit ex nocumēto
ꝯtentiue vl' expulſiue. ꝙ̄ tale exiens erit actio leſa
⁊ nō erit accn̄s diſtinctū in gn̄e ꝯtra actionē leſā
Cōtrariū tu ponis ⁊ ponit ga. 3°. de morbo. c. 2°
Dicēdū ꝙ adhuc ē accn̄s morbi diſtinctū ab acti
one leſa. aliud eſt illud qđ exit ꝓut idebite exit ⁊
aliud ē actio alicuiꝰ virtutꝫ dcē expulſiue vl' reten
tiue indebite agētis. Verꝫ iſtud exiēs nocumēto
actōis ꝑtinet. 6°. de morbo. c. 5°. qꝛ cōſequit̄ ad
illā actionē malā ⁊ nō eſt actio mala ſꝫ cōſeq̄tur
ad illā. Jō ga. in locis allegatꝫ dicͭ ꝙ interdū non
eſt accn̄s morbi vt exiēs qꝛ conſequit̄ ſanitas. ⁊
ſic pꝫ rō ad rōnē apparētē q̄ facit muſare debiles
in arte. idē dicemꝰ infra. c. de retētiōe mēſtruoꝝ đ
eo qđ eſt clauſū ⁊ detētū vltra naturā qđ eſt acci
dēs morbi vt detētū ⁊ vt mutatū ꝑ morbo deſcri
pto. tl'is ſanguis exiēs ē official' mala cōpoſitio
in via: in ſpē dilatatio viaꝝ ſanguis. nā vene di-
latant̄ vltra debitū in capite aptio ē capitꝫ dilata-
tio. ad quā ſequit̄ in receptacl'o: qꝛ inanitio ſitit.
nā vene ſunt vie ꝑ q̄s portat̄ ſanguis ad mēbra.
⁊ ſunt receptacl'a ſan. nā locꝰ ſanguis ſunt vene
Verꝫ ſi apiat̄ a forti virtute expulſiua ſic in criſi:
vel alit̄ in cura diſcraſie: talis dilatatio capitꝫ ve-
ne nō eſt morbꝰ. qꝛ nō ē cā nocumēti actōis ſꝫ ſa
nitatꝫ. hoc vult ga. 3°. de morbo. c. penultio. Tu di
ces ſi apiat̄ vena cū flōmijs in cura q̇ morbꝰ eſt
Dicēdū ꝙ qꝛ actio officij ꝙ ē ꝯtinere ſan. ſm na
turā corꝑis nō ledit̄. immo iuuat̄ corpus ⁊ acq̇-
rit̄ ſanitas in toto corꝑe nō erit morbꝰ officialis
ſꝫ erit illa ſolutio vene morbꝰ ꝯſil'iter. qꝛ digeſtia
illiꝰ ꝑticule vene ⁊ carnis ſolute ſolū. iō modicuꝫ
rubeſcit ⁊ puſtulat̄ in craſtinū. Vtilius eſt in na
tura ꝙ totū corpꝰ iuuet̄ cum modico nocumēto
alicuius ꝑue ꝑticule: cum nihil iueniat̄ i curatōe
alicuius q̇n ſit alicuiꝰ leſiōis. xi°. de ige°. in. c. 6°.
in fine. ſꝫ qꝛ iuuamētū maiꝰ eſt iō eo vtēdum eſt.
Si aūt tl'is flōia ſeu apertura vene fuerit tꝑe in-
debito vel in q̄titate idebita ꝙ ſequat̄ nocumen
tum corꝑi vt tota die ꝯtigit tl'is ſolutio vene erit
morbꝰ cōis official'. qꝛ officiū vene ſibi debitū le-
dit̄ immediate puta ꝯtinere ſan. debitū ac ꝯueni
entē nature corꝑis. ⁊ erit morbꝰ cōis cōſil'is ⁊ of
ficial' vt dictū eſt. Tu dices: videt̄ ꝙ flōmia facta
ſemꝑ dato ꝙ ſequat̄ iuuamētum corꝑis qđ ne-
ceſſario fit morbus official' ⁊ conſil'is: tl'is ſolutđ
idiget cura puta clauſiōe reſtrictōe. ꝙ̄ neceſſario
erit morbus official'. ꝯn̄a tꝫ 3° tegⁱ. cura debetur
morbo cāe ꝑ̄ſuatio. Dicēdū ꝙ illa clauſio ⁊ reſtri
ctio nō fit ꝓ cura ſolutōis dcē. ſꝫ ꝓ ꝑ̄ſeruatōe exi
tus ſan. ne idebite ⁊ vltra modum exeat. Jō de-
bet dici ꝑ̄ſuatio non curaº. imo pōt dici ꝙ talis
aptio vene non ē morbus official' ſꝫ cā morbi: q̄ſi
tꝑe ꝯueniēti nō claudat̄ erit morbꝰ official' qꝛ cā
imediata nocumēti actōis ipſius vene puta con-
tentiue ſanguinis.

Quarto tu q̄res. fluxus ſan. nariū cuiꝰ
virtutꝫ ē nocumētū paſſiue itel
ligēdo. ꝑ alia verba querit̄ vtraqꝫ ſubſequēs per
ora venarū nariū cuiꝰ virtutꝫ eſt nocumētū. dicit̄
vtraqꝫ ſubſequēs 3°. de morbo. qꝛ ꝯſeq̇t̄ actōem
leſā alicuiꝰ virtutꝫ ⁊ q̄litatē mutatā comꝑ̄hēſā ꝑ
aliquē de ſenſibꝰ qꝛ cōiter ſunt mutati in ꝑ̄mis:
vl' i ſecūdis vt i colore. ꝑ alia verba pōt queri de
ſanguie exeūte ꝑ nares: ꝑ matricē: ꝑ emorroyđ.
ſi exeat in modica q̄titate minꝰ debite. 3°. de mor
bo. c. 5°. ſanguis exiēs: ⁊ qđ clauſū ē ſeu retētū ꝑ
ora venarū nariū cuiꝰ virtutꝫ ē nocumētū paſſiue
itelligēdo. expone exiēs ipfecte vt i criſi diminu-
ta. vel alias vt i plectoria magna ⁊ in etate 2ª. ⁊
qđ clauſū ē ſeu retētū de ſanguie q̄ deberēt expel
li cuiꝰ virtutꝫ ē nocumētū vt ibidē dicet̄ ifra i paſ-
ſiōibꝰ matriꝗ ⁊ ani i emorroyđ. Multos feci mu
ſare i examie publico. Dicēdū ꝙ i fluxu ſanguis
nariū a forti v̄tute expulſiua non eſt nocumētuꝫ
v̄tutꝫ niſi excederet qꝛ ſeq̇tur ſanitas. nec illa ap-
tura vene ē morbꝰ. qꝛ nō eſt cā nocumēti actōis i
vena nec i corꝑe ex q̄ ſanitas acq̇rit̄ niſi tūc exce
deret fluxꝰ tl'is. tūc ē nocumētū ꝯtētie qꝛ conten-
tiua debilitat̄ ex orificijs venarū apertis ⁊ dila-
tatis non poteſt in actōne ſua ꝓꝑ̄a ⁊ naturali. iō
deſunt humores abire orificijs venaruꝫ apertis
ꝓpter quod male continet ⁊ ſequit̄ actōnis ſue
leſio. Si autem talis ſanguis imperfecte ⁊ dimi-
nute exiret vt in criſi imperfecta exit non eſt acci
dens morbi vt exiens ſꝫ vt mutatū. Sed quod ē
retentum ⁊ clauſum in corpore vltra debitum eſt
nocumentum expulſiue. quia ſibi ineſt ex ſui na-
tura expellere ſuperflua. vi°. de morbo. Verū eſt
ꝙ eſt virtus fatua nec bene expellit niſi incitata
a quali. ꝑ̄mo de interioribus. capl'o ꝑ̄mo. ⁊ expul
ſiua non valet in actione ex clauſione viarum et
orificiorum venarum: propter quod ſequitur ma
la actio ipſiꝰ expulſiue. ſ. ꝙ nō bn̄ expellit cū tl'i o-
pilatōe orificioꝝ ſic ꝯtētia venit i malā actiōeꝫ ex
vijs dilatatꝫ vt dcm̄ ē. ſi aūt tl'is ſan. exeat rōne q̄
titatꝫ ſan. excedētꝫ apiētꝫ venā tūc ē nocumētū ꝯtē
tiue. nā ꝯtētia ḡuat̄ a q̄to. 6°. đ intio. c. p°. idē. 6°
de mor°. ꝓpt̄ qđ venit i malā actōeꝫ ſuā ſic ꝙ ma
le retinet. ſi aūt ſāguis exit ⁊ exeat ſui qualitate
puta acuitate pungēte ⁊ aperiēte venam ⁊ inci
tante expulſiuam talis fluxus ſanguinis eſt no-
cumētū expulſiue ꝑ̄ncipalit̄. qꝛ expulſiua incitat̄

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

a q̄li vt dictū ē:⁊ a q̄litate forti excedēti icitat̄ vl-
tra debitū:⁊ sic venit i actionē suā indebitā sic ꝙ
vltra debitū expellit.

Quarto tu queres fluxꝰ sanguis exce-
dēs cuiꝰ v̓tutꝭ ē nocumētū acti
ue seu passio. Dicēdū ꝙ nat̄alis mēbroꝝ puta di
gestie ⁊ aliaꝝ nat̄aliū. qꝛ instrumētū ipsoꝝ puta
sp̄us ⁊ h̄uores expellūt ⁊ defic̄. iō veniūt in ydro
pisim ⁊ ad alias egritudies.

Quinto tu q̄res cū sāguis exeat intdū
in bona crisi ⁊ a bona v̓tute ex
pulsiua q̄lr tl̄is fluxꝰ faciet excessū. Dicēdū ꝑut
stati dictū ē in qōne p̄cedēti ꝙ in tl̄i cāu nō fit ex
cessus a v̓tute expulsiua ſ; ab ip̄a v̓tute ꝯtētia. nā
expulso supfluo ꝑut dꝫ qꝛ orificia venarū rema-
nēt intdū ml̄tū apta. ꝯtētia nō valꝫ in actōe debi
ta ꝑ naturā. iō ē nocumētū ꝯtētie nō expulsiue. iō
succurrimꝰ tali excessui cū stiptiꝗ appositis in frō
te ⁊ int̄ supcilia in radice nariū vt dicet̄.

Sexto tu q̄res q̄ ē q̄titas sāguis exeūtꝭ
tollerabil̓ ꝑ nāꝫ i q̄ nō ē restrigē
dus. ⁊ vltra quē ē restrigēdꝰ. Soluit ga. li. suo de
flōmia doc. 2ª sūma pª. c. 3º de flōie q̄titate cir-
ca finē capl̄i q̄nti dic̄ neq̄ꝙ. igit̄ possibile ē p̄scri
ptionē i vnoq̄ꝫ vnā deтiniare euacuatōis mēsu
rā. qꝛ q̄sdā vidit a q̄bꝰ sufficient̄ auferebat. vi. lb̄.
san. ⁊ nulla seq̄bat̄ malignatio v̓tutꝭ. in q̄busdam
vnā ⁊ mediā ⁊ in aliq̄ ledebāt̄ in q̄busdā si duas
euacuasset nocuisset vtiqꝫ vltūne. ꝑpt̄ qō noui ⁊
vnā auferre. lb̄. q̄nqꝫ ꝑficit:⁊ q̄nqꝫ ex h̓ minꝰ. nā
etas ⁊ habitudo corꝑis est multū ꝯsiderāda si ē
venosus vel albꝰ. mollis. parū venosus. ꝑpt̄ qō
huic qōni nō pōt vniꝰ v̓bo r̄nderi. vn̄ auic̄. viati-
cus. gilbertꝰ. gordoniꝰ oēs ꝯueniūt ꝙ pōt exire i
q̄titate q̄tuor. lb̄. sine nocumēto. Credo h̓ in mul
tū venosis vt vult ga. lꝫ nō in oibꝰ. Scio ꝙ ego
habui ter fluxū san. in q̄libꝫ fluxu ꝑdebā plusq̄ꝙ
vij. lb̄. vl̓. viij. in duobꝰ diebꝰ:⁊ nō potat restringi
donec faciebā flōmiā d̓ mediana vtriusqꝫ brachij
tāta erat caliditas san. q̄ incitabat expulsiuā ve-
naꝝ quā sentiebā i spatul̓. nā venosi ⁊ mollis car
nis. nec tollerasset tātā euacuatōnē sine dāno suf
fecisset eis vna. lb̄. vel vna cū dimidia. Cōit̄ nos
restriginꝰ postq̄ꝙ exiuerit in q̄titate duaꝝ. lb̄. esti
matiōe coi. Auic̄ recitat in 3º can̄. ꝙ aliq̄ tollerāt
fluxū sāguis narium vsqꝫ ad. xx. lb̄. ⁊ alij vsqꝫ ad
xxv. ſ; postea moriūt̄.

Octauo tu q̄res cū san. arterial̓ sit ma
gis calidꝰ ⁊ acutꝰ pūgēs ꝑcu
tiēs ⁊ ꝑforās ora artiaꝝ q̄re minꝰ fluit ꝑ capita
artiaꝝ frōtis q̄ꝙ san. q̄ ē in venis cū sit minꝰ cali-
dus ⁊ minꝰ ꝑcutiēs ora venaꝝ. Soluit Auic̄. 3º.
can̄. fen. 5ª. c. de fluxu sāguis. qꝛ vena ꝯtexta est
ex vna tunica ꝑpt̄ qō citiꝰ soluit̄ i ꝯtinuo seu aꝑi
tur in capitibꝰ a modica ipulsiōe. iō in pulmone
creauit natura mirabilit̄ venā artialē cū duabus
tuniꝗ ꝯtinētē sāguinē epaticū vt i motu pectora-
liū cito nō rūꝑet̄. Intdū aūt artie in ꝑra cerebri
aꝑiunt̄ ita ꝙ san. tl̄is nō restrigit̄ ē saltꝰ ꝯtinuus
ꝑpt̄ qō qꝛ remedia sup artias nō possumꝰ appli
care. nō bn̄ curāt̄ imo aliq̄ moriūt̄ casus ē rarus
lꝫ aliquando insit.

Istis clarificatꝭ. Cura sanguis fluētꝭ a na-
ribꝰ tibi patescit. Priꝰ aūt q̄ꝙ in cura
ꝑcedas scire ⁊ cog̊scere oꝫ cōpl̓onē etatē ⁊ ꝯsue
tudinē. qꝛ ex his cura aliq̄lr diūsificat̄ saltē i die-
ta ⁊ flōmijs ⁊ vētosis. Cōpl̓onē: vt si ē co. potissi
me de colera rub. q̄ fuerit sꝑ coloratꝰ. qꝛ tl̓es pau
cū nocumētū patiūt̄ ex fluxu san. nariū intēso vt
dicit raſ aucte ga. in suo ꝯtiᵉ. vel si est sanguineꝰ
cū tl̓es silr̓ sanꝭ tollerāt magnū fluxū sine nocum̄
to. h̄nt venas latas cū ml̓titudie sāguis ⁊ h̄uoꝝ
ꝯriū ē de flātiꝗ ⁊ fri. qꝛ nccio h̄nt venas strictas.
3º de cōpl̓onibꝰ parū abūdāt in sanguie ⁊ h̄uori
bus in venis. Et etatē oꝫ ꝯsiderare siue i etate sā
guiea vl̓ circa. Et ꝯsuetudinē ꝯsiderare oꝫ si ē as
suetꝰ habere fluxū in puericia vl̓ al̓s. nec si ē as-
suetꝰ facere flōias. nec si distulit. ista plura indi-
cant medico in cura. ⁊ in p̄nostico. ¶ Si q̄s cole
ricꝰ de colera rub. vl̓ al̓s venosus vl̓ sanguineꝰ ⁊
venosus magnū fluxū de naribꝰ habuerit. puta
in q̄titate duaꝝ. lb̄. vel circa assuetꝰ habere ⁊ fa-
cere flōias. qꝛ in h̓ arguit̄ maior abūdātia sāgui
nis potissime si fuerit in etate sanguiea vl̓ circa.
vl̓ nō assuetꝰ restrigat̄. sic tl̓es vitēt vinū oino ni
si colorē mutauerint ⁊ debilitati fuerit. qꝛ vinū in
citat fluxū. dic̄ rasis in suo ꝯtiᵉ. Et si sint mutati i
colore vel debilitati potēt vinū rubeū g̈slū bn̄ lim
phatū. teneat in ore aq̄m vinosaꝫ frigidam puta
vbi sit q̄rta pars vini remouendo sepe eam. non
mūdificēt nares de sanguine coagulato. odorēt
camphoram vel ciminū tritū cum aceto modico
dissoluto. ligēt̄ aures ⁊ alie extremitates ligatio
ne dolorosa. ⁊ dindimū testiculoꝝ. ⁊ testiculi in
aceto ponant̄. vētosēt̄ cum vētosis magnis ⁊ si-
ne scarificatōe in ypocūdrijs eiusdē partꝭ ⁊ in vē
tre sepe eas remouēdo. ⁊ fronti in radice narium
applicēt̄ v̓tice asꝑe conquassate. Dyascorides
⁊ macer hoc posuerunt ⁊ est remedium exꝑtū.
Uex de facto videmꝰ ꝙ magꝭ valēt in flātiꝗ purꝭ
Uel istud applicēt̄ frōti in radice nariū quo vte
bat̄ gordoniꝰ in pauperibꝰ: ℞. argille. ʒ. ij. pistē-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

tur cū aqua roſ. ⁊ albu. oui ⁊ extēdaṫ ſupra pan nū ⁊ frōti in radice nariū appliceṫ: ⁊ in collo pā nus lineꝰ infuſus in aqua frīa cum modico aceti appliceṫ ſepe. Uel ſic i diuitibꝰ. ℞. boli armenici ʒ. ß. ſan. dra. ʒ. i. argille. ʒ. i. acacie ypoq̇ſti. an̄. ʒ. ij. aque roſ. albu. oui cū modico aceti qđ ſufficit. fiat ꝑ modū empl̄ri liquidi ⁊ ab intra ponaṫ: tenta de bōbace facta ſupra frōdē fen¹. vl' ſupra aliā rē duram: ⁊ intingaṫ in ſucco plātag̅. vel in aq̄ roſ ꝺ ſtipitibꝰ: ⁊ tēta poſtea iuoluaṫ in puluere iſto. ℞. aluis iamē̄i puluerizati. ʒ. ij. amidi. ʒ. ij. miſceanṫ. iſte puluis bñ valet ⁊ reſtrigit poſitꝰ ⁊ applicatꝰ ꝓut dictū eſt. Uel ꝙ inſuffleṫ cū cānula infra aures ⁊ ſit ifra aurē modicū. cū iſtis in t'ibꝰ ſanguis nō reſtringaṫ: flōmeṫ de mediana vtriuſq̄ ꝑtis: extrahaṫ vna bona ſcultella barbitonſoris potiſſime aſſueti facere flōiaꝫ vl' habere fluxum ſanguis ꝑ nares. Raſis recitat i ſuo ꝯtīᵉ ꝙ ipſe vtebaṫ flōmia in t'ibꝰ vſq̄ ad ſincopim fcā in ꝑncipio: nō valet niſi ſit bñ magna fcā in poſterū ſufficit aliq̄lis vt dcm̄ ē. nā intdū ⁊ pluries ⁊ ſāguis ē ita calidꝰ ex ſe at ex eiꝰ motu. ⁊ qꝛ pꝰ poſuerit flōiam ⁊ laborauerit fortiṫ in calorībꝰ ꝙ nc̄cio oꝫ euentare ⁊ infrigidare ſanguinē cuꝫ flōmia ⁊ ego ſū expt̄us pluries i me ⁊ pl'ibꝰ alijſ colericꝗ laborioſis. Et ſi q̄s flāticꝰ vel puer colericus infra. xvᵐ fluxū ſan. habuerit puta in q̄ᵗitate vnīꝰ. lī. fiāt q̄ dicta ſūt ꝙ vētoſeṫ in ypocūdrijſ eiuſdē ꝑtis ſine ſcarifi̅. ⁊ vртice aſꝑe ꝯq̄ſſate frōti appliceṫ ⁊ ligeṫ ibidē extremitates ligatōe doloroſa. Pn̄t vētōſari in vltia nc̄citate in ſpatulis cū q̄dā ſcarificatōe. Dieta hoꝝ ſūt lētes bñ cocte expulſa ꝑ̄ma aq̄. riſi. oua dura. pira. pruna. guidola ſi occurrāt. caſeꝰ recēs ſine ſale. lac fortiṫ bullitū. breuiṫ valēt oia q̄ ſanguinē ingr̄ſſant. ⁊ ſi mulier fluxū ſanguis nariū habuerit ſtati flōmeṫ i bona q̄ᵗitate de ſophenis. ſūt pl'es mulieres in q̄bꝰ ſunt abſciſſa mēſtrua in toto vl' in ꝑte q̄ hn̄t bis vel ter in āno fluxū ſanguis nariū exceſſiuū t'les debēt quolibꝫ mēſe flōmari de venis in q̄dra lune eis ꝯuemēte in bona q̄ᵗitate ſi ſūt mēſtrua eis abſciſſa in toto. Et ſi nō ſūt eis abſciſſa ex toto: fiat modica flōia an̄ mēſtruū vna die de vna. alio die de alia: ⁊ q̄libꝫ die extrahāṫ. ʒ. ij. Et ſi natura facit ꝑ venas matricꝗ qđ ieſt ſibi ſm̄ naturā. nā iſta ſit tibi regula ꝙ t'les flōmie ꝑceden tes mēſtrua debēt eē in modica q̄ᵗitate vt natura ex t'li curſu ⁊ fluxu ſan. ad inferiora habiliteṫ ad magnū mēſtruū. ⁊ flōie ſtati fcē pꝰ menſtruū diminutū dēnt eē i mag̃ q̄ᵗiᵉ. ifra. c. ꝺ mēſtru. t̄cta bimꝰ ex itēto iſta ſi deo placuerit. iſta t¹ ſufficiāt.

¶ Caᵐ. 38ᵐ ꝺ vulneribꝰ q̄ fiūt i int'ioꝛibꝰ nariū

C Um in naribꝰ fuerint eſcare: cera ⁊ oleū ac adeps gallinaceꝰ eis immittanṫ ⁊ aquā calidaꝫ naribꝰ in mane multotiēs per aliquot dies odoret. Cumq̄ puſtule egredi ceperint liciniū aceto forti infuſū in quo ſal poſitū ſit naribus īmittaṫ: ac ſuꝑ eas ſil'r ponaṫ Siccabūṫ enī ex hoc ⁊ nō ꝓlōgabiṫ eoꝝ mora. Qđ ſi vlcera ibi affuerit ex vnguēto de ceruſa cureṫ

D E vulneribus q̄ fiūt i itioꝛibꝰ ꝑtibꝰ nariū. Nō. ꝙ vlcera fiūt i naribꝰ per viā reumatiſmi qñ cruſta ē tenuis ſubtil' modica videṫ eē ꝺ colera qñ cruſta ē mag̅ ſpiſſa g̅ſſa videṫ de flāte ſalſo. iſtud eſt vt pl'imū. Notū ē ꝙ ē paſſio cartilagis lacertoſe ⁊ ē ꝑ colligātiā venit qđ venire nō dꝫ ſm̄ naturā ⁊ ē officialꝰ qꝛ mala figura. ⁊ ē nocumētū regitie natural' mēbri mādāṫ ⁊ recipieṫ. ⁊ ē paſſio expulſiue ſuꝑfluitatū veniēs a cerebro ⁊ attractie aeris ꝑ nares ad cerebꝝ vt ſpūs aialis gn̄eṫ ſeu ꝯſuēṫ i eoꝝ tp̄e in cerebro. 8°. de iuuamēṫ. c. 3°. Raſ curādo docet priorē remouere cruſtā cū remollitis cū oleo ⁊ cera vl' axūgia galline vl' cū butiro ſine ſale. ꝯn̄r exiccare cū aq̄ ſalſa: vl' cū vnguēto de ceruſa qđ ē bonū. Et ego feci curā pl'es cū eo. naꝫ exiccat ⁊ conſolidat.

¶ Capl'm. 39. de polipo nariū ⁊ emoroy. ipſarū.

C Um intꝰ in naribꝰ caro ſuꝑflua mollis ⁊ quaſi diſſoluta rubea aut alba exorta fuerit: ⁊ nares ingroſſari ceperint: ac ex carne ꝑdicta repleri: cephalica prius erit flōmāda. deinde liciniū ex vnguēto viridi qđ in capl'o de corrodētibꝰ carnē noīauimꝰ liniendūꝫ ⁊ naribꝰ erit immittendū. Si ve-

ro istud non suffecerit: medicamē
acutū q̄ḋ ibi descripsim⁹ apponat̄
donec ex toto mūdificet̄. Hec pre
terea passio qn̄qꝫ cū ferro curatur
radicit⁹ oīno incidendo. Medici
tn̄ qn̄qꝫ in hoc errāt: nam ex eoꝝ
cura eger maximū incurrit nocu-
mētum. In hoc nāqꝫ loco cancer
plerūqꝫ exorit̄. Verū cancer quā-
do in hoc nascit̄ loco neqꝫ acutas
tollerat medicinas neqꝫ incisionē
que fit cum ferro: imo indiget vt
suauit̄ tractet̄ ꝛ medicamib⁹ leniē
tib⁹ ꝛ flōmia ꝛ vētris solutiōe cu-
ret̄. Cognoscit̄ aūt an̄ illud accñs
sic cācer: qꝛ est dur⁹ ꝑtingēs qn̄qꝫ
vsqꝫ ad palatū. Sꝫ cūꝫ nares sicce
sint ꝛ dure nec sit in eis humiditas
aliq̄ sūope cauendū ē ne hec egri-
tudo aut ei simil̄ ferro aut acuto
medicamine tāgat̄. Si naūt q̄ḋ in
narib⁹ exorit̄ caro mollis ē: fluxe-
rintqꝫ ex eis hūores ꝛ cum nares
stringūt̄ inueniūt̄ molles: ꝛ cū tā
gant̄ tract⁹ nō sentit̄ solid⁹: nō est
timēdū q̄n ex medicaminib⁹ acu-
tis ꝛ ferro mederi possint.

d
E polipo narīū ꝛ de emor
royḋ. ipsarū. i. de
excrescētia carnis moll' vt ē emorroys
vel medie. i. polipp⁹. ¶ Nō. ꝙ in nari-
bus fiūt cōit̄ q̄ttuor passiōes vulnera vlcera ḋcā
polip⁹ emoroys ꝛ cancer. Polip⁹ ē excrescētia
carnis medie i mollicie ꝛ duricie ꝛ medie q̄titatis.
Emorroys ē excrescētia carnis bn̄ moll' ꝛ ma
ioris quātitat̄. Cācer ē excrescētia ꝑua dura cali
da actu ad modū grani frumēti grossi. fit cōit̄ in
labijs narīū quia sunt partes sicce cartilaginose
tales nō tāgunt̄ ferro nec medicina dicit ras: qꝛ
fieret cancer vlcerat⁹. Sꝫ m cācer nō vlcerat⁹ cōit̄ ē
nodositas oblōga ad modū amigdale cū radici
b⁹ grossis venosis. iste ē in q̄titate ꝑue veruce: sꝫ
forma nō ē eadē est pa⁹ ꝑtis in q̄ est ꝛ ē ꝑ colligā
tiā venit q̄ḋ venire nō debꝫ. ꝛ ē morb⁹ grauās in
nūero vt res addita nūeralis ꝛ opilās ꝛ ē nocu-
mētū regitiue natural' mēbri mādāṭ ꝛ recipiētis:
ꝛ ē passio expulsiue suꝑfluitatū illarū ꝑtiū ꝛ at-
tractiue aeris extrīseci ad cerebꝝ vt ex eo spirit⁹
aialis nutriat̄ ꝛ ꝯuet̄. 8°. de iuuamēṭ. c. 2°. 3°. 8°
Pꝫ ras ponit curā polipi ꝑmittēdo flōiam de ce
phalica. ꝯn̄r cū lichinio ex ceroto viridi alit̄ cūꝫ
ferro curat̄. dic̄ ꝙ qn̄qꝫ ex errore pa. vēit i mag^m
nocumētū ḋ facili gn̄at̄ cancer vlcerat⁹ in tꝉib⁹
curis ꝛ ego vidi. iō fugias tꝉes curas.

¶ Capl'm. 40^m. de amissione odoratus.

c
Um sēsus quo odorā-
da ꝑcipiūt̄ amissus fue
rit: in narib⁹ caro super
flua creuerit ꝛ aer ita le
uiter vt pri⁹ attrahit̄: ꝛ ocl'i ac sen
sus naturalit̄ existūt: narib⁹ erit ī
suffland⁹ puluis adeo subtilis vt
alchool: q̄ fiat ex cōdisi ꝛ arthani
ta ꝛ sale armoniaco. Egro ꝙ ꝑci-
piat̄ vt nares vapori ex aceto cali-
do ꝓcedēti multotiens apponat.
Si aūt hoc nō suffecerit q̄ḋ noīa-
bim⁹ narib⁹ īsufflet̄. Cui⁹ descri-
ptio hec ē. ℞. nigelle fellis gruis:
coloq̄ntide: ellebori albi: oīuꝫ an̄.
ꝑtes eq̄les: puluerizēt̄ ꝛ ponāt̄ in
vrina cameli arabici q̄ntitate tāta
q̄ ea coopire possit: ꝛ ponāt̄ ad so
le donec siccēt̄ deīde fiāt ex eis sief
Cūqꝫ necesse fuerit vnū ex eis lēt̄
hn̄s magnitudinē ī ol'o sāsucio in
tinctum narib⁹ immittatur: opti-
mum enim ad hoc existit: Si autē
ex hoc quod naribus immittitur

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

fortis sequat̃ doloꝛ oleũ de semie cucurbite eis imittat̃ ⁊ aqua calida sup̱ caput fundat̃: ⁊ soꝛbeat calida eã q̃ humectant: vt ptisana et qꝺ fit ꝺ aq̃ furfuris ⁊ ꝺ farina ⁊ similia. ⁊ hoc q̃dẽ ẽ medicamẽ ⁊ ad missionẽ odoꝛatꝰ ꝓbatissimũ: qꝺ sic cõficit̃: nigella puluerisat̃ donec fiat vt puluis: ⁊ misceat̃ cũ ol̃. veteri: deĩde eger implẽs os suuȝ aqua reclinet caput retro q̃to plꝰ poterit: ⁊ tũc ex p̃dicto medicamine aliquãte gutte naribꝰ distillentur. Egro q̃ȝ p̃cipiat̃ vt quantũ ei possibile ẽ aerẽ extrinsecũ interiꝰ attrahere nitat̃. Qꝺ in tribꝰ diebus tribꝰ vicibus fieri ꝯuenit. Si aũt moꝛdicatio superuenerit: fiat hoc quod noĩauimus.

De amissione odoꝛatus. supple a tẽpoꝛe. ¶ Nota ꝙ amissio odoꝛatus duplex ẽ. a gñatiõe ⁊ a tp̱e. Illa que est a gñatõe ẽ icurabil̃: q̇ꝛ fit vitio naturali alicuiꝰ pꝛ̃ organi p̃ncipal̃ vel coadiuuanꝛ̃ vt dicet̃. Alia est a tp̱e tl̃is fit ex oppilatiõe carnosa vl̃ fetulẽta qꝺ est vt plĩmũ in vẽtricul̃ antioꝛibꝰ cerebꝛi vl̃ in osse colatoꝛij: vl̃ ex coꝛruptõe cõpl̃onis eoꝝ ꝓpter q̃ cõit̃ cum tl̃i nocumẽto cõicat fetoꝛ anhelitꝰ rõne matie fetulẽte soꝛdide retẽte ibi diu ⁊ aliq̃lit̃ putrefacte. iõ in pl̃ibꝰ hñtibꝰ meatꝰ nariũ sup̱ioꝛes strictos de facili opilatos ꝯtingit malicia seu fetoꝛ ipsiꝰ anhelitꝰ ⁊ oꝛis de q̃ faciemꝰ vnũ capl̃ȝ infra. q̇ꝛ ẽ de pane lucrando. ¶ Vltiꝰ nota ꝙ instrumẽtũ seu organũ odoꝛatꝰ ꝯstat ex pl̃ibꝰ p̱tibus q̃rũ vna ẽ p̃ncipal̃ cete sũt adiuuãtes sic dictũ ẽ de illis organis sensuũ. h̃ vult ga. 4° ꝺ moꝛbo. c. 4°. q̃rũ p̃ma est vẽtricl̃i antioꝛis cerebꝛi inuoluti q̃dã pellicula oꝛta ⁊ decisa a 3° pari neruorũ capitis. h̃ vult ga. 4°. de intio. Idẽ vult nono de iuuamẽꝛ̃ mẽbꝛoꝝ. idẽ auic̃. p̃mo cañ. fen. p̃ma do. 5ª. c. de anath̃. neruoꝝ capiꝛ̃. nam isti vẽtriculi inuoluti dicta pellicl̃a sũt sic̃ nerui obtici in ocul̃ nam p̱ dictos vẽtriculos descẽdũt spẽs odoꝛabiles ad dcm̃ organũ. iõ dicũt̃ p̃mũ instrm̃ odoꝛis a ga. 2° venit os colatoꝛij inuolutũ dcã pellicl̃a 3° venit carrũcl̃a sil̃is capitibꝰ mãmillaꝝ spõgiosa ꝯcaua modicũ vt meliꝰ vapoꝛes recipiat ⁊ retineat coop̱ta dcã pellicula. oĩs moderni dicũt istã carũcl̃am sic ꝯcauam ⁊ coop̱tã dicta pelliculã esse p̱tẽ p̃ncipalẽ in dcõ organo. nam ibi fit app̃hẽsio. ¶ 4° venit cartilago nasi cõfuans ⁊ colligãs ipsũ vapoꝛẽ. ¶ 5° veniũt lacerti nariuȝ q̃ sẽsum ⁊ motũ hñt a 3° pari neruoꝝ capiꝛ̃. 3° de intioꝛibꝰ. c. 5°. circa mediũ ca¹ mouentes nares in expellẽdo sup̱fluitates ⁊ in attrahẽdo aereȝ ¶ Vlteriꝰ nõ. ꝙ ista pellicl̃a veniẽs ad os colatoꝛij ⁊ ad carrũculã illam spõgiosam diuidit̃ et bifurcat̃. pars grossioꝛ tẽdit ad organũ gustus ad linguam q̃ est p̱s p̃ncipalioꝛ in sensu gustus p̱s subtilioꝛ remanet ⁊ extẽdit̃ p̱ dcm̃ organum odoꝛatꝰ. hoc vult ga. in de iuuamẽtis mẽbꝛoꝛuȝ m. ix. ⁊ 4°. de moꝛbo. c. 6°. circa mediuȝ ca¹. vbi dicit ꝙ sensus odoꝛatꝰ ⁊ gustus non differũt int̃ se. supple rõne p̱ticule p̃ncipal̃ nec rõne obiecti nisi q̇ꝛ sensus gustus est grossioꝛis sub̃e ꝓpt̃ cãȝ dictam: ⁊ quod sapit gustui sapit odoꝛatui ⁊ ecõtra in comestibilibꝰ. Fumus nõ est aliud q̃ȝ humiditas subtiliata vt dic̃ ibidẽ. ꝓpt̃ quod i odoꝛe sentiens cibũ cõplacibilẽ sentiet delitiosum. ⁊ ecõtra. Vlteriꝰ nota ꝙ triplex est actio lesa sẽsus odoꝛatꝰ. 4° de moꝛbo. c. 4°. actio diminuta coꝛrupta ⁊ ablata. Dicit̃ actõ diminuta sensus odoꝛatus qñ p̱cipit odoꝛes sic̃ sunt in gñe diminute tamẽ. vt rosas parũ aromaticas. Ista actõ est diminuta in hoĩbus respectu alioꝝ aĩalium: ꝓpt̃ magnã humiditatẽ cerebꝛi. 2° collectoꝛij. c. de iuuamẽꝛ̃ organoꝝ odoꝛatꝰ. ꝺꝛ actio ablata odoꝛatꝰ qñ nihil sentit. Iste actões lese easdẽ cãs hñt in gñe. q̇ꝛ opilatões 4° de moꝛbo. differentes tñ ƀm foꝛtitudinẽ ⁊ debilitatẽ. ƀm qꝺ dcm̃ ẽ in sensu. auditꝰ ꝺꝛ actõ coꝛrupta sẽsus odoꝛatus tripl̃r. Vno° qñ app̃hẽdit rẽ alit̃ q̃ȝ sit: vt si aliq̃s dicat rosas fetidas. 2° mõ qñ app̃hẽdit odoꝛes malos nat̃ales nullo obiecto extrin^co p̃ñte. q̇ꝛ h̃ ẽ rõne mali humoꝛis inclusi i dcõ organo vl̃ i loco vicino. vt dic̃ ga. 4° de moꝛ°. c. 4°. idẽ dic̃ 2° teg¹ ca°. vltio. 3° mõ coꝛrũpit̃ actio qñ app̃hẽdit obiectũ eo mõ q̃ ẽ in latitudie cũ q̃dã tñ coꝛruptela organi vt i maxio fetoꝛe ꝯtigit illi mali fumi coꝛrũpũt illã pellicl̃aȝ dictã in ꝯpl̃one vl̃ soluũt ꝯtinuũ in ea. ¶ Vltiꝰ nõ ꝙ iste sẽsus tȝ mediuȝ in g̃ssitie ⁊ subtili^e in se ⁊ rõne obiecti. vt dicit gal̃. 4° de intio. c. 3°. in p̃n°. qꝺ pȝ etiã ex iã dictis.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

Primo tu q̄res sensus olfactus lesus vl' ablatꝰ cuiꝰ ꝑticule organi est nocumētū seu pa° p̄nr: Dicēdū ꝓut supiꝰ fuit dictū sup obtalmia ⁊ nocumēto auditꝰ ꝙ q: ē morbꝰ official' vt dicet̄ ē pa° p̄° ⁊ p̄nr ipiꝰ organi q̇a tā inest toti ꝙ ꝑti loquēdo ꝓ mor° descripto imediate aūt ⁊ p̄nr inest ꝑti: q: ipi pellicule vl' ipi carūcule vl' ipis meatibꝰ seu ventricul' ꝓre: q: sunt opilati ⁊ dicit ga.4.de mor°: ⁊ ē pa° ꝑ colligātiam: q: vēit qd̄ venire nō dꝫ ꝺm naturā: ⁊ ē morbꝰ official': q: opilatio vt pl'rm vt dic̄ ga.4.de mor° c.4. Vel morbꝰ i receptacl'o q: mali hūores claudūt̄ ⁊ recipiūt̄ ibi ꝓpt̄ qd̄ rasͣ fac̄ istos pulueres vt mat̄ia illa euacuet̄ q̄ ē cā mali ⁊ fetidi āhelitꝰ vt dicet̄ infra p̄t eē sil'r morbꝰ i supficie: q: 1ª pellicula cooperiēs illā carūculā p̄t eē idurata n̄ ap p̄hēdēs illos vapores. Et ē nocumētū ꝓ morbo descripto regitie nat̄ al' mēbri mādātis vl' recipientis. Et ē nocumētū actie seu pa° v̄tuꝝ odorabilis. ꝯnr sensus cōis q̄re solꝰ sensus odoratꝰ cōp̄hēdit vapores. solūit l'ra.8.de iuuamꝭ.c.p°. Idē dicit.4.de mor°.c.6. q: sensus odoratꝰ ē vaporosus sic̄ sensus visus ē lūinosus. ⁊ sic̄ sensus auditus ē aereꝰ. Et q: nullꝰ sensus app̄hēdit nisi suū sil'e i nat̄a vt dic̄ ibidē. Jō solꝰ holfactꝰ app̄hendit vapores sic̄ sensus visus colores: ⁊ sensus auditꝰ voces: q: aereꝰ vt dic̄ ibidē q̄re iste sensus delectat̄ ⁊ tristatꝰ in extremis vt i forti aromatico fetido ⁊ non delectantur in mediȷ̄s sensibilibus ꝓut delectant̄ aliȷ̄ sensus. Soluit l'ra.8.de iuuamētis.c.ij. quia iste sensus magis est positꝰ ab intra inter testā ꝓpter qd̄ nō sic immutat̄ a mediȷ̄s obiectis sicut aliȷ̄ sensus q: req̄rit fortiorem immutatiōem ꝓpter elongatiōem organi. Jste sensus delectat̄ ⁊ tristatur in causis extrinsecis: sic̄ aliȷ̄ sensus. in causis āt intrisecis nō delectat̄ sicut aliȷ̄ sensus. visus auditꝰ.4. de mor°.c.6. q̇a nō imp̄mit fortiter in sensu. q̄n̄qꝫ tamē tristat̄ in causis intrinsecis.4.de mor°.c.vi. sic̄ sensus auditus qd̄ de facto videmꝰ in tinitu.

Jstis clarificatis Cura amissionis odoratus a tempe tibi patescit. ¶ Prius autem ꝙ in cura ꝓcedas scire ⁊ ꝯgnoscere oportet causam ꝑticulam imediate patiētem q̇a in hoc cura aut qualiter diuersificat̄. veruꝫ actio diminuta ⁊ ablata sensus odoratus cōiter fiūt ex opilatione modica vel magna illius offis: q̇a simile est colatorio vel vētriculoꝝ antioꝝ cerebri.4.de mor°.c° 3°. ⁊.4. Vel fiūt talia nocumēta ex mala cōplexione potiᵐᵉ frigida, vel illoꝝ ventriculorum ex intētiōe ga. in loco allegato. Idē vult rasͣ in suo ꝯtiᵉ. Corruptio aūt actiōis ip̄ius sensus odoratus fit ex mat̄ia fetida ⁊ sordida recōdita in illis receptaculis mag̃ ꝙ ꝑ viā opilatiōis effumante illo fumo fedo ⁊ putrido in dicto organo ꝓpter qd̄ rasͣ euacuat mat̄iam in q̄libet hoꝝ nocumentoꝝ ab ill' meatibus cū sternutationibꝰ. Si quis actiōem diminutā vel ablatā sensus odoratꝰ habuerit aut corruptiōem ip̄ius sensus absente obiecto: abluat caput suū semel in decē diebꝰ cum aqua decoctiōis bethonice ⁊ absintiȷ̄ exsiccatoꝝ in vmbra addita 3ª ꝑte lexiuie ⁊ ꝙ bethonica exsiccata in vmbra recōdat̄ in illa lexiuia seu infūdat̄ ligata cum filo. ¶ Cōn̄r de mane ante prandiū ⁊ ante cenā gargariset bis vel ter de sinapi seu mostarda dissoluta cū modico sirupi acetosi ⁊ modico aq̄ cicerū rub. purgat ꝓram cerebri de flāte grosso q̄ facto ꝓuocet sternutatiōem cū puluere sequēti. ℞. cōdisi.ʒ.ij. fiat puluis subtilis insufflet̄ ifra nares cū canulla ꝑforata. l' de isto. ℞ piretri staphizagrie. an̄.ʒ.i. castorei nigelle. an̄.ʒ.ß. fiat puluis subtil' vt alcool. Vel puluerisa de elleboro albo insufflet̄ infra nares l' misceas.℈.i. ell'i albi in recepta stati dicta. Et si in naribꝰ sequeret̄ dolor ⁊ calefactio ꝓpt̄ istos pulueres imponat̄ infra nares cū pluma de aliq̄ frio oleo de ol'o cucurbite vel nenuꝭ. vel viol'. vl' mādragore. Vel de oleo iusq̄am abluas os cū aq̄ ordei vel cū aq̄ vbi sit viª ꝑs aceti loco sternutatiōis post gargarisma dictū masticet de mastice mixto cuꝫ pipe de mane ⁊ an̄ cenā sufficiāt ista ꝓ cura passionis nariū super fetore nariū loq̄mur infra in. c°. de fetore oris si deo placuerit.

E gutta rosacea in pectore in facie seu in naso. Vel de rubore faciei ⁊ nasi. nā a q̇busdā ītitulat̄ ꝺ gutta rosacea, faciei. a q̇busdā puta, a rasi in v° almāsoris. ⁊ in dionibꝰ suis in fine intitulat̄ ꝺ rubore faciei. Rubor in istis ꝑtibꝰ diuersificat̄. q̇dā vergit ad ruborē clarū q̇ attestat̄ sup portiōe colere tal' fit in naso mag̃ p̄nr ⁊ aliq̄l'r in ꝑtibꝰ faciei: q̇daꝫ fit ecōtra cū rubore obscuro: ⁊ fit de sanguie magis p̄nr in facie ⁊ aliq̄l'r in naso. Jntētio curatiua in his in gn̄e erit vna: in sp̄e erit diuersa euacuare a ꝑticula ⁊ ip̄am infrigidare. Jn rubore faciei mag̃ ē intēdēdū ad euacuādū illam mat̄iaꝫ ꝙ ad infrigidādū in rubore claro mag̃ intēdere debemꝰ ad infrigidādū vt dicet̄. Jsta tal' passio fit de sanguie innaturali aliq̄l'r salso, vel de colera simpl'r vel cōmixti apud laicos indicat lepraꝫ

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

futurā. Uel incipiētez firmari q8 nō ē necessariū
licet aliquādo assimulatiua carnis in facie aliq-
liter erret: quia nō dealbet magis nutrimentum:
nō cōcluditur ex hoc ꝙ caro faciei leprosetur. ẜ
declarabitur ista passio ꝑ morbo descripto ꝛ pro
illo colore est in carne lacertosa faciei ꝛ nasi q̄dē
opinātur ꝙ solum sit in cuti ꝛ sit morphea: falsū
est q̄ꝛ ꝓfundat ille rubor in carne ꝛ per ꝯns illa
mala cōplo cal'a ꝛ est in carne dicta ꝑ colliganti
am: venit a venis superioribus puta capitis: sic ros
cadēs desup ad carnē faciei ꝛ nasi q8 venire nō
debet ẜm naturā: q̄ꝛ san. innaturalr salsus. vel col'a
innaturalis in q̄titate excedēti ꝛ in q̄litate acuta
Ideo subtrahūtur in cura. Et est pa° consimilr ꝑ
morbo descripto: quia mala cōplo cal'a cū mate
ria dicta causans nocumētum in ꝓpa digestiua
seu assimulatiua carnis: q̄ꝛ nō assimulat bene in
q̄litatibus ꝯntibus p̄mas: quia i colore nō dealbat
nutrimētū dū assilatur mō cōuenienti nec natura
li: quia caro debet esse subrub. ꝛ aliqualis caloris
seu caliditatis ista excedit in his. ideo errat in ac
tione nec ꝓpter hoc cōcluditur ꝙ ibi sit lepra vt
statim dicet ꝛc. Rubor aūt talr in se ē accn̄s mor'
qui d' qualitas mutata app̄hensa ꝑ sensum vi-
sus: talis rubor pro morbo descripto est nocumē
tū digestiue ꝛ expulsiue naturalr ꝛ vitalis mēbri
mādantis intentiōe Ga. xi. de inge° in. c. ij. ꝛ. viij.
vt est pluries dictū. nā si ille nō errassent non ve-
nisset materia cal'a talis alterās complōnē natura
lē ipius carnis faciei: nec per ꝯns corrūperet ei'
actionē naturalez puta assilatiua in qualibet ẜ
sequētibus ad p̄mas ꝓpter q8 ē nocumētū illa
rū ꝛ est passio actiue ṽtutis assilatiue carnis: q̄a
causat nocumētū puta ruboris. Rubor aūt talr ex-
cedēs i facie in se ē nocumētū seu mala actio as-
similatiue ipius carnis non assilat nutrimētum
i colore. nec calori natali ipius carnis puta in sub
rubore: nec i calore debito: q̄a caro hūana natalr
est subrubea ꝛ calitatis aliqualr excedētis quia i
scdo gdu. 2°. de cōplonibus. ¶ Tu argues cōtra
hoc fortir ꝙ opio laycorū ṽa est ꝙ talr rub. excedēs
indicabit leprā incipiētē: q̄ꝛ lepra fit ex errore assi
milatiue carnis. vi. de mor°. in. c. v. ꝙ erit ibi lepra
pticularis ꝛ erit leprosus i facie. Dicēdū ꝓut dixi
in expōne. 6. de mor° sup. c. 5. ꝙ assimulatiua car
nis potest errare in assimilando nutrimētū mul
tipliciter. Uno mō in suba ꝛ in qualitatibus se te-
nētibus ex parte substātie vt q̄ꝛ nō assimulat nu
trimētū in verā carnē ẜ cōuertit nutrimētum in
carnē corruptam: puta granulosam exangues ꝛ
subalbidā: tunc talis caro est leprosa ꝛ corrupta
Similiter tūc errat in qualitatibus sequētibus
substantiam carnis: quia talis caro corrupta ꝛ
granulosa nō est plana imo est trūbosa error in
his ergo est lepra in illo mēbro: quia lepra ē par
ticularis morbus ꝑ tempus: ꝯña tenet. Alio modo
assimulatiua carnis pōt errare in qualitatibus p̄-
mis ꝛ sequētibus p̄ncipalr illas vt in cal. fri. h.
ꝛ sic. vl in cal. tali vel tali tūc nō est lepra. ẜ vult
Ga. in. c. 5. 6. de morbo: quia in yposarcha errat
assimilatiua carnis quia gn̄atur caro nimis hu-
mida ꝛ moll. Idem dicit in. 3°. de morbo in fine
Idcirco generatur malus color in carne puta ci
trinus ex errore assimilatiue carnis. nam in qui-
busdam est sanguis totus corruptus puta in habi
tantibus in insulis: ꝛ assimilatiua carnis nō pōt
ipm assilare in colore debito: ideo errat ꝛ non est
lepra. Idem potest dici in permutatiōe cōplexio
nis si clima remotū habitauerit per tempus suf
ficiens mutabitur cōplexio carnis ꝛ assimulati-
ua carnis errabit a sui natura ꝙ pꝫ.

Istis clarificatis cura talis ruboris tibi
patescit. Prius aūt ꝙ in cura ꝓcedas scire opor
tet an talis rub. sit clarus vel obscurus: quia mate
ria in hoc est magis sanguinea vl colerica ꝛ cu
ra in hoc diuersificatur. Si quidē ꝙ rub. de san-
guine habuerit quod tibi patescit: quia est rub.
obscuri ꝛ cum pruritu satis delectabili cū pustu
lis trahentibus ad saniem de facili purgetur cū
geralogi. ʒ. ẜ. nouiter facto dissoluto. vel in pillu-
lis precedente sirupo de fumo terre. Uel det sibi
cassiā̄ꝫ. cōmunē dictam in p̄mis caplis. ꝛ in ca°.
de catarro. Quo facto post biduum flōmetur de
vtraqꝫ cephalica extrahatur vna scutella barbi-
tonsoris de quolibet brachio. consequēter post
quosdam dies ventosetur in spatulis cum scarifi
catione. ¶ Istis premissis ad localia accedamus:
apponantur sanguisuge super eminentia maio-
ri vt decet. Consequēter liniatur facies cum sa-
pone per noctem. Deinde de mane abluatur cuꝫ
aqua calida decoctionis furfuris: intret balneuꝫ
cōmune loco huius teneat faciem supra vapo-
rem aque calide decoctionis foliorum malue pa
learum ordei ꝛ auene. post apponat saponem sa
racenicum de mane abluat vt dictum est ꝛ post
illam faciat illā que sequitur per pausam caue-
at a vento ꝛ frigore potissime. ℞. aq̄ arnaglossi. ℔.
ij. aceti albi. q̄rteriū. i. litargiri subtilissime pulue
risati vt alcool. ʒ. i. ceruse subtilissime puluerisa-
te. ʒ. ij. agitentur bene in mortario. Postea colen
tur cum filtro albo ꝛ fiat lac virginale. Uel ab-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

luat cum hoc. ℞. aque serpentarie distillate de radice ⁊ colo albo. ℔. ij. cāphore. ℨ. iij. sarcoco. thuris. an̄. ℨ. i. boraq̄. ℨ. ß. misceatur ⁊ stet in sole in dieb⁹ canicularibus ille ablutiōes corrigunt calorē carnis: q̄b⁹ vtimur cōiter siue in vnctionibus silr̄ loco saponis saracenı vtimur isto vnguēto. ℞. cortic̄ rad̄ lapacij acuti bene lauate ⁊ mūd̄. ℥. ij. terātur in mortario subti^me ac si fient salsamētū subtile arg̃ viui. ℥. i. ß. incorporāt̄ bñ cū pistello: postea ponat̄ axūgia porcina antiq̄ sine sale liq̄facta ⁊ colet̄ p pānū c̄ modico cere ⁊ fiat vnguētū q̄ inungat̄ sero p̄cedēte stupha cōtinuetur q̄usq̧ sit curat⁹. Et si q̄s rub. in naso ⁊ facie habuerit de colera q̄d patescit q̄a rubore ē magis clarus cū pruritu maiori ⁊ pustul̄ q̄ nō trahunt ad saniē purget̄ ⁊ flōmet̄ vt dictū est in cura ruborꝫ obscuri. Verū nō indiget tātis flōmijs nec sanguisugis purgatio dicta satꝫ ē sibi sufficiens cū geralogodio vel c̄ cassiafi. vtat̄ balneis cōib⁹ sepe vel euaporatiōibus dictis. ¶ Consequēter inungat̄ cū sapone saracenico de sero de mane abluendo vt dictum est: postea cū vna de ablutionibus dictis inungatur cuꝫ isto vnguento. ℞. camphore. ℨ. ij. farine cicerū rubeoꝝ. ℥. ij. ⁊ ß. conficiātur cum succo lapacij acuti ⁊ mell̄ albi despumati q̄r. ß. ⁊ fiat vnguētū. Vel fiat sic: ⁊ est expertū satis. ℞. gariof̄. ℨ. ij. se. cartami mūdi. ℨ. ß. argēti viui. ℨ. ij. ambre grisie. ℨ. i. axungie porcine antique ablute q̄rt. i. ß. incorporētur simul ⁊ fiat vnguentū. vel sic. ℞. rad̄ vtriusq̧ lilij. an̄. ℨ. ij. decoquātur in oleo cōmuni vsq̧ ad ꝯsumptionem medietatis coletur: adde sulphurꝫ. ℨ. i. cere quod sufficit fiat vnguentum.

¶ Capl'm. xli. de dolore dentiū.

Si gigiua cū dolore dētium fuerit sanguinolēta ⁊ apostemosa ⁊ rubea fueritq̧ apostematio cū pulsatione extrahat̄ sāguis cum vētosis flōia ex cephalica p⁹ facta. Deide hora aliq̄ diu acetū ⁊ oleū roseū teneat q̄d postq̄ eiecerit: idē iterū faciat. P⁹ hoc oleū roseū i ore teneat ⁊ si ex hoc nō euaserit: fueritq̧ pulsatio vehemēs ⁊ cū inflāmatiōe cāphora ⁊ piretrū terāt̄ ⁊ i radicib⁹ dētiū ponāt̄. Cumq̧ dissoluta fuerit iterū mittāt̄. Cotū q̄z oleo roseo illinitum desup ponat̄. Q̄d si dolor aliq̄n augmētat̄ ⁊ vehemētior fiat: opij sexta ps. ℨ. i. in oleo roseo dissoluat̄. Ex quo cotū illinitū radici dolēt̄ dēt̄ adhibeat̄. Si aūt necdū sedet̄: loc⁹ scalpellād⁹ est: ⁊ sanguisuge supponēde sunt. Gingiua vō si nō fuerit sanguinolēta neq̧ apostemosa neq̧ dolor ē cuꝫ pulsatiōe: neq̧ i facie fuerit inflāmatio: aut dolor acciderit post fastidiū ⁊ satietatē ⁊ post cenā comeditq̧ ex cibo frigido multū: vēter egri ex pillis cochijs soluēd⁹ erit: ⁊ dolētiū dentium radices ex hoc medicamīe fricāde: q̄d sic fit. Sūatur piretruꝫ sinap. sceiteragi indi. baurach pip ꝫinꝫiber: ⁊ ex eis puluerisatis dentiū fricētur radices. Cotū q̄z eis illinitū sup dētiū radices ponat̄. Postq̄ eger os ex aceto in quo piretrū ⁊ mētastrū atq̧ origanū cocta fuerit colluerit. A foris p̄terea panicū siue milliū in sartagine torrefactuꝫ super maxillam est ponēdum: aut ex pipis puluere melli cōmixto: dens ⁊ ei⁹ radix fricētur. Et si ex hoc nō suffecerit in dētiū radicibus hec tiriaca ponatur que ℞ castorei asse piperis ꝫinsiberis storacis opij omniū partes equales. Cōficiat̄ ⁊ administret̄. Eger p̄terea per aliq̄ntulū tēporis a comestiōe abstine-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

at mane atq̨ famelicꝰ ingrediat᷑
balneū ⁊ vtat᷑ motu. Si at̄ nec sic
q̇escat: ferrū ignitū radices denti
multotiēs apponat᷑ aut eradicet᷑.
Si vero dens corrosus fuerit: re-
pleat᷑ ex medicaminibꝰ q̄ noiabi-
mus: ⁊ quia sunt corrosiua: aut ex-
trahatur.

E dolore dentiū.

Nota ꝙ dētes sūt ossa distiguūt᷑ ta-
mē ab aliis ossibꝰ in duobꝰ. Primo i
coꝝ maᵃ gn̄atiōis: q: alia ossa sunt ex spermate
cū mēstruo dealbato ab ipo spermate: q: spma
nō sufficeret ad gn̄atiōem mēbroꝝ spmaticoꝝ
ꝫ q̇a ibi intrat aliq̄ portio spermatū ſm Gal. Et
alia mat̄ia ē dealbata ab ipis spmatibꝰ: iō dicū-
tur gn̄ata a spermate. Et dr̄ spmata hūiditas illi
us mat̄ie sic ꝯfecte. vocat᷑ hūidū radicale q̄ ē ac
q̇sita in massa illa anq̄ꝫ fetꝰ nutriat᷑: cuiꝰ vna ps
est restaurabil' puta illa q̄ fluit a sanguie mēstru
oso. alia ps q̄ fluit a spmatibꝰ illa ē irrestaurabil'
2° tegⁱ. medie vo. regiōes: ſm illā enūerati sunt
dies vite q̄tū illa durabit ꝑ pabulo caloris natu-
ralis vna cū alio hūido qđ fuit ibidē fluxū post
actū coitꝰ. Dauid in ps̄. enūerasti dies meos ⁊c.
imaginer̄ ꝙ. ȝ. i. olei i lāpade ſuabit flamā in li-
cinio certis horis si custodiatur a vēto ⁊ vltro non
p̄teribit. Dentes aūt gn̄ant᷑ ex sanguie i q̄ remā-
sit vtus spmat̄ vt dic̄ auic̄. p° can̄. fen. pᵃ doctria
5ᵃ. ca. singulari de mēbris: q: ex sup̄fluitate nutri-
mētali in q̄to os sui capit̄ puta cranei in q̄bꝰ ad
huc remāsit puta in p̄mis etatibꝰ vtꝰ spmat̄ nō
renascūtur vt dicit auic̄. in loco allegato. Scđo
distinguūtur dentes ab aliis ossibꝰ in sensibilita
te q̇a alia ossa sunt de se insensibilia ⁊ nō sentiūt
nisi rōne colligāᵉ ⁊ pāniculi. iō debiliter sentiūt
dētes aūt sentiūt de se ⁊ rōne colligātie ꝑpt̄ qđ
fortit̄ sentiūt ⁊ dolēt fortit̄: vt docet experiēᵃ hec
ponit auic̄. doct̄. de mēbris. c. de anathoᵃ dētiꝝ
aucte ga. ⁊ pꝫ rōne: q: in cōcauitate ipoꝝ intrant
nerui subtilissimi portātes spūs sensitiōs: ꝑpter
qđ de se sentiūt. Silr̄ de se sentiūt rōne colliᵉ la-
certoꝝ seu gingiuarū ⁊ natura fuit sollicita i his
causis ꝑpt̄ nc̄citatē vt dic̄ auic̄. c. p° de anathoᵃ
dētiū ⁊ discernūt bn̄ int̄ cal'in ⁊ frim. Et sup̄ hoc
adūte qn̄ dētes dolēt ꝑpt̄ malā ꝯ°nē cal'iaꝫ frigi
dā cū mat̄ia ⁊ sine mat̄ia dolēt mediocrit̄ qn̄ cū

tali cā inest solu° ꝯtiⁱ tūc ē fort̄ dolor: q: sunt ibi
due cāe dol'. nā mat̄ia fria cal'a soluit ꝯtiᵐ qn̄ est
fort̄ q̄litat̄ rarificādo ⁊ cōp̄mēdo gingiuā. Int-
dū gingiua ap̄atur tūc dolet fortit̄ q: ē triplex ge
nꝰ morbi ⁊ due cāe fortes ipiꝰ doloris gingiua est
ꝯtexta ex filis neruoꝝ subtilissimis alit̄ nō esset
ita sensibil' ⁊ ex venis alit̄ nō sanguiarēt: q: ista
cōpō est p̄ma frōte occulta. iō dr̄ caro simplex a
q̇busdā actoribꝰ. ¶ Alteriꝰ nota ꝙ dentes sunt
xxxii. cōiter q̄tuor sunt in vtraq̨ maxilla q̄ dicūt᷑
icisiui: q: cū ill' incidimꝰ panē ⁊ carnes. ⁊ sunt
duo ab vtraq̨ p̄te q̄ dicūt᷑ canini q: sūt acuti ad
modū dēt̄ canis. ꝯn̄r sunt q̄tuor ab vtraq̨ parte
q̄ dicūtur molares: q: cū ill' hō molit ⁊ terit cibū
sic sūt. xvi. i q̄libet maxilla. verū citra mortalitatē
plures nō hn̄t nisi. xxviii. incisiui nascūt᷑. p° nam
gn̄antur a sup̄fluitate nutrimentali magis subtili
in q̄ est vtꝰ spmat̄: ⁊ sunt magni ſm q̄titatē illiꝰ
sup̄fluitat̄: ꝑpt̄ qđ dētes magni arguūt hoiēꝫ lō
geuū: q: arguit᷑ vtꝰ fort̄ i cereb°. Dētes canini fi
unt ex mediocri sup̄fluitate hn̄t radicē sat̄ lataꝫ
Dētes molares fiūt ex sup̄fluitate nutrimentali
grossa ꝑpt̄ qđ tardiꝰ nascunt᷑. Isti molares hn̄t
duas radices oblōgas. Illi q̄ sunt i maxilla su-
periori hn̄t tres radices bn̄ lōgas q: pēdēt ⁊ qui
sunt magis vlti hn̄t plꝰ vnū radicē ꝑpt̄ qđ mola-
res iferiores hn̄t tres radices ⁊ sup̄iores q̄tuor
in q̇busdā. iō cū maiori difficultate extrahūt᷑. vn̄
ꝯcludit᷑ q̄ dētes eē mēbra sanguiea ⁊ sūt i se mē
bra ꝯsil'ia ex officio loq̄ndi ⁊ masticādi sūt offici
alia: q: ps n̄ saluat rōnē totiꝰ i recto supple i offō

Primo tu q̄res cū tal' sup̄fluitas nutri-
mētal' in q̄ ē vtꝰ spmat̄ abūdet
multū in pueris infra duos vl' tres mēses: q: q̄libꝫ
hora suggūt lac: q̄re ḡ nō ꝓiiciūt dētes in p̄mis
mēsibꝰ. Dicēdū ꝙ opꝰ nature ē opꝰ itelligētie ⁊c̄
natura nō indiget cū nutriat᷑ lacte ⁊ cibo liq̄do
T̄pe aūt seq̄nti pꝰ mediū ānū nat̄a incipit ꝓiice
re dētes: q: tūc natura icipit petere cibū grossūꝫ
⁊ vsq̨ q̄ natura ꝓiecit dētes molares debēt sug-
gere lac. ex q̄ natura nō ꝓuidet in terēdo cibum
grossūꝫ. iō cōiter dꝫ suggere lac vsq̨ ad q̄tuor vl'
q̇nq̨ ānos antiq̇tꝰ faciebāt: nūc aūt suggūt lac
tm̄ ꝑ duos ānos aut parū plꝰ. Et pꝫ ꝙ dolor den
tiū ꝑ mor° descripto ē pa° p̄ncipal'r gingiue vna
cū radice dent̄ ꝑpt̄ neruos subtiles subintran-
tes dētē. dātes sensūꝫ ei. talis pa° ē dolorosa ml'-
tū ⁊ est pa° ꝑpt̄ mat̄iaꝫ ibidē fluxā talē vl' taleꝫ
puta cal'iaꝫ ⁊ friam. Et est morbꝰ ꝯsil'is cū mate
ria int̄dū ꝯsil'is ⁊ cōis: tūc est fort̄ dolor ꝑpt̄ cāꝫ
duplicē dol'. nā mat̄ia ml'tū fria ⁊ mat̄ia multum

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

calida soluerit ptim in gingiua.xij.de inge° in fi-ne. Idē dicit libello de mala ꝯ°ne diuersa puta cal'a subintrādo ꝛ frigida condēsando ꝓs sepat᷑ a pte ꝛ est nocumētū passiue regitiue naturalis mēbri mādanꝭ ꝛ recipiēꝭ vt pluries dictū est: et ē nocumētū actiue seu pa° descriptiue loquēdo sensitiue gingiue ꝛ radicis dētis ꝑ dol'. illo ē pa° sensus cōis: q2 dolor apphēdit᷑ a sensu cōi ꝛ non a v̄tute sensitiua q2 est act⁹ sensitiue ꝛ nulla v̄t⁹ reflectit᷑ supra actū ꝓpriū nisi intellectiua.3°. de anima. ergo ꝛc.

Istis clarificatis. Cura dol'. dentiū tibi patescit. Prius aūt ꝙ in cura ꝓcedas scire oꝫ ꝛ cognoscere diuersitatē cārum tal' doloris an sit de maꝭia fri. vl' cal'a in toto vl' in maiori pte apostemosa l' nō apostemosa veniēte ꝑ viā catarri: ꝛ si fuerit tal' dēs ꝑforat⁹ putrid⁹ seu corrosus vl' nō. vel fuerit ibi v̄mis q2 cura in talib⁹ diuersificat᷑ vt pꝫ in sequētib⁹. ¶ Si aūt tal' humor veniēs a capite ad radicē denꝭ. puta ad gīgiuā eius ꝑ viā catarri venit ne ꝑ venas vel per alios meat⁹. Dicēdū ꝙ maꝭia cal'a puta sanguinea. vel colica in tota vel in minori pte q2 portio maꝭie flātice pt eē cōmixta: q2 talis sꝑ habitat c̄ sanguie: q2 fluit per furculas venarū vel arteriarū ad gingiuā dictā: q̄ maꝭia rōne acuitatꝭ pūgit ꝛ aperit ora venarū illi⁹ gingiue ad quā fluit: et si illa portio interponit se inter lacertos seu ꝯcauitates gingiue sic facit tūorē ruborem ꝛ apa in gingiua. ꝛ q2 est ibi triplex gen⁹ morbi: ē ibi fortior ꝛ maior dolor ꝙ in alia cā dol'. Si aūt tal' materia sit frigida in toto vel salti in maiori pte: q̄a talis recōdit᷑ in cōcauitatib⁹ cerebri talis fluit ꝑ poros ꝛ meat⁹ saꝭ occultos ꝛ assistētes furculis neruoꝝ dētiū ad gingiuā denꝭ: ꝛ alterat ꝛ infrigidat dictā gingiuā: ꝛ dētē cōiter corrūpit in talibus iō cōiter cātur dolor ꝫ nō tant⁹: ꝛ q2 materia licet sit subtilis in suba: aliter nō flueret est grossa in actiōe: q̄a fria nō pōt sic intrare in ꝓfunduꝫ ꝑ porositates nec cōcauitates lacertoꝝ gingiue nec ptiū vicinarū. Jō nō causat verū apostema nec ꝑ ꝯñs tantū dolorē sicut in cā dicta. bñ causat aliqñ quedā inflatiōem in maxilla rōne maᶜ fluxe in dicꝭ porositatib⁹ illarū partiū superficialib⁹ ꝛ de facili expuit᷑ cū sputo apposiꝭ ꝛ approximaꝭ q̄busdā calis sic patet tibi quare in causa ca. est modica saluia. in causa fria est multū sputū ꝛ multa saluia. ¶ Si q̄s dol'. a cā ca. habuerit in toto ꝛ in maiori pte i dētib⁹: q̄d patescit ex fortitudine ꝛ malicia dol'. ꝛ ex rub. ꝛ tūore ipius gingiue cū aliq̄li pulsatiōe ad q̄d facit etas ꝯ° ꝛ

paucitas saluie ꝛ calor maxillarū ꝛ ardor dolor ꝛ quies aliq̄lis ex frigida aqua detēta in ore: ꝛ tal᷑ teneat in ore de diamoron dissoluto cū aq̄ rosaꝝ vel aquā friaꝫ cū aliq̄li portiōe aceti sepe eijciendo ꝛ renouādo faciāt flōiam de mane vel d sero ante cenā. de cephalica q̄ nō inueta de mediana Et si necesse fuerit postea transactꝭ. x. vl'. xij. horꝭ vētosef in initio spatularū in fine colli bñ scarificando. vel faciat flōiam de venis q̄ sunt sub lingua. Illa stati curat: ista sunt de cōcilio Rasꝭ. in suo cōtinēte lauet᷑ os cū aceto frio detēto decoctiōis radiq̄ iusquiami ꝛ plātag̃ acetose. vl' cornu cerui puluerisati: vel puluis capparis vl' folioruꝫ murte. vel cotū albū ibi infundat᷑ ꝛ gigiue ꝛ denti applicet᷑ trāsacꝭ duob⁹ dieb⁹ teneat in ore oleum rosaq̄. cū vna gutta aceti. vel sine aceto: q2 resoluit ꝛ infrigidat aq̄ decoctiōis rad plātag̃ detēta in ore bñ valet alijs dieb⁹ ꝛ scarificare gingiuā stati tollit dolorē dentiū. Ab ex vꝫ oleū rosaq̄. cū portiōe aceti cū bombace ibidē infuso. vl' oleuꝫ rosꝭ. vbi sit. ꝫ. ß. opij tebaiq̄ dissoluti i dicto olō ꝛ ponat᷑ supra maxillā totū albū seu bōbax ibidē infusuꝫ talis maꝭia cal'a q̄ fluit per venas ad radiq̄ denꝭ cōiter nō ē cā corruptiōis: nec putrefactiōis nec ꝑforatiōis dentiū: sic est maꝭia frigida fluēs ꝑ viā catarri ꝑ porositates. al's hoc vult rasꝭ in suo. ix. ꝛ i diuisionib⁹ suis circa finē. Credo ꝙ cā sit q2 frequētatur mag̃ tal' fluxus ꝛ ꝓpt᷑ illaꝫ ptiam frequētatiōem maꝭie fluctis cōiter fit corrosio dētiū in ill'. ꝛ isti tales sunt satis flātici ꝛ in pte sanguinei: nā ꝓpt᷑ q̄d in sola mutatiōe tēporis ad hūiditatē patiūtur modicū dolorē plures magnates patiūtur istū casuꝫ. ¶ Et si q̄s dolorē de cā fria habuerit in dētib⁹ q̄d patescit ex signis cōtrarijs supradictis: ex dol'. cōpetēti nō vltimate malicie: q2 patiēs nō multuꝫ molestat᷑ ꝛ sine rubore gingiue ꝛ tūore ꝛ calore seu ardore cū multitudine saliue ad q̄d facit ꝯ° hūida vl' frigida teneat᷑ in ore de tiriaca vel metridate fricādo radiq̄ dēꝭ ꝛ gingiuā ꝛ extra supra maxillā sisꝭ apponas in pāno. fricet᷑ ēt dēs ꝛ gigiua cū mel-le ꝛ ꝫꝫᵉ. puluerisato donec calescat gingiua. vel masticet de bono cinamo°. vel teneat supra gingiuā vitellū oui calidū coctū in patella vsq̄ q̄ fuerit induratū: vl' totū infusuꝫ in aq̄ ardēti. vel fricet dētē ꝛ gingiuā cū allio. Vel teneat in ore de aceto tepido decoctiōis allioꝝ thurꝭ vel piret' vl' pipis vel mētastri potes plura de his simul bullire vel vna per se acetū decoctiōis coloquintide detētū in ore multū valet ꝫ est magne amaritudinis. Vꝫ oleū calidū detētū in ore decoctionis

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

radicis bismalue ⁊ camo. multū valet cera liq̄fa cta posita intꝰ ⁊ extra valet in vtraq꜠ cā. Similiter acetū decoctiōis mirabol' citrinoꝝ detētuꝫ in ore aut accipiat' cōdisi terat' ⁊ conficiat' cuꝫ vino ⁊ denti applicet' ē de vltiatis remediis. dic̄ Ras. Et si q̄s dolorē in dēte corroso vl' pforato ex modica cā fluxa cal'a vel fria q̄d vt pl'rm est habuerit. Ras vult q̄ cauterizet' igniat' ferruꝫ subtile ⁊ sepe intromittat' nō bene pōt fieri. Ras dicit: q̄ melior cura in dēte corroso seu putrefacto est dentē eradicare aliq̄n est magnꝰ cuꝫ magna radice nō sumꝰ ausi facere dubitātes de lesiōe maxillarū ⁊ dolore fortiori ꝓtūc ponat' infra denteꝫ modicū de pipe cōtrito: vl' de mirra: vl' de sale vl' de mastice vl' de nigella puluerisata ꝯfecta cum aceto vl' vna gutta terebētine. vl' olei amigdalarū dulciū ⁊ masticet de cinamoº electo ⁊ supra gingiuā ⁊ dentē applicet. Vitellū oui coctum in patella induratū cal'in ⁊ teneat supra. vel habeatur radix ꝫꝫ¹. coquat' in aceto teneat ⁊ masticet ⁊ si de eo puluerisato poneret' infra dentē ml'tū vꝫ. ¶ Et si q̄s dol'. in dēte pforato ex v̄me ibi generato in eiꝰ cōcauo habuerit q̄d patescit: q̄ꝛ dolor est aliqualis nō fortis ⁊ est cōtiᵉ cū q̄dā titillatiōe ⁊ prurigine ⁊ durauit interpolatiue multis diebꝰ: ⁊ est sine notabili saliua ⁊ sine rubore calore ⁊ ardore gigiue tūc signū est q̄ v̄mis ē ibi generatꝰ. Ponat' infra dentē de aloe in duabꝰ ptibus ⁊ i tertia pte de mirra subtilissime puluerisata ⁊ lb' fumiget' dens cū colōq̄ntida. Vl' teneat' in ore d̄ aceto tepido decoctōis colōq̄ntide rōne magne amaritudinis morie't'. Et si q̄s dētes suos a dolore ⁊ ab eoꝝ corrosiōe seu putredine ꝯseruare voluerit vitet mūdificatiōem eoꝝ cū aliq̄ instrumēto duro: nā tale gingiuas ⁊ dētes molestat ꝓpt̄ fluxū hūoꝝ: s̄ mūdificet dētes de residuo cibi cū ablutiōe vini limphati sine molestia ⁊ tepido fricet dentes semel aut bis ī septimana ⁊ gigiuas lenta fricatiōe cū modico mell'. vl' decoq̄tur mel in aq̄ ⁊ aceto ⁊ fricētur cū illo illa die ter vl' q̄ter in. xv. diebꝰ ml'tū p̄seruat dētes ⁊ gigiuas. Vitet cibos ⁊ potꝰ actu itēse caliditatis ⁊ frigiditatis vuā acerbā ⁊ alia acetosa. vitet frāgere nuces auellanas ossa: q̄ꝛ rad̄ dentes cōmouēt ⁊ fluxū hūoꝛuꝫ in eisdē ꝓuocant. ¶ Si quis pueros in cunabulis dentes sine dolore ꝓijcere voluerit. liniat' gingiue cū butiro cocto: vel cuꝫ cerebro leporis cocto vl' cū butiro ⁊ tertia parte mell' gingiue fricentur pluries in die. Ista tibi sufficiāt in casibꝰ predictis.

¶ Capl'm. 42ᵐ. de extractione dētiū putridoꝝ.

Medicamē q̄d i dēte corroso ponit': ipsius sedat dolorē: ac ip̄m cōfringit. Sumātur lebilkegi ⁊ pip: ⁊ trita ex alcatrino ꝯspergantur ⁊ impleat' ex eo. Medicamē q̄d dētes debiles ac dolētes q̄ sunt extrahēdi eradicat. Cortices radicū mori: ⁊ radicū capparis: ⁊ piretrū ⁊ lac titimali: atq꜠ lac ana bule ⁊ arsenicū rubeum ⁊ radix colloq̄ntide sumātur: ⁊ trita ex tāto aceto q̄d eis sufficiat ꝯspergātur. Acetū q꜠ per ebdomadā vnā semel in die vt p̄us addat' pꝰ hoc dētes in circuitu scapellētur ⁊ ex p̄dictis decies ī die epithimētur donec ad mouēdum sint faciles ⁊ sic extrahāt': aut fiat epithima ex fece aceti acutissimi p̄ multos dies ⁊ postea extrahātur: aut rane fluuiales in oleo coquāt' donec dissoluāt'. Cūq꜠ necesse fuerit dētiū radices scapellentur ⁊ ex oleo multotiēs inungāt' donec facile moueri possint: postea cum instrumēto extrahendi dentes euellantur.

Eextractiōe dentiū putridoꝝ.

¶ Nota q̄ dētes putridi vl' corrosi in pte vl' in toto cōit' extrahūtur. aliq̄n nō: nā aer frigidꝰ subintrās ꝯcauitateꝫ l' matia reumaᶜᵃ alterās soluēs ꝯtiᵐⁱ in gigiua causat fortē dol'. ꝓpt̄ magnā sensibilitatē dētiū in cētro eoꝝ rōne neruoꝝ subtiliū subintrātiū vt ē dictū supiꝰ. ¶ Alteriꝰ nota q̄ in subtractiōe dētiū ē piculū causa duplici. vno mō ratione sensibilitatis ⁊ doloris potissime in delicatis interdū inflant' maxille, istud ē toll'abile. Alioº cadit pe-

riculū q: in qbusdā est arteria situata in rad dēt
⁊ san. bñ r̄stringi nō pōt, ppt̄ qd si in tali dolore
patiēs sentit pcussionē in radic dēt. n apostema
ta dimittas: q: hoc ē rōne sanguis artial. verū
dolor pulsatiu⁹ pōt eē in apate qñ maria est ve
nalis vt dic ga. cōtra archigenē. 2°. d intio. ppt̄
qd si sit dolor pulsatiu⁹ in tali dēte inuestiga si sit
ibi apostema vł nō: si sit adhuc habes dubitare
de arteria verū qñ artia est ibi fort pulsa°. ⁊ illd
inuestigam⁹. Un⁹ doctor in legib⁹ fuit mortu⁹ i
mōte pessu. fuit tant⁹ flux⁹ san. rōne artie aperte
qd nō potuit restrigi. Felix quā faciūt aliena pe
ricula cautū. g extract° dēt cōittit cirurgico b ē
ex officio. verū qdē dicūt q cera malapata cū la
cte titimali sup emplata eradicat dentē. Idē fac
succ⁹ laureole apposit⁹ denti intus ⁊ extra si per
horā apponat eradicat dētē.

¶ Capl'm. 43m. de dētiū cōgelatiōe ⁊ stupore ⁊ mollicie eorum.

p Portulaca ⁊ amigdale amare masticetur aut his similia aut fiat fricatio cū sale ⁊ masticetur cera

De congelatione dentiū. ¶ Nota q cōgelatio seu stupor seu sopor dentiū ⁊ gingiuarū cātur a re multū frigida diuti⁹ applicata ⁊ a rebus ponticis stipticis ⁊ acetosis exterius applicatis necnō intrisec⁹ cū stringentibus fila neruorum tendentiū ad gingiuas. ideo q: opilatur opilatione coartatoria cessat tñ transitus spūum motiuor ⁊ sensitiuor ad illas: necnō talia soluūt cōtinuū stiptica ⁊ pōtica constrigendo acetosa penetrādo vt videm⁹ in prunis in maturis ⁊ silib⁹ ⁊ in aceto ⁊ in flāte acetoso veniēti p vias catarri q talia cānt stuporē in dētib⁹ ⁊ gingiuis: necnō videmus in potu aque multū frigide: vel in ablutione oris longeua cum illa ppter qd calīa ⁊ glutinantia curāt: ⁊ si in vna re cōcurrāt illa duo melius curat stupor talis in se est accñs morbi descript. e. tñ ē morb⁹ officialis puta opila° ad quā seqt ianitio spirituū sensitiuor. ⁊ aliquando morb⁹ cōmunis cū hoc ⁊ est passio illor neruor dictorū ⁊ ē p colligātiā ⁊ est nocumētū regitiue aiate ⁊ ē passio descriptiue loquēdo ipi⁹ motiue ⁊ masticatiue dentium. Et patet.

Istis clarificatis Cura tibi patet: cit q calida masticata curant ⁊ conglutinatiua. Verū aliqua sunt glutinatiua tñ vt portulaca que valet. aliqua sunt calīa tñ que valent vt sal masticatū. aliqua sunt calīa ⁊ conglutinatiua vt succ. masticata cera nuces torrefacte masticate pāis ca. masticat⁹. Et sic t̄miet cura stupor dētiū

¶ Capl'm. 44m. de dentibus qui dolent cum a re frigida tangūtur.

o Oleū calefactū in panno desup est ponēdū: aut vitellus oui assatus calid⁹ multotiēs masticet: aut calidum panē multotiēs mordeat: aut fiat fricatio ex balsamo: aut ex oleo de lilio siluestri.

De dētibus qui dolēt ex tactu rei frigide vt ex vento frigido et aqua frigida vel vino frigido in hyeme ⁊ ex masticatione fructuum in hyeme frigor ⁊ ex tactu alicui⁹ gladij multū violentat ipos dētes. Et quia talia infrigidātia cānt dolorem ⁊ talia cōstringūt gingiuā modo statim dicto in ca° precedenti. Ideo ad talem dolorem cōmunit sequitur aliqualis stupor dentium: ideo stupor concomitatur. si causa talis doloris fortis fuerit istd capl'm differt a precedenti quia hic intelligit de causa communi tali frigida causante dolorē pncipaliter concomitatiue stupente ipsos notum ē q descriptiue loquendo dolor dentium est passio dentis ⁊ gingiue ⁊ est per colligantiam: ⁊ est morbus consimilis primo ⁊ pncipaliter cōcomitatiue officialis: quia opilatio dicta illor neruor Et est nocumētum p morbo descripto regitiue animate puta discretiue male se regētis: ⁊ ē passio motiue puta masticatiue cibi ⁊ loquendi pro ipso dolore est passio sensus cōis: ⁊ sic patet de passionibus dentium.

Cura talis dol. a causa frigida exterius applicata tibi patescit. Applicētur panni calidi: aut vitella ouor assata calida dura: masticentur: aut panis calidus masticetur: ⁊ sic terminet cura talis dol. a causa fria exti⁹ applicata

¶ Capl'm. 45m. de vlceribus oris ⁊ pustulis ei⁹.

s Si pustule fuerit rubee sumāt antere amili spodij lentiū excorticata

rū ſemis poꝛtulace coꝛiādri ſicci ſe minis ſene de mecha oīm ana ꝑtes equales cāphoꝛe parū. Ex hiſ puluerisatis fiat fricatio cū aceto mixta ⁊ oleo roſeo ⁊ aqua rosata in oꝛe teneātur ⁊ ſanguis minutio cū vētosiſ fiat. albe vbi ſi fuerit puſtule cū ſale ⁊ melle fricētur ⁊ ſiruꝰ acetosꝰ in oꝛe teneatur aut almuri

E vlceribus oꝛis

⁊ puſtulis eius. ¶ Nota ꝙ vlcera ⁊ puſtule in oꝛe q̄to magis ſe ꝓfūdāt ad interiꝰ tanto ſunt deterioꝛa. Et ſi tales puſtule ꝟgāt ad nigredinē ſunt deterioꝛes: qꝛ ſignant maioꝛē putrefactiōem ⁊ matie aduſtionē. ¶ Ulterius nota ꝙ vlcera ⁊ puſtule in oꝛe ſemꝑ fiunt ꝑ colligātiaꝫ ſto vel cerebꝛi. ſto qn̄ fumi coꝛrupti cali a ſto° ſuꝑius eleuātur vt in ſumētibꝰ lac ⁊ cibos fumoſos coꝛruptibiles de facili. vel fiūt ꝑ cōlligātiā cerebꝛi puta ꝑ viā reumatiſmi qꝺ ē vt plꝛ̄im ꝓpter qꝺ artificiale ē ſtatim mūdificare ſtomachū vt dicētur ſtati de matia flātica colerica vel ſalſa. ¶ Notū eſt ꝙ vlcera ⁊ puſtule ſunt paſſiōes earū partiū in q̄bus fiūt ⁊ ſunt ꝑ colligantiā ſto ꝉ cerebꝛi vt dictū eſt: ⁊ ſunt paſſiōes communes puta ſolutio ꝯti. vel mala figura ſic ſunt officiales qꝛ cū deperditiōe ſubē ⁊ eſt nocumētū regitiue naturalis mēbꝛi mādātis ⁊ recipientis: ⁊ eſt pa° motiue gule motiue maſticandi: ⁊ loquēdi: qꝛ cauſat paſſionē in actiōe illa q̄ depēdet a ꝟtute motiua: ꝓpter qꝺ eſt paſſio motia illarū partiū ⁊ patet.

Iſtis clarificatis. Cura vlceꝝ oꝛis tibi pateſcit mūdificetꝛ ſtomachꝰ cū caſſiafiſ ⁊ ſene ⁊ epithio cū polipoꝺ q̄r. abluatur os cum decoctiōe folioꝝ oliue balauſtiarū ⁊ plantag̃ vbi ſit modicū mellꝛ roſaꝝ mediū coclear. ⁊ medium coclear vini al. in. ℥. iiꝫ. ſucci. ablu° cū vino albo: ⁊ modico mellꝛ roſate valet ꝙ fiat ante alias ablutiones ad p̄us mūdificandū illa vlcera abſtergēdo ſoꝛditie illam. ⁊c̄.

¶ Caplin. 46m. de fluoꝛe ſanguis a gingiuis.

Um ex gigiuis ſanguis ſubtilis aſſidue manauerit ⁊ vtriuſq; arſenici ſcꝫ rubei ⁊ citrini calcis gallarū aluis oīm ꝑtes ſumāꝛ eq̄les ex q̄bꝰ pulueriſatis ⁊ cuꝫ aceto mixtis parui foꝛmētur trociſci. Cūq; neceſſe fuerit ex eis pulueriſatis ſumaꝛ q̄ntū ē ſexta ps. ℥. vniꝰ ⁊ fricētur gingiue ex eo optie ⁊ ꝑmaneat ſic parū. Deīde teneat oleū roſeū ī oꝛe. Eſt em̄ hoc mirabile ad hāc egritudinē curandā ⁊ putredinem et herpetē eſtiomenū q̄ ē in oꝛe

E fluoꝛe ſāguis a gigiuis.

¶ Nō ꝙ gingiua p̄a frōte ē caro ſimplr. vidice āt eſt caro lacertoſa rara ⁊ tenuis cito paſſibilꝛ rōne ꝯtexture rare ⁊ laxe ꝓpꝛ qꝺ cito patiꝛ a cā hūoꝛali catariſante ⁊ mollificāte putrefaciēte ipaꝫ ꝓpꝛ quā mollicīē ⁊ relaxatiōeꝫ de facili fluit ſāguis ab eis cā extriſeca ⁊ itriſeca ſuꝑueniēte modica. ſi exceſſiua nō fuerit vt videmꝰ de facto: ¶ Ultiꝰ nō: ꝙ ſan. fluit a gigiuis ⁊ a q̄libet alio mēb°: qꝛ vene aꝑiūꝛ. 3°. de moꝛ°. c. penltio. ⁊. 6. de moꝛ°. c. 5. Et lꝫ vene aꝑiāꝛ q̄ttuoꝛ de cauſ cōiter vt pōit ga. ibidē. et ē dictū. c. ꝺ fluxu ſan. narium vene āt gigiuaꝝ aꝑiūꝛ a cā ia potime a mollicie teneritate ⁊ relaxatiōe eaꝝ rōne matie reumace a cereb° vꝛ rōne fūoſitaꝝ ſtomachalꝛ eleuare qꝺ pꝫ in q̄buſdā colꝛ̄iq gulosꝭ nā qꝛ ſūt laxe ⁊ molles a cā facili puta a ſanguie parū mutato i q̄to ꝉi q̄li: qꝛ parū acuto ꝺ facili capita illaꝝ venarū cito ⁊ ꝺ facili aꝑiūꝛ. vt dic̄ gaꝰ. ꝺ venis mꝛ̄iq. 6°. ꝺ moꝛ°. nā ex iſto capite mlꝛe mlꝛieres hn̄t fluxum mē. ioꝛdiatū: dato ꝙ i eis exceſſuꝫ magnū nō faciāt i q̄to vꝛ i q̄li vt diceꝛ ifra ſuo loco ꝓpꝛ qꝺ intētio cōcuratia p̄ncipalioꝛ ē gigiuā firmare ſolidare ⁊ indurare cū certꝭ ablutiōibꝰ de rebus ſtipticꝭ vt ipſe gingiue ⁊ earū vene bene ſolidentur iduretꝛ exſiccetꝛ vt ſtati diceꝛ ꝓhibēdo fluxū ſiltmae ad eas. ¶ Ultiꝰ nō ꝙ i talibꝰ gigiuis laxis ⁊ hūidis ⁊ ſāguiolētꝭ vēit i q̄buſdā excreſcēa carnis ⁊ diminutio ⁊ coꝛroſio in quibuſdam de illis gingiuis ⁊ fetoꝛ anhelitus. ⁊ per ꝯn̄s dicendum ꝙ talis fluxus ſanguinis pꝛo moꝛbo deſcripto eſt paſſio p̄ncipaliter oꝛificij venarū gigiuarū ⁊ ē per colligantiam vēit materia reumatica ſalſa ⁊ hūida actu a capite vel fumoſa calida a

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

ſto°.vel ab vtroqȝ puta in guloſis i colericꝗ ſan.ra
ris ⁊ eſt paſſio officialr̄ puta in via dilatanť ca-
pita illarũ venarũ ⁊ laxanť ⁊ nõ bñ ſtringuntur
vt debent reſtringi cõcomitãdo ſecũ malã cõplx̄o
nem calidã humidã relaxantẽ dictã gingiuã et
venas ⁊ eſt nocumẽtũ virtutꝫ regitie naturalr̄ mẽ
bri mandãtꝫ ⁊ recipientꝫ vt pluries eſt dcm̃ ſupi⁹
⁊ eſt paſſio dentiũ ſeu nocumẽtũ actie eoꝝ. nam
dentes citrinanť ⁊ corrũpũt ⁊ tremẽt ⁊ citi⁹ ca-
dũt. Et nota ad iſtas paſſiões ſequunť alie: ma-
la figura. q: ſupuenit cõiter excreſcẽtia carnis vł
ei⁹ corroſio ⁊ putrefactio ⁊ ſequiť qualitas mu-
tata apphẽſa p ſenſũ odorat⁹. q: fetor anhelitus
rõne putrefactõis earũ. Iſta declarabunť in ca°
ſequenti vbi ponem⁹ curã hoꝝ.

Iſtis clarificatis

cura mol licieí ⁊ fluxus ſan. a gingiuis tibi pateſcit. ¶ Aduerte tñ
ꝙ in pͥmis etatib⁹ curenť tłis mollicies ⁊ flux⁹ ſã
guinis a gingiuis. alit̃ gingiue venirẽt in excre-
ſcentiã ⁊ corroſionẽ ⁊ malã figurã. ⁊ p ↄñs in fe
torẽ oris ⁊ anhelit⁹. nam iſta neceſſario ↄſequũ
tur niſi tłia in pͥmis etatib⁹ curenť. In pͥmis la-
uet os ſuũ ſemp poſt cibũ cũ aqua fr̃a vbi ſit mo
dica portio aceti in eſtate ⁊ tepida i hyeme: vt ni-
hil remaneat de cibo inť dentes fricãdo aliq̃liter
gingiuas ⁊ nõ dẽtes vt gingiue indurenť ⁊ ſoli
denť. In pͥmis ſtõmenť vene q̃ ſunt infra labia:
ablutio oris cum ſucco plantagis: ⁊ detẽtio eius
in ore eſt remediũ efficax in reſtringẽdo fluxũ ſã.
a gingiuis. Ablutio oris cum aceto idem facit: ſꝫ
caue ne ibi ſit corroſio ⁊ ablutio oris cũ aceto et
aqua decoctõis aluis idẽ facit. Alumẽ ſciſſũ pul
uerizatũ ſubtiliſſi^e appoſitũ ſupra gingiuã idem
facit. ⁊ termineť cura mollicieí ⁊ fluxus ſan. a gi
giuis ſi ſine corruptõe talia fuerint. ⁊c̃.

¶ Ca^m de fetore oris ⁊ anhelitus.

b **E fetore** oris ⁊ anhelit⁹. No-
ta ꝙ fetor oris ⁊ an-
helitus fit q̇nqȝ de cãis. Aliquãdo fit a
materia ſordida diu retẽta in ꝓra in co
latorio naſi que interdũ corrũpiť vel aufert ſẽſuꝫ
odorat⁹. Iſtud nocumentũ ↄtingit in habẽtibus
illos meat⁹ ſtrictos vt ſunt illi aq̇lini cũ naſo g̃-
cili. Interdũ fit a gingiuis tumefactꝫ replentꝫ ma-
lo ſanguie effumãte malos vapores corrũpẽtes
anhelitũ. vel a gingiuis tumefactꝫ ⁊ aliq̃liť corro
ſis. tłia non indiget alia inq̇ſitõe ad ſenſũ videť
Interdum fit a dente putrido ⁊ corrupto vt con-
tingit plurib⁹ i pͣ ſenectute. ⁊ q̇buſdã licꝫ pauꝗ
in pͥmis etatib⁹. Interdũ fit ab humorib⁹ corru-
ptis in ſpiritualibus potiſſime in pulmone. Inť
dum fit ab humorib⁹ corruptꝫ in ſtomacho qñ fit
in febribus ſtãticis ↄtinuis vel quotidianis ẽ ſi-
gnũ mortale q: vt pl̃imũ moriunť. arguiť etiam
magna putrefactio humoꝝ in ſto°. notũ eſt ꝙ fe-
tor oris ⁊ anhelitus ꝓ morbo deſcripto eſt paſ-
ſio alicui⁹ de illis pticulis dictꝫ. ⁊ eſt paſſio p col-
ligantiam. venit ibi humor q̇ venire nõ debꝫ ſm
naturã. puta expulſio ⁊ mũdificatio illius ſordi-
di a virtute expulſiua vt quando maťia ſupflua
ſordida naturalr̄ venit ad colatoriũ naſi ⁊ nõ ex-
pelliť vt dꝫ. ibi nõ venit q̃d venire debet ſm natu
ram. Et ꝓ morbo deſcripto eſt morbus in recep-
taculo: receptacłа illa replenť vltra debitũ. põt eẽ
morb⁹ in via q: opilatio qñ os colatorij naſi clau
diť ⁊ nõ mũdificať ꝓpť malã ſiccã cõcomitantẽ
vel ſtricturã viarũ cõiter ipſius colatorij. fetor ta
lis in ſe eſt accñs morbi q: q̃litas mutata apphẽ
ſa p ſenſũ odoratus ꝓ morbo deſcripto eſt nocu
mentũ regitie naturalr̄ pͥncipalr̄ illi⁹ vel illius pti
cule recipientꝫ. nam ſi expulſiua mẽbri talis ſit re
cipientꝫ non erraſſent. nam g̃naretť in pticula illa
morbus dictus ꝓ illo fetore eſt nocumẽtũ virtutꝫ
expulſiue illi⁹ pticule ſi expulſiua dcẽ pticule pa
tientꝫ illum morbũ bene expelleret ſupfluũ vt na
turalit̃ debet non ſequereť talis fetor in pticula
nec in partib⁹ vicinis ꝓ morbo deſcripto eſt pa°
pͥncipalr̄ ſeu inferẽs paſſionẽ ⁊ nocumentũ in p
tibus anhelitus ⁊ odoratus ipſius patientꝫ ⁊ aſ-
ſiſtentiũ in ſenſu odorat⁹ q: corrũpũt ipſũ in pa-
tiẽte ⁊ in aſſiſtẽtibus vt notũ eſt. ¶ Et ſi q̇s feto
rem oris ⁊ anhelitus habuerit ex maťia ſordida
fetida diu retenta in colatorio naſi. q̃d cognoſci
tur quia a lõge mag̃ ſentiť ⁊ ore clauſo fortiť ſen
titur q̃d nõ erit in alijs cauſis. Purgeť tłis cum
yerapigra vł cum pił. cochijs vel aureis p̃cedẽ
te oximelle p quattuor vel q̇nqȝ dies. quo facto
gargarizet bis vel ter de mane ⁊ ante cenam de
moſtarda dulci: diſtempeť cum aq̃ cicerũ rub. et
ſit totũ tepidũ. Vel fiat ſic. ℞. ſe. ſinapis. ʒ. ij. ſe.
ſtaphiſag^e. ʒ. ß. conq̃ſſenť ⁊ puluerizenť ⁊ diſtẽ-
perenť cum ſyrupo acetoſo quod ſufficit. fiat gar
gariſma ad modũ aque cicerũ rub. Loco huius
maſticet de maſtice cum pipere ꝺ mane per pau
ſam. quo facto prouocet ſtatim ſternutatiõnẽ. o-
dore de rad. yreos bñ pluerizaª. faciat vnũ pomũ
in panno rariſſimo. ⁊ ſi vis adde modicũ de pul
uere mentaſtri quod portet in manu de mane et
ante cenam. Vel ſi vis fortius ꝓuocare inſuffla
in nares vel odora de puluere condiíi vel ellebo-
ri albi. poſt iſtas ſternutatões impone infra na-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

res cum pluma de oleo viol̄. vel distilla de eo īfra
nares: q̄ꝛ partes illas exiccatas mirabilr̄ confor-
tat ⁊ contempat. ideo sine sternutatōibus potes
eo vti in q̄busdam colericꝭ. Uel fac istud remedi-
um quod mirabilr̄ ⁊ potētissime valet in deopi-
lando os colatorij. ℞. se. nigelle. ʒ. ij. puluerizent̄
subtilissime: distempet̄ cum oleo veteri qd̄ suffic.
patiens impleat os suū de aqua. declinet caput
suum retro ⁊ distilla de hoc in eius nares. patiēs
attrahat anhelitum. ꝙ talis liquor ascendet ma-
gis. Fac hoc semel vl̄ bis in die potissime de ma-
ne. Ras vult ꝙ instillet̄ infra succ⁹ mētastri vel
succus hedere clarificati per residentiā. Aliq̄ vo-
lunt fortius facere ⁊ cōtemperant nigellam per
vnam diē in aceto postea dissoluūt cum dcō olō
⁊ instillant infra nares dcō modo. Aliqui distil-
lant infra nares mediā testam nuc̄ vini albi deco-
ctiōis hedere vel absinthij bis vel ter in die. Ui-
di bonum effectū de vino absinthij. q̄a materias
malas colericas educit. Et si sit ex vlceribus vel
ex opilatōne ex polipo. vl̄ alia excrescētia carnis
superi⁹ dedimus curā. ad hoc sufficiant. ¶ Et si
q̄s fetorem oris ⁊ anhelit⁹ habuerit ex dente pu-
trido extrahatur ⁊ eradicet̄. vel interim impone i
cōcauitate illa putrida ⁊ corrosa dentis granum
piperis parū cōtriti vel modicum de myrrha vel
vnū granū masticis: vel vnam guttā mellis cocti
cum alumine ⁊ sit gutta tepida. laudat̄ hoc a ra-
si in suo ꝯtinēte. ¶ Et si q̄s fetorem oris ⁊ anhe-
litus habuerit ex gingiuis putrefactis multū re-
pletis sanguie flātico fetido effumāte fumo hor-
ribili ꝑut cōtingit q̄busdā flegmaticꝭ per viam ca-
tarri. silr̄ tales vitent somnū festinū post cibū
⁊ euitent dormire in loco ventoso potissime fene-
stris aptis ⁊ euitent voracem comestionē: masti-
cent bene cibum: ⁊ euitent potagia actu calida:
carnes salsas: ⁊ caseū siccum: ⁊ semp abluāt os
suum sumpto cibo vt dcm̄ ē in cura molliciei gin-
giuarum ⁊ fluxus san. ab eisdem. Conseq̄nt̄ pur-
gentur flegmatici cum. ʒ. iij. yerapigre ga. addito
϶. ß. coloq̄ntide ⁊ grana. iij. bdellij in pill̄. illis vl̄
cum. ʒ. ij. ⁊. ß. pill̄ aur̄ cochiarū. ¶ Purgent̄ cole-
rici cum cassiafi. simplici dcā in ꝑmis caplis ⁊ in
caplo de catarro. flōmet̄ de cephalica modicum
vel de venis sub lingua. ꝯr̄ de venis que sunt i-
fra labia. ꝯnter scarificētur gingiue. ⁊ postea de
consilio ras fricentur cum vitriolo: postea lauen-
tur cum aceto. Loco huius. ℞. aluminis mellis
añ. ʒ. i. decoquant̄ in aqua ⁊ aceto quod sufficit.
lauentur ⁊ fricentur mane ⁊ sero. vel frica gingi-
uas putridas lenta fricatōne cum isto puluere.
aluminis ꝯtisi. ʒ. ß. myrre. ʒ. ij. cornu cerui vsti. ʒ. i
misceātur fiat puluis subtilis quo fricent̄ gingi-
ue. si vis adde modicum mellis ad incorporādū
bonum est ⁊ gingiue abstergant̄. Et si gingiue
sunt multum corrose ⁊ dentes discalciati sperge-
tur desuper de isto puluere ad regenerandū car-
nem ⁊ ad mortificandū corrosionē illam. ℞. co-
ralli rubei. ʒ. i. aluminis cisi. ʒ. ß. thuris cum corti-
ce. ʒ. ß. radicis yreos pulnerizati. ʒ. ß. aristologie
rotunde. ϶. i. fiat puluis subtilis que spergatur su-
pra gingiuā vel loco eius frica gingiuas cū hoc.
℞. thuris cum cortice sua. aristologie rotunde.
sanguinis draconis. yreos. farine orobi. añ. ʒ. i.
ista subtilissime pulnerizent̄ ⁊ distemperent̄ in
aceto squillitico ⁊ melle quod sufficit. liniātur gi-
giue mane ⁊ sero dulciter si vis. precedat aliquā-
do ablutio statim dcā aque ⁊ aceti decoctōis alu-
minis mellis in hyeme saltim sit tepidū. ¶ Et si
quis fetorem oris ⁊ anhelitus habuerit ex hūo-
ribus putridis in pectoralibus. quod patescit q̄r
vniformiter apparet post cibū sicut ante cibum
tales curari non possunt vtantur dyarrijs salōis
⁊ teneant in ore de radice yris vel conserua. vel
vnam de istis pill̄. ad palliandū. ℞. macis. ligni
aloes. añ. ʒ. i. nuci. ʒ. ß. carnū yris. ʒ. ß. amidi. ʒ. ß.
misceant̄ statim pill̄. quarū vna teneatur in ore
ad palliandum fetorē assistendo personis hone-
stis. Credo ꝙ si sunt venosi ꝙ competeret flobo-
thomia de mediana vel de basilica. ⁊ vsus aceti
in salsamentis. ¶ Et si quis fetorē oris ⁊ anhe-
litus habuerit ex corruptōne humorū in stoma-
cho eorum. quod cognoscitur quia ante cibū ma-
ior est. ⁊ sumpto cibo talis fetor notabiliter mino-
ratur alijs querel̄. ꝯuictis abeuntibus sumat de
syrupo acetoso composito cum aqua cicerū rub.
si videtur tibi misceas vnā partem syrupi de ab-
sinthio postea da sibi. ʒ. ß. yerapigre ga. addito: ϶.
ß. pulpe coloq̄ntide. grana. iij. bdellij. dissoluant̄
cum aqua cicerū rubeorū. fiat potus. hoc fiat de
tribus in tribus septimanis vsq̄ quo fuerit cura-
tus. vitet pisces ⁊ offas remollitas. Ista tibi suf-
ficiant.

¶ Ca^m. 47^m. de casu vuule.

c Um eger senserit ali-
quid radici lingue sue i-
sistere aut gutturi: ⁊ cū
iubetur aperire os ⁊ ex-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

trahere linguam vuula eius iã eẽ
fluxa ꝛ elõgata ramech ꝛ sal armo
niacus sumantur ꝛ bene pulueri-
zata cum instrumento insufflan-
di super vuulam insufflẽť ꝛ ex eis
in sũmitate predicti instrumenti
aliquid ponatur: ꝛ radici vuule cũ
eo dirigatur: ꝛ ipsa cum instrumẽ
to parum exterius extrahať. Aut
granatum acetosũ cum pulpa sua
teratur ꝛ fiat ex eo gargarismus.
Qđ si diu permanserit taliter et
elongata fuerit: eiusqꝫ pars supe-
rior subtiliata ꝛ caput eius rotun
dum fuerit tunc radicitus erit in-
cidenda Cauendũ tamẽ est ne an
teq̃ ita vt diximus sit disposita in
cidatur. Ex hoc enim sequitur qñ
qꝫ sanguinis fluxus qui constrin-
gi non potest.

d
E casu vuule

i. de relaxa
tõe ꝛ palisi
ipsi⁹. ꝑpter quod cadit quodãmõ sup
epiglotũ ꝛ meri ĩpediẽs loquelã ꝛ trãs
glutionẽ cibi. naꝫ vuula ẽ pellicula parũ carno
sa seu rotũda seu oblõga situata in palato supra
caput cannule pulmonis ꝛ supra meri seu ysofa-
go similis parue vngule seu granovue maioris.
¶ Nota ꝙ vuula habꝫ actionẽ ꝛ iuuamẽtũ vnũ
ꝑncipale vt diċ ga. 4°. de morbo. ca°. 8°. iuuamẽ
tum habet seu facit ipsi pulmoni qꝛ ꝑseruat ipm
a materia reumatica ne distillet supra ipsum et
ne ledat ꝛ percutiat ꝛ transglutiendo cibum ca
dat supra ysophagum seu caput canne pulmo-
nis ne aliquid de cibo subintret in cãnã pulmo-
nis. ꝛ habet actionem q̇a ex intento nature lo-
quendo ꝛ vociferãdo claudit scđm plus ꝛ min⁹
ipsum epiglotũ seu caput canne pulmonis. ꝛ se
habet sicut digitus in foramine fistule. nam vo-
luntarie cum ea ꝛ lacertis epigloti facimus vo-
cem acutam ꝛ grossam scđm plus ꝛ minus ad
placitum vna cum palato. dentibus. naribus. la-
bijs. quia iste sunt partes coadiuuantes in voce
ꝛ in loquela. Lingua est pars ꝑncipalis. quarto
de interioribus. caplo de nocumẽto vocis. ꝑpter
quod dicit Gal. ꝑmo de morbo caplo. viij°. ꝙ si
membrũ aliquod habens actionẽ ꝛ iuuamentũ
vt vuula abscindatur. erit morb⁹ in numero dimi
nuto ꝑ eo ꝙ habet actionẽ. ꝛ erit causa morbi ꝑ
eo ꝙ habet iuuamẽtum. nam erit causa infrigi-
datõnis pulmõis ꝛ ipsius lesiõis est passus ma-
le intellectus a plurib⁹. ¶ Tu argues cõtra hoc
fortiter pars coadiuuãs in actõne organi nõ ha
bet actionẽ sed iuuamẽtum. patet ꝑmo de mor-
bo caplo. viij°. dicit ꝙ in vnoquoqꝫ organico est
dare vnam partẽ principalẽ actõnis. cetere autẽ
sunt sibi in adiutoriũ. propter quod morbus offi
cialis non potest ꝑmo inesse alicui parti. q̇a actio
totius ꝑmo ꝛ ꝑncipaliter lediť. necessario primo
inest toti. hoc declarat Gal. ꝑmo de morbo in ca
pitlo vltimo. sed vuula est pars coadiuuãs in a-
ctione que est loquela ꝛ cant⁹ vt statim est dcm̃.
ergo non potest habere actionẽ sed iuuamentũ.
ꝑpter quod non poterit sibi ꝑmo inesse morbus
si abscindať vel paraliticeť. cuius oppositũ sta-
tim est dcm̃. obiectio: fortis est. ¶ Dicendũ ꝙ re-
fert dicere ꝙ pars in organico habeat iuuamẽtũ
in actiõe organici. ꝛ refert dicere ꝙ aliquod mẽ-
brum faciat ad aliquã actionẽ cum qua concur-
runt plura mẽbra habẽtia actionẽ in se q̃ facit ad
actionẽ vnã cõmunẽ fiċ ꝛ actio alioꝝ membrorũ
nam vuula habet actionẽ dcãm in se. puta clausi
onẽ talẽ vel talẽ ipsius epigloti cantando ꝛ vo-
ciferando vt dcm̃ est. Ex qua actõne sequiť iuua
mentũ in actõne dicta. s. in voce ꝛ loquela. ꝑpter
qđ quia abscisio eius vel ei⁹ palisis q̇ est morb⁹
in situ est causa imediata nocumẽti talis actiõis
puta tlis clausiõis vel tlis ipius epigloti seu ca-
pitis canne ipius pulmõis erit morb⁹ in nume-
ro si abscindať vel est morbus in situ si paraliti-
cetur qꝛ claudet ꝛ situabiť modo indebito. ꝛ tlis
morbus erit causa morbi in pulmone vt dcm̃ est.
¶ Nota ꝙ relaxatio vuule ẽ passio ipius ꝛ inest
sibi ꝑ colligantiã. venit quod venire nõ debꝫ fm
naturã. puta illa humiditas reumatica relaxans
est passio officialis in genere. in specie est passio
in situ. qꝛ paraliticata extenditur indebite super
parte vicina potest etiam apostemari tũc erit tri
plex gen⁹ morbi põt abscidi tunc erit morbus in
numero rõne sue actõnis: sed erit cã morbi rõne
alteratiõis pulmõis a ma^a^ supueniẽte ad ipm ꝛ

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

est nocumētū regitiue natural' membri mādant ⁊ recipient. ⁊ est passio seu nocumētum actie loquele ⁊ vociferatōis ⁊ trāsglutitōis.

Tu dices q̇bus mag accidit. Dicēdū q̄ pueris lactātibus ꝓpter quod non sugūt lac ab vbere. Sil'r accidit q̇busdam flegmatic ⁊ sanguineis.

Istis clarificatis Cura casus vuule tibi patescit. Pri⁹ aūt q̄ in cura ꝓcedas scire oz an t'lis vuula sit ingrossata ⁊ apāta vel sit relaxata ⁊ paliticata: ⁊ sit cum vehemētia caliditatis rubor: ⁊ signis attestātib⁹ sup dn̄io san. an sit sine caliditatͤ ⁊ rubore excedēti. ⁊ si sit decliuis ad albedinē cum alijs signis attestātibus sup dn̄io flātis ⁊ aquositat cum tumore quod est vt plurimū q: in hoc cura diuersificat'. Isti om̄es vix aliq̇d trāsglutiūt ⁊ cum difficultate loquunt' ⁊ anhelant. ¶ Si q̇s ergo vuulā relaxatam ⁊ longā cadentē sup epiglotū ⁊ esophagū modo indebito habuerit: vel ingrossatā tumefactā ⁊ apātam cum vehemētia caliditatis ⁊ eius rub. ⁊ alijs signis attestātibus sup dn̄io san. flōmet' statim de cephalica in cōpetēti q̄titate ⁊ gargarizet acetū cum aqua rof. sil' mixt ⁊ pone supra vuulam de puluere isto cum coclcari vel spatula modica cōprimēdo vuulam leui compssiōe releuando ipam aliq̄lit. ℞. ro. ⁊ se. eius. an̄. ʒ. ß. sandal'. coral'. rub an̄. ʒ. ß. balaustie. ʒ. i. camphore. ℈. ß. fiat puluis subtil'. apponat' vt dcm̄ est. Aliq̇ faciūt gargarisma de dyamaron distēpato cum aqua rof. de stipitibus decoctōis sumat cum modica portiōe aceti. Et si ista tibi nō sufficiāt ⁊ vides attestantia sup dn̄io san. ventoset' in initio spatularū scarificando vel fiat flōmia de venis sub lingua in processu suffumiget' cum ramul' aneti q: talis ꝯstringit vuulā. Aliq̇ i ꝓcessu faciūt istud gargarisma conterat' malū granatū cum toto ⁊ succus colligatur addita 6ª. ꝑte mellis miscent'. accipiatur portio modica. addit' modica aqua. fiat gargarisma. Et si a casu vuula apāta apāte cal'o ꝓpt' gargarismata stiptica eēt nimis indurata inungat' in occipitio ⁊ in partib⁹ vicinis cum muscilaginibus draga'. ⁊ gūmi arabici addito modicum olei amigd. dulciū ⁊ cum pluma ꝑtes ille ab intus illiniant' dulcit' ⁊ frequent'. Aliq̇ tendūt ad iscidendū. Ypo. aūt in ꝓnosticis dicit q̄ timendū est vuulā tumidā incēdere ꝓpt' fluxū san. in'duz non pōt restringi. Et si apa fuerit maturū sequitur magn⁹ dolor. sil'r iuuamēta q̄ facit perdunt'. Et si q̇s casuz vuule habuerit sine rub. ⁊ caliditate. imo declinet ad albedinē cōit' sine tumore sumat clistere cum satis de yerapigra gargarizet de isto. ℞. se. sinap. ʒ. i. oximellis. diuretici quod sufficit ad distēperādū capiat vnū coclear tepidum gargarizet. Consequent' gargarizet de aq̄ decoctōis myrrhe. thuris gallarū conq̇ssatarum an̄. ʒ. ij. fiat decoctio in aqua quod sufficit. aliqui addūt aluis. ʒ. ß. vl' de puluere hor bn̄ subtili cuz cocleari appōat' supra vuulā ipsā eleuādo aliq̄l'r in situ suo. vn̄ a cā t'li hūida f'a aq̇sa cōi nō apat' ß elōgat'. Rasi vult q̄ sistēte t'li cā in radice subtiliet' ⁊ bn̄ nō curet' q̄ incidat'. q: in cāu isto nō ē dubiū de fluxu san. ⁊ fcā inscisiōe q̄ gargarizet de aceto ⁊ aq̄ rof. vl' de aq̄ decoctōis rof. tepidar. Et si ifantes cāz vuule ⁊ relaxationē a maª aq̇sa qd̄ fit vt p'limū hūerit qd̄ tibi patescit q: nō pn̄t sine difficultate lac trāsglutire. Rasi vult i suo cōtiͤ q̄ galle pulverizent'. adust. ⁊ dissoluat' cū modico aceti. ⁊ p modū empl'i vl' vnguēti ponat' supra cōmissurā capit ⁊ fōtinellā ⁊ ꝑtib⁹ vicinis ⁊ q̄ potēt de melle cū aq̄. Vl' fiat sibi empl'm sup cōmissurā de modico myrrhe. thur vl' galbani vl' se. nasturtij. agrestis cū modico galbani ⁊ gallarū cōbustarū subtilissime pulverizatar ⁊ incorporatar. Interdū i pueris lactātib⁹ ista vuula relaxat' q: claudit epiglotū seu viā anhelit⁹ ⁊ suffocat' in die naturali potissime q: ḡuati sūt ⁊ dicta vuula mag relaxāt ⁊ cadēdo claudit vias dcās anhelit⁹. ⁊ sic terminet' cura.

¶ Caᵐ. 48ᵐ. de sāguisug q̄ igrediunt' guttur.

c

Cum aliq̇s i gutture suo titillationē sēserit ⁊ sanguis subtil' ide manauerit extimādū ē tūc sāguisugā i ore eē ⁊ p̄cipue si aq̄m loci i quo sāguisuge fuerit biberit. Os igit' egri ē apiendū ⁊ lingua exhēda ⁊ inferius p̄mēda ⁊ guttur i sole est inspiciēdū: ⁊ si sanguisuga in loco ꝓpiquo pēdere visa fuerit cū forpicib⁹ q̇b⁹ sagitte educūt' exhēda erit. q̄ hoc mō fiet caput a quo pēdet ē strigēdū ⁊ sic exhat'. q̄ si n̄ fuerit māifesta eger m'toties gargarizet sinapiz. cū aceto q: d' loco

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

in quo est mouebit̄. Aut fiat gar-
garismus ex aceto ⁊ assa aut ex ace
to ⁊ sale. Nigella preterea ⁊ sinap̄
trita insufflentur gutturi. fiat etiā
gargarismus ex succo cepe. Si au
tem post eius casum remāserit e-
gro sanguinis r̄sudatio fiat garga
rismus ex apozimate in quo corti-
ces granati ⁊ balaustie ⁊ sumach.
cocta fuerint: ⁊ gutturi insufflet̄
puluis de balaustijs ⁊ thure ⁊ sā-
guine draconis ⁊ amido. Si autē
sanguisuga stomacho annexa fue
rit medicamina quib⁹ vermes ex-
pelluntur sumantur in potu. Ex
his etiam que sanguisugā exire fa
ciunt est vt eger balneū ingrediat̄
⁊ moretur in eo donec magnā pa-
tiatur sitim: ⁊ tunc aquam in niue
infrigidatam frigidissimaʒ scʒ in
ore aliq̄ diu teneat. Cūq̄ ceperit
tepefieri eam expellat ⁊ aliam su-
mat. sanguisuga enim qn̄q̄ venit
ad os frigiditatem querēdo.

d E sanguisugis que itrāt
guttur. Cuiq̄ notū ē q̄ sanguisuge sūt
aialia pua oblonga nigra semiuiridia
habitātia in aquis quodāmō turbidis q̄ tpe cali
do apparēt dūtaxat ⁊ tpe frō submergunt̄ in lu-
to. Si q̄s ḡ titillationeʒ in gutture hūerit ⁊ san-
guis subtilis inde emanauerit post potū aq̄ ali-
qualit̄ turbide font̄ vbi sanguisuge nutriri ꝯsue-
uerūt extimādū ē sanguisugā in ore suo eē. Os
igit̄ illi⁹ apiendū ē: ⁊ guttur eius in radio sol' in-
spiciat̄ linguā extrahēdo ⁊ iferi⁹ cōprimēdo: ⁊ si
sanguisuga i loco ppinquo pēdere visa fuerit ca
piat̄ in capite cū tenacul' cū q̄b⁹ sagitte extrahā
tur. Qđ si videri nō pōt q: est in pfūdo gutturis
vel in meri exq̄ san. subtilis ab ore exit patiēs se-
pe gargarizet de synapi distēpato cū aceto tepi-
do. vl' distēpa modicū asse fetide ⁊ salis cū aceto
tepido ⁊ gargarizet sepe. vl' de succo cepe garga
rizet. vl' de cimib⁹ distēpatis cum aceto. hoc vult
raß in suo ꝯti^e. dicit q̄ illud aial cū aceto multuʒ
valet in expulsiōe sāguisugaꝝ infixarū in guttu-
re. de istis sepe ⁊ frequent̄ gargarizet ⁊ siti ma-
gnam tolleret. ⁊ p⁹ ista reiterata gargarismata
sitim magnā tollerando teneat in ore aquā frām
vl' spōgiā infusā in aq̄ fra: ⁊ cū ceperit tepefieri
illam expellet ⁊ aliam bene frām sumat. q: sāgui
suga veniet ad os querēdo aquam frām. Et siti
talem magnā tollerādo insufflet̄ in gutture eius
de nigella ⁊ synapi ⁊ absinth. puluerizato. ⁊ ꝯn̄r
aquam frāmvel spongiā infusā in aq̄ fra in die te
neat eā sepe renouādo cum ceperit tepefieri: sic
sanguisuga exibit querēdo illā aquā frām. Aliq̄
volūt q̄ cum illa aqua fra teneant̄ folia saliq̄ re-
centia in ore ea renouādo cum aqua. Raß bene
laudat in suo ꝯtinēte aucte vadigeri antiq̄ medi
ci valet a ppetate. Et si quis sanguisugam ma-
gis in pfundo habuerit q: in stomacho qđ patʒ
q: sanguis nō exit ab ore ei⁹ da sibi de pulueri-
bus qui vermes expellūt de semine cētonice ⁊ đ
sūmitatib⁹ abrotani ⁊ absinth. grosso mō pulue
rizatꝝ. vt suba eoꝝ magl diu tolleret actionē calo-
ris sto^i ante eoꝝ dissolutionē. ga. dicit se pluries
extraxisse sanguisugas cū comestiōe allioꝝ vt re-
citat raß in suo ꝯti^e. ⁊. ix. almāsoris q̄ patiēs po-
nat̄ in aq̄ bn̄ calida vsq̄ ad gulā: ⁊ moret̄ ifra vs
q̄ magnā patiat̄ sitim: tūc teneat i ore aquā frāʒ
dcām vl' spōgiā infusā sepe illā aquā renouādo.
nā sanguisuga siue sit in gutture siue in sto^o egre
diet̄ ad illā aquā frām ⁊ exponet̄ extra ⁊ patiēs
est curatus.

Cam^m. 49. de his que guttur ingrediunt̄ siue
sint spine siue alia.

c Um illud quod guttur
ingredit̄ ⁊ infigitur ī eo
aut meri fuerit bol⁹ ma
gnus aut eius simile de
his que non habēt frustra scissa cō
tenta in eis aut acuta confert ple-
rūq̄ percutere egrum in collo. po
sterius multotiēs ⁊ aquā sepe tra-
ijcere: fortasse enim descendet ife-
rius. Eger quoq̄ balneū ingredi
atur ⁊ oleum multotiēs traijciat.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

Quod postq̄ factum fuerit magnos deglutiat bolos. Qd̓ si non descēderit instrumentū quo huic simile inferi⁹ duci consueuit in os mittatur. Est autē instrumentuȝ illud de plumbo: quod cum sit rechi simile est longū gibbositatem in se habens.

b Ehisque guttur ingrediūt. ¶ Nō. ꝙ guttur ē spatiū qd̓ videt̄ post linguā qn̄ os apitur ⁊ lingua ꝑmit̄. 3°. ꝓnosticoꝝ cōmēto illi⁹ cañ. Squinātia pessima ē ⁊ cito mortifera in tali ⁊ cito mortificant̄ in tl̄i spacio seu gutture fiūt vlcera seu pustule quoꝝ curā diximꝰ in ꝑcedētib⁹. c° ꝑmo. in ipso gutture subītrāt sanguisuge interdū: siue intdū frustra ossiū. cū tenaculis debēt extrahi vt vult raſ. ⁊ si nō vident̄ aliter debēt extrahi vt dicet̄ stati in tali spacio post liguā vident̄ duo meat⁹: vt dicit ga. 3° ꝓnosticoꝝ cōmēto allegato quoꝝ vn⁹ est caput canne pulmōis q̄ dicit̄ epiglot⁹. q̄ epiglotus coopit̄ seu clipeat̄ ab ipsa vuula potissi^e comedēdo ⁊ potādo ⁊ ne reuma descēdat supra pulmonē. iō abscisa ē cā morbi rōne isti⁹ iuuamēti vt dcm̄ est supi⁹ quia infrigidatōis ⁊ solutōis ɔti^e ipsi⁹ ꝑlonis. Alt̄ ē meatus q̄ est via cibi. aristo. ⁊ greci vocāt ysophagū. arabes vocāt meri. nos latini vocam⁹ os sto^i. vt legit̄. v. de intio. c. 4°. d̓ passiōib⁹ gule. Istud meri hȝ iuuamētū ⁊ actōem. c°. illo facit iuuamētū vt ē via trāsglutiēdi ⁊ via exeūtiū ꝑ vomitū: ⁊ hȝ actionē in vtraqȝ penetratōe. nā sūt ibi tunice diuerse ⁊ villi cū q̇bus attrahit ⁊ expellit ꝑ vomitū Notū est ꝙ tūc ē passio meri in via in q̄ adheret illud. nā actio deficit ipsi⁹ in attrahēdo tūc ē pa° ꝑ colligātiā ⁊ est morb⁹ in nūero addito: ⁊ ē nocumētū regitie aiate puta discretie. ⁊ ē passio regitiue puta attractie meri ⁊ partiū vicinaruȝ. ¶ Si aliquid durū solidū os alicui⁹ intrauit. Raſ ponit curā ꝑcutiēdo i collo retro in occipitio: ⁊ aq̄ȝ sepe vl̓ vinū trāsglutiat. Si aūt acutū vl̓ angulare fuerit vt spina vl̓ os gracile ⁊ tl̄ia visa fuerint in gutture extrahat̄ cū tenacul̓ delicatis cū q̇bus sagitte extrahunt̄. Et si tl̄ia visa nō fuerint rasis vult in suo ɔti^e ꝙ liget̄ caro mollis cū filo firmo ⁊ patiēs trāsglutiat carnē: deide extrahat̄ cū filo ⁊ hoc sepe reiteret̄ donec qd̓ visū ē egrediat̄. Aliqui dicūt ꝙ hoc fiat cū spōgia. ꝑiculū ē si remaneret infra. Raſ dicit in suo ɔti^e ꝙ stercus fureti illinit⁹ in gutture gargarizādo dissoluat̄ cū aqua decoctiōis carnis bullite ad extra in gula trahit ossā infixa ⁊ spinas in gutture a tota nat̄a spe^{ca}.

¶ Capiculū. 50. de grauedine lingue.

c Um lingua absq̄ȝ alijs membris grauedinem passa fuerit ⁊ eger neqȝ febrem neqȝ acutam incurrerit egritudinē sal armoniac⁹ ⁊ piper ⁊ zinziber ⁊ sinap. alba ac piretrū ⁊ staphizagria ⁊ baurach atqȝ origanum ⁊ sal indum ⁊ nigella ⁊ sāsucus siccus sumantur ⁊ in aqua coquant̄ ⁊ fiat ex eis gargarismus Caueat tamē patiēs ne ex eo aliq̇d trāsglutiat: aut eger ieiunus multis diebus gargarizet et almuri nabati. Aut fiat gargarismus ex aceto ⁊ piretro. postq̄ vo gargarizare cessauerit sumant̄ salis armoniaci piretri piperis sinapis oīum partes equales: ⁊ ex eis bene puluerisatis lingua diutius fricetur. Qd̓ si cum lingue grauedine audit⁹ ac reliquorum sensuū grauitas fort̄ affuerit fiat egri curatio ꝑm doctrinaȝ qua paralisis curatur. Si autē loquela in acutis febribus aggrauata fuerit ⁊ videris ipsā cum grauitate in loquela extenuatū ⁊ abbreuiatā ⁊ spasmatam aqua calida ab alto sup spondiles colli ⁊ auris ꝑncipia fundat̄ ⁊ cum oleo fricent̄. Eger q̄ȝ oleuȝ tepidū in ore tenere debet: ⁊ si diu est ex quo loquela minui non ces-

fauerit:vel etiam semp̱ considerā
dum est an ligamentū quo inferi
us lingua cōnectitur maius sit ꝙ
debeat. Qđ si ita fuerit ex eo pa⸗
rum est incidendū ⁊ zegi pulueri⸗
zatū immittendum.

De grauedine lin

gue puta in motu eius ⁊ loquela a
tēpore ⁊ a generatōe sine apostema
te.quia de hoc loq̄mur in capitl'o sequēti. ¶ No
ta ꝙ grauedo lingue vt sit in suo motu fit ꝓpter
eius aliqualē paralisim quādo paralisis est inci⸗
piens firmari.nam si paralis̄ esset firma ⁊ perma
nens non posset in aliquo moueri. Raſ ponit cu
ram paralisis incipient̄ firmari cū gargarismis
⁊ alijs vt patebit. Potest etiam fieri grauedo ex
spasino de repletōne:vt quādo apostemat̄ tunc
remanet tensa ad modū tethani. de hoc loq̄mur
in capitulo sequēti. Aliquando fit ex spasino de
inanitiōe in fine acutoꝝ. Aliquando fit ex mag̃
inanitōne spirituū motiuoꝝ:vt in ꝓpinquis mor
ti. Aliquando fit ex grauedine lingue ꝓpter eius
ligamenta inferiora cum q̇bus lingua nectitur.
vnde iste casus incst multis pueris. ꝓpter quod
quia non possunt bene plicare linguam non be
ne sugunt lac. Ideo demacerant̄: patiunt̄ ethi⸗
cam senilem nisi adhibeat̄ remediū raſ. q̃a plu⸗
ries in die sugunt lac non cōsolidant̄ illa ligamē
ta scissa quando inscindunt̄ post statim consoli⸗
dant̄ ⁊ vniunt̄ q꞉ pluries in die non plicant lin⸗
guā. Casus quottidie occurrit in practica. ¶ Al
teri⁹ nota ꝙ in lingua sunt duo nerui mouentes
ipsam linguaꝫ qui descendūt a septimo pari ner
uoꝝ capitis puta a puppi.4°. de interioribus
capl'o.7°.in p̄ncipio. ꝓpter quod in malo motu
lingue ex tali mollicie inungimus carinas colli
retro aures ⁊ est vna pellicula in ipsa neruosa q̄
est pars p̄ncipalis in sensu gustus ⁊ tactus que
pellicula decidit̄ a tertio pari neruoꝝ capit̄. 4°.
de interiorib⁹.ca°.3°.in p̄ncipio.que pellicula est
vna ⁊ non diuisa ibidē. Sed quare videmus pa⸗
ti sensum gustus ⁊ non sensuꝫ tactus in lingua.
Soluit littera ibidē ꝙ sensus gust⁹ est mag̃ sub
tilis ⁊ inuestigatiuus plures spūs req̇rit. ⁊ licet
spūs sint ibidē satis homogenee nature:subtilio
res inter eos faciūt magis ad gustū grossiores
ad tactū. ꝓpter qđ sensus tact⁹ est mag̃ grossus
⁊ materialꝰ dicit ibidē. Idē dicit aristo.2°. de aīa
patꝫ igit̄ quare sensus gustus mag̃ patit̄ in fe⸗
bribus ꝓpt̄ cām fumosā alterātē organū ⁊ cor⸗
rumpentē spūs subtiles magis. ¶ Alteri⁹ nota
ꝙ sub lingua sūt duo orificia ad modū stili:⁊ sūt
duo fontes saliue:q̄ orificia veniūt ad carnē glan
dulosā in radice lingue q̄ caro noiat̄ gn̄atiua sa⸗
liue. Ista duo orificia noiant̄ fontes ꝯſuātes ro
rem lingue q̄ multū exiccant̄ in discrasia febrili.
ideo lingua nimis exiccata non bene sapit sapo
rem cibi in flāticis ⁊ reumaticis vltra debitū hu
mectant̄. Notū est ꝙ in debilitate mot⁹ lingue a
tp̄e passio ē in neruis motiuis dicit̄. Dico bene a
tp̄e quia si esset a gn̄atōe passio erit in ligament̄
inferiorib⁹. ⁊ est passio tūc p̱ colligātiā venit qđ
venire nō dꝫ ſm naturā si sit debilitas mot⁹ lin⸗
gue a gn̄atōe tūc ē passio p̱ se. q꞉ vitio iformatie ⁊
ē morb⁹ in situ quoq̄mō sit. ⁊ ē nocumētū regitie
naturalꝰ mēbri mādāt̄ ⁊ recipiēt̄ si sit a tp̄e. si a ge
neratōe ē nocumētū iformatie ⁊ ē pa° seu nocu^m
actie ipsi⁹ motie volūtarie puta loq̄le.

Istis clarificat̄. cura g̃uis ⁊ debilꝰ motus
ligue in se ⁊ i loq̄la a tp̄e ⁊ sine apa
te tibi patescit. Pri⁹ aūt ꝙ in cura ꝓcedas scire
oꝫ an cā hui⁹ sit mollicies vlꝰ siccitas neruoꝝ ei⁹
vlꝰ ei⁹ ligamēta sūt maiora debito:q꞉ in hoc cura
diuersificat̄. Si q̇s grauē ⁊ debilē motū in ligua
habuerit ex mollicie q̄dā neruoꝝ suoꝝ q꞉ incipit
paraliticari ⁊ incurrit paralisim icipiētē firmari
qđ patescit q꞉ a tp̄e ⁊ sine apate ⁊ febre nō p̄ce⸗
dēte. Cōsidera si cū hoc sit grauedo audit⁹ ⁊ alio
rū sensuū. qđ si sic scias ꝙ tūc lingua nō solū in⸗
currit p̱alisim incipiētē firmari. imo ⁊ cerebꝝ p̱⸗
pter qđ remittit te rasis ad curā p̱alisis sepe di⸗
ctā. Si aūt cū tlī grauedie mot⁹ ligue nō sit gra
uedo dicta sensuū sufficit ꝙ lingua exiccet̄ cum
gargarismis ⁊ puluerib⁹. ℞.ʒ¹. piperis lōgi. pi
retri. se. sinap. an̄. ʒ. ij. fiat puluis subtilꝰ. Et si q̇s
grauem motum lingue in loquela habuerit ex sic
citate neruorum vt in acutis puta in spasino de
inanitione incipiente firmari super carinas col⸗
li aquam calidam de alto infunde ⁊ oleum viola
ceum ⁊ aquam tepidam in ore teneat. Et si quis
grauem motū lingue ⁊ loquele habuerit ex pau⸗
citate spirituum ⁊ quadaꝫ siccitate neruoꝝ dcōꝝ
vt in ꝓpinquis morti infūdimus in ore ei⁹ aquā
frām vel aquam rosaceam vel brodium galline:
vel modicū vini limphati de hora i horā cū cocle
ari imponim⁹ in ore ei⁹. Et si q̇s grauē motū lin
gue in se ⁊ in loq̄la habuerit ꝓpt̄ ligamēta mag̃
que sūt sub lingua ei⁹ incidant̄ aliq̄lit̄ ⁊ modicū

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

de calcāto seu vitreolo subtilissi^e^ pulueriȥato de sup ponat. dico bñ modicū ne sit occasio subitrā di infra in gutture ⁊c.

¶ Capitulū. 51. de magnitudine lingue sup flua:ita vt os egrediatur.

c

Um contingit linguā adeo inflari vt pre magnitudine os egrediatur: fricanda est ex cepis aut ex citri acetositate. aut cum ribes aut ex granato acetoso donec saliua multa ab ea profluat. Hoc nāq3 modo detumescet ⁊ ad primam redibit mensuram. Si autē non sufficit fiat fricatio ex sale et aceto. Si necdum sufficit fiat minutio ex vtrisq3 cephalicis prius: ⁊ postea ex venis q̄ sunt sub ligua

d

E magnitudine lingue ita vt os egrediat. ¶ Nota. ꝙ talis magnitudo lingue ē apostemosa aliqñ a flāte grosso viscoso vt vult rab ⁊ ē sañ subalbida. Aliqñ fit a flāte subtili cū portōe san. tūc ē coloris rubicūdi vl subrubicūdi vt est spēs tethani. lingua tēdit multū ppt plectoriā venaꝝ ⁊ arteriaꝝ. Jō tendit ad modū tethani. semel vidi istū casū: cū flōmijs feci curā: ligua exibat ex p duos digitos. Vex aliqñ ē magna ⁊ grossa vltra debitū a gñatōe. iō sunt muti dicit rab in suo ɔti^e^: q2 nō circūfert nec circūflectit ifra os ad formādū vocē: q2 nerui audit⁹ hñt colligātiā cū neruis lingue. ideo si natura errauit in creatiōe lingue errauit in creatōe neruoꝝ audit⁹. iō sunt surdi a gñatōe. Silr quia audit⁹ porta ē intellect⁹: ⁊ intellectus porta est loquele. iō istis duabus d causis sūt magl muti. nam lingua deb3 eē magl subtil vel gracil. verba sūt rab in suo ɔti^e^. est pa^o^ pncipalr neruoꝝ ⁊ arteriaꝝ ille fuerūt pmo replecte ⁊ tēse. ɔñr nerui ⁊ ɔcauitates lacertoꝝ. ⁊ est p colligātiā venit qd venire nō d3 ƀm naturā. Et est passio official in gñe. in spē est morb⁹: in q̄titate augmētata ɔcomitādo malā figurā ⁊ morbū in situ p loco ꝙ nō pōt se mouere. ⁊ ē nocumētū regitiue natural mēbri mādanꝭ ⁊ recipienꝭ. Et ē passio motiue volūtarie i anhelitu. 3^o^ d intiorib⁹

Istis clarificaꝭ. cura magnitudis lingue a tpe tibi patescit. Pri⁹ aūt ꝙ in cura pcedas scire o3 an tlis lingua sit magnificata ex flāte viscoso in ea imbibito. vl ex flāte subtili cū portōne san. q2 in hoc cura diuersificat. Si qs ḡ linguā magnificatā habuerit ex imbibitōe flātis viscosi in ea qd patescit q2 est subalbū cu3 alijs signis attestātib⁹ sup abūdātia flātis viscosi fricet cū cepis vl cū malo granato acetoso. ⁊ si cum istis flā inde fluxerit fricet cu3 sale ⁊ aceto. Si qs aūt liguā magnificatā hūerit ex flāte subtili cū portōe san: qd patescit: q2 ligua ē cū qda3 rubore: flōmet de ambab⁹ cephalicis i bona q̄titate. ɔñr de venis duab⁹ vl trib⁹ q̄ sūt sub lingua fricādo p intualla liguā cū sale ⁊ aceto. ⁊ sic terminetur cura.

¶ Ca^m^. 52. d nodo q̄ ē sub ligua. ⁊ vocat ranula

c

Um sub lingua glādula nociua fuerit: in principio ex sale armoniaco ⁊ gallis fricanda est. Si autem vetusta fiat ex medicamie gingiue sanguinolente fricanda est: quod est medicamen acutum Eger autem acetu3 ⁊ salem in ore teneat.

d

E nodo q̄ ē sub ligua. i. de glādula gñata. nā ē collectio flātis gssi gipsei. ppt qd rab curat cū stiptiđ. Rab dic i toto ɔti^e^ ꝙ illud apa durū sub ligua ⁊ vocat ranula: ⁊ ē pa^o^ ptis cui iest ⁊ ē p colligātiā: ⁊ ē morb⁹ i nūero addito. p^o^ de mor^o^. c. 8^o^. ⁊ ē nocumētū regitiē natal ipsi⁹ ligue potissime digestiē ⁊ expulsiue. ⁊ ē pa^o^ aiate motiē ligue puta loqle ⁊ masticatōis. Rab curat fricādo cū sale armo^co^ ⁊ gall pulueriȥaꝭ ⁊ ex medicamie cū q̄ gingiua sāguinolēta curatur vt ē dcm̄ supi⁹ q2 cū desiccatiuis.

¶ Ca^m^. 53. de pustulis lingue.

i

Sta eisdem sunt curanda. ex quibus cola quas supra nominauimus: ⁊ sq̄nantia sanantur.

d

E pustulis ligue. i isto ca^o^ remittit nos rasis ad vlcera ⁊ pustulas oris. p3 ca^m^.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

¶Capl'm.54m.de squinantia.

Cum in glutiẽdo sentit'
ãgustia: adest passio q̄ sq̄
nantia vocat'. Cuius gra
uitas vel leuitas scd'm angustie q̄
titatẽ dep̄hẽdi potest. Cũq3 cum
traijciendi angustia fuerit in facie
⁊ oculis rubedo ⁊ repletio: ĩ prin
cipio curatõis cephalica flobotho
met' ⁊ gargarism⁹ ex succo granati
muzi cum carnositate sua fiat. aut
ex rob mori de seni ⁊ post hoc fiat
gargarism⁹ cũ3 aqua rosata ĩ qua
sumach fuerit infusum. Q̄d post-
q̄ per tres dies sic factũ fuerit ⁊ vẽ
ter ex succo fructuũ sicut prunorũ
tamarindi cassiafistule ⁊ terrania
bin solutus fuerit: fiat gargarism⁹
ex apozimate ficuũ citrinarũ ⁊ pas
sulaꝝ: aut ex medula fistule: cum
idromelle. Q̄d si passio inuetera-
uerit: ex gargarismis ⁊ insufflatio-
ne fortiũ medicaminũ que dicturi
sumus curãda erit. Si autẽ in fa-
cie nõ fuerit rubedo: fluxeritq3 ab
ore saliue multitudo: ⁊ eger fuerit
humect⁹: in p̄ncipio soluat' vẽter
ex cochijs: ⁊ fiat enema ex clisteri
acuto q̄d in capitulo de apoplexia
noĩauimus. Cum tamẽ passio in-
ceperit: fiat gargarismus ex sirupo
acetoso: aut cum idromelle ⁊ pipe
⁊ oximelle: ⁊ deinde ex almuri na-
bati. Fiat etiã gargarism⁹ ex idro
melle ⁊ sinapi. De hijs p̄terea que
male sq̄nãtie cõferũt: ẽ vt ex veis q̄
sunt sub lingua fiat minutio: et vt
ventose absq3 scarificatõe in collo
ponant'. ⁊ epithimet' collũ ex melle
anacardino donec vesice in eo ge-
nerẽtur: ⁊ fiat gargarismus cũ3 si-
napi: ⁊ gutturi fiat ĩsufflatio ex h⁹
medicamĩe q̄d sic fit. Sinapis sal
ammoniacũ piretꝝ: nitrũ: assa: pi
per: mẽtastrũ sumat' ⁊ ex eis cum
idromelle fiat gargarismus.

Esquinantia Id est ã apo-
stẽate gutturis sq̄uinãte seu suffocan
te. Nam fuit denominatum tale a-
postema ab actõne lesa anhelitus seu ab accidẽ
te ip̄ius. ¶Nota q̄ guttur p̄prie ẽ spaciũ q̄d vi-
detur post linguã/quãdo os apitur/⁊ lingua p̄mi
tur. 3°. p̄nosticoꝝ cõmẽto illi⁹. Sq̄nãtia pessima
ẽ. In tali spacio videtur duo meat⁹ vt dicit gali
en⁹ ibidẽ. quoꝝ vn⁹ est caput cãne pulmonis: q̄
dicit' epiglotus. Alter ẽ meatus q̄ vocat' a q̄bus-
dam puta a grecis ysofag⁹/ab arabiq meri/a lati
nis os stomachi: vt dicit ga⁹. 5°. de interio. c°. x. d̄
passionibus gule. Actores interdũ vocãt gulam
p̄tem anteriorem: ceruice p̄tem posteriorẽ: gutt'
comp̄hendit totũ. ⁊ sũt ibi lacerti seu musculi cũ
suis pelliculis q̄ interdum apostemãtur isto tali
ap̄ate q̄d dicit' sq̄nãtia. Propt' q̄d p̄mo cõquerũ
tur de mala trãsglutõe q̄ de malo anhelitu. 4. de
inter. c. de nocumẽto vod' tale ap̄a gñat' ibidẽ3
ex col'a ⁊ ex sanguine p̄mixtĩ. 3° p̄nostic. cõmento
illi⁹ cañ. Tertia vo spẽs. Aliq̄n autẽ fit ex hijs cũ
aliquali parte flegmat̃ subtilis ⁊ semiuiscosi p̄
pter q̄d subintrat: ⁊ talis humor in cõcauitatib⁹
lacertoꝝ dictoꝝ. ¶Vlteri⁹ nota q̄ tres sunt spe-
cies seu modi ip̄ius sq̄uinãtie distincti rõe p̄ticu
le principaliter patiẽtis: vt vult ypo. ⁊ ga⁹. 3°. p̄-
nosticoꝝ c. illo. Sq̄nãtia pessima ẽ. ⁊ in duobus
cañ. sequẽtibus. Idẽ vult Galien⁹ in cõmentis.
¶Prima ẽ quãdo ẽ dolor i gutture acutissim⁹ cũ3
orthomia anhelit⁹/rubore nec tũore interi⁹ p̄mẽ
do linguã nec exterius app̄ente. ista ẽ mortalis
valde. nullus euadit: causa ẽ. quia in talibus apo
stema est in lacertis medijs inter duos meat⁹ cõ
p̄imẽtes dictos meat⁹. p̄pter q̄d necessario ces-
sat anhelitus ⁊ cibi trãsglutio: p̄pter quod neces

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

ſario cito moriuntur: et hoc infra tertiã vel q̄rtã
diẽ. ¶ Secunda ſpẽs ē in qua rubor ⁊ tumor in
gutture appent. vel in quibuſdam apto ore ſolũ
appet in q̇buſdã nõ appet ore aperto niſi ligua
fortiter cõprimatur. Bordoni⁹ ⁊ quidã alij diui
dũt iſtã in duas ſpẽs. q2 ſi rubor appet ſine com
pſſiõe ligue ē vna ſpẽs: ſi c̄ ↄpreſſiõe: ē alia ſpẽs
non placet mihi locutio/iſta. eſt ſimilr̄ mortalis
quia vtplr̄imũ moriũtur: ſed magis illa in qua ru
bor et tumor magis ꝓfundat̄. quia tũc magiſ fit
apoſtema int̄ duos meatus dictos ꝓhibẽs ãhe
litum ⁊ trãſglutionē. ¶ Tertia ſpẽs eſt in q̄ gut
tur ⁊ collũ ſeu ceruix rubẽt ⁊ aliqualiter tumẽt:
iſta ſatis ſalubris ē niſi tumor ad interiora redie
rit ſeu ꝙ materia magꝭ declinet ad interi⁹. verba
ſunt ypo. in cañ. dicto/Ga⁹. aũt. 4. de int̄. c°. 1. ad
dit quartam ſpẽm in qua tumor ⁊ rubor ſolũ eſt
exteri⁹ in ceruice iſta ſalubris ē tũc vexatur i an
helitu ⁊ trãſglutiendo ſʒ non vltima vexatõne. ⁊
ſubdit Ga⁹ in fine caplr̄i dicti: ꝙ ſi ſpõdiles colli
diſlocẽtur potiſſime ab intra tũc moriunt̄ ad mo
dum ſquinãtie. q2 tunc anhelit⁹ fit cũ difficulta
te et orthomia: ⁊ ſimilr̄ trãſglutio cibi. quia vie
ſeu meatus dicti ſtringũtur ⁊ ceſſat actio q̄libet
illarũ ⁊ ꝑ ↄſequẽs patiens: neceſſario moritur
Notũ eſt ex dict̄ ypo. in locis allegat̄/dicit ga⁹ in
4°. de interio. c°. de nocumẽto vocis ꝙ ſquinãtia
eſt paſſio pncipalr̄ lacertorũ interiorũ gutturꝭ. et ē
paſſio per colligãtiam. venit ad eos qđ venire ñ
debet ſcđm naturã: ⁊ eſt morbus officialis mala
cõpoſitio in qua eſt mala figura ⁊ triplex genus
morbi ⁊ opilatio cõcomitãs: illa interficit propt̄
ꝑuationē anhelitus. Et ē nocumẽtum regitiḋna
turalr̄ digeſtiue ⁊ expulſiue mẽbri mandant̄ ⁊ re
cipiẽtis: ⁊ eſt paſſio motiue naturalr̄ ⁊ vitalr̄ cor
dis ⁊ aialis motiue ꝑtiũ pectoraliũ ⁊ oim̄ ꝟtutũ
naturaliũ mẽbrorũ ſubiacentiũ cõſequẽter.

Iſtis clarificatis

cura ſquinãtie tibi
pateſcit. Prius autē ꝙ in cura ꝓcedas ſcire op
tet ⁊ inueſtigare quã ſpẽm ſquinãtie patit̄ ⁊ cau
ſam diuerſitatis talis apoſtemat̄ ſi ſit ex ſangui
ne vel ex colr̄a vel ex flãte ex toto vel in maiori ꝑ
te. q2 cognita ei⁹ ſpẽ ꝓnoſticatio diuerſificat̄: et
cognita ei⁹ cã ſilr̄ necnõ ⁊ cura. q2 ſi ſit ex ſan. et
co. magꝭ piclitant̄ ſʒm ei⁹ ſpẽm dictã. q2 talr̄ maťia
rõe eius acuitat̄ ⁊ ſubtilitat̄ magꝭ extivenulas ⁊
magꝭ ſubintrat cõcauitates lacertorũ gule ⁊ poro
ſitates pelliculaꝝ gutturꝭ. ꝓpter qđ vie anhelit⁹
⁊ cibi magꝭ claudũt̄ a tali materia tumẽtes ꝑtes
vicinas dictaſ, ſi ſit maťia flãtica nõ ſit: q2 portio

aliqua flãtis extra venas licet aliqualr̄ portio ve
nas ſilr̄ dictas exeat in dictis pelliculr̄ in lacertis
Et ſi q̇s ꝑmã ſpẽm ſquinãtie habuerit de ſan. vl
de co. in toto vel in maiori ꝑte q2 dolorē acutiſſi'm
ſentit in gutture. vel de flãte: q2 dolorē aliqualẽ
tumore nec rubore in gutture nec extra apparẽte
fugias: q2 moriet̄ infra tertiã vel quartam diez. ſʒ
q2 ſʒm charitatē dei hõ dʒ iuuare ꝓximũ ꝑmiſſa
ꝓnoſticatõe facias ea que ſtatim ſequẽt ⁊ dicẽt
Et ſi q̇s ſpẽm ſecũdã ſq̄nãtie habuerit vt plrimũ
moriũtur. ꝑmittas ꝓnoſticatõem añq̄ vlteri⁹ ꝓ
cedas. q̄ ꝑmiſſa in iſta ⁊ i alijs ſpẽbus dict̄ de q
cũq̄ cã fuerit ſic ꝓcedas/Scias tñ ⁊ in mẽte te
neas ex intẽtiõe raſis i ſuo ↄtinẽte: ꝙ clauis ſa
natõnis cuiuſcũq̄ ſpẽi ſq̄nãtie đ cã q̄cũq̄ fuerit
⁊ ꝑſeruatõis ꝑiculi ſuffocatõis ⁊ mortꝭ ſtat i du
obus. Primo ꝙ in ꝑn° repcutit̄ ma^a ne ad gutt̄
fluat q̄tuʒ erit poſſibile. Scđo ꝙ ꝑ flõias diuer
ſas fortiter cã ſubſtrahat̄: diuertat̄ ⁊ euacuetur:
meli⁹ eſt ipm̄ cum flõmijs debilitare ⁊ a morte ꝑ
ſeruare ꝙ ipm̄ ꝑdere ⁊ penitus dimittere de tali
ſubſtractõne forti vſq̄ ad defectõem in om̄i apo
ſtemate ꝑnicioſo ex ſe vel rõne ꝑticule faciẽt/ga^s
ſilr̄ hoc intẽdit vt ipe ponit. xiij. de inge°. in cura
flegmonis. ⁊. xiiij. de inge°. in cura apatum ãtro
ſorũ. vbi ponit ꝙ tales flõmie ſũt vehemẽtiores i
cura/In primis ḡ ſtatim ⁊ ↄtinue gargarizet a
quã friam cũ aceto in q̄cũq̄ ſpē ⁊ de q̄cũq̄ cã fu
erit/Et gargarizet đ ſucco cortiċ nucũ r̄cẽtiũ ꝑ ſe l
c̄ modica aq̄ fria nã iſta gargariſmata repcutiũt
materiã ne ad guttur fluat/vel decoq̄s mirtã glã
des ⁊ ſumach i aq̄ añ. m. ſʒ. ⁊ de illa decoctõe fria
vel mixta cũ ſucco corticꝭ nucꝭ gargarizet/Et ſi q̄ſ
fuerit multũ colic⁹: ſucc⁹ ꝟge paſtorꝭ ⁊ ſolatri ⁊ ra
morũ vit̄ cũ decoctõe dicta. talia gargariſmata ſt̄
vehemẽt̄ iuuamẽti i ꝑma die ⁊ ſcđa ꝑ ꝑte ¶ Si
milr̄ gargariſma factũ cũ aq̄ decoctõnis gall̄.
⁊ alũis i ꝑn° puta in ꝑmis dieb⁹ multũ vʒ/Caue
as tñ ne talr̄ pa. dormiat. paꝝ ſumat de cibõ. vinũ
nõ potet/Iſta exequẽdo in ꝑn° ſtatim i ꝑma die
flõmet̄ de vtraq̄ cephalica. q̄ nõ inuẽta đ media
na vtriuſq̄ ꝑtis: extrahendo magnã q̄titatē ſan. p⁹
vij. vel. vi. horas diſliga brachia ⁊ flõiam reitera
⁊ poſt. vi. vel. vij. horas flõet̄. de venis ligue ap
ant̄ due vel tres ⁊ extrahat̄ ſan. q̄tũ potit exire.
¶ Si velles ꝓponere vẽtoſas i collo cũ ſcarifi
catõe bonũ eet. dič raſ i ſuo ↄti^c. ꝓpt̄ ꝑiculũ ſuf
focatõis. nã nulla vehemẽtior me^a ē in tali cura
ꝙ tales magne flõie. Idē dicit ga⁹. 13. ⁊. 14. de i
genio: vt tibi reſiſtã ↄtinuãdo dicta gargariſma^a
duob⁹ dieb⁹ vel q̄ſi ſint actu fria. 12. de inge. c. 6°.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

⁊ teneat vētrē laxū ē clisterib⁹ ⁊ cassief. simplici
scripta p̄lies tibi i p̄mis cap̄lis ⁊ ꝙ capiat i ortu
sol.' ⁊ nō comedat de q̄ttuor hor̄. In p̄mis ḡ die
b⁹ duob⁹ inungat sibi collū duab⁹ ꝑtib⁹ olei ros.
⁊ tertia ꝑte olei mirtilloꝝ mixt̄. Dietet' ill' p̄mis di
eb⁹ subtilissime alijs cū modico ordeati clari vel
auenati trāsact̄ duob⁹ dieb⁹: qꝛ fact⁹ est flux⁹ ma^e
ex toto vl' q̄si a vēis capit̄: ⁊ tale apa ē i augmēto
Quo ad digōem ma^e alit' ē ꝓcedēdū. qꝛ i seq̄nda
ē intētio in h̄ ad resol'oem ⁊ euōnē ma^e fluxe: pro
pter q̄d pꝫ tibi ꝙ gargarisinata dicta nec iunctio
nō h̄nt bñ locū: extūc trāsact̄ ḡ duob⁹ dieb⁹ inun
gat' collū cū oleo camo. vel aneti in duab⁹ ꝑtib⁹:
⁊ tertia ꝑte olei ros. h̄ fiat 3^a ⁊ 4^a die. ⁊ f̄ garga
risina de diamorō de duab⁹ ꝑtibus ⁊ 3^a oximell'
diuretici. si videt' tibi addas parū de aceto. ⁊ i fi
ne q̄rte diei reitera vētosas cū scarificatōe i collo
⁊ in p̄n^o spatulaꝝ. Cōseq̄nt' post aliq̄s horas rei
tera flōias venaꝝ q̄ sunt sub ligua vt ma^a q̄ flura
ē i venis assistēub⁹ gutturi expellat'. q̄ lꝫ nō sit cō
iūcta ꝓprie: ē q̄si ꝯiūcta facta ipi apati. ⁊ collū tē
empl'et' sic. ℞. farine fenugre^i farine ordei. añ. p.
i. oximell' diure^ci q̄d suff̄ ad incorꝑandū: ⁊ f̄ ēpl'in
Ras vult in suo ꝯtinēte ꝙ in ꝓcessu sq̄nātie fiat
empl'in de cinere yrūd̄ cū q̄rta ꝑte mirre ⁊ modi
co mell' ⁊ fiat empl'in: desiccat ⁊ resoluit vꝫ a to
ta ñā. sil'r resoluit cinis yrūd̄ ꝯbustarū insuffleť
in gutture desiccat vꝫ a tota ñā. Jd̄ valēt q̄cunqꝫ
tꝑe spālit' post duos dies. ras dic̄ i suo ꝯti^e ꝙ mi
tigāt sq̄nātiā cāis iam dict̄. vel i corꝑe cū modi^o
vel dissoluat' cū aq̄ ciceꝝ vel ros f̄ garga^ma vꝫ a
tota nat'a ⁊ a q̄lita^e: lꝫ mag̃ i sq̄nātia flā^ca: vt di
cūt q̄dā aduenietē. vi. die applica int⁹ ⁊ ex' ex toto
maturatia gargarizet lac ca^lin vel oximel diure
ticū vel sq̄llit^m dissoluat' cū decoctōe ficuū: ⁊ fiat
empl'in ab extra cū faria fenug^i ⁊ ficub⁹ bullit̄ f̄
empl'in cū modico butiri vel aq̄ decoctōis eoꝝ.
⁋ Si aūt i statu vltio tal' apat̄ cū difficult^e anhe
lādi ⁊ mag̃ orthomia āhelit⁹ si spūa appꝑet mors
ē de ꝓpe. inungant' spatule cū oleo fenug^i vt ꝑ
tes ille dilatēt'. Et qꝛ ipe sup oia idiget' repatura
illi⁹ apat̄: alit' morit': nisi cā ꝯiūcta apat̄ expellat'
ꝑ ei⁹ apturā ⁊ crepaturā q̄ ꝑ naturā nequit fieri
teneat cōsiliū aliquoꝝ maxie platarij crepet' cuꝫ
instr̄o ligneo acuto: alit' nisi fiat morit'. h̄eat fur
cula ligni bñ acuti ⁊ politi iponat' i gutture bene
frigēdo vt rūpat' ⁊ apiat' apa ⁊ ma^a fluat ⁊ sic cu
rabūt'. Dico tibi ꝙ semel vidi casum tꝑe meo. v
nus mercator h̄ns sq̄nātiā de san. cū portōne co.
veniēs ad statū talis apat̄ ⁊ ad difficultatē āhe
lit⁹ q̄si suffocabat' nō pot'at loq̄ h̄ns adhuc bo^m

intellectū intellexit ꝙ optebat ipm morı: nisi cre
paret' apa: ⁊ fuit sibi mōstratū instr̄m ligneū: ipe
accepit timēs mortē: infixit ita fortiter i gutture
vbi sentiebat dolorē ꝙ crepauit dictū apa: fluxit
san. ⁊ virulētia in magna q̄ntitate gargarizando:
postea oximel diureticū dissolutū cū aqua ciceꝝ
rub. fuit curat⁹: aliter mortu⁹ fuisset. Est cas⁹ no
tand⁹ i oꝑe. multi moriūtur: qui euaderēt isto mō

E nocumento vocꝭ ⁊ rau

cedine. nā huic actōni tria supueniūt
nocumēta ꝑut alijs actōib⁹ ñlib⁹ dicet'.
Dicit ga⁹. p̄mo de interio. in. c. vi. ⁊ in. 4. de inte.
c. de nocumēto vocꝭ. ꝙ vox in gutture sicut in or
gano ꝓprio i quo ē vna ꝑs p̄ncipal'. cetere sūt si
bi in adiutoriū: vt ponit ga⁹ i locis allegat̄. ⁊ hoc
est de rōe cuiuslibet organi: vt dic̄ g⁹. p̄mo d' mor
bo. in. c. vij. ⁋ Nota ꝙ guttur ꝑut ē: ē instr̄m ⁊ or
ganū vocꝭ q̄ est actio volūtaria continet i se tres
cartilagines cū suis ligamētis ⁊ q̄sdā lactos mo
uētes illas cartilagies i faciēdo vocē ⁊ duos ner
uos q̄ vocantur reuersiui. quia extēsi in collo re
uertūtur ad gulam. vij^o de iuuamētis. c^o. p̄mo. iō
isti vocātur ꝓprie nerui vocis. p̄mo de interiori.
ca^o. vi^o. vbi ipse recitat: ꝙ ipse inuenit eos ꝑ ana
thomiā quos magistri sui nō cognouerāt. simil't
cōtinet duos neruos qui dicūtur iuueniles. Isti
sunt nerui vocis simil't: sed nō ita ꝓprij: quia ex
tēduntur magis inferi⁹. isti ⁊ illi dāt motuꝫ lacert̄
mouētib⁹ dictas cartilagines: ⁊ sunt de composi
tione gutturis in concauitate gutturis stant iste
tres cartilagines: que constituūt vnuꝫ corp⁹: q̄d
a grecis vocat' epiglotus: quod lingue fistule as
similat' in actōne p^o de interio. ca^o. vi. qꝛ sicut lin
gua fistule est pars principalior i voce fistule: ita
iste epiglot⁹ q̄ ꝯstat ex trib⁹ cartilaginib⁹ dissil'ib⁹
q̄ꝝ interior est maior due extiores sūt minores sub
intrātes se adinuicē mediantib⁹ suis ligamentis
⁊ habētes motū a lacertis ⁊ a neruis iam dictis
volūtariū stāt sub figura tube. v̄ba sunt Ga^i. in
libro de voce ⁊ anhelitu in ca^o primo. Iste epiglo
tus est ꝑs principalior in vociferādo lacerti dicti
⁊ nerui iam dicti sunt ꝑtes coadiuuātes: q̄ nerui
dicti habēt ortum a dicto. vi. pari neruoꝝ capitis
4^o. de interio. c. de nocumētovocis cum istis fit
vox in gutture cum magna q̄ntitas aeris cuꝫ fla
tu ⁊ ictu ad gutturvenerit: ⁊ dictum epiglotū ꝑ
cusserit potissi^e i capite superiori dilatato ad mo
dum tube. Iste flat⁹ aeris venit a pulmone medi
antib⁹ lacertis: q̄ sunt intra costas pectoris im
pellentib⁹ cum impetu aerem ad supi⁹. primo d'

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

interio.c.6.¶ Alteri⁹ nota: ꝙ in om̄i nocumēto
voc̄ t iminuta ablata vel corrupta puta i raucedi
ne sp̄ guttur patit̄ tāq̄ instrumētū voc̄: vt vult g⁹
p̄mo de inť.in.c.6. Verū aliqñ patit̄ ꝑ se ⁊ i esse
aliqñ ꝑ colligātiam: vt vult ga⁹.in.c.dicto vbi dic̄
ꝙ si guttur patit̄ f̄m aliquā sui ꝑtē ꝙ lacerti mo
uētes epiglotū scindant̄ vel nerui dātes motuʒ
ill' vel si alteret̄ a frio ext̄n° vel si alterētur a maª
hūida fluēte ꝑ viam catarri tūc guttur patit̄ i sui
essentia qꝛ passio remanet in ea cā p̄mitiua vl' cā
ꝑ colligantiā cessante fluēte. ⁊ h̄ vult ga⁹. in ca°.
⁊ cā est qꝛ nerui illi nec lacerti nō dant motū de-
bitū epigloto infigurādo ip̄m in figura tube. Jō
non bñ vociferat. Silr̄ qꝛ epiglot⁹ cū ꝑtibus vi-
cinis est ꝯ debitū humectat⁹ ꝑpter qd̄ rauce so-
nat. qꝛ humidū ꝑcussum nō clare sonat non sine
cā. ḡ catarrizati rauci facti sunt ex morbo i essen
tia gutturi. h̄ vult ga⁹. in. c. p̄dicto. ¶ Aliqñ autē
patit̄ in mala voce ꝑ colligantiā qꝛ non venit ad
cū qd̄ venire debet scd̄m naturā puta flatus aerꝭ
cū impetu ⁊ ictu: ⁊ hoc est interdū vitio lacertoꝛuʒ
intra costas pectoris existentiū qꝛ ḡuati a maťia
vt in pl'esi. vel qꝛ ḡuati a frio extrinseco vt i ma-
le cooptis. vel qꝛ ḡuāt̄ i neruis ꝑprijs venientib⁹
a medulla ⁊ spōdilib⁹ dorsi vt fuit ille q̇ cadens
in terrā ferijt i dorso ⁊ ideo ꝑdidit vocē vt dicit g⁹
in lr̄a. ¶ Aliqñ iste flat⁹ aeris venit vitio pulmo
nis. qꝛ lesus in sub̄a vt in ptisiq̄. ꝑpter qd̄ ptisici
rauce ⁊ debiliter loquunt̄. vl' quia pulmo multū
ledit̄ i ꝯpl'one ad hūiditatē vt i antiq̄to reumate.
Vel ad siccitatē vt in leprosis. ꝑpter qd̄ leprosi
rauci facti sūt. ꝑpter qd̄ guttur in talibus ꝑ col-
ligantiā hoꝝ silr̄ non venit flat⁹ aerꝭ vitio pectorꝭ
vulnere ꝑenetrāte. Patet ḡ tibi qualit̄ i nocumē
to vocis guttur semꝑ patit̄. aliqñ in eētia: inter
dū ꝑ colligātiā ¶ Notū ē ergo ꝙ raucedo ꝑ mor
bo descp̄to ē vox diminuta ⁊ ablata sunt passio-
nes p̄ncipalr̄ gutturis seu toti⁹ organi dicti ipsi⁹
voc̄. qꝛ actio toti⁹ p̄mo ⁊ p̄ncipalr̄ ledit̄ puta vox
lʒ imediate insit talis morb⁹ ꝑti p̄ncipali vel ali-
cui ꝑti coadiuuāti i organo vel extra organuʒ: vt
pulmōi. nam qꝛ ꝑtes tales coadiuuātes nō h̄nt
actōeʒ s̄ iuuamētū in actōe non eis ꝑt p̄mo iesse
morb⁹ nec principalr̄: lʒ imediate eis insit de pos
sibili vt ē bñ explicatū in.c. de obtalª q̄stiōe p̄ma
ex intētōne ga¹. pri° de mor° in cap̄lis vltimis. Et
ē ꝑ colligātiā qñ venit qd̄ venire nō dʒ f̄m natu
rā qꝛ mala ꝯpl'o c̄ maª l' sine mª. vl' ñ vēit qd̄ vēire
dʒ f̄m naturā puta flat⁹ aerꝭ cū ictu a lacť. int̄ co-
stas. ⁊ est morbus consimil' cōmunit̄ pro morbo
descripto cū materia vel sine materia potest esse
cōmunis. quia solutio cōtinui cū deperditōe vel
sine potest esse morbus officialis qꝛ opilatio. vel
in receptaculo inanitōnis puta sp̄uum. vel si fla
tus aeris non venit vel repletōnes si ꝑtes ille mr̄
tum repleātur a materia fluxa ꝑ viam catarri vel
al's. In se autem raucedo ē accidēs morbi dicti.
Idem intelligas de actione diminuta ⁊ ablata
Et ꝑ morbo descripto ē nocumentum seu mala
actio regitiue natural' mēbri mādant̄: puta dige
stiue ⁊ expulsiue ⁊ vitalis expulsiue cerebri: vt ē
dictum intētōne ga¹.6. de morbo in.c. penultio.
Pro nocumēto vocis ē nocumētū motiue aial'
ꝑtium organi vocis vel ꝑtium facientiū ad vocē
nā vox ⁊ loquela est actio volūtaria. ideo fit per
motiuā aiatam ꝑtium dictaꝝ. Et est passio actie
loquēdo ꝑ morbo descripto motiue aiate orga-
ni ⁊ ꝑtium eius: ⁊ sic in se malicia vocis ē nocu-
mentū motiue animate ꝑtium organi dictarum
facientiū vocem ⁊c̄.

Istis clarificatis

Cura raucedinis ⁊ alioꝝ nocumētoꝝ vocis tibi patescit. ¶ Prius au
tem ꝙ in cura ꝑcedas scire ⁊ cognoscere dʒ mo-
dum ⁊ nocumētum vocis. Si sit actio diminuta
quia clara in forma debita licet modica vl' sit ab
lata vl' sit corrupta qꝛ rauca l' aspa vel tremulosa
similit̄ cōsiderare oportʒ si ē ātiquata. quia si an
nū trāsiuit nō curatur. Et ꝯsiderare oportet cām
diuersitatis talis nocumēti Si sit ex mala frigiª
humida veniēte a capite ꝑ viam catarri extrave-
nas ex frigore l' ex cantu: vel alio motu excessiuo
ad guttur et pulmonē vel ad fauces: quod est vt
plurimū in raucedine vocis. Vel fit a materia ca
lida humida sanguinea veniēte similiter a capi-
te ꝑ vēas ꝑ viā catarri ibidē. q̄ causa pluries cōti
git sanguineis ⁊ habētibus venas latas in col-
lo ⁊ in ꝑtibus supioribus. vel fit ex caliditate vl'
siccitate sine materia quasi. quia modica in car-
tilaginibus ⁊ in epigloto seu in capite cāne pul
monis veniēte ꝑ viam effumatōnis a portōē co
lere aduste in regione epatis vel stomachi. prop
ter quod p⁹somnū sentiūt ardorē asperitatem ⁊
siccitatem quasi sine sputo vel cum valde modi-
co sputo aliqualiter subnigro in gutture. Nam
ista causa raro ē: licet q̇busdam colericis aliqualit̄
adustis insit. Similit̄ si habeat tale nocumētuʒ
vocis ex re facta apposita gutturi. Vel si habet
nocumētum vt recitat galien⁹ p̄mo de interio. in
ca°. 7°. Ista oīa oportet primit⁹ ꝯsiderare. q̇a
cura ex hijs diuersificat̄: vt patebit in processu.
¶ Exequamur p̄mo curam raucedinis sup̄ cau

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

ſa que pluries cõtingit. Si q̊s raucedinẽ habue
rit ex mããia frĩa hũida veniẽte a cerebro ꝑ viam
catarri ꝑ poroſitates extra venas ad guttur ⁊ ad
ꝑtes ei⁹ facientes ad vocez ſuꝑius explicatas q̄
ꝑtes vltra debitũ humectate ſi ꝑcutiãť a flatu ae
ris cum ictu veniẽtis ꝑ impulſionẽ pulmonis la
certoꝝ intra coſtas exiſtentiũ vt ẽ dictũ ⁊ clari⁹
diceť in clarificãdo cãs tuſſis in.c.ſequẽti nõ pñt
bñ ſonare:ideo rauce cum ſurditate ſonãt. Hoc
vides in ꝑcuſſiõe terre ⁊ lapidis.rauce ſonãt cũ
q̄dam aſꝑitate vocis rõne inequalis inherentie
medi^e in gutture. Siľr eſt ibi modica portio coľe
vel flãtis ſalſi que ſunt cã talis aſꝑitatis. ſiľiť ꝙ
ſit ex tali cauſa ip̃a raucedo:patz q: hũidat i ſpu
to ⁊ tuſſi ⁊ fuit infrigidatus in capite vel in pedi
bus vel in alijs ꝑtibus que frĩtas attingẽs pelli
culas cerebri ꝑ viam cõpreſſionis dictaꝝ pellicu
larũ fuit fact⁹ caſus ſeu catarrus illarũ humidi-
tatũ ibidem ꝯgregatarũ ꝑ viam effumatõnis et
indigeſtiõis cerebri ⁊ ꝑtium eius.vel fuit factuſ
fluxus:quia ꝑtes gutturis vltra debituz labora-
uerũt. ideo quia fatigate et vltra debitum mote
⁊ calefacte fuit fact⁹ mot⁹ ⁊ diſſolutio ma^e ꝑtiuz
viciarũ ad eas. ¶ Et ſi q̊s talẽ raucedinẽ ꝑ aliq̊s
dies ⁊ mẽſes hũerit:parũ cõedat paꝝ dormiat mi
nus bibat.cena ſua ſit modica aut nulla.quia ta
lia reuma curãt.ad quod ex intẽtõe eſt intelligẽ-
dum.quia raucedo nõ curať niſi p̄us cureť reu-
ma. Raſ in ſuo ꝯtinẽte. Cena ſua ſit de ficubus
ſicc̄ calefact̄ vſq₃ incipiãt ſudare. vel de vitellis
ouoꝝ de feſtucis ľ pineis vel de riſi cum zucc̄. po
ma bene dulcia cocta cũ ſatis de zucc̄ ſañ ſibi cõ
petũt. Uel cenet de lacte bullito vel de pedibus
cap̃ti.vel ſalſa viridi vbi ſint ſpẽs ⁊ parum aceti
Potet vinũ groſſum limphatũ de aqua tepida.
vel ꝙ ponat toſtam panis calidi in tacea dũ vo-
luerit potare.vitet offas ⁊ piſces. Inſuꝑ in p̄miſ
dieb⁹ ſufficiet ſibi dieta dicta ⁊ caſſiafiſtula ſim
plex pluries tibi ſcripta in capitulis p̄mis ⁊ i.c^o
de catarro.⁊ vitet ſirup̄.quia reuma ⁊ fluxum ꝓ-
uocãt:aꝑiendo ⁊ ſubtiliãdo materiam.⁊ cõtinue
teneat in ore interdum maſticãdo de cubeb.naz
ꝯſumũt materiã fluxam ad guttur. Siľr granuz
mirre vel thuris albi.nam detẽta in ore valẽt.cõ
ſumũt matiam exſiccãdo ꝑtes vocem clarificãt.
mirra amara eſt.alliũ coctũ in aqua vel aſſatum
ſi teneať in gutture valet: cõſumit materiam ibi
fluxam:⁊ exſiccãdo clarificat vocem faciet iſtud
gargariſma caľm pluries in die. ℞.de ſapa vini
ſeu de vino cocto vel ṽnacula vel alio vino bo^o
⁊ dulci vt de ripa meľľ añ.℥.iiij. coquãť ⁊ expu-
mentur.gargarizet ď hoc diſſoluto cũm modico
aque calide decoctionis ſaluie yſopi cicerum ru
beorũ. ⁊ facto gargariſmo potet in hac ſapa vini
bullita cũ melle infundať lana ſuccida:vľ toſta
panis ⁊ parum cõpreſſa caľa apponať in fauci-
bus de nocte.vel infundať lana dicta in oleo be
ne calido ⁊ faucib⁹ appliceť. In ꝓceſſu raucedi
nis ſi bñ non reꝑetur cũ hijs ſumat.ʒ.ij.⁊ ß. pil-
lulaꝝ cochiarũ vel de aga^co.poſtea ſumat in fa-
cie ⁊ capite euaporatõem vſq₃ ad ſudorẽ decoc-
tionis aneti ⁊ ſe.ci⁹ yſopi vtriuſq₃ ſticad. poſtea
inuoluat caput ⁊ frontẽ cum pãnis lineis bñ ca-
lidis fricãdo.vel teneat de pane zuccari i ore ma
ſticãdo ⁊ trãſglutiẽdo.aliqui vtũtur iſtis piľľis:
tenẽdo in ore. ℞.mirre.ʒ. ß.thuris albi.ʒ.i. ſucci
liq̊ri^e.ʒ.ß.carniũ duoꝝ dactiľ.vini cocti vel ṽna-
ce quod ſuff.f.piľľe ad modũ fabe. oẽs etiã con
ueniũt ꝙ ſucc⁹ cauliũ rube.exſiccat ꝑtes illas ſi
gargarizeť. Ideo multi approbãt ꝙ maſticetur
trũcus cauľ.rub.teneris paulatie ⁊ ſugatur ¶ Et
ſi q̊s raucedinẽ habuerit de ma^a caľa humida:
puta ſanguinea fluẽte a ꝑtibus ſuꝑiorib⁹ per ve
nas ad fauces ⁊ ad pulmonẽ.quod pateſcit q̊a
ſatis coloratus ⁊ in cõpľone ſanguineus cuz ve
nis latis in capite ⁊ in collo cum dulcedine o-
ris aliquãdo purgetur talis cũ caſſiafiſtu. com
muni tibi data ſuꝑius.vel cũ piľľis de agarico ľ
cochijs ſi plectoria habuerit parũ comedat:pa-
rum dormiat:parũ potet:cena ſua ſit modica. fi-
naliter dieta ſua exiccatiua.vtatur riſi cũ brodio
carniũ . inſuꝑ vtatur carnib⁹ cõmunibus cõiter
aſſatis:⁊ vtatur eis cũ ſucco citrãguli :vel agre-
ſta vel ſalſa viridi. trãſactis tribus vel quattuor
diebus ⁊ poſt illos dies flobothomeť de vtraq₃
cephalica reiterãdo ſi neceſſe fuerit.qua nõ iuẽ-
ta:de mediana.ſi nonvult:vẽtoſetur ſcarificando
in ſpatulis ⁊ extrahat de quolibet brachio vnaz
ſcutellã barbitõſoris ſatis magnã:ita ꝙ extrahat
quaſi librã vnam de ambobus brachijs. naz cũ
tali magna pľies reiterata ſubſtrac^o ſãguis ꝑfi
citur cura talis : exquo eſt mãia venalis abun-
dans in quanto.quod pateſcit ex latitudine vẽa
rum in ꝑtibus ſuꝑioribus cũ alijs ſignis dictis.
¶ Cõſequẽter vtať pluries in die ma'o granato
non dulci cocto inter prunas.vel decoquať ⁊ re-
moto cortice cõprimať coletur ⁊ addať modicũ
meľľ roſ.agitenť ſimul gargarizet de hoc tepi^o:
tenẽdo in ore:addẽdo modicũ aque decoctionis
ſaluie yſopi.vel faciat gargariſma ſuꝑius dictuz
de ſapa vini cũ melle cocto : diſſoluẽdo cum iſta
decoctõne dicta.ſi velles addere in declinatõne

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

modicum de thure esset melius. teneat diu in ore
gargarizãdo interdũ potest trãsglutire aliqd. vel
gargarizet de succo cauliũ rub. tepido lingam ⁊
ptes illas exsiccat: vt ponũt antiqui. vel masticet
trũcuz cauliũ ru. sepe ⁊ sepius suggẽdo spaciose ⁊
morã faciat in gutture. Teneat in ore de istis
pillis vsq3 sint dissolute. ℞ thuris al. ʒ. i. ⁊ ß. a=
midi. ʒ. ß. se. bombacis. se. cauliũ rub. añ. ʒ. ß. mu=
scillagi. se. citoniorũ. ʒ. ij. formentur pille cum siru°
acetoso quod suff. gargarizet sepe de syru° ace=
toso cõposito dissoluto cum aqua decoctõis sal=
uie maiorane tepide apponat sibi in faucib9 ab
extra de sapa vini bulliti cum melle vel d oleo be
nedicto: vt est dictũ in raucedine de cã frigid. nã
ista 13 sint calida multũ exsiccãt illam malã cõple=
xionẽ humidã fauciũ ⁊ mẽbrorũ faciẽtiũ ad vocẽ
Et si qs raucedinẽ habuerit ex mala cõplexione
calida ⁊ sicca sine materia qd rarissime contingit i
pulmone vel in epigloto ⁊ in cartilagibus clau
dentibus ipm causata a fumo calido eleuato a co
lera multũ calida stomachi vel epatis vel cistifellis
vt cõtingit qbusdã colericis semiadustis qd ptz
q2 non habet sputũ: ⁊ si habet: ẽ valde modicuz
⁊ subcitrinũ vel subnigrũ. ⁊ sensiũt ardorem cuz
aspitate notabili in gutture: potissime post som=
nũ in quo talis fumositas min9 exalat per alios
poros corpis ab extra. ⁊ habet vocẽ ad modum
gruis cum tussi ⁊ auiũ habẽtiũ lõgum colluz: vt
dicit Rasis in suo ꝯtinẽte. nã talis fum9 eleuatur
in qbusdam acistif: vel a colera alia per poros
nobis occultos exsiccãs ptes illas: ⁊ p cõseqns
corrũpens vocez. talis indiget dieta ⁊ remedijs
cõtrarijs supradictis. Iste vitabit insup salsa
oia ⁊ acuta. mostardã. allia. spẽs oẽs cepas. lo
co salsamẽti vtat agresta vel succo citrãguli. vi=
tabit assata. vtat potagijs in prãdio ⁊ in sero: v=
tetur vino bene limphato. capiat cassiamf. cõez
vel sumat sic. ℞. sirupi acetosi cõpositi. lb. ß. siru
de papa. qrt. i. misceat: detur cũ aqua cicerũ ru.
in duabus ptibus. si nõ placet sibi sumere sirum
sumat de aqua end. de mane. 4. vel. 5. coclearia
vel p se. vel cum modico aque cicerũ rub. quo fa=
cto p aliquos dies sumat istã colaturã. ℞. pru=
norũ vuarũ passarũ, iniuba. añ. nũero. x. thimi epi
thimi sene polipodij qrt. añ. ʒ. ß. fiat decoctio in
qua dissoluat cassief mũd. ʒ. i. reuba. infusi in a=
qua end. p pausam. ʒ. i. ⁊ ß. spicenardi. ʒ. ß. vini cla
ri. ʒ. ij. fiat pot9. Vel facias sic: et est medicina
magnatũ ⁊ pncipum. ℞. reubarbari electi. ʒ. ij.
dissoluat p noctem in quart. ß. sirupi viol. si nõ
habes; in syrupo acetoso dissoluat de mane cum
aqua decoctõis prunorũ quod suff. assellabit. 6.
vel septẽ vicib9. ⁊ reub. pdit saporẽ suũ i magna
pte. vtat triasand. stomacho ieiuno nouiter facto:
⁊ in clarificatõe zucc ponat aqua ros. aq endie
añ. quart. ß. ⁊ si est tẽpus calidũ: potest capere p9
vnũ coclear aque end. vel duo gargarizet sepe d
aqua end. vel de sirupo viol. limphato cũ aq sim
plici limphet p mediũ ⁊ vltra tepidũ in hyeme. i
estate teneat sub lingua vnam de istis pillis ℞
dragagã amigd. dulciũ añ. ʒ. i. dactill amigda.
amararũ añ. ʒ. ß. semis papa. al. ʒ. i. gummi arabi.
ʒ. ij. opij. ℈. ß. terant bene ⁊ distempent cum mu
scillagi se. citõiorũ f pille sat grosse aliqlẽ ama
ritudinẽ hñt rõne opij. Sed habet efficaciam in
casu oẽs isti rauci ex tribus causis dictis. vitet
rasurã ⁊ ablutõnem capitis: nisi statim exsiccet
cum pãnis lineis calidis. Et sup hoc nota: ꝙ ex
causis tribus iam dictis vox corrumpit ⁊ rauce
do generat. Possunt tñ tales cãe intãtũ excedere
ꝙ vox quasi amputaret ⁊ quasi aufe ret. ⁊ tales
cause possunt esse cã corrupte ⁊ ablate tal actio=
nis q̃ est vox ⁊ nõ pñt esse cã diminute tal actio=
nis q̃ ẽ vox. q2 actio tol diminuta saluat formaz
actõis sicut fit in qcũq3 alia cã diminuta. iõ si sit
pauca seu modica vox nõ in aliquo corrupta: ne
cessario erit clara. qd nõ põt fieri a cãis iam dict
ppter corruptõem tpamẽti organi vocis supius
tibi explicati. fiat autẽ tal actio dinuta ⁊ clara ex
debilitate lacertorũ intra costas existentiuz. quia
labũtur in se vel rõne ptis colligate: puta lactorũ
dyafragmatis vel pulmonis cordis vel epatis vel
stomachi vel lacertoruz extra costas qui debent
primo moueri in anhelitu: ad quorum motuz se=
quitur motus fortis ⁊ insufflatio aeris cum ictu
ipõrum: vt clarius dicet in. c. sequẽti de tussi. Ad
quarũ ptium colligatarũ lesionẽ potest vox simi
liter auferri: stante anhelitu sufficienti. quia di=
cti lacerti existentes extra costas quib9 inest fa=
cere flatum aeris i gutture nullo modo poterũt
se mouere. Ista tu vides in casu in cõcussionib9
vel ex materia pũgente grauãte fortiter aliquaz
de ptibus vicinis ⁊ colligatis. ideo in talibus ca
sibus si venosus fuerit flõmamus: ⁊ pectoralia
inungimus cũ oleo aneti ⁊ fenugre. ⁊ damus d
tiriaca dissoluta cũ modico vini albi: seu succi c
trãguli si tẽpus calidũ fuerit. Põt etiã vox aufer=
ri ⁊ corrũpi ex solõne ꝯtinuitatis cõtinui neruo
rũ dictorũ gutturis in curando scrofulas vel alia
apostemata gutturis vel ex eorũ infrigidatiõe ex
medicina exterius apposita: vt recitat ga9. p° de
interio. c. 7°. ⁊c.

Capitulum. 55m. de tussi.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

Um tussis acciderit fue
ritq; aspa ꝛ sicca ꝛ cū ru
bedine ꝛ calore egro mu
roba violatū ptisana tribuēda e=
rūt. fabas q̄s excorticatas ꝛ spina=
chia cū oleo de amigdal' dulcib' in
comestione accipiat. in ore vo sēp
tenere debet pillas bichicas. aq̄ āt
quā bibit sirup' violat' ē admiscē
dus. Cōfectio pillaꝝ bichicha
rū. ℞ succi liqritie zuncti albi ābo
rū ān. ʒ. x. amidi dragagāti amigd
dulciū excorticataꝝ oīm ān ʒ. v. ex
eis cū muscillagie se. citonij cōspß
īformenē pille. Qd si cū tussi mul
tū affuerit sputū qd cū expuendo
expelli nō pōt. nocumētū infert s3
neq; febris neq; vehemēs ventris
solutio ipam cōmittat ex hijs tro
ciscis dandū erit infirmo. Qui. ℞
semis feniculi semis apij succi liq
ritie capillisue. amigdal'. oīm ptes
eq̄les. Ex hijs cū muscillagie se.
lini cōspsis informēt trocisci ex q̄
bus. ʒ. iij. tribuāt. Decoctōe3 aūt
quā ī hac egritudie vtēdū ē ī capl'o
de catarro iā descpsim': cui tñ. ʒ. v
capillisue. sūt addēde Qd si tussis
ātiq̄ ꝛ nociua fuerit adeo vt egrū ī
nocte dormire nō pmittat: pillule
storacine sūt dāde: q. ℞. mirre sto
racis opij oīm ptes eq̄les īformēt
ex eis pille ad lupinoꝝ silitudīe3
ex qb' vna aut due patiēti tribuāt
In potu vo sumat sirupū d papa.
ꝛ comedat semē albi papa. cū zuc=
caro. Qui hāc pfea patit egritudi
nē: vitet ī cōestiōe acetosa salsa pō
tica acria at3 amara Suffumigiū
ad antiquā tussim ꝛ sputū fetidū.
qd. ℞. aristo. mirre storacis galbāi
oīm ptes eq̄les. arsenici rubei ad
pond' oīum. Oia puluerizata ex
butiro vaccino cōspgāt. Ex q̄bus
magdaleōes ad pile pue silitudi=
nē informent. ꝛ cū necesse fuerit ī
ieiunio ex vno eoꝝ p traiectoriu3
suffumigetur.

E tussi. i. de anhelitu cū suffla
tōe fortissi^a aeris exeūtis c̄
instris āhelit' h̄ ē qd tussim vocamus
5°. de mor°. c. 5. circa mediu3. ppt qd
ↄcludit ibidē q̄ tussis ē mal' mot' expulsiue n̄lis
pulmōis ꝛ ptiū vicinaꝝ coadiute a motia aiata
lactoꝝ interioꝝ pectoris vt rē nociuā ḡuantē p'lmo
nē ꝛ ptes vicias expellat. vñ q: expl'siua n̄lis pul
monis de se ē ipotēs rē illā nociua3 grauātē vias
anhelit' expell'e q: canales eius sūt duri cartila
ginosi nō pñt p se cōprimēdo expell'e. iō fuit ne=
cessariū in nat'a: vt motia aiata lacertoꝝ inter co
stas adiuuaret expulsiua3 naturalē pulmonis ꝛ
ptiū vicinaꝝ cū valido ipetu ꝛ flatu illoꝝ lacerto
rū: q̇ flatus validus ꝛ fortis ipius aeris exeūtis d:
tussis. v̓ba sunt ga'. in loco allegato. Tu dices.
pulmo ꝛ canna eius de se sunt ptes insensibiles
hoc vult galie. 7. de iuuamētis. ꝛ. 4° de inte. q̄lit
ergo illa res grauans ipm ꝛ ptes pulmonis sē
sabit ab eisdē. Dicēdū qualit pulmo sentit illam
rem nociua3. Soluit ga. 4°. de interio. c. de exitu
san. a p'lmone. Idē dicit. c. vltio. q̄ p'lmo coopit
vna pellicula neruosa ad quē duo nerui ex subti
libus veniūt a. vi. pari nerioꝝ capitis: q̇ diuidunt
p supficiē dicte pellicl'e iteri' mīme penetrātes.
q̄liter canna pulmōis sentit illa3 rem nociuam
Soluit lr̄a. 7°. de iuuamētis. c°. primo circa pri=
cipiū: q̄ canna pulmonis coopit q̄da3 pellicula
neruosa q̈ fit sensus: ꝛ iste due pellicule ortu3 ha
bent a pellicula interiori tegente costas: vt dicit
Auicēna primo cano. fen. prima: doct. de mem=
bris capl'o singulari circa finem. Ex quibus pa
tet sensatio rei nocentis ꝛ grauantis partes il
las. ꝛ tunc virtis sensibilis sentiens rem illam

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

nociuam:incitat expulsiuā naturalem pulmonis
⁊ ꝑtium vicinarū:vt expellant illud.quia expulsi
ua naturalis non expellit nisi incitata.pͥmo de in-
terio.c°.pͥmo.tunc expulsiua naturalꝭ incitata ꝑ
sensitiuam sentientē illam rem grauantē venit i
actum expellēdi: coadiuta tamē a motiua aiata
lacertorū interioꝝ pectoris.¶ Ulterius tu dices
quid mouet aiatam motiuā lacertorum interioꝝ
pectoris ꝙ adiuuet expulsiuam naturalē pulmo
nis:⁊ ꝑtium vicinarū cū sint virtutes distincte in
genere.nam ex hoc videret talem motiuā anima
tam pectoraliū habere memoriam ⁊ intellectuꝫ
¶ Soluit Gaꝰ intelligēti.5.de morbo.c.4.Idē
dicit viaticꝰ ad lrām libro .3°.cano.ꝓꝓo de tussi.
Nam ꝟtus naturalis fortiter incitata ab ipā sen
sitiua pectoraliū dicta a nociuo pungēte ⁊ gra-
uāte non potēs ex se expellere expellit: ⁊ reqͥrit
ex instinctu nature motiuam animataꝫ lacertoꝝ
pectorꝶ:vt ipām adiuuet cum valido impetu ⁊ fla
tu aeris quē tussim vocamus.qui flatus aeris ⁊
impetus fit cū motiua animata lacertoꝝ intra co
stas existentiū.4°.de interioribꝰ c. de nocumēto
vocis ¶ Ulterius nota ⁊ aduerte quia non itra
bit caput asini:quinqꝫ sunt actōnes in ꝑtibꝰ pe-
ctoralibus:quarum vna seqͥtur aliaꝫ:⁊ subseqͥns
supponit p̄cedentem ⁊ nō ecōtra:⁊ leditur ad le-
sionē ipsius ⁊ nō econtra:vt ponit gaꝰ.4°.de inꝶ.
ca°.de nocumēto vocis. ¶ Prima actio in pec-
toralibus ē anhelitus naturalis q̇ fit per plures
ꝑtes quarum vna est p̄ncipalis:cetere sunt coad
iuuantes.4°.⁊.5°.de interioribꝰ in pluribꝰ locis
Ista actio seu anhelitꝰ naturalis fit p̄ncipaliter
ꝑ ipsum pulmonem.nā pulmo ē principalis ꝑs
in anhelitu:vt ponit galienꝰ.4° de interio.caplo
vltio.Idem dicit.vi.de iuuamētis anhelitus.ca°
3°.Idē dicit in libello de malo anhelitu.Idē di-
cit auerroys.2°.collectorij.ca°.de iuuamētis pul
monis in anhelitu.ergo tu dices .Gaꝰ in.vi.in fi
ne dicꝫ ꝙ pulmo cōtinet a thorace sicꝫ spōgia a māu
⁊ sicꝫ spōgia cōstrigit ⁊ dilatat ad dilatatōꝫ ⁊ cō
strictōnem manus:ita pulmo cōstringit ⁊ dila-
tatur ad ꝯstrictōem ⁊ dilatationē ⁊ cōstrictioneꝫ
thoracis seu pectoris:vt dicit ibidem.ergo videt
ꝙ pulmo non sit ꝑs principalis in anhelitu:imo
thorax seu lacerti compꝛ̄hendētes ⁊ mouētes pe
ctus dilatādo ⁊ constringēdo:ex quo pͥmo ⁊ p̄n-
cipaliꝰ mouētur in anhelitu magꝭ ꝙ̄ pulmo.Di-
cēdum ꝙ bene volo ꝙ lacerti compꝛ̄hēdētes pe
ctus dilatātes ⁊ ꝯstringētes ipm̄ pͥmo mouean
tur in anhelitu.hoc vult galienꝰ.4°.de interiori.
ca°.de nocumēto vocis.Sed ꝓpter hoc non cō-
cluditur ꝙ sit pars p̄ncipalis in anhelitu:qꝛ ꝑs
coadiuuās iterdū p° mouet:⁊ potest ꝓponi i iu
uamēto actōnis ꝑti p̄ncipali.hoc vult Galienus
in loco allegato.¶ Secūdo fit anhelitus natu-
ralis ꝑ ipm̄ dyafragma.pͥmo de interio.c°.3.ideꝫ
dicit.4°.de interio.c°.6.Idem in libello de iuua
mētis anhelitus.c°.3°.qꝛ ē origo respiratōis.idē
dicit Auerroys.2°.collectorij.c°.de iuuamentis
organoꝝ anhelitꝰ ⁊ pulmonis.Cām dat auicen.
p° cañ.fen pª doc.5.c°.de anathōia musculoꝝ
pectorꝶ.qꝛ musculi dyafragmatꝭ qn̄ mouent dila
tāt pectꝰ.ꝓpt qd̄ dicꝫ gaꝰ.4.de inte.c.6.ꝙ anheli
tꝰ sine angustia existēte scimus solū cū dyafragma
te fieri tāq̄ ꝑ ꝑtem p̄ncipalꝭr coadiuuātē: ⁊ motꝰ
dyafragmatꝭ ꝑtim est naturalꝭ: ⁊ ꝑtim aiatus: vt
dicit gaꝰ.in libello de iuuamētis anhelitꝰ.c.3.q̇a
a q̄rta ⁊ a q̇nta spondili colli recipit neruū sensiti
uum ⁊ motiuū:vt pꝫ.4.de interio.c.6.¶ Tertio
fit anhelitꝰ naturalis ꝑ lacertos compꝛ̄hendētes
pectꝰ:qꝛ ipām dilatāt ⁊ cōstringūt:vt dicit gaꝰ 4
de interio.c.de nocumēto vocꝭ.i fine.vbi dicit:ꝙ ꝓ
prie moueret.i.pͥmo in anhelitu:lꝫ sit ꝑs coadiu
uās in ipo anhelitu naturali:⁊ tales lacerti com
p̄hendētes pectus ⁊ vnū par lacertoꝝ:bn̄ exten-
sum sub radicibꝰ costarū supioꝝ:quoꝝ opatio est
sꝑ ꝯstringere ⁊ dilatare pectꝰ in anhelitu:vt dicit
aui.c.illo alleg°.ꝺ anathoª musculoꝝ pectorꝶ.cāꝫ
huiꝰ dilatatōis ⁊ ꝯstrictōis pectorꝶ sꝑ i āhelitu dat
gaꝰ5.ꝺ inꝶ.c.2.i fine.qꝛ pl'mo ꝯtinet a thorace vt
stati dc̄m ē sicꝫ spōgia ꝯtinet a manu. ⁊ sicꝫ spōgia
dilatat ⁊ ꝯstrigit ad dilatōeꝫ ⁊ ꝯstrictōꝫ manꝰ:sic
pl'mo facꝫ actōes suas.nā dilatā° qꝛ spōgiosꝰ att-
hit aerē ꝟtute ꝓpa.ħ diceꝶ i.c.seqͥnti ꝺ asmate.et
ꝯstrigē° expellit aerē ꝟtute ꝓpria explsiª:lꝫ ꝯstri-
ctio thoracꝭ ⁊ dilata° sit nccia ad ħ:vt dc̄m ē.ħ fit
ꝑ modū folliū fabroꝝ:vt dicꝫ auer.2.collectꝭ.c.de
iuuamīꝭ pl'mōis i āhelitū.sic pꝫ tibi ꝙ actio āheli
tꝰ fit a duplici ꝟtute n̄li pl'mōis ⁊ n̄li aiata thoracꝭ
⁊ ꝑtiū eiꝰ:nā torax seu eiꝰ muscli motū hn̄t aiatū
a neruis q̇busdā venientibꝰ a cer°:potiᵐᵉ a puppi
⁊ spōdilibꝰ pris colli ⁊ a.4°.⁊ 5 spōdili.4.de in
te.c.6.8.⁊.11°.q̇ nerui i somno n̄ opilāt nec quie
scūt ab actōe sua:qꝛ sōnꝰ n̄ q̇es ois aiate ꝟtutꝭ ꝓp
ter nccitatē motꝰ āhelitꝰ.nā opꝰ nat e ē opꝰ itelli-
gētie:vt inuit gaꝰ.4.de inꝶ.i pl'ibꝰ locꝭ.Idꝫ dicꝫ.3°
de creticꝭ.pꝫ ḡ tibi ex q̇bꝰ stat āhelitꝰ n̄lis i nobꝭ q̄ ē
priª actio i n̄libꝰ ¶ Scd̄a actio i pectoralibꝰ ē fla
tꝰ aerꝶ aliq̄lis maior solito āhelitu.ista actio cōꝑ
hēdit primā dictā puta anhelitū n̄alē.qꝛ fit cū oi
bꝰ ꝑtibꝰ dictis priᵉ actōis puta āhelitꝰ n̄lis dicti
rōe flatꝰ fit principꝭ cū lactis q̄ sunt itra costas:vt

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

dicit Ga⁹.4.de inte.c.de nocumēto vocis. Idē di cit.7.de iuuamēte mēbroꝝ.c.pᵒ. Isti lacerti intra costas sunt coopiētes costas ab itra aliq̄ estimāt ꝙ sint lacerti capite dyafragmate adherētes s̄ co stas ab itra q: pellicl'osi ꝛ lati b̄n flante ꝛ faciliter modus pma frōte ꝛ ꝓbabil' fm Gaᵐ.4.de inte. caᵒ penultiᵒ. ꝛ nō est verus q: vltra illos sūt alij. Iste flatus aeris exeūte p anhelitū fit interdū vi gilādo iterdū: ꝛ sepi⁹ dormiēdo ꝓpt necessitatē anhelit⁹ in expellēdo vapes ꝯcaui pector ꝛ in at trahendo aerē ꝯstrigendo ꝛ dilatādo h̄ fit q: nāl' expulsiua pulmonis expedit ꝛ reqrit ꝓpt necessi tatē ipam aiatam motiuā dictoꝝ lacertoꝝ vt adiu uet ipam in expellendo vapores ꝛ in attrahendo aerem frigidū vt est dictum in pnᵒ ca¹.

Tertia actio est flat⁹ cū ictu aliq̄li aeris ꝛ exeūti cū āhelitu. Ista tertia actio ꝯphendit duas dictas q: anhelitū ꝛ flatū ꝛ cū h̄ plus q: flatū maiorē illoꝝ lacertoꝝ vt itra costas exētiū cū ictu aeris in gutture ꝛ potiᵐᵉ in tribus cartilaginib⁹ guttur cū lacerte exētib⁹ in gutture

Quarta actio i pectoralib⁹ ē vox ista a ctio ꝯphēdit tres p̄cedētes q̄a fit cū ptib⁹ ipaꝝ ꝛ supponit eas: ꝛ supponit pl⁹. q: flatū aeris cū maiori ictu supple ipi⁹ guttur. nā lacerti guttur mouent strīgēdo se et dilatādo vna cū trib⁹ cartilagib⁹ ad modū cāpāe aduenie te flatu aeris miori cū ictu maiori. iō vociferat et causat vox q̄ nō fiebat cū flatu ꝛ ictu maiori lac toꝝ gule dicto in 3ᵃ. actōe: nec fine ꝯstrictōe ipoꝝ lacertoꝝ guttur cū trib⁹ cartilagibus sup⁹ dicte in nocumento vocis.

Quinta actio i pectoralib⁹ ē loq̄la Ista ꝯphēdit q̄ttuor dictas ꝛ adhuc pl⁹ q: motū ligue vt variet ꝛ diuidat vocē ꝛ flatū illū magnū cum magᵒ ictu lacertoꝝ gule potiᵐᵉ guttur ꝛ ꝯpleat loq̄lā cū ptib⁹ q̄busdā coadiuuā tib⁹: vt sunt dētes labia palatū nares. vt dic ga⁹. 4.de inte.c.illo.de nocuᵒ voc q̄ motus lingue fit p neruos veniētes a.7ᵒ. pari neruoꝝ orto a puppi: vt dictū ē sup⁹ itētōe ga¹.4.de inte.c.3ᵒ. circa pnᵐ ꝛ sic pꝫ tibi ꝙ iste actōes ptim sunt nāles. partiꝫ aiate. in p̄mis trib⁹ actōib⁹ v̄tus natural' pulmo nis ꝛ ptiū vicinaꝝ supat motiuā aiatam. i. mag fiūt a v̄tute nāli: expulsiua pulmonis ꝛ attractia ꝛ ptiū vicinaꝝ ꝛ cāne ipi⁹ ꝙ ab aiata motia lacer toꝝ dictoꝝ in 4ᵃ. actōe pectoraliū aiata motia in terdū supat nālē pulmonis ꝛ ptiū vicinaꝝ: q: ma gis fit ab ipa vt videm⁹ i tussi volūtaᵃ interdum nālis supat aiataꝫ motiuā ꝛ volūtaᵃ: vt pꝫ i tussi inuolūtaᵃ ꝛ violenta i hac actiōe motiua aiata su perat naturalē pulmonis ꝛ partiū vicinaꝝ dicta rū ꝛ mag fit ab ipa qđ pꝫ q: sistimus a loquela quando volumus: ꝗ ꝛc.

Primo tu q̄res q̄t actōes dictoꝝ ꝯcurrūt in tussi. Dicēdū ꝙ notū ē ex dcla rate q: q̄ttuor actōes dicte de p̄mis ꝯcurrūt i tussi nam in flatu cū ictu aliquali lacertoꝝ gule nō est vox. in tussi est ictus fortis lacertoꝝ gutturis mo uentiū ꝛ stringentiū cartilagines tres guttur ad modū campane. Ideo fit vox ꝗ ꝛc.

Secūdo tu q̄res cui⁹ pticule pectorali um tussis ē paᵒ pnci^r. Dicēdū ꝙ pulmonis nā pulmo ḡuat⁹ coactus ē expelle re nociuū ꝛ naturalis expulsiua pulmōis expetit ꝛ reqrit motiuā aiatam lacertoꝝ vt adiuuet ipam vt declaratū est in pnᵒ ca¹. opus n̄e est opus itel ligētie 3ᵒ. de cretic. naꝫ illis lacerte iest facere fla tuꝫ aeris simplicē aliquoꝝ lacertoꝝ gule ꝛ nōdū est vox ꝛ cū ictu forti lacertoꝝ guttur vt est dc̄m statim in p̄cedentib⁹ tūc est vox q: illi lacerti mo uent cartilagines gutturis strīgēdo ad modū campane.

Tertio tu q̄res tussis ē paᵒ p se vl' p colli gantiā loq̄ndo ꝓ morbo descpto Dicendū est p colligantiā venit qđ venire nō ꝺꝫ fm naturā ad pulmonē ꝛ ptes eius puta mala q̄ litas cū maᵃ vel sine interdū est paᵒ p se q: lapis ḡnatus in suba pulmonis p viam ꝯgestiōis a ca lido resoluente ꝛ exsiccante ideo causat res nu meralis p̄ter nām faciens malam ꝯpōnem: vt di cit Ga⁹.4ᵒ. de inte.c. vltimo.

Quarto tu q̄res tussis q̄s morb⁹ est in ḡne ꝛ in spē. Dicēdū ꝙ tussis i se est malus motus ꝛ actio lesa expulsiue natura lis pulmonis pnci^r q: expellit ḡuata ꝛ coacta et expellit cū malo ꝛ violēto motu coadiuta a moti ua aiata lacertoꝝ vt dc̄m est ꝛ ad istā actiōem le sam expulsiue naturalis pulmonis q̄ ꝯseq̄t mor bū descriptū imediate ꝯnr alia duo d̄ possibili ac cideᵃ i ḡne disticta q̄ ꝯsequūt morbū mediate. q: mediāte actōe lesa dicta puta q̄litas maᵃ apphē sa p sēsū odorat⁹ ipi⁹ ꝛ assistēte puta fetor āhelit⁹ ipi⁹ tussiēte. 3ᵒ. de morᵒ.cᵒ.4ᵒ. Sil'r de possibili ē accn̄s morbi dc̄m exiens mutatū ꝓ morᵒ dscpto tussis cōit ē morb⁹ ꝯsilis ca. hu.f. ꝛ sicc⁹: cū maᵃ vel sine maᵃ potiᵐᵉ q̄n ē a cā extriseca vl' a fumo vel puluere ꝛ cōiter ꝯcomitatur morb⁹ in recep taculo in ꝯcauo pectoris q̄n est cū materia rōne hu. fluxi p viam catarri.

Quinto tu q̄res si tussis i volūtaᵃ semp ē mal⁹ mot⁹ n^c mala actio expul

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

siue naturalis pulmonis ꝛ ptium vicinaꝝ. ꝛ videtur ꝙ non illud ex quo acquirit sanitas: non est malus motus seu accñs morbi: pꝫ q: istud pertinet actioni naturali: vt dicit Ga. 3°. de mor°. c. 5. circa finem. minor pꝫ in catarro facto fluxu aliq̄li. q: tussiendo expellitur ma^a^ fluxa sic curant tussiendo ꝛ exscreando ꝛ aliter ñ pñt curari. Item ille motus seu illa actio que fit a forti virtute non est malus motus nec est accñs morbi. maior nō est de se: minor ptꝫ in bona crisi ma^e^ in pectoralibus i catarro ꝛ alijs passionib⁹. tunc fit expulsio per naturā expulsiuā q: illi inest facere crisim. 3°. de creticis. In ɔ̄riū est Ras in ca°. aliter nō daret curā. In ɔ̄riū est Ga. 5. de morbo in caplis pmis. nā ponit tussim malū motū expulsiue naturalis pulmonis ꝛ partium vicinarum. Dicēdū ꝙ tussis inuolunta^a^ duplex est: q̄dam cuꝫ qua fit magna expulsio ma^e^ cū alleuiatōne patientis ex q̇bus seq̇tur sanitas ꝛ alleuiatio manifesta talis tussis lꝫ sit inuolunta^a^ non est malus motus expulsiue naturalis pulmonis nec motus talis dꝫ dici violentus ex quo seq̇tur alleuiatio ꝛ sanitas q: h fit ab expulsiua forti ꝛ p tūc sana expellenti fortiter q: sine flatu cū ictu forti ꝛ voce nō pōt expellere: ꝛ ideo fortiter expellit q: est fortiter icitata: vt dictū est supius. nō tñ possumus negare q̇n i pectoralib⁹ sit morb⁹ ei⁹ lesio aliq̄ꝝ virtutū. s p tunc expulsiua non est lesa quia aliter null⁹ morbus curaretur p naturā silr tunc exiēs a pectoribus semp esset accñs morbi vt exiens ɔ̄ñs falsū 3°. ꝛ 6°. de morbo in plibus locis spāliter in ca°. 5°. ꝛ est bene declaratum supius in ca°. de fluxu san. a naribus. ¶ Alia est tussis violenta cū qua fit modica expulsio vel magna: nō tñ est aliqualr alleuiatio ppter qd talis semp est malus motus ꝛ accñs morbi: sic patet tibi solutio ad rōnes.

Sexto tu queres tussis quis mal⁹ mot⁹ est naturalis vel aiatus vl vterq̄ꝫ Dicendū ꝙ naturalis ꝛ aiatus: vt est declaratum supius ppter qd non desistimus qñ volumus: ꝙ naturalis supat motū animatū in prioritate ꝛ pncipalitate lꝫ aial superet in maioritate: ppter qd diuersimode actores locuti sūt de malo motu tussis quid magis attribuūt aiali: quid naturali malo motui ppter intentiones dictas statim.

Septimo tu queres cui⁹ vtutꝭ tussis est nocu^m^ si tu petas d tussi: vt est malus motus dcm est ꝙ vtutꝭ naturalr expulsiue ꝛ motiue aiate. Si tu q̄ras de tussi p morbo descripto. Dicendū: ꝙ regitiue naturalis puta digestiue ꝛ expulsiꝭ e mebꝛi mandantꝭ ꝛ recipientis: vt plies dictum est intentione Ga¹. ii°. de ingenio. ca°. 2°. ꝛ. 8°.

Octauo tu q̄res tussis cuius virtutꝭ est pa° p morbo descripto. Dicendū: ꝙ expulsiue naturalr pulmōis ꝛ ptiū vicinaꝝ ꝛ motiue aiate lacertoꝝ itra costas p malo motu est pa° seu cā passiōis: q: accñs morbi pt esse cā morbi. 3°. de morbo vtutū ñaliū cerebri ꝛ gule et venaꝝ pulmonis: interduꝫ crepant finalr causat lesionē in partibus vicinis naturalib⁹ ꝛ motiuis animatꝭ nō bñ loquūt nec bñ cantant.

Nono tu q̄res sordities hūoꝛalr exñs i cō cauo pectorꝭ vl in pellicla interiori costaꝝ sicut in reumate fluxo ꝛ in plresi puocant tussim q̄lit subitrat cānas pulmōis. Ga. 5. de intꝭ. c. 2°. i fine arguēs ɔ̄ archigenē: videlꝫ ꝙ talr ma^a^ subitrabat cānas pulmōis attrahēdo aerē p modū dilatatōis pectorꝭ. vl dū q̇escit ab istis motib⁹ soluit Ga. i c°. 2°. dicto i fine: ꝙ ma^a^ ɔcaui pectoris subitrat cānas pulmōis dū pect⁹ ɔstringit q: ɔstrigēdo se ipo mit sordidū expellēdo a se i anulr pulmonis. nā q: sunt duri ꝛ cartilaginosi ad modū circuli: iō nō claudūt n^c^ ɔstringūt a capitib⁹: sic vene ɔstringūt ꝛ expulsiua expellit sm ɔstrictionē lateralē mēbri. vt declarat ga⁹. 6. de intꝭ. c° vlti°. declarādo i gomorrea: ꝛ ma^a^ sordida pectorali subintrās cānas pulmonis p ɔstrictōꝫ pectoris gūās ipm pulmonē cogit ꝛ cohibet ipm pulmonē expellere cuꝫ forti conatu ꝛ flatu.

Istis clarificatis Cura tussis tibi patescit Prius aūt ꝙ in cura pcedas scire ꝛ ɔsiderare oꝫ cāꝫ talis tussis an sit mala ɔ° cū ma^a^ vl sine i ipo pulmone ꝛ ptib⁹ vicis. ꝛ ɔsiderare oꝫ an talr ma^a^ tussis veniat p viā catarri a supiorib⁹: vel gñet ibi tussis p pte: vt in senib⁹ alr inuenit a lapide gñato in pulmōe: vt dicit Ga⁹. 5. de intꝭ. in c°. vlti°. aliqñ venit ꝛ ɔcomitat piplo^am^ plres ptisim ifra dicemus suo lo°: q: h solū pncir intendim⁹ d cura tussis q̄ fit a mala ɔ^e^ pulmōis sine ma^a^ vel cū ma^a^ veniēte p viam catarri. ¶ Silr scire ꝛ ɔsiderare oꝫ ꝙ talia tussim gñant q: pungūt ꝛ mordēt pulmonē ꝛ ptes ei⁹ ex q̇bus icitat expulsiua ei⁹ ꝛ cū motu forti cām ei⁹ expellat. Intētio g curatia duplex est circa q̄litatē ꝛ materiā fluxā vt sedet compūctio ꝛ mordicatio. ꝛ p ɔ̄ñs reducat ad mediū sic cessabit tussis: vt dicit Serap. pmo suoꝝ simpliciū: q: cessabit illa punctio ꝛ incitatio expulsiue naturalr: istud facim⁹ cum dieta cibi ꝛ potus sm ꝙ materia est ꝛ cum pillis de gūmi dragaganti ꝛ alijs detentis in ore: vt dicetur. ¶ Alia intentio

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

curatiua erit talem fluxũ materie sistere ipam in-
grossando: q: rõne subtilitatis magis fluit ⁊ vias
illas stringẽdo quodãᵒ qd facimus cũ dieta ad h
vel cũ gargarismis ⁊ pillis q̃dãᵒ stipticis: vt dicet
¶ Si quis tussim ex mala cõplone calida pl'mõis
sine maᵃ habuerit qd patescit: q: sitibũdꝰ cũ ma
gnitudine anhelitꝰ ⁊ pulsus tussis aspa ⁊ sicca ni
hil spuendo ⁊ rubore ⁊ calore faciei: vt ↄtingit q̃
busdam colericis macilentis habentibus tussim ⁊
vocẽ asperã ad modũ gruis ⁊ auiũ hñtiũ longũ
collũ. vt est dictũ intentõe Rasis in caᵒ ꝑcedẽte in
suo ↄtiᵉ. Id ponit aui. 3ᵒ. cañ. in tractatu de voce
dietet c̄ frīs ⁊ hũidis: puta c̄ spinargijs ⁊ lactucis
⁊ potet de ptisana simplici. vel se. papa. albi vl' a-
quã bñ friam: vl' potet de iulep vel de sirᵒ viol. vel
sirᵒ ros cũ vno cocleari. ꝑt facere vnã taceã aque
plenam pulis vtatur ⁊ extremitatibꝰ porcoꝝ ⁊ fru
mẽto in potagijs ⁊ cucurbitis teneat in ore de istis
pillis. ℞. succi liq̃r. ʒ. iij. se. cucurbite citrulli por
tulace añ. ʒ. i. ß. ↄfice cũ muscilagine psilij ⁊ mo-
dico albuminis oui fiãt pille teneãt i ore ꝑ pausaz
in fine transglutiat ⁊ inũgat pectꝰ ⁊ collũ c̄ h vn
guẽto. ℞. olei viol. ℔. ß. iuiubar. seu infundat ꝑ
pausam in muscilagine psilij: vel in aqua lactu-
ce addatur cere quod sufficit: fiat vnguẽtũ liq̃dũ
¶ Et si q̃s tussim ex mala ↄᵉ sicca pulmõis sine
maᵃ habuerit: qd patescit. q: sine sputo ⁊ sine ru
bore ⁊ calore faciei ⁊ siti mag̃: ⁊ sine vehemẽᵃ ⁊
magnitudine anhelitus: yᵒ ẽ cũ q̃dam paruitate ⁊
ↄstrictõe ⁊ alleuiat ex sorbitõe amidi clari bñ co
cti ⁊ apud comestionẽ ⁊ potũ vini mltũ liphati ⁊
apud somnũ ⁊ tussis fit fortis tp̃e famis: vtat olo
amigd dulciũ cũ oleribꝰ. vtat iulep stati dicto et
pillis stati dictis. istas teneat in ore sepe reficiatur
cũ cibo ⁊ potu vini mltũ limphati ⁊ alijs iã dictis
¶ Et si q̃s tussiz ex causa duplici iam dicta i pul
mone habuerit: vtat iam dictis arbitrio tuo cõitrat
¶ Et si q̃s tussim habuerit ex maᵃ acuta colerica
vel salsa descẽdẽte a capite ꝑ viam catarri ad ipz
pulmonẽ: qd patescit. q: d nocte post somnũ ma
gis g̃uat ipm ⁊ qd exspuit q̃n℞ sentit salsuz q̃n
℞ acutũ. ⁊ si in pñᵒ tal' tussis fuerit ↄsiderãᵒ pñᵐ
respectu digõis maᵉ qd expuit paucũ: ⁊ subtile
quia cum materia adhuc sit subtil' nõ põt capi a
vtute expulsiua pulmõis donec fuerit inspissata
⁊ ad mediũ reducta in suba. Isti tales ex labore
tussiendi ⁊ ex acuitate maᵉ sunt in ꝑiclo ptisicãdi
ꝓpt qd talis tussis nõ est ꝑuipẽdẽda nᶜ ꝑ modi
co ẽ hñda cũ q̃pl'es sic ptisicet. Intẽtio g̊ dupl'x
curatiua supius dicta mẽti est mltũ tenẽda. Pri
mo circa materiã fluxã vt igrosset in suba ⁊ i q̃li-
tate ⁊ q: sic cessabit pũctio ⁊ insultatio tussis hoc
vult Serapio pmo suoꝝ simpliciũ in caᵒ de medi
cinis sedãtibꝰ tussim. Id sa ponit ga. 12ᵒ. de igeᵒ
caᵒ pᵒ in fine. vbi administrabat fria ⁊ somnifera i
fortissima tussi: vt maᵃ ingrossaret ⁊ tussis seda-
ret. ¶ 2ᵒ. circa materiã fluentẽ ne fluat qd fiet ip
sam igrossando q: igrossaᵒ resistit fluxui vias ali
qual'r claudẽdo oia ista fiũt cũ cibo ⁊ potu pillis
detẽtis in ore ⁊ gargarismis. vt stati patebit. ¶ Si
quis g̊ talẽ tussim habuerit: in pmis diebꝰ dietet
cũ carnibꝰ electis risi: ordeato: amido: ⁊ auẽato spi
nargijs cũ lactucis bñ coctis: ⁊ vino grosso liphato
cũ aq̃ tepida tp̃e frio. coctanis coctis: piris coctis:
paꝝ dormiat: ⁊ cena sua sit modica de ordeato vel
amido vel risi cum modico zuccari ⁊ modico co
ctani vel piri sine zuccari. Et q: talis maᵃ est cal'a
⁊ fluit a capite ꝑ viam catarri calidi purget priᵒ
cũ cassia ↄmuni quaz recipiat in ortu solis ⁊ q̃e
scat in lecto ꝑ tres horas añq̃ comedat. ℞. pru-
noꝝ damasc̄ vuaꝝ pass mũd ab arill caricaꝝ pin
guiũ iuiube sebesten. añ. p. ß. fiat decoctio in dua
bus. ℔. aque vsq̃ ad. ℔. i. in q̃ dissoluatur cassie
ʒ. i. ⁊ ß. fiat potus. Consequẽter die sequẽti flõetur
de cephaᶜᵃ q̃ non inuẽta de mediana in bona q̃n-
titate ⁊ sumat sirupũ de papa. limphatũ cum aq̃
decoctõis rosaꝝ: ⁊ potãdo gargarizet in fine per
pausam: ⁊ sumat de dyadragãto frio: vl' de diapa
pauere pluries in die ⁊ nocte ⁊ teneat in ore d pil
lulis albis s'm intẽtionẽ Mebeᶜ q̃s tenẽt apotheˡ
ↄmuniter factis de amido ⁊ gũmi dragagãˡ ⁊ a-
rab. cum zuccaᵒ dissoluat in ore ⁊ ingrossant ali
qual'r materiã fluxam ⁊ reprimũt eius acuitatez
⁊ claudunt vias rõe amidi: ⁊ sic sedant tussim ali
qual'r. ¶ Recepta cõis est ista. ℞. muscil. gũi
dragagãˡ. ʒ. i. muscilag. gũmi arab. ʒ. ß. gũme dis
soluat in aqua ros ꝑ duos dies ⁊ inde muscilag
extrahant. amidi. ʒ. ij. zuccari candidi q̃rt. i. panis
zuccˡ q̃rt. ß. ↄquassent oĩa in mortario: et fiant
pille que exsiccent in sole vel ꝓpe ignẽ. Iste pil
lule ↄpetenter valent in ꝑncipio tussis de cã cal'a
⁊ de fria causis iã dictis. Vel teneat in ore de pil
lulis bichijs que sunt magis fortes quas ponit
Rasis 9. almansoris. ¶ ℞. succi liquir. zuccari
albi añ. ʒ. x. amidi: dragaganti amigd dulcium ex
corticatoꝝ añ. ʒ. vi. formentur pillule cuz muscilagine
psilij: et seminis citoniorum. Iste pillule magis
ingrossãt materiã fluxaz ⁊ magis reprimũt eius
acuitatem et punctionem ⁊ claudunt vias ratio-
ne amidi in bona q̃titate ⁊ muscilag. se. citonio
ruz. Vel teneat in ore de istis pillis que sunt for
tiores in isto casu positis a Rasi in suo cõtinẽte.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

¶ ℞. amidi dragaganti amigd dulciū excorticā͂ fabarū excorticā͂ se. papa. albi ꝛ corticū ei⁹. gūmi arabici boli armeni ana. ℥. ij. cōficiatur cū muscillagi se. psillij ꝛ se. citoniorū quod. s. formetur pillule ad modum lupini. Iste pillule ingrossant materiam fluxam ꝛ stringūt magis vias gutturis. ꝛ sic preseruant casum ꝛ fluxū materie ad pulmonē. ¶ Adultimū si cū istis non curent reiteret cassiam supius dcā ꝛ vadat ad balnea. Rasis vult ꝙ sumat de istis pillulis ꝛ transglutiat in introitu lecti: mihi nō placent. ℞. thuris mastici succi liquiricie ana. ℥. ij. mirre opij croci. ana. ʒ. ij. fiant pillule de quibus transglutiat duas aut tres qñ intrabit lectū. Rasis vult ꝙ si istud reuma acutum colericū ledens pulmonē cū talib⁹ non cesset ꝙ cauteriset sup cōmissura capitis cū cauterio actuali ꝛ cutellari vt materia talis consumatur q̄ cōtinue fluebat ꝛ gñabatur in capite ꝓ timore ptisis ¶ Si quis tussim habuerit ex materia frigida hūida descendēte a capite ꝑ viam catarri ad ipm pulmonē quod patescit quia de nocte post somnū manifestat eum ꝛ quod expuitur in principio est paucū aquosum sine aliquo sapore eueniens post corrisā vel catarrū. In cura huius intentões curatiue supi⁹ dicte sunt ex intento cōsiderand primo vt materia fluxa ingrossetur in substantia: vt facilius expellatur ꝛ vt reprimatur in eius qualitatib⁹ vt pulmonē nō mordeat nec pungat nec incitet ad expellendū cum illo motu violento q̄ dr̄ tussis. ¶ 2°. vt materia nō fluat ad pulmonē a supioribus quod fit ipam materiā ingrossando ꝛ vias ad inferius claudendo Ista fiunt cū cibo ꝛ potu dictis in cura tussis de materia calida ꝛ pillulis ꝛ electuarijs dictis in cura illius ¶ Finaliter omīa que dicta sunt in cura illius valēt in cura tussis de materia frigida dempta flōia ꝙdiu sputum est subtile ꝛ paucū. nam adueniente sputo grosso vel viscoso ista omīa medicinalia q̄ dicta sunt in cura tussis de materia calida nocerent notabiliter. nā tunc indigemus inscisiuis ꝛ subtiliatiuis vt materia illa fluxa in cōcauo pectoris expellatur. Sumat ergo tunc cassiam dictam: vel si necesse fuerit. ℥. ij. ꝛ ℥. masse. pillularū cochiarū talia potest sumere incipiēte sputo aliqualiter ingrossari p̄cedente sirupo de papauere: vel nō p̄cedente Et si tussis minoratur cū screatu cōpetēti ꝛ igrossato vtatur sero ꝛ mane de decoctione ficuū iuiube sebesten cum ysopo ꝛ capilli ve. vel sumat de decoctione calida ysopi cum saccaro de zuccara vel fiat sibi mellicraton de ysopo sic. ¶ ℞. ysopi recenti m. ij. mellis albi despumati. ℥. iiij. fiat mellicraton bene clarificatum ad. lb. i. ꝛ ℥. nam iste potus abstergit cum quadā inscisione materie partes pectorales. Ga. 13°. de ingenio. ca. 1°. in materia igrossata ꝛ fluxa i pectoralib⁹ vtebatur mellicrato cū modico cala⁹ ysopi rad yreos: ꝛ qñ materia erat multū ingrossata cū quadā viscositate ponebat de puluere radicū yreos in tali mellicrato. Electuaria q̄ valent ad hoc sunt dyaysop. dyapraffiū. Aliq̄ faciunt pillulas capiunt duas partes zuccari ꝛ tertiā partem carnium rad yris tenent in ore. ¶ Si quis tussim habuerit sine catarro manifesto ex mixta materia subtili flāca in pectoralibus ibidē fluxa ꝑviā resudatōis ꝛ catarri a ptibus vicinis ꝛ supiorib⁹ ꝛ ibidē gñata ex debili digestiua pulmonis et ꝑtiū aliarū: vt cōtingit in senibus a senio ꝛ mltis alijs flātiū in prima ꝛ 2a. senectute. talis vtatur ysopo recēti cocto cū carnib⁹ cū magna q̄ntitate ꝛ sumāt de decoctōe bñ cala cū saccaro de zuccaro. vel vtatur de mellicrato facto cū ysopo ꝛ modico cala⁹ purgent cū cassiam cōi dicta. vel cū yeraruffini capiāt d metridato cū modico vini tepidi i aurora l' ꝙ comedāt ꝑ se in q̄ntitate castanee sumat de duob⁹ dieb⁹ i duobus dieb⁹ tpe frio maxie pluuioso. vtatur dyatrion pipeon tyriaca senū est. vt dic ga⁹. 4. ꝛ. 6. de regimie sanitatis. dyaisopo dyapraffio dyayris salomōis Rasis laudat ꝙ potēt in introitu lecti mediūvitrū hui⁹ decoctōis. ℞. rad lilij rad yreos ana. p. i. ysopi sicci. m. ij. ficuū albarū se. fen⁹ se. apij se. raphani se. urtice se. nasturcij piperis longi ana. ℥. i. conquassentur ꝛ inuoluant in panno lineo ꝛ cū alijs decoquantur vel facias de istis mellicratō cū q̄rte° i. lb. mellis despumati quo vtantur sero ꝛ mane tepido. Potes facere vnā cōfectionē cū melle d istis seminib⁹ cū pipere. ℞. ℥. lb. de quolꝫ mellis despumati quod sufficit. ¶ Nota tn̄: ꝙ in prima senectute cōiter incipit multiplicari subtile in concauo pectoris ꝛ in canalibus pulmonis causis iam dictis faciens sonitum gurgulationē alīn dormiendo ꝛ iacēdo quo in posterū multiplicato: puta i senio ꝑvices facit tussim siccam cuius curam diximus ¶ Curam talis gurgulationis tu facies vitando potum inter duas comestiones: spāliter post cenā: ꝛ ꝙ vtātur ꝑ iterualla brodio gallinevel capōis farcitorū ꝛ allijs ꝛ vuis ꝛ ysopo ꝛ vtantur quibusdam diebus ꝑ interualla de decoctione statim dicta de radicū lilij yreos ꝛ ysopi ꝛ alijs dictis. Vel de confectione illorū se. dictorum cum melle capiatur de mane ꝛ sero in quātitate castanee sine potu vel ꝙ sumant de metridato post cenam per quattuor horas et de mane per se in quātitate amigdale. vel cum modico vini. Et non des aurē dicentib⁹ ꝙ metridatū non debet capi nisi semel in septimana: quia pueriliter locuti sūt. ꝛ contra

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

Hebe^e in paſ.fri.capitis ꝛ in tremoꝛe qui ꝯſulit
ꝙ capiant quolibet die:ꝛ in metridato nihil in-
trat niſi alteratiuū diſcraſie frie:in capite ꝛ i ꝑti-
bus ſuꝑioꝛibꝰ ꝛ ꝑncipalibꝰ:ꝛ nō excedit ſm gra
dū calītatꝫ ſicut ꝛ tyriaca:vt ponit Aui. in de viri
bus coꝛdis in fine. Et iſta tibi ſufficiant ꝓ cura
hoꝝ in ſeq̄ntibus dabimꝰ curam tuſſis in ptiſis.

Capitulum.56^m.de aſinate.

Uꝫ aliq̄s aſſidue patiť
tuſſim ꝛ aerem attrahit
queadmodū fit pꝰ curſū
aut poſt vehementē mo
tū ꝛ cum iacet ſupinus eſt ei dete-
rius ſed cū ſedet eſt ei melius. De
coctio ei danda eſt que. ℞.ficuū ci
trinaꝝ.ʒ.io.dactiloꝝ maioꝛē hūi-
ditatē habētiū ſe.apij ſe. feniculi
capilliſue.liq̄ritie yſopi praſſij oīꝫ
an̄.ʒ.v.coquātur in tribꝰ libꝛis aq̄
dulcis donec redeāt ad vnā ꝛ cole
tur de hac vō decoctiōe tribus die
bus egro in potu tribuatť cum pō-
dere duoꝝ aureoꝝ huius cōfectio
nis que.℞.ſucci liq̄ritie yſopi ca-
pilliſue.oīm an̄.ʒ.io. coꝛdumēi pi-
peris amigdalaꝝ amaraꝝ ariſto-
logie ro.ſeminis vꝛtice oīm an̄ .ʒ.
v:mellis deſpūati q̄d ſufficit. Hec
eīn cōfectio ſuꝑfluitates que ſunt
in pectoꝛe mirabiliter expellit et ē
optima dāda eſt itaq̄ꝫ ꝑ ebdoma-
dā vnā cōtinuo.deinde eger poſt
q̄ comederit ſinapim ꝛ mel vome
re cogendus eſt:ꝛ vēter ex his pil
lulis ſoluēdus que recipiūt agari
ci grana oꝛdei.xviij.coloq̄ntide in
terioꝛis grana oꝛdei.vi.elacterij g̃
na.iiij,ſucci liq̄ritie.ʒ.ß,fiāt ex eis
pillule ꝛ ſufficiūt ad doſim vnam.
Poſtq̄ hoc q̄ꝫ iterū redeat ad bi-
bendā confectionē ſumendā ꝛ po
ſtremo ad vomitū ꝛ ventris ſolu-
tionē vt ꝑus.hoc faciendū eſt do-
nec eger ſanitati reſtituatť. Interī
tamen a cibis groſſis ꝛ ſtipticis ꝛ
acetoſis abſtineat.

Eaſmate id eſt de egritu
dine pulmona-
ri ex q̄ fit offēſio durities āguſtia āhe
litus cū cantu ſeu ſonitu pauco ꝟ mul
to nā aſina grece:idē eſt q̄ cantꝰ lati
ne.Dicit,ſymon ianuēſis in ſuis ſynonimis. Un̄
Gaꝰ in ſuo paſſio^o ca^o ꝓꝓo dicit reſpirātes velut
currentes ab aduentu.q: cū cantu anhelant vo-
cant aſinaticos.ſic iſta paſſio deſcribiť ab actiōe
leſa ꝯditionata:quia a malo anhelitu cum cātu ꝛ
ſonitu aliq̄li. Ergo nō: q̄ iſta paſſio deſcp̄ta que
aſina vocať duplex ē ꝓꝓꝛie dicte ꝛ largo mō dc̄a.
Q̄d diſnia vocať.aſina ꝓꝑe dc̄m ꝓ moꝛ^o deſcp̄to
ē pa^o pulmōis ſm q̄libꝫ eiꝰ ꝑtē ꝑnci^r cū duri^c et
anguſtia ꝛ freq̄ntia anhelitꝰ attrahēdo anhelitū
vel expellēdo vꝟ vtroꝛūq̄ꝫ modo cū cātu ſonitu ꝛ
tuſſi aliq̄li:ꝓpter q̄d actoꝛeſ dixerīt tres eē ſpecieſ
aſinaꝝ:ꝛ i ħ curā diuiſificauerūt in aliq̄ vt dicetur
verū talis pa^o ſeu mali^a anhelitꝰ cōiter magꝭ fit i
attrahēdo anhelitū q̄ in expellēdo.vt vult Raſ
in ca^o.q: canne ſeu pēne ipīꝰ pulmōis nō pn̄t bn̄
libere dilatari cā mꝟtiplici vt diceť. ¶ Ulteriꝰ nō
q̄ cā anhelitus mali ſeu aſinatꝫ q̄pleſ ſūt ponit
Gaꝰ.4.de inť.caplis vltiſ. Id̄ ponit Aui.i.ʒ.can̄
Una cauſa ꝛ magꝭ cōis ſunt hūoꝛes groſſi viſco
ſi in canalibꝰ ꝛ pennis pulmonis ꝓhibētes eaꝝ
dilatōeꝫ rōne viſcoſitatꝫ:ꝛ ſic anhelitꝰ offenditur
in attrahēdo aerē:ꝛ eaꝝ ꝯſtrictōeꝫ rōe g̃ſſitiei hu
moꝛis īterpoſiti.cum q̄ cōcomitatur q̄lis ventoſi
tas ex natura humoꝛiſ:ꝛ ſic anhelitꝰ offenditur i
expellendo aerē vtroq̄ꝫ modo:ſꝫ magꝭ ſm q̄ ma^a
magꝭ peccat in viſcoſitate vel groſſitie. ad q̄d bn̄
intendimus in cura. Alia cauſa q̄ rarius accidit
ſunt humoꝛes q̄ imbibunť exteriꝰ in ſuꝑficie po
roſa pulmonis ꝛ rara rōe ciuꝰ mollicici ꝛ ꝯꝑſſio
nis pulmo libere:ꝛ bn̄ nō pōt dilatari ſic anhelitꝰ
offendiť i attrahēdo aerē.oēs iſti hūoꝛes veniūt
ꝑ viā catarri ꝑ ꝯcauitatē ꝛ cānas pulmonis:vꝟ ꝑ
ſuꝑficiē extremitatū. Interdū tn̄ aliq̄ poꝛtio ma^t

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

cadit sup capita lacertosa dyafragmatis q lacerti
faciunt ad dilatatõez pectoris.4°.de inte.c.penul
ti°.de mali^a anhelit⁹ qbus lesis ledit ipa dilata°
⁊ p pñs attractio anhelit⁹. Uel veniunt hũores a
ptib⁹ vicinis.nā deterio: anhelit⁹ fit istis duob⁹
modis:qñ spaciũ pulmõis replet catarro a capi-
te descēdēte:vl a ptib⁹ vicinis fluēte.vt ga⁹ i eod
ca°. ¶Alia cā sunt hũores colici vl sanguinei i ar
terijs pulmõis cũ porroe vētositatis tēdent ⁊ spas
mant arterias ⁊ venas pulmõis p modũ thetani
ppt qd vene ei⁹ libere nõ pñt dilatari nec pstrin
gi.iõ anhelit⁹ vexat vtroq modo. Neq magis in
attrahēdo istā cām pcomitat tremor cordis in p
cessu por⁹:vt recitat ga⁹.4°.de inte.i ca°.vlti°.i fi
ne narrādo cām:āthimerõ me^ci pacient casũ verũ
vētositas pmixta ē maior cā offēsiõis anhelit⁹ q
ma^a ppt tētione dictā:h magis explicat Aui. Ista
talis cā venit sil'r p viā catarri ab arterijs cerebri
cũ ista stat sputũ modicũ i fine vex cũ ista pt pcur
rere alia cā dicta hñt ali'n sm plus ⁊ min⁹ de spu
to qñ liberat a poxismo:nā q: cāe iste veniunt cõi
ter p viā catarri ⁊ flux⁹ Jdõ asma cõit poxismat in
qrtale āni:vl immutatõe tpis mag:q: ma^a pgrega
tur p tps i cerebro ⁊ fluit p tps ad ptes pulmõis
iste cāe digsciũt in se ex mltor puo sputo:⁊ ex tre
more cordis pcomitāte. ¶Alia cā pt ee frias ac-
qsita i pulmõe ab aere extrīseco:sic fit i trāseuntib⁹
p mõtanas frias ⁊ niueas.nā pl'mo ita ifriat:q
dilatari nõ pt sufficiēt ex se n^c rõne ptiũ pectora
liũ q sil'r reducũt in suo motu ppt eādē cām Rap
c°.de niue fac magnā mētõez d h. Rasi i suo pti^e
addit vnā aliā cām quā sil'r põit aui.i 3°.cañ. dic:
q pt fieri ex sola vētosi^c i pulmõe ⁊ ptib⁹ āhelit⁹
ppt quā pl'mo nõ pt bñ dilatari n^c pstrigi. Jdõ of
fēdit āhelit⁹ vtroq mõ:nā põt subito gnari:sic vi
dem⁹ i tibia qñ hñt rampā seu spasmũ ventosum
Dicit asma ppe seu dismia qñ est mali^a āhelit⁹ si
ne cātu ⁊ sonitu ex nocu° lacertor ex costas vl in
fra mouentium pect⁹ i anhelitu. vel ex solo nocu°
in lacerti velaminis:puta dyafragmatis q faciunt ad
dilatatõez pector vt ē dcm: q interdũ ledũt ⁊ re-
laxat:vt fuit i sesido medico rõno. Jdõ nõ poterat
bñ āhelare nisi strigeret se: ⁊ sonaret se fortiter s
dyafrag:vt recitat 4°.d inte.c.8. ¶Uel fit tal' mali^a
āhelit⁹ a replectõe stomachali pori^mc motu forti
supueniēte oppmente dcm dyafrag. ⁊ p pñs pul
monē sine ma^a i cānis pulmõis vl venis vel fit a
fumo frio eleuato a mrice rõe spmatis retēti nā sp
ma recēs acceptat ⁊ hz nam veneni fri.6.de inte.
nā tal' fum⁹ frigid⁹ eleuatus pmit ⁊ oppmit seu
spasmat seu tēdit ipm dyafragma ⁊ phibet eius
motũ. ⁊ p pñs motũ pector ⁊ āhelit⁹:ymo videt
mortue.6.de inte. ¶Uel pt esse talis mali^a anhelit⁹
ex apāte ⁊ vlcere pulmõis vel ex lapidibus gnatis
in pulmone.4.de inte.c.vltimo circa finem.

Primo
tu qres cui⁹ ptic'e asma ē pa° pn
cipalis. Soluit lra.4.d inte.ca.vl-
timis:q i vo asmate cāne pulmõis cõit pnci^r pa
tiunt:vt ē declaratũ in pn° capli.qlit nec quõ h fit
in nõ vo qd dismia vocat patit pulmo sil'r s nõ ex
ma^a in ei⁹ cānis.nec suba:n^e venis exñte s patit
ad passionē mēbror facietiũ ad ei⁹ motũ l'ipedie
tũ ei⁹ motũ Jdõ ē sine sonitu vocatur dismia cõiter

Secundo
tu qres cũ pl'ino attrahat
aerē p āhelitũ ⁊ expellat q
lit h fit. Soluit lra ga.tacite tñ. 7.de iuuamt.ca°
p°.nā lz exteri⁹ pl'mo ⁊ cāne ei⁹ inoluāt qd pelli
cula ad modũ camisie q fit sensus nũc i tussi dcm
ē:inter⁹ tñ hz coopto:iũ villosũ ligamtosũ cũ fil'
lõgis ⁊ lat cũ qbus fit melior attractio anhelit⁹:
⁊ expulsio ⁊ vltra h hz raritatē in sui suba:sic spõ
gia rõe cui⁹ attrahit ⁊ respicit aerē ab exteriorib⁹
sic spõgia suggit aquā rõe spõgiositat. iõ pl'mo
suggit aerē extrinsecũ. Et sup h nõ:q illd coopto
riũ villosũ qd dcm ē ipi⁹ pulmõis ⁊ cānar ei⁹ nõ
hz motũ:n^c ortũ a cerebro.s ē in pl'mõe a sui cre-
atõe ppt qd mot⁹ illor i āhelitu ē nal' nõ aiatus:
Jta dicēdũ de villis sto^i itestinor mri vesice epa
tis splenis ⁊ mltor alior mēbror: vt dic ga.2.de
pplōib⁹.ca°.4.qb⁹ attractiua ⁊ expulsiua nal' ipo
rũ opat melius:⁊ fac motũ suũ nalē seclusa motiua
aiata ipius cerebri ppter qd ois vtus naturalis
d: motiua naturalis.5°.de morbo.c.p°. circa pn^m

Tertio
tu qres asma ppe dcm ē pa° pul-
monis p se vl p colligantiā. Soluit
rasi i suo pti^e.q asma qd veit paulati ē vitio ppo
pl'mõis:q: a mala p^e fria nõ pt bñ digerere nutri
mentũ ⁊ i pauq dieb⁹ puta i duob⁹ vl trib⁹ mēsib⁹
pulmo iplebit hũiditatib⁹:qd sepe accidit decre
pitis qñ accit subito vt i pauq dieb⁹ fit p colligātiā
cerebri vl ptiũ vicinar totũ fit p viā catarri. Jdeo
cõit asma ppie dcm: lz sit pa° cronica q: sp fma
net aliqd de vestigio.est tñ poxismal' ppt cām di
ctā in prin° ca^i:q: vno tpe pgregat in mēbro mā
bāte alio tpe expellit fortit p modũ catarri ad ip
sum pl'mõne:lz pti^e fiat aliqlis fluxus ad ipsum.

Quarto
tu qres qre asma est pa° poxis
malis. Solutũ ē intelligēti q: cõ
muniter fit p viam catarri: vt est bñ declaratũ q
pgregatur vno tpe: ⁊ alio expellitur.

Quinto
tu qres qre s in oi reumate q s
nõ patit asma. Dicēdũ q cata

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

ṙilati: q꞉ maª nō sꝑ hꝫ viscositatē nᶜ grossitiē ꝓpṫ qđ nō remanet in cānis ⁊ pēnis pulmonis: ẜ cadit sui subtilitate ad ꝯcauū pectorꝫ. iō i reumate cōiṫ maª est subtilis in prinº: aliter nō caderet ex causa facili ⁊ modica. Ideo ꝓhibeṫ sirupatio in q̄ errant moderni medici. cōiter omēs.

Sexto tu q̄res asma ꝓ morº descꝑto q̄s morbꝰ ē ꝑnciʳ. Dicēdū ꝙ officiū. q꞉ in receptaclꝰ ⁊ i via ꝯcomitatiē ē cōsilis: q꞉ mala hūida cū maª i se āt est mala actio motiue n̄alis pulmonis. asma aūt largo mō dictū pōt esse multiplex morbus in ꝑtibus diuisis: vt statim dictū ē.

Septimo tu q̄res asma ꝓꝑe dc̄m cuius v̄tuꝫ ē nocᵐ ꝑcipalr̄ Dicēdū ꝙ ꝓ morº d̄scꝑto ē nocuᵐ passiue regitie n̄alꝰ mēbri mādāꝫ ⁊ recipiēꝫ. vt vult gaꝰ. iiº. d̄ igeº vt pl'ies ē dc̄m: asma āt i se ꝓ actōe lesa est nocᵐ attractiue ⁊ expulsiue naturalis pulmonis.

Octauo tu q̄res cuiꝰ v̄tuꝫ ē nocᵐ actie seu paº. Dicēđ ꝙ ꝓ morº descripto ē paº ꝑnciʳ v̄tuꝫ n̄alꝰ pulmōis attractie ⁊ explꝰ siue ꝯn̄r vitalꝰ cordis ꝓ actōe lesa ē paº oīm v̄tutū regitie n̄aliū ⁊ vitaliū ⁊ aialiū. nā oēs v̄tutes cōẜuāṫ mediᶜ tēꝑie v̄tuꝫ cord̄ ⁊ cor cū āhelitu ꝯẜuaṫ

Nono tu q̄res maª asmaᶜª i ꝯcauo pectoris ⁊ pulmōis exn̄s p̄t ne ꝑ secessū cū mediª laxatia expelli. videṫ ꝙ sic itētōe Raẜ i suo ꝯtiᶜ. Iđ vult aui. i. 3º. cañ. nā dāt agaricū cum pulpa colloq̄nᶜ i pillꝫis: vt maª q̄ ē in pectoralibꝰ expellaṫ. Itē ꝓbo ẜ textu gaˡ. 6. de inꝫ. c. 3º. i fine caˡ. Ubi ad lr̄aꝫ pōit ꝙ maª ibi exn̄s p̄t ꝑ egestionē ⁊ ꝑ vrinā expelli: ẜ fac̄ n̄a ꝑ se in q̄busdā q꞉ ibi ꝯtiguaṫ: q̄dā vena ꝑ quā sanies i ꝯcauo pectorꝫ ⁊ san. exiēs a pulmone expelliṫ ꝑ n̄am. alꝛ ḡ ꝑ artē p̄t fieri q꞉ ars imittaṫ n̄am inꝙtū p̄t. In ꝯriū est ypo. pº amꝑẜ. cañ. illo. Que oꝫ ducere ⁊c̄. Idem vult gaꝰ. i. ꝯº. Rō est: q꞉ ibi nō s̄t vie ꝑ q̄s maª p̄t venire ad stoᵐ. Dicēdū ad dubitatōꝫ de maª q̄ ē ifra venas pulmōis: ⁊ aliaꝝ ꝑtiū. nō est dubiº illa p̄t trahi ad ꝯcauū epaꝫ: ⁊ ꝑ ꝯn̄s ad pª itestina. ẜ de illa q̄ est dubiº ē nōndū ꝙ ꝯpōnes ꝑtiū corꝑis nō sunt vniformes. nā tu vides ꝙ arteria q̄ cōiter est i ꝑte domestica brachꝫ: ē in q̄busdā i ꝑte siluestri. Gaꝰ diᶜ in loº alleº ꝙ i q̄busdā arteria ⁊ vena t̄miaṫ in ꝯcauo pectorꝫ ꝑ q̄s p̄t subitrare sanies ⁊ san. ⁊ ꝑ egōnē ⁊ ꝑ vrinā expelli ẜ t̄n raro ꝯtingit q꞉ c̄ passiōe q̄ raro ꝯtigit sequūṫ accn̄ª q̄ raro cōtigūt vt diᶜ ibiđ ¶ Pono ꝯclusionē ꝙ i q̄busdaꝫ maª talꝰ sic p̄t expelli: i q̄busdā p̄t venas subitrare ꝑ n̄am: igr̄ poterit ꝑ artē ⁊ ꝑ secessū ⁊ ꝑ artē deduci. Aīs ē gaˡ. ꝯn̄a ē nō de se: sic ꝯcludo ꝙ fit in q̄-busdā ⁊ nō i oibꝰ. Sic pono secūdā ꝯclusionē: ꝙ in oibꝰ maª subtilꝰ p̄t ꝑ porositates mēbroꝝ substrahi nō trāscūdo ꝑ venas igr̄ poterit ꝑ secessuꝫ educi. ꝯn̄a nō ꝓbato aīte. ꝓbaṫ aīs nūꝙ 2ᵉ. humiditates trāseūt ꝑ porositates mēbroꝝ. silꝛ colera flā. salsū. dū faciūt scabiē exeūt venas sub forma hūorꝫ inaturalꝛ ⁊ sꝑgūṫ innaturalꝛ ⁊ sꝑgūṫ s̄ carnē: ⁊ ꝑ porositates carnis fluūt ⁊ expellūṫ ad cuti. ⁊ ẜ ē bn̄ explicatū i expōe q̄nti đ morº i fine sup̄ illo malo motu q̄ d̄r ꝑruritꝰ: sic pꝫ tibi ꝙ cōiṫ mateª p̄t per secessū cū medicina attrahi ⁊ expelli ḡssa āt nō đ cursu cōi. nā diᶜ ypo. Que ducere oꝫ ⁊c̄. Sic solute s̄t ꝯrietates ātiq̄ꝝ q̄ appēꝑª frōte

Istis clarificatis cura asmatis tibi patescit. ꝑus aūt ꝙ in cura ꝓcedas scire oꝫ an sit ex maª grossa viscosa descēdēte a cerebro per viā catarri ad canulas ⁊ pēnas pulmōis: vꝰ fluit ab ex̄ in spaº illo per eiꝰ supficiē ⁊ ꝑ venas eiꝰ cū portōe vētositaꝫ. Et si talis maª istis modis descendēs ꝓxismeṫ t̄n magꝫ ⁊ fortiꝰ alꝛ ꝯtiguat capita lacertoꝝ dyafragmaꝫ q̄ faciūt n̄alꝛ ad dilatatōeꝫ pectorꝫ tūc ḡuati nō faciētes ad dilatatōeꝫ eiꝰ ꝓut debēt. talis patiēs coactꝰ ē pectꝰ ⁊ hūeros eleuare in anhelitu cū mag̃ ⁊ forti violētia: vt ponit Gaꝰ. 4. de inꝫ. c. de malo āhelitu Cōsiderare etiā ⁊ scire oꝫ si talis maª fluat ad ip̄m pulmonē a ꝑtibꝰ vicinis: lꝫ nō t̄m ꝓxismalꝛ. nā si cā talꝰ asmatis sit vētositas ḡnata i partibꝰ faciētibꝰ ad āhelitū ⁊ si ē ex mala ꝯplꝰone fria pulmōis a ḡnatōe vꝰa tꝑe q꞉ cura i hoc diuisificaṫ. Et si q̄s asma habuerit ex maª descēdēte ꝑ cānas plmōis ꝓxialꝛ t̄n magꝫ: qđ pꝫ q꞉ fit s̄bito đ maª ḡssa rōe cuiꝰ pulmo n̄ bn̄ p̄t ꝯpimi. Et viscosa rōe cuiꝰ plmo n̄ bn̄ p̄t dilatari: ⁊ cū cātu sic ipediṫ āhelitꝰ i expellēdo ⁊ attrahēdo aerē ad qđ bn̄ itēdimꝰ vt i noticiā cāe veniamꝰ. vel si asma habuerit ex tali maª d̄scēdēte a capite q꞉ subito ⁊ ꝓxismaṫ: t̄n magꝫ ꝑ supficiē extrīsecā ⁊ spaᵐ i pl'es porositates ipiꝰ rōe cuius plmo ꝯpimiṫ ex q̄ libere nō dilataṫ descēdēs etiā a capite aliq̄ portio maᶜ venalꝰ colerice lꝰ sanguinee in parte cū portōe vētositaꝫ ꝓpṫ qđ taleꝫ difficultatē āhelitꝰ ꝯcomitaṫ alꝛ tremor cordis vt pōit gaꝰ. 4. de inꝫ. c. vltio. circa finē narrādo q̄lꝛ ꝯtingit anthimerō medico romano Et ꝯsiderare oꝫ si portio aliqualꝰ medicine sit subito cadēꝫ attigat capita lacertoꝝ diafragmaꝫ ꝓpṫ qđ seq̄ṫ malitia āhelitꝰ iā dicta. In q̄lꝫ hoꝝ fit fluxꝰ peroxismalꝰ ⁊ subito: ẜ cū priº est maior tussis ⁊ minor difficultas expellendi aerē ad ex̄ rōne maᶜ ḡsse inꝫposite ꝓhibēꝫ in aliq̄ ꝯstrictiōe pulmonis ad qđ-

ac'tuat ali aliq̃ ventositas ꝯcomitatis ipm̃ hũs
rẽ ex eius natura rõne eius grossitiei ⁊ istũ casũ
nõ ꝯcomitat̃ tremor cordis: ꝫ bene ꝑmvt ẽ dictũ
Vel si q̃s asma habuerit ex maᵃ veniente a ꝑti-
bus vicinis. q̃d patescit: q: fit paulatim in q̇bus-
dã diebus ⁊ nõ in paucꝭ horꝭ vt fit a capite: vt dic̃
Rasis in suo ꝯtinẽte. nec fit sic ꝑoxiʳ cum ꝑoxiᵒ su
bito ⁊ violẽter: nec cũ tanta tussi lꝫ ꝑ tꝑa alia plus
vel minus aggrauat̃ ex natura tꝑis ⁊ diete. In
cura aũt hoꝝ triũ sic ꝓcedat̃ teneat mediã dietaꝫ
vt humores nõ augmẽtent̃. vtat̃ pane bñ cocto
⁊ facto cũ se. anⁱ fenⁱ. ⁊ modico cimiⁱ: ⁊ sꝑ vtat̃ co
parũ calefacto ad ignẽ cena sua sit modica. vitet
offas q: sibi multũ cõtrariant̃ ⁊ silia. ⁊ fructꝰ fri.
hu. velut pruna: poma: pira: cesara: ꝑsica. nam die
ta hoꝝ dꝫ esse aliq̃lr desiccatiua. Intentio aũt cu
ratiua erit vt talẽ materiã reconditã g̃ssam subti
liemus viscosam incidamus ⁊ ipam ꝑ sputũ ⁊ ꝑ
secessum euacuemꝰ. nam ista intẽtio cõuenit cui
libꝫ triũ specierũ dictaꝝ ⁊ vni imediate seq̃nti pu
ta q̃n fit ex mala ꝯplõne fria pulmonis ꝓpter ꝙ
non põt bene digerere. Cõseq̃nt̃ ne ipa g̃net̃ ⁊ vt
g̃nata in capite vel in ꝑtibus vicinis ne fluat ad
pulmonẽ grossa subtiliet̃ cũ aqua mell'. vel cum
aqua ordei viscosa inscidat̃ cũ sirupo acetoso cõ
posito vel cum aceto squillitico: vt dicit Rasis in
suo ꝯtiᶜ: aq̃ mell' fiat sic. ℞. mell' albi despũa
ti. lꝫ. ꝫ. aque fõtis electe. lꝫ. ij. fiat sic ⁊ meliꝰ. ℞.
aque decoctõis ysopi. lꝫ. ij. aceti squilliⁱ. lꝫ. ꝫ. vl'. i.
mell' al. despumati q̃rt. i. ꝫ. fiat mellicratõ sumat
de isto sine aliqua ꝯmixtura: serõ ⁊ mane. Vel su
mat de aqua ordei vbi sit modicũ in fine decoctio
nis vtendo de istis potibꝰ sumat semel in. iij. die
bus modicũ de iure seu brodio galli antiq̇ in quo
bullierit. ʒ. i. polipodij q̃rcini ⁊. ʒ. i. se. vrtice pulpe
colloq̇nᶜ non puluerizate. ℈. ꝫ. addẽdo ⁊ diminuẽ
do ꝓut tibi videbit̃. Ista sunt de ꝯciᵒ Rasis in suo
ꝯtiᶜ loco huius da. ʒ. i. pillaꝝ de agarico semel in
mense ⁊ q: stomachus egrotat in g̃natiõe talis
materie fluxe in pectoralibꝰ: de ꝯciᵒ Rasis ꝓuoce
tur vomitꝰ ꝑ interualla sic. ℞. succi squille mell'
añ q̃rt. i. spissent supra cineres calidos dentur duo
vel una coclea cum alijs duobꝰ vel tribus aq̃ de
coctionis attripliq̃ ⁊ raphani añ prandiũ ⁊ post
prandiũ vsq; ꝓuocet̃ vomitꝰ. Et si vis satis for-
te medicinã vomicã ministrare pone ꝑ diẽ ⁊ no-
ctẽ modicuꝫ de ell'o albo. in radice illiꝰ raphani
postea remoueas anteq̃ decoq̃s aliqui comedũt
duos vel tres bolos de illo raphano añ prandiũ.
⁊ post remoto ell'o. 2ª die hñt vomitũ vel ifunde
parũ ell'i albi in q̃tiᶜ viniꝰ amigᶜ ꝑ duas vl' tres

horas de decoctõe radᵒ raphani apij foliorũ attri-
plicis ⁊ se. eius colet̃ ⁊ administret̃ cum. ℈. ꝫ. cro
ci siluestris. Rasis in suo ꝯtiᶜ laudat pill'as seq̃n
tes. ℞. mentastⁱ ysopi yreos piꝑis anⁱ añ. ʒ. ꝫ te-
rant̃ bñ ⁊ distempent̃ cũ melle: ⁊ capiat̃ in q̃tiᶜ
auellane ⁊ transglutiat. Vel det̃ in q̃titate auel
lane de hoc. ℞. se. sinap. ʒ. ij. puluerizent̃ subtilit̃
⁊ incorꝑent̃ cum cariq̃ q̃d sufficit. Et si pat̃. fuerit
multũ flãticus sumat vnam de istis pill'is l' duas
in itroitu lecti. ℞. mirre piꝑis se. vrtice. se. apij se.
sinap. añ. ʒ. ꝫ. terant̃ ⁊ misceãtur ⁊ fiant pill'e. Et
ꝯciᵐ ꝙ tales vtant̃ a p̃nᵒ prãdij de ficubꝰ ẽ pulue
re ysopi ⁊ tertia parte vel quarta parte puluerꝭ pul
monis vulpis. vl' ꝙ sumat ante prandiuꝫ: ⁊ ante
cenã duos bolos sine potu dyaysopi vel dya pras
sij. Isto primo expedito veniamus ad ꝫm q̃d in-
tendimꝰ. s. ꝙ talis materia in capite nec in parti-
bus vicinis g̃natur q̃d fit cum dieta supius dicta
caput ⁊ pectoralia ꝯfortãdo cũ stuphis siccis se-
mel in. iij. diebus stoᵒ ieiuno ⁊ cũ metridato q̇libꝫ
sero ⁊ q̇libet mane tꝑe frio. tꝑe aũt calido bis in se
ptimana ⁊ in numero ⁊ in q̃titate ꝙ vtat̃ in po-
tagijs saluia menta maiorana mellissa potissime
tꝑe frio. ⁊ ꝙ tꝑe frio ponat s̃ cõmissurã capitis ꝺ
garioꝭ ⁊ cubeb puluerizat̃ subtil'r vel de vtroq;
mẽtastro puluerizat̃ subtiliter. Isto secũdo ex
pedito veniamus ad tertiũ q̃d intendimꝰ. s. ꝙ ta
lis materia g̃nata in capite vel in ꝑtibus vicinis
pulmoni non fluat ad pulmonẽ q̃d fit p̄ ceterꝭ re
bus cum bolo armeᶜᵒ. nam Serap. in caᵒ ꝓpᵒ ⁊
oĩs antiq̇ dixerũt ꝙ nisi reuma ꝓhibeat̃ ne flu
at cum vsu boli armeᶜⁱ nõ ẽ spes ꝙ alio remedio
ꝓhibeatur capiat̃ cum tribus digitis ⁊ cum mo-
dico vini bñ limphati capiatur ante prandiũ per
duas horas vel ante cenã. Verũ aliqui ꝯq̃rũtur
ꝙ trachea arteria multũ ex hoc exsiccat̃. ideo mi
scemus de zuccara in tertia parte vel ꝑ medium
Aliq̇ cum ꝯfuis de rosis faciũt ꝯdituꝫ ⁊ capiũt
de mane sicut zuc̃ roꝫ. Et si quis hoꝝ ꝑoxiᵐ subi
to ⁊ violẽter habuerit: ꝙ sint coacti pectus ⁊ hu
meros eleuare cum forti ⁊ magna violenᵃ in tãtũ
ꝙ q̃si credũt suffocari a cibo ⁊ potu oĩo abstineãt
q̃diu durabit ꝑoxismus. ⁊ si ꝑ diem cuꝫ dimidia
vel per duos dies durauerit ⁊ sint in aere tempa
to ⁊ erecti sedeant vt facilius pectoralia dilatent
⁊ da sibi de hora in horã vnum coclear sirᵘ aceto
si cõpositi squillitici sine aliqua mixtura. ⁊ sumat
vnã de pill'is supradict̃. de quattuor in quatuor
horis: vel de semine sinapi cum ficubus. Et si q̃s
asma habuerit ex mala ꝯpl'õe fria vel fria ⁊ hu-
mida pulmonis a g̃natõe vl' a tꝑe vt ꝯtingit qui-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

busdā senibus a senio ⁊ qbusdam flāticis alteri us etatis rōne cuius in qbusdā diebus impletur humiditatibꝰ grossis ⁊ viscosis: ⁊ tardius ꝙ ex q cū q͛ alia cā dicta manifestat: ꝓcedēs quasi coe qlit magis p͛e ceteris spēbus ⁊ non ꝑoxismaliter. Intētio curatiua ꝑmitus dicta est tenēda ⁊ sub tiliare ⁊ incidere materiam ⁊ ipam euacuare qđ fiat cū supradictis in alijs spēbus. Et secūda in tētio similiter est tenēda nō diuersificādo nisi ratōe ꝑticule in qbusdam. nā oia dicta cōpetūt ⁊ adhuc plus: q͛ calefacere magis pulmonē: quod fit cum fumo calcis viue dū extinguit. capiat de mane vnus lapis calcis viue: extinguat cum aq̄ vt faci unt lapicide apto ore recipiūt fumū: ⁊ vtatur re-medijs dictis in cura tussis frig. ⁊ hu. rōne male cō plexionis frie pulmonis. q͛ ꝯueniūt in cā spālit de semie vrtice in duabꝰ ꝑtibus: ⁊ i tertia de se-mine nasturcij cū modico mell' cōfect. capiat q-libet mane in q̄ntitate castanee ⁊ vtat ante cibū de puluere pulmonis vulpis cum modico ysopi ⁊ cinamoi ⁊ mac cum vna ficu. ¶ Et si quis asma habuerit ex solvētositatibꝰ in pectoralibꝰ i alijs ꝑtibus vicinis faciētibꝰ ad ālhelitū qđ patescit: q͛ stat cū maiori leuitate pectoraliū: ⁊ sine sputo: ⁊ cū minori cā. tn̄ Rasis dicit in suo cōtinēte ꝙ pe ctori applicent cal'a deopilatiua ⁊ in lateribꝰ vt camomilla anetū maiorana ⁊ similia bullita. Loco hoꝝ vtimur oleis calidis sat. anodinis de camo milla multiplicato de aneto de lilio in ꝑtibꝰ ill' stu fe valēt ⁊ metridatū ⁊ exercitiū brachioꝝ ⁊ pec-toraliū vt cātare ⁊ similia. ysopus puluerizatꝰ cum cinamo° mac ⁊ modicū de gariof. puluerizatis dent cum ficubus in ꝑnci° comestionis. ¶ Et si qs asma habuerit a mala complexiōne fria pulmo nis sine matia: vt fit in trāseūtibus ꝑ loca frigi-dissima ⁊ niuosa: sumāt sero ⁊ mane de metrida° dissoluto cū vino cal'o decoctiōis saluie maiorāe mellisse: ⁊ in ꝑncipio mēse sumāt cum duabꝰ fi-cubꝰ de ysopo cynamo° gariof. mellissa pulueri-zatis. vadat ad stufas siccas ⁊c.

¶ Capitulum. 57m. de pleuresi.

Cum aliqs sub costis suis dolorē sentit pungitiuum ⁊ ꝓprie qn̄ siccā patitur tussim ⁊ febris expetit vt si dolor ꝑtem costarū ⁊ furculā tēdit: fiat minutio ex basilica eius partis in qua ē dolor: nisi totum corpꝰ mlt' to sanguine repletū fuerit. tūc em̄ ex latere ꝯtrario sanguis detractio facienda ē. Egritudo q͛ si iā per aliquot dies a sui ꝑncipio infesta-uerit egrū: flōmia similiter a ꝑte dolē te facienda ē. Meliꝰ tn̄ ē vt flobo thomia fiat: deinde aq̄ ordei cum zuccaro assidue tribuat. Et si vide ris tussim eius vehemētis siccitat da ei in diluculo oī die iulep: dein-de da ei in potu aquā ordei. Et si eger fuerit debil': nutriat cū pane ⁊ ex zuccaro. Si aūt fortis fuerit: aq̄ ordei vsq͛ ad diem q̄rtū suffice ret. Cūq͛ screare cepit: decoctiōez quā in cap'lo de reumatismo noia uimꝰ quotidie sumat anteq̄ aquā ordei bibat donec sanet. Si autē febris ⁊ acuitas ꝑseuerēt ⁊ eger in exscreatōne difficultatē patiatur: det decoctio quam ī cap'lo d asma te noīauimꝰ. qđ similiter ē faciendū cū saniei fit exscreatio. Qđ si ī ꝑn cipio passiōis qđ exscreatur niger-rimū aut valde citrinū appet ⁊ sic ꝑmāserit ⁊ febris nō q̄euerit neq͛ calor vsq͛ ad diē septimū: timoro sum ē. Et si cū hoc toto aeris ex-tractio ñ alleuiet: i maxill' rubedo ⁊ in oculis stupor: morti ē ꝓpiquꝰ Si aūt exteriꝰ i latere appuerit ru bedo aut apostēatio ⁊ cū ꝑmit lo-cus: dolet: ponat desup vētosa aut empl'm ex sinapi ⁊ ficubꝰ ⁊ dimit-tatur ibi donec locꝰ vlceret. de his vero que ex ore stolidorū ad aug-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

mẽtum nocumẽti accidũt:hanc e-
gritudinẽ patiẽtibꝰ ẽ :ꝙ cũ doloꝛ
in p̃ncipio sentitur sub costis exti
mãt grossam foꝛe vẽtositatẽ. iõq;
electuariũ diamuscũ :aut ei silia e-
gro tribuẽdũ: eũq; oĩno interfici-
unt. Hec passio vocaẽ birsen: cuiꝰ
cã est ap̃a qȯ oriẽ interiꝰ in costis
ypocundrioꝛum.

Epleuresi .i. de ap̃ate co-
stap seu ptium
ligãtiũ costas:puta pelliculap ⁊ lac-
top assistẽtiũ dilatãtiũ ⁊ ꝯstringẽtiũ
pectꝰ:q: pleura grece id ẽ qȯ costa latine cũ su
is ligamẽt.dicit symõ ianuẽsis i suis synonimis
Et inde ẽ pleureṡ et pleureticꝰ. ¶ Nota pleureṡ
duplex ẽ.vera ⁊ nõ vera. Vera plreṡ fit i pãnicu
lis exñtibꝰ itra costas ligatas c̃ cost.2° ꝺ int.ca.
2°. isti pãniculi sunt ipiꝰ dyafragmaẽ. q: dyafra
gma ẽ lactꝰ pelliculosus:imo capita sũt ligata c̃
costis faciẽtia ad dilatatõem pectorꝫ:vt dicit gaꝰ
4.de int.c.de malo anhelitu.nã ip̃o exñte i sani-
tate nõ sunt necessarij lacerti supioꝛes ad faciẽ
dũ sufficientẽ anhelitũ i sanitate:vt dicit ibidem
Vel fit i pellicul' ligãtibꝰ costas qȯ fit vt plim:vt
dicit gaꝰ.5.de inte.c.2.circa p̃n^m. Idẽ dicit:6.am
phoꝝ.sup illo cañ. Acide eructuatões.Ideo qñ
iste ptes apostemãẽ:minꝰ dolẽt qñ appodiãt su-
pra costas eiusdẽ lateris.q: minꝰ soluũtur in ꝯti
nuo:qȯ statim i p̃ma visitatõe inuestigamꝰ: sup
q̄ pte meliꝰ q̇escũt interrogãdo : tal' plreṡ vera fit
cõiter de sanguie vel de co.in toto vel i maioꝛi p-
te.nam rõe subtilitatis in suba ⁊ acuitatis tales
hũoꝛes subintrãt subam pelliculap ⁊ pel'iculop
dictoꝛũ. ⁊ rarissime fit de maᵃ flãtica vel melica
p̃pter cãm ꝯtrariã:vt dicit gaꝰ.6.amph.sup illo
cañ. Acide eructuatões.de possibili fit ⁊ rari^me
p̃pt cõmixtionẽ alicuiꝰ poꝛtõis co.vel san.colici
i modica q̄titate.⁊ fit talis pl'resis vera in parti
bus dictis qñ vene ⁊ arterie q̄ cõtiguanẽ cũ di-
ctis pellicul' sunt nimiũ replete ⁊ spuũt coleram
⁊ san.ad ip̃am pelliculã vel spuũt dictũ san.cole
ricũ ad dictas pelliculas pviã catarri seu dissolu
tionis a motu foꝛti:a cõcussiõe foꝛti:a cal'o vl' fro
excedẽti:vt dicit gaꝰ.5.de int.i.c.2. ¶ Pleuresis
nõ vera fit i lacertis q̄ sunt intra costas ligãtibꝰ
costas i medio:q̄ faciũt flatũ in anhelitu ⁊ in la-
cert exñtibꝰ ex costas q̄ faciũt ad cõstrictiões pe
ctoꝛis p modũ dictũ spuiẽ maᵃ a venis ⁊ arterijs
⁊ gñaẽ de possibili ex quolibet hũoꝛe. q: q̇cunq;
hũoꝛ põt subam illop lacertop p eop cõcauitates
subintrare:imo ⁊ a vẽtositate a dñio vel in toto.
iõ ypo.2° regiiñẽti docet apponere calefactoꝛia
vt videaẽ an sit vẽtositas sola vel cũ alia plectoᵃ
hũop.hoc facit qñ dicti lacti grauãtur ⁊ dolẽt:et
nõ facit hoc in vera pleuresi ⁊c̃.

Primo tu queres. Cuius pticule pecto-
raliũ plreṡ vera ẽ passio p̃ncipʳ
Soluit lr̃a.2.de inte.c.2. Idẽ dicit raṡ i suo ꝯtiᵉ.
ꝙ pelliculariũ q̄ sunt infra costas ⁊ q̄ faciunt ad
motũ eap ⁊ sũt capita diafragmat.4.de int.in.c.
de malo anhelitu.post p̃n^m capli.vel ẽ passio p̃n
cipaliẽ pelliculap ligãtiũ qȯ ẽ vt plrim.vt dic̃ gaꝰ
5.de inte.c.2. Idẽ vult gaꝰ.6.ampho.sup canoᵉ
illo. Acide eructuatões. Idem vult Rasis i suo
cõtinẽte. ¶ Pleureṡ non vera ẽ passio p̃ncipali
ter lacertoꝛũ q̄ sũt inter costas ⁊ extra : vt ẽ dc̃m

Secundo tu q̄res.plreṡ vera ⁊ nõ v a
ẽ nepa°,p se l' p colligãtiã
Solutũ ẽ ꝙ ẽ p colligãtiã venap assistẽtiũ spuẽ-
tium humoꝛes illos ad ptes illas.

Tertio tu q̄res. Pl'resis moꝛbꝰ q̇s ẽ. Di
cẽdũ ꝙ moꝛbꝰ officiaḷ i q̇ sũt tria
genera moꝛbop ex q̇ ẽ ap̃a ex q̇ magꝭ ledit. Dicẽdũ
ꝙ interdũ a cõpl'õe mala:vt in fe.interdũ a ꝯpo
sitõe mala: vt in malo anhelitu.interdũ a sol'one
ꝯtinui:vt in accubitu ⁊ tussi.

Quarto tu q̄res.cuius v̇tutis pleuresis
ẽ nocumẽtũ p̃ncipaliẽ passiue
intelligẽdo. Dicendũ vt pluries est dictũ ꝙ regi-
tiue natural' digestiue ⁊ expulsiue mẽbꝛi mãdan
tis ⁊ recipient ꝯsequẽter.

Quinto Tu q̄res.cuius v̇tutis pl'reṡ ẽ
nocumẽtũ vel passio p̃ncipaliẽ
Dicẽdũ ꝙ motiue aĩate lacertop intra costas exi
stentiũ flatum in anhelitu foꝛti:vt ẽ dictũ in.c. ꝺ
tussi.ꝯñr est passio natural' motiue pulmõis.ꝯñt
vitalis coꝛdis ⁊ oĩm mẽbꝛop.

Sexto Tu q̄res. si fria q̇dãmõ repcussi
ua cõpetãt in p̃n° pl'resis vere et
nõ vere applicãdo ab extra: put in alijs ap̃atibꝰ,
Videẽ ꝙ sic intẽtõne hebeᵉ.c.,p̃po.rõ sua. talia
diminuũt fluxũ hũop ad ptẽ illã. Itẽ intẽtõe aui
cẽne.4.cañ.ca° illo. Antiq̇ssimi ãtiquop.vbi dat
curã ap̃atũ antrosop i emũctoꝛijs.vbi docet ap-
plicare in pꝛim° oleũ roṡ.⁊ oleũ mirtinũ. q: talia
fria nõ repcutiũt materiã:ꝫ q̇etãt cã ⁊ foꝛtificant
pticulã;coꝛrigẽdo discrasiam pticule. Itẽ inten-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

tione gal'.14.de ingeº.in fine vbi dicit. hoc idē facit in antracib⁹ ꝛ carbūculis i emūctorijs ꝛ i alijs locis applicādo amagloss. In ꝯriuz sūt moderni Gordoni⁹ ꝛ alij ꝓhibēt applicare fri. i pricipio.cām dāt.in interiorib⁹ vie sunt late ꝛ apte rōne caloris.ꝛ in momēto fit fluxus si medic⁹ eēt p̄sens dū tale apostema incipit ꝛ portaret medicinā in manu possent cōferre fria tu nc opposita. Dicendū ꝙ opio hebeᶜ ꝛ auic.magis placet. quia postꝙ cōfestim fiat flux⁹ notabil: q: vie sunt apte ab intra: fluxus durat cōiter duob⁹ diebus Jō dolor augmentaꝫ illꝭ dieb⁹.silr̄ hoc videm⁹ in cōcussionib⁹ extrinsecis ꝛ in apatibus emūctoriorꝫ vbi sunt vie late.q: destinate ad recipiēdū superfluitates a principalib⁹ mēbris qd̄ durat flux⁹.ꝓpter qd̄ in pmis dieb⁹ cōpetit oleū ros.cuz portione olei camomille.ꝛ illi q̄ ponūt olea calida i prīnº:augmētant fluxū. ¶ Et si dicas.ypo.2º.regimēti applicabat cal'a ꝛ calefactoria. Dicēdum ꝙ ipē iubet hoc qñ passio ꝛ dolor ē in lacertis ex costas ꝛ est dubiū an sit ab hūore vel a vētositaᵉ q: qñ ē doʳ a vētositate ex talib⁹ applicaꝫ doʳ mutaꝫ in pte viciaꝫ minoraꝫ:ꝛ sic rō gordonij non vz.

Septimo tu qres si in ꝓcessu competāt maturatiua scđm qi alijs apatibus. Dicendū ꝙ oēs ꝯuenıūt ꝙ sanies in pectoralibus ē periculosa.q: corrosiua.iō nō ꝯpeiūt maturatiua nec putrefactiua ꝓut in alijs apatibus.ꝫ debent applicari resolutiua cum pauca maturatione.

Octauo tu qres pleureꝫ in quo latere ē deterior. Soluit auic.3.cano. c.ppzio. Idē dicit Raꝫ in suo cōtinēte ꝙ plreꝫ i pte sinistra supueniēs est deterior:picl'osior: breuior.q: magis appropinqt cordi. iō seqꝫ maior acuitas ꝛ molestia. Si fiat in pte dextra:non ē ita piculosa:ꝫ ē magis lōga ꝓpꝫ cām ꝯriam. q: magis elongaꝫ a corde.ideo nō facit tantā molestiā nec acuitatē accidentiū.

Nono tu queres.si in plresi sit ꝓcedēdū subtiliādo in dieta vsqꝫ ad statum ꝓut in alijs egritudibus. Dicendū ꝙ nō:q: i priº pleureꝫ q̄ ad digōem maᵉ ē stat⁹ q̄ ad accñaꝫ q: accñtia multū molestan tnaturā. ideo natura nō est occupāda in cibo:nisi valde tenuiꝫ.ideo quādo paꝝ spuit:parū ē dandū de cibo. qñ multum spuit:plus ē dandū de cibo in ꝓcessu.

Decimo Tu qres.qbus magis accidit pleureꝫ vera. nec q̄ facili⁹ incurrūt. Soluit Raꝫ in suo cōtinēte: ꝙ colici magis ꝛ facili⁹ incurrūt plresim verā:q: maª abundans ꝗto acutior:tāto citius penetrat ꝑ pelliculam ligantē costas ꝛ ꝑ illū pāniculū lacertosum ligatū cū costis facientē ad eius dilatatōem puta ꝑ capita diafragmatꝭ sanguiei flātici:tñ citius incurrūt plresim non verā.nā i talib⁹ san. calid⁹ abūdans exit capita venaꝝ:ꝛ subintrat cōcauitates ꝛ porositates lacertoꝝ existentiū intra costas ꝛ extra.ideo tales si tāgātur cū digitis in latere: dolent:qd̄ nō faciunt in pleuresi vera.

Istis clarificatis ¶ Cura plreꝫ ibi patescit prius autē ꝙ in cura ꝓcedas scire ꝛ cognoscere oꝫ in quo latere est. Et si ē plresis vera:vl' nō vera.ꝛ si dolor ascēdit vsqꝫ ad spatulas seu furculas.vel descēdit ad ypocūdria subtus costas.ꝛ i quo tpe morbi sit.nā ex talib⁹ cura ꝛ ꝓnosticatio diuersificaꝫ. Et si qs plresim verā habuerit cuz dolore ascendēte vel descendente:qd̄ patescit ex octo signis. Primo q: ibi est dolor pūgitiuus ꝛ extensiuus ꝛ nō pulsatiuus.q: illa pellicula ꝛ ille pelliculus diafragmatꝭ ꝓuati sunt arteria:vt dicit ga⁹.2.de inꝫ.c.2. Idem dicit Raꝫ in suo ꝯtiᵉ ¶ Scđo est ibi malicia anhelitus q: ille pelliculeq̄ mouetur in anhelitu gūate a materia tali:ñ pñt bñ moueri.ꝛ lacerti q̄ sunt infra costas ꝯpatiūtur:q: faciūt flatū in anhelitu. ¶ Tertio ē ibi tussis ꝓpter vapores eleuatos ad pulmonē pungētes ꝛ grauātes ipm.ꝛ fit cōiter tussis cū aliqli sputo pauco l' multo exqꝫ maª ē i ꝯcauo vt dicit raꝫ i suo ꝯtiᵉ. ¶ 4.º ē ibi fe.ꝯtiª vtplrīm:lꝫ qñqꝫ interpollet ꝑ modū ꝫtiāc.vt. d.raꝫ i suo ꝯtiᵉ. ¶ 5º. ē ibi pulsus serrin⁹ dur⁹ vt dic̄ ga⁹.v.de inꝫ.in.c.2º q: illa pellicula apata appodiat se supra diafragma ꝛ diafragma cōpssum apatū vel nō apatuꝫ appodiatū supra capsulā cordis.iō arteria cordi ꝯpssa cū duritie ꝛ violētia mouet ad modū serre hostij.vt dicit ga⁹ in loco alleº. ¶ Sex⁹ tales melius cubāt supra ptē egrā cū minori dolore licet ē maior tussi.q: ps egra qescit supra costas.nō sic soluiꝫ in ꝯtiº sicut qñ pedēt.iō meli⁹ qescūt: sed magis tussiūt.q: pulmo magis adheret hūori vt dic̄ raꝫ i suo ꝯtiᵉ.iō i augmēto plresis ꝛ i statu iaceat supra ptē egrā:vt cū tussi meli⁹ mūdificeꝫ cuz sputo. ¶ Septiᵐ signuz ē ꝙ qñ tangiꝫ in latere cū digitis nō dolēt:quia pticula patiēs est infra costas. ¶ Octauū ꝙ cū cōcomitaꝫ pafreneꝫ:ꝫ istud accñs solū cōcomitaꝫ plresim i diafragmate:vt dicit raꝫ in suo ꝯtinēte.q: neru⁹ q̄ ꝯtinuaꝫ c̄ diafragmate ꝓpinquus ē cerº:vt dicit ibidē.iōo cerebrū ledit a maª eleuata ꝑ illū neruū:istis accidētib⁹ ꝯcomitātib⁹ notū ē ꝙ est vera pleureꝫ.

No' q' [illegible] bona ꝛ pleuresi nō [illegible] valde bonū [illegible]

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

In p̄mis igit̄ dieb⁹ fiat flōmia de basilica parꝶ
ꝯrie ſm rasim in suo ꝯtinēte dato ꝙ dolor deſcē
derit ab ypocūdria ⁊ i bona q̄titate ad. ℔.i. Et ſi
venosus ⁊ coleric⁹ fuerit: fiat ad. ℔.i. cū dimidia
vel ad duas. ℔. reiterādo bis in die. hoc vult raſ.
i suo ꝯtinēte. ⁊ ga⁹. in libello de flōmia. Et ſi tu
arguas ex datis a ga°. 13°. de inge°. i.c.6. ꝙ deb3
fieri de p̄te eadē. nā dicit ad l̄ram ꝙ in apoſtēate
epaꝶ pectorꝶ ⁊ pulmonis i p̄ncipio: dū fit fluxus
mat̄ie d3 fieri flōia de epatica eiusdē partis dat
cām: q2 melior ſit diuerſio ⁊ euacuatio a p̄ticula
leſa. Dicēdum ꝙ Raſis ſilr̄ cōcordat hoc: q̄a
vtplurimu3 fit complectoria venaꝝ ꝓpter quam
ſpuit̄ ma^a ab ip̄is venis ad dictas pelliculas. iō
d3 fieri de p̄te oppoſita ſi de poſſibili eēt ſine ple
toria de eadē p̄te. ſic intellexit Ga⁹ i loco alle°.
dietet̄ cū ordeato claro ⁊ cum ptiſana: ⁊ ſirupet̄
quouſq3 incipiat notabiliter ſpuere cū ſirupo de
papa. poſtea nō: q2 ſputū reſtringit vt dicit Raſ
i suo ꝯtinēte. vel nenuf̄ vel viol̄. dicit ibidē veru3
fatigat̄ cū ſirup̄. Aqua ordei h3 vim ſirupi ⁊ ſibi
ſufficiat. ¶ Secūda die ſue egritudis purget̄ cū
caſſiaꝶ ſimplici: vt ſtomach⁹ denudet̄ a ſordi^e co
lerica ⁊ flātica: ⁊ natura in hoc releuet̄. ℞. p̄ruo
rū damaſc̄. vuarum paſſ̄. caricarum albaꝝ. iuiu-
be ſebeſtē an̄. p. ß. fiat decoctio i duabus. ℔. aque
donec redeat ad. ℔. ß. in q̄ diſſoluatur caſſiaꝶ mū
da. bn̄ pinguis ⁊ electe. ℥. i. ⁊ ß. ⁊ fiat potus. detur
ante ortū ſolis. nō comedat niſi poſt tertias i p̄n
cipio prādij ſumat de aq̄ ordei tepida ad mūdifi
candū ſtomachū. poſtea comedat de auenato vl̄
ordeato claro: ⁊ poſt veſp̄as ſumat cliſtere ablu
tiuū: dato ꝙ competēter aſcellauerit ¶ ℞. aq̄ or
dei q̄r. v. mellis viol̄. ℥. ij. ⁊ ß. olei cōis. ℥. i. caſſieꝶ.
mund̄. ℥. i. fiat cliſtere. ¶ Tertio die flōmet̄ de p̄-
te eadē: l3 non in tāta q̄titate: dietādo ip̄m vt. s̄.
p̄ma ⁊ ſecūda die inungat̄ cū oleo roſ̄ vel mirti
no. in tertia die fiet empl̄m iſtud ſedatiuū dolorꝶ
⁊ correctiuū mat̄ie ſm intētionē raſis i ſuo cōti^e
¶ ℞. farine ordei. ℔. i. ſandal̄. pulueriza toꝝ. ℥. ij.
floꝝ viol̄ roſ̄ rub. groſſo° pulueriza toꝝ. an̄. ℥. i. de
coquātur in aq̄. ¶ Si vis: adde modicū olei roſ̄
vel camo. fiat empl̄m de quo capiat̄ ⁊ lateri ap-
plicet̄. Iſta ſufficiāt ꝓ toto p̄nci° pl̄reſis ſumen
do p̄n^m vſq3 quo ma^a incipiat notabiliter digeri
⁊ expelli cum ſputo. Adueniēte ḡ augmēto ip̄i⁹
pl̄reſis in quo appebit ſubrub. ſputum vl̄ ingroſ
ſatū aliqual̄r digeſtū ⁊ cū minori labore nullo°
flōmes: q2 impediret maturatōem ap̄atis. dic̄ ra
ſis i ſuo ꝯtinēte. vnde ſi tale ſputū in q̄rta vel q̄n
ta die appeat: morbū inchoatū abbreuiat ⁊ ecōt
ſpo. p̄mo ampho. q2 ſigna manifeſte digōnis di
uidūt tp̄s morbi. 4. ampho. can̄. illo. Quib⁹ egri
tudo ſeptima die terminat̄ ſi ſputū appeat rube
um: malū q2 ſig̃t rupturam vene. ſubrubeū venit
p̄ reſudatōem. ⁊ ſi nigrū peius: vtpl̄rm moriunt̄
¶ Adueniēte ḡ ſputo ſubrubeo dieta pōt aliq̄li
ter ingroſſari: potes dare ſibi de brodio p̄ue pul
le: ⁊ in ꝓceſſu de colaticio ⁊ de vino aquoſo ſim
plici fracto cum aq̄ bullita: q2 ſputū ꝓuocat. h°
vult Raſis. da ſibi de aqua mellis per interual-
la ſputū mirabiliter ꝓuocat. In materijs groſſis
decoq̄tur aqua pone in fine modicū mellis ſuffi
cit in amphora. ℥. i. vel ß. mellis: ſm ꝙ amphora
ē. interdū da ſibi de aqua ordei in ꝓceſſu. ſi vide
res viſcoſitatē materie i ſputo: da ſibi de ſir° ace
toſo vnum coclear de hora i horā ſine alia mixtu
ra. vel miſceas eq̄liter cum aqua bullita. ſi velles
forti⁹ ꝓuocare ſputū viſcoſum: adde modicum i
dicto ſiru° aceti ſquillitici. Et ſi vis in aq̄ mellis
potes ponere aceti ſq̄llitici. ℥. ß. vtat̄ ad placi-
tum loco ſirupi. ¶ Si tu dubitas: ſiru^m acetoſu3
ponas in aqua mell̄ modicū liquiri^e ⁊ q̄ttuor fo
lia praſſij. vtat̄ iſto potu loco ſirupi. na3 iſte pot⁹
mirabil̄r maturat mat̄ias in pectoralib⁹ ⁊ line-
facit ſputū. raſ̄ in ſuo ꝯtinēte. ſil̄r tenere faciē ſu
am ſupra aquam cal̄am exn̄tem i olla. multū fa
cit ad leue ſputū. dicit Raſ̄ i ſuo continēte. appē
te dicto ſputo facies iſtud empl̄m maturatiuu3
⁊ ſedatiuū dol̄. ¶ ℞. farine ordei. p. iij. foliorum
biſmalue. p. i. furfur. p. i. floꝝ camo. p. ß. ſe. ane^i ſe
lini ſe. fenug^i. an̄. ℥. ß. decoquat̄ in aqua bn̄ ⁊ di°
ſtempet̄ cum modico olei camo. vel ptiſanū: ⁊ q̄
titas tepida lateri applicet̄. Vel i ꝓceſſu inunge
cū oleo camo. vel aneti vel fenug^i vel ſiʒanu3 te
pidū. vel applica ſepe ſpōgiā infuſam i aq̄ deco
ctionis biſmalue ⁊ ſe. fenugre^i. poſtea inunge.
Et ſi indiget bn̄ficio ventris: da ſibi cliſtere cōe.
vel da ſibi. ℥. ij. ⁊ ß. māne granate diſſolute in bro
dio macre p̄ue pulle. vel i decoctōe vuaꝝ liquir^e
⁊ prunoꝝ. q̄d ſc3 caueat ꝙ recidiuet. q2 oēs mo-
riunt̄ ex recidiuo. iō ſit caut⁹ ꝙ nō infrigidetur.
¶ Et ſi q̄s pl̄reſim nō verā habuerit: q̄d pateſ-
cit q2 ibi ē dolor p̄ūgitiuus ⁊ extēſiu⁹ ⁊ pulſati-
uus rōne arteriarū ⁊ venarū q̄ pulſant in ap̄ati
bus ꝓpter ebullitōem materie. 2°. de inte. ⁊ ſi tā
gat̄ i loco cū digiꝶ dolet tuſſis ſine ſputo maife-
ſto i p̄n° ⁊ i ꝓceſſu cū mali^a anhelit⁹. q2 illi lacti
flant i magno anhelitu. 4. de inte. c. de nocu° vo
cis. ⁊ meli⁹ q̄eſcūt i accubitu p̄ꝶ ꝯrie: q2 tūc lacti
ap̄ati q̄eſcūt ſupra coſtas ⁊ nō ſoluūtur i ꝯtinuo
tūc: ⁊ ſunt cū pulſu aliq̄lr̄ molli. q2 capſula cor̄

nō opprimitᷣ sicut i vera plresi flōetur: purgetur: inungatᷣ i primis diebꝰ vt ē dictū i vera plresi qꝛ drīa ē solū rōe pticule patiētis. ⁊ qꝛ plresis nō. va magꝭ fit ex flāte flātico: imo in pte vētoso in pnci pio cura nō diuersificetᷣ. Jn augmēto tm̄ aliqlitᷣ diūsificatᷣ. ⁊ qꝛ p sputū augmētū nō bn̄ manife- statᷣ. qꝛ matia ē ex concauū pectoris: nō expellitᷣ p sputū ꝙ sit q̄titas manifesta: ꝫ oꝫ attēdere ad febrē ad pulsatōem apātis ad inq̄etudinē. dic̄ ra sis in suo ꝯtinēte. ¶ Et dicūt pl'es aliȷ̄: ꝙ factis flōmiȷ̄s in prinͦ ⁊ aliȷ̄s substractōibꝰ maͤ facto fluxu maͤ ꝙ apposiͦ vētose sine scarificatōne est cura sūma. qꝛ trahitᷣ maͣ ad extra ⁊ sic potit apiri qn̄ ē bn̄ ab itra nō apitᷣ ab intra: iō cōiter moriuntᷣ. Maturētᷣ cū farina ordei cocta in aq̄ cū mo dico olei roꝭ ⁊ floꝝ camo. pulueriꝫaͤ in 6ͣ parte. Raꝭ dic̄ i suo contiͤ: ꝙ fiat emplm̄ de cineribꝰ ra dicis caulīū cū axūgia porci veteri multuꝫ resol- uit. ¶ Et aduertere oꝫ ꝙ curetᷣ p resolōnē mate rie vel p apturā ab extra cōiter moriūtᷣ: imo pl'es q̄ de plresi vera. qꝛ talꝭ maͣ ab intra resudādo ad ꝯcauū pectoris cū sputo expellitᷣ. reiterentᷣ cliste ria ⁊ cassiatᷣ. ꝑut fuerit necesse ⁊c̄. hec de pleure si sufficiant.

Capitulum. 58m. de pipleumōia.

Um hoī supuenerit fe- bris ⁊ in anhelitu tm̄ pa titur ꝯstrictiōem vt se p̄- focari putet ⁊ in maxillis ita vehe mens fit rubedo vt tincte videatᷣ: ⁊ anterior pectoris ps dolet: tussis adest. ⁊ qđ cū exscreatōe emittitur existit spumosum ⁊ in pectore sen- titur grauitas sine punctōe ⁊ sine calore cui oīa hec accidūt acutum ī pulmōe patitᷣ apostema. Et voca tur hec passio pipleumōia. Jn p̄n cipio igitᷣ curōis eiꝰ basilica minu- enda ē. deinde eger ex eis q̄bꝰ me- dicatᷣ pleuresis curandus ē.

E peripleumōia

id ē de apate pulmonis. 2. de inge. c. 2ͦ. nā piplon grece idē est qđ pulmo lati. dicit symō ianuēsis i suis synonimis, sic paͦ describitᷣ noie pticule patiētis ex intētōe gaꝭ i lo co alleͦ. Jdē dic̄ ipe i passioͦ suo. ¶ Nō pipleuͣ fit duplrᷣ. Uno mō ex ꝓpria plectoria venaꝝ pul monis. nā vene eiꝰ replete nō pn̄t sustinere san- guinē: spuūt ipm i eiꝰ porositatibꝰ ⁊ facit tumorē ⁊ apā. Alio mō fit ⁊ vtplrm succedēdo catharro vel sq̄nātie vel asmati vel pli esi. qꝛ maͣ exn̄s in- fra venas illaꝝ ptiū fluit ⁊ delegatᷣ ad ptes pul- monis alr̄. q̄ vene replete nō potentes sustinere san. rōe q̄ti vel q̄lis spuūt san. ad eiꝰ porositates ⁊ cāt tumorē seu apa. ⁊ qꝛ tūc passio lōga: nō dn̄t sic flōmari sic̄ si fieret non succedendo ad aliū morbū. qn̄ nō succedit: flōmetᷣ ⁊ soluatᷣ vēter. dic̄ rasis i suo ꝯtinēte. vnde tale apa fit cōiter de sā. flātico. ideo seq̄tᷣ sputū flāticū. qꝛ decidit a suba eius rara plena aere sicut plresis ⁊ vera fit ex co. vel ex san. colico: iō seq̄tur sputū colicū q̄si citri- nū. vn̄ pipleumoͣ ⁊ plreꝭ cōicant i pluribꝰ signis ⁊ i magna pte in cura. verū sigᷣ cōia saluꝫ sumūtᷣ i pipleuͣ ex facilitate sputi sicut in plresi ex miti gatione doloꝝ. dicit raꝭ i suo ꝯtiͤ. nā pipleuͣ alr̄ curatᷣ c̄ flōmiȷ̄s ⁊ cassiatᷣ. ⁊ qꝛ ibi non ē mag̃ so lutio: ideo nō seq̄tur ptisis nccīo. Silr̄ curatᷣ: q̄a maͣ q̄ ē ifra venas pulmonis ⁊ q̄si ꝯiūcta ipsi a- postemati trāsmittatᷣ i sui augmēto ad alias ptes a n̄a forti retro aures i collo vel i humero. 2. ꝑno stic̄. vide ꝭ pl'ies. Jntᷣdū curatᷣ p ꝯuersionē eiꝰ in saniē tātū crepatᷣ ⁊ fit vlcꝰ ⁊ sanies corrosiua tūc sequitᷣ ptiꝭ nccīo ⁊ alr̄ empima: vt dicetᷣ. Notū ē ꝙ pipleuͣ ē paͦ pulmōis ⁊ ē p colligātiā. veit qđ venire nō dꝫ ꝭm naturā ad ipas vēas pulmōis. Et ē triplex morbꝰ i gn̄e ⁊ i spē. ⁊ ē nocum regitiͤ n̄alꝭ mēi mādātꝭ ⁊ recipiētꝭ intētōe ga. xi. de ingeͦ i. c. 2. ⁊. 8. Et ē passio ꝑ morͦ descripto v̄tutꝭ n̄lis expulsiue plmois ⁊ eiꝰ attractōe ꝯn̄r motiue cor- dis ⁊ alioꝝ mēbroꝝ. Et ē cū tali pipleumͣ pulsus mollᷣ: qꝛ pulmo est mollꝭ sicut culcitra. iō capsu- la non opp̄imitᷣ: ⁊ p ꝯn̄s non mouetᷣ cū duricia si cut fit in plresi.

Jstis clarificatis cura peri- pleuͤ tibi patescit. Priꝰ aūt ꝙ i cura ꝑcedas scire ⁊ ꝯside- rare oꝫ an talꝭ pipleuͣ venerit icipiēdo vel succe- dēdo catarro māifesto vlꝭ squināͤ vlꝭ asmati lꝭ plre si. qꝛ i ꝭ cura diūsificatᷣ. qꝛ qn̄ fit icipiēdo: flōia ē eis magꝭ nccīa. nā si succedat ad aliū morbū: eui- tetᷣ flōia: qꝛ sic nō reiteretᷣ. qꝛ paͦ fuit lōga ⁊ v̄tus debilitata. dicit raꝭ i suo ꝯtiͤ. Silr̄ ꝯsiderare oꝫ i pipleuͣ ⁊ i plresi si vēter soluatᷣ ex se vltra semel aut bis. qꝛ talꝭ soluͦ sine cā māifesta mortificatōꝫ v̄tutis n̄alis sigᷣt in stoͦ vlꝭ i epate. vt dic̄ raꝭ i suo

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

ꝯtinēte. ¶ Et si q̄s ꝑipleumoniā incipiētē ⁊ nō succedentē habuerit: q̄d patescit: q̄ nō p̄cessit aliq̄s de morb̄ dictꝭ ⁊ est cū dolore i pectore ⁊ i spatula sinistra cū tussi mag̃ ⁊ mag̃ malia anhelitꝰ: imo cū maiori ꝙ̄ i pl'resi ⁊ fe. ꝯtinua cū sputo flāꝯtico semispūosi cū pulsu molli ⁊ vndoso cū rubore maxillaꝝ. ista oia signt apa esse i pulmone. In primis ḡ flōmet̄ de epatica ꝑtis dextre in crastinū fiat' iterū flōia de basilica ꝑtꝭ sinistre: dietādo ipm cū ordeato auenato caudaruso ⁊ aq̄ ordei ⁊ aq̄ mell' finaliter sequēda ē cura sicut i pl'resi dictū ē. q̄ multū ꝯueniūt i cura potime i euacuādo materiā cū sputo ⁊ resolutis i ꝑte vel i toto ꝑm diuersa tꝑa ipiꝰ ꝑipleuc. vez rab̄ dic̄ i suo ꝯtic. ꝙ vētose cū scarificatōe ꝯpetūt supra pectꝰ ⁊ costas magnas q̄nq̄: ⁊ ip̄e vtebat̄ q̄nq̄ ipis ¶ Et si q̄s ꝑipleumoniā succedentē ad vnū de morbis dictꝭ habuerit q̄d patescit: q̄ p̄cessit vnꝰ de dictꝭ morb̄: purget̄ cū cassiafꝭ dicta. ⁊ flōmetur de epaca vel mediaa eiusdē ꝑtis ⁊ nō reiteret̄ flōia. q̄ paofuit lōga ⁊ vtꝰ debilitata: vt dicit rab̄ in suo ꝯtie ⁊ itendat̄ ad expulsionē cū ꝓuocātibꝰ sputū ⁊ alijs resolutis applicādis ab extra: vt ē dictū in. c. p̄cel de cura pl'resꝭ: hn̄do oculū ad reliq̄s mae morbi primeui cū cathaplasmatibꝰ ⁊ alijs resol'onibus cū floribꝰ anodis ⁊ se. aneti ⁊ fenugreci ⁊ sil'ibꝰ.

Eempimate .i. de collectōe sāmosa in concauo pectorꝭ. ¶ Nota: ꝙ ista tal' collectio saniosa fit in pectore cā multiplici. al'n fit ex reumate antiq̄to fluxo ad ꝯcauū pectorꝭ q̄d ibidē diu retētū ⁊ ꝯculcatū semicorrūpit̄ ⁊ inascit̄ sanies. sil'r fit inīdū ex ruptura vene i pectoralibꝰ. nā i q̄busdā maa ml'ta flātica expellit̄ ꝑ rupturā vene: q̄ maa ibidē ꝯculcata ⁊ retēta semicorrūpit̄ ⁊ i saniē ꝯuertit̄. Fit etiā alīi ex pl'resi vl' ꝑipleua. nā ipis apātibꝰ maturatꝭ crepāt̄ ⁊ sanies illa i ꝯcauo detinet̄ ꝑ tp̄s. iō dicit ypo. 5. āo. cāu. 16o. Quibuscūq̄ vo ex pleuretide empici fiūt si purgāt̄ infra. xl. dies a q̄ die ruptura fit curant̄: euadūt. si nō: i ptisim trāseūt. q̄a in tꝑe lōgo vlcerat̄ pulmo ab illa sanie corrosiua. Et adūte ꝙ ex tali sanie dū morā traxerit i concauo pectorꝭ ꝯficit̄ etiā pulmo absq̄ h̄ ꝙ non corrodat̄: ⁊ sic nutrim sibi aduenīēs corrūpit̄: ⁊ sic sanies ml'tiplicat̄. vn̄ empici sūt duplices. improp̄e ⁊ largo mō dicti. Isti oēs spuētes saniē vt pl'retil ꝑipleucl reumacl de lōgo tēꝑe. Empici ꝓprie q̄n spuūt saniē cū ifectione pl'monis saniosa. isti tales macillent̄ ⁊ extenuati fiūt cū collo ḡcili ⁊ cū difficultate āhelādi cū tussi cū facie subtūida discolorata ⁊ cū tūore ocl'oꝝ ⁊ al'n febriūt: al'n non q̄d dinoscit̄ ex cal'. vole manuū ⁊ plāte pedū ⁊ siti aliq̄li: ⁊ tal' maa putrescit i diūsa ꝑte ꝯcaui pectorꝭ q̄nq̄ i ꝑte sinistra: q̄nq̄ i ꝑte dex̄ magꝭ q̄nq̄ i medio thorac̄. q̄nq̄ reto: q̄d ex ꝑticl'e dolore discernimꝰ ⁊ tussiēdo ⁊ spuēdo ꝓpt̄ motū ebull'tōis me i loco ifecto fꝭ dol'. magꝭ. vn̄ si ml'ta sanies fuerit n̄ potit ꝑ sputū mūdificari. iō dubitādum ē de suffocatōe. dic̄ rab̄ i suo ꝯtic. iō iubet ipm cū cautio apiri ne suffocet̄ q̄d tēptare non audemꝰ ꝓpt̄ periculum: fꝭ eos dimittimus.

Istis clarificatis cura empimatꝭ tibi patescit. Prius āt ꝙ̄ in cura ꝓcedas scire oꝫ modū sui euētꝰ: si veniat a reumate l' ex rupt̄a vene: l' si venerit ex crepat̄a pl'reb̄ l' ꝑipleuc nec ad quā ꝑtē pectorꝭ magꝭ declinat. nec si ē ibi mag̃ ꝙ̄titas saniei: q̄ i hac cura ⁊ ꝓnostica o diūsificat̄. ¶ Et si q̄s vez ēpima habuerit ex cataro l' ex ruptura vene i pectoralibꝰ l' ex ruptura pl'reb̄ vel ꝑipleume q̄d patescit: q̄ tal' spuit multū de sanie c̄ tussi vel malia āhelitꝰ ⁊ fe. q̄ ipm magꝭ affligit d̄ nocte cū facie discolorata aliq̄l'r macilētꝰ ⁊ rubore maxillaꝝ p̄cedēte aliq̄ illoꝝ i q̄ꝝ reliq̄s oculꝰ ē tenēdus ꝓuocet̄ maa ꝑ sputū cū aq̄ mell' simcl si sputū fuerit ḡssum a moco tꝑe ⁊ sine fe. l' ꝙ ibi ponat̄ modicū aceti sq̄llicl. ℥. ß. vel minꝰ. ⁊ ꝙ det̄ sibi aq̄ ordei c̄ moco mell' l' zucl l' aq̄ farꝭ. si fe. affuerit illa q̄ dicta sunt i. c. de raucedic ⁊ de pl'resi ꝑ ꝓuocatōe sputi valēt. vel det̄ sibi de a̅ decoctꝭ. liq̄ric vuarū passꝭ. cū moco ysopi ⁊ liq̄ric. Et si mūdificao fuerit difficil': pone i decoctōe liq̄ric vuaꝝ passꝭ modicū prassij ⁊ modicū orobi vl' fiat aq̄ ordei de aq̄ pluuiali cū moco melle ⁊ modico liq̄ric vuaꝝ passꝭ c̄ modio p̄ssij vl' yreos. Ista valēt sirum vtat̄ ꝯtie i cibo ⁊ potu de aq̄ pluuiali. rab̄ dic̄ i suo ꝯtie q̄ q̄dā spuebat saniē fetētē pꝰ sputū sā. ⁊ curati fuerūt ꝑ lac capnū ⁊ q̄dā ꝑ lac asininū. Pꝰ mediā horā sue ml'ctōis. iō ꝯpetit vsꝰ coꝝ. Inūgat sibi pectoralia ꝑo ⁊ māe c̄ isto. ℞. ol'i lauril q̄rt. i. ol'i sizal. q̄rt. ß. butiri sine sale q̄rt. i. ⁊ ß. cere ꝙ suffꝭ fꝭ vngm addat̄ rad̄ lilij cocti ⁊ ꝯq̄ssati. ℥. ij. icorꝑāo ꝑ mom vnguēti. l' iungat se i pectoralibꝰ c̄ ol'o laurio vtatur dyarr̄. salomōis. l' vtat̄ el'co. ℞. pl'mōis vulp̄. ℥. ij. se. fe. ℥. i. succi liq̄ric. ℥. ij. pāis zucl. lb. i. aq̄ capillisue. lb. ß. terāt̄ sil' ⁊ ꝯficiāt̄ c̄ zuc̄ sup ignē. fiet el'ctm de bol'. sumat cassiāfꝭ simplicē sel' i mēse ꝙ̄ tibi posui i. capitulo. de cura pleuresis ⁊ supius Vez empici tales si maa fuerit satis exuberans nō curant̄ nisi materia expellat̄ ꝑ vias vrinales q̄d fit i q̄busdā ⁊ raro. fit tn̄ de possibili: vt ponit

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

gaᵒ.6.de interioꝛ.in.cap.3.in fine capl'i. vbi dicit modū introitꝰ maᵉ in q̇busdā īfra venaꝝ q̄ tendit ad vias vrinales.nā ꝯponem q̄ raro cōtingit se-quūtur accidētia que raro cōtingūt:vt dicit gaᵒ ibidem. Ista sufficiāt tibi.

Capitulum.59ᵐ de sputo sanguis cū rascatōe.

Um sanguis cū rascati-one aut ꝑuo sonitu q̄ fit sine tussi egredit̄ non est egro inde timēdū. Potit em̄ sanari gargarizādo ea q̄ in capl'o de sq̄nantia noīauimꝰ ⁊ regimen subtiliando.

E sputo sanguis cū rascatione. ¶ Nota ꝙ oēs antiqui cōcoꝛdati sunt ꝙ sanguis exiens cū vomitu nc̄cio exit de stomaᵒ vel de meri ⁊ de ꝑtibus subiacētibus.exiēs cum tussi necessario exit de ꝑtibꝰ spūalibus : puta de pulmone ⁊ ꝑtibus subiacentibus scd̄m ꝙ via distat a via exitus scd̄m hoc tussis ē magna vl' modica.de istis duobus tractabimus in.cᵒ.sequenti.Exiens cū sputo simplici exit a gingiuis.exiēs cum rascatione:necessario exit de gutture. verba sunt gaˡ.4.de interio.c.9.de exitu sanguis gᵒ.ꝑ os.in principio capl'i. ¶ Alterꝰ nota ꝙ sāguis exit de gutture q꞉ vene ibi aꝑiuntur.3ᵒ de moꝛ.cᵒ penultio: ⁊ aꝑiūtur vene in gutture a sanguine mutato in quāto vel in quali vel vtroq꞉ modo.et istud est vtplurimū.nam sanguis excedēs in q̄litate vel in q̄titate q꞉ multꝰ ⁊ acutꝰ in venis gutturis aꝑit capita illaꝝ venaꝝ:ideo exit:ꝓpter qd̄ ē nocuᵐ expulsiue:q꞉ q̄lis:⁊ ꝯtentiue:quia q̄tus vt declarat gaᵒ.4ᵒde moꝛᵒ ⁊ in.6ᵒ.de interio.in cᵒ ꝑmo.hoc est bn̄ declaratū in caᵒ fluxu sanguis ꝑ nares.iō talis san.est accidēs dictū exiēs a coꝛpoꝛe mutatū sequens īmediate nocuᵐ actionis ꝯtentiue vel expulsiue venaꝝ gutturis. naꝫ talis exiens nocumento actōnis ꝑtinet:vt dicit gaᵒ.6 de moꝛᵒ. ¶ Notum est ꝙ san. exiens cū rascatōe ꝓ moꝛbo descꝑto ē passio principal'r venaꝝ gutturis:vt dicit gaᵒ.in illo capᵒ.4ᵒde inte: in prinᵒ capl'i.⁊ ē ꝑ colligātiā moꝛbi. venit qd̄ venire nō debet ꝑ naturā.q꞉ q̄litas ⁊ q̄titas sang.indebita aꝑiens venas.Et est moꝛbus in cōpositōe puta in receptaculo:q꞉ capita venarū recipiētiū san. vltra debitū replent̄ postea dilatant̄ ⁊ aperiunt̄ cū san,mutato i quanto vel i quali i gutture, ⁊ ē nocuᵐ ꝯtētiue q꞉ q̄tꝰ:vel expulsiᵉ q꞉ q̄lis.nā expulsiua incitat̄ a q̄li sic̄ ꝯtētiua a q̄to.6.de moꝛ. 6.de int̄.c.i.⁊ tal' moꝛbꝰ puta aꝑtio ⁊ dilataᵒ capitū venaꝝ est passio seu nocuᵐ actiue vtuꝝ n̄lis illaꝝ ꝑtium ⁊ ꝑtium vicinarum.

Istis clarificatis cura sputi san.cum rascatōe tibi patescit. Uisa passiōe duplici puta plectoꝛia san.q̄ti ⁊ q̄lis ⁊ aꝑtōe capitū venaruꝫ gutturis.intētio curatia duplex erit subtrahēdo sāguinē illū de ꝑtibꝰ ill'.alia erit stipticare ⁊ claudere capita illaꝝ vēaꝝ. ¶ Si q̇s sputū san.habuerit cū rascatōe det̄ sibi cassiaf̄ simplex tibi pluries posita i.cᵒ.de pl'resi ⁊ i caplis ꝑmis.postea flōet̄ d̄ vena mediaᵃ vel epaᶜᵃ.postea i 3ᵃ die d̄ cephaᶜᵃ gargarizet de zucco malignati c̄ eiꝰ carnositaᶜ terat̄ malūgnatū cuꝫ toᵒ supspergēᵒ modiᵒ aceti ⁊ bn̄ exp̄mat̄ ⁊ gargarizet sepe:⁊ gargarizet de aq̄ roꝫ de stipitibꝰ decoctōis sumas d̄ rob citonioꝝ dissoluto c̄ illa aq̄ dicta.vitabit salsa acuta vt mostardū:allia cepas nisi sint bn̄ repsse vinū purū sc̄ ı male limphatū ⁊ silia.vitabit cātū ⁊ lecturā i cathedra.sil'r oīa alia q̄ faciūt sā.i gutt̄e i ꝑtibꝰ supioꝛibꝰ.Adūte i q̇busdā ē tāta abūdās sā.subtil' collici ꝙ oꝫ ꝑlies reitare flōiaꝫ cephaᶜᵉ

¶ Capl'm.60ᵐ.de vomitu sanguinis.

Um vomitu q̄z si exierit sanguis:nō magnum affert timoꝛē. Curat̄ nāq꞉ hoc flobothomādo egrū. ⁊ si comederit stiptica sicut sumach ⁊ succꝰ vue acerbe. In potu p̄terea sūat ex boli armenici gūmi arabici balaustie sanguis dꝛa.thuris oīm ꝑtibus eq̄libꝰ deni ex eo.3.iij.cū rob simplici de citonijs.q̇busdā auteꝫ solet accidere sanguis exitus cum interpolatōe:ex quo nullū sentiūt nocumētū īmo remediū ideoq꞉ sic ē dimittendū. Qd̄ si cū tussi supueniat sanguis egressio ē timoꝛosū.ē tn̄ icipiēdū in curatiōe egri cū flobothōia ex basilica:deide ex trociscis istis i potu tribuēd̄.q ℞ thuris

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

sanguis draconis ambo⁊ an̄.ʒ.iij
⁊ tertiaʒ karabe.ʒ.v.ematistis t're
sigillate ābo⁊ an̄.ʒ.x.aluis.ʒ.ij.et
ꝑ balaustie.ʒ.iij.opij.ʒ.ij.reuba.se
mi.ʒ.ij.Ex hijs oībꝰ fiāt trocisci.x
de q̄bus quotidie vnꝰ ipotu sumat̄
cū succo ozimi maioris aut portu-
lace.Et si egritudo vehemēs fue-
rit: aliꝰ circa noctē dādꝰ ē.Adiuto
riū q̄ȝ ac coxa⁊ ptes supiores sunt
ligāde ⁊ extremitates fricāde.Pe
ctus etiā p̄cipue si in eo fuerit locꝰ
dolēs ex trociscis p̄dict̄ cū aceto ⁊
aq̄ epithimet̄. Eiꝰ p̄terea cibaria
succū vue acerbe ⁊ sumach ⁊ eis si
milia admixta habeāt ⁊ patiēs su-
pinꝰ iacēs :de terra sigillata aliq̄d
post aliq̄d paulatim comedet.

Evomitu

san.⁊ eiꝰ sputo ⁊ tussi. nam rubrica cōis ē diminuta.¶ Nō vōitꝰ ē malꝰ.4.de mor°.c.i.⁊.4.Et ē malus motꝰ expulsi^e sto^i.6.de mor°.i.c.3.i fine.ve⁊ sang. exiēs cū vomitu ⁊ q̄cūq̄ȝ alia res lȝ i se sit suba ē accn̄s morbi dictū exiēs a corꝑe mutatū.nā vt exiens:q2 exit ex nocu° seu mala actōe expulsiue vl' ꝯtētiue ē accn̄s morbi.⁊ vt mutatū in q̄to ⁊ i q̄li ⁊ vtroq̄ȝ mō tal' san.vomitꝰ venit a sto° ⁊ a meri. 4.de int̄.c.ix.de exitu san.ꝑ os.⁊ q̄n ē in q̄titate mag̃ refocillat a venis epar̄ ⁊ splenis.vl' in mē-struis retent̄ vel in ociosis ⁊ replet̄ q̄ dimiserunt exercitia ⁊ labores.c° penul°.nā expulsiua venarū fort̄ incitata ⁊ grauata expellit al'n ꝑ vomituȝ al'n ꝑ secessū.interdū ⁊ vt pl'm venit ꝑ viā mūdificationis ⁊ est bonū.nā tal' san.exiēs nō ē accn̄s morbi vt exiēs:ȝ vt mutatū i q̄to vl' i q̄li vl' vtroq̄ȝ mō.ꝓpt̄ qd̄ al'n tal' vomitꝰ san.non ē malꝰ y° ē salubr̄ ⁊ non dȝ restringi.dic̄ rasͥ in suo ꝯti^e.ꝓpter qd̄ ꝯsideremꝰ si ꝯfert ⁊ bn̄ ferūt ⁊ ecōtra:ſm h̄ ꝓnosticamꝰ vt diximꝰ eē accn̄s vel vt mutatū solū sili fe.tal' vomitꝰ san.supuenerit: tūc ꝯsideremꝰ si venit post sig̃ digōnis tūc venit ex actōe nature: ⁊ non ē malꝰ si venit an̄ signa digōnis vl' post signa digōis corrupte ē:tūc malū mortē p̄nūciat.

Interdū tal' vomitꝰ san.venit a venis sto^i apert̄ a sanguisuga.vel ab alia re puta ab emorroydis natis ibi t̄c ē i modica q̄titate ⁊ ꝑ intualla ⁊ iuuant̄.dicit rasͥ i suo ꝯti^e.san.exiēs i tussi cū sputo sꝑ ē malꝰ q2 arguit rupturā vene i pulmōe vel in pectoralibꝰ.4.de mor°.4.de int̄.c.9°.ꝓpt̄ qd̄ est multū timēdū de corrosiōe seu vlcere pulmōis q̄ noie cōi ptisis d2.iō tal' exitꝰ san.sꝑ malꝰ ē :seu timorosus:⁊ ē accn̄s dictū exiēs a corꝑe mutatuȝ vt exiēs ⁊ vt mutatū:q2 nūq̄ȝ exit ꝑ nat̄ā regl'atā ꝑ talē locū:q2 vene ibi apiūt̄ a san.mutato i q̄to vel i q̄li vel vtroq̄ȝ mō ⁊ nō i v̄tute forti vel sana: q2 ñā nō intēderet qd̄ melius ē.ꝯn̄s ē falsum.3°. de cretic̄.ꝓbat̄ ꝯn̄a ex q̄ ꝯseq̄ret̄ corrosio ⁊ vlcus pulmonis.Notū ē q̄ȝ vomitꝰ san.ꝑ mor° descpto est passio sto^i ⁊ meri.4.de int̄.c.4.de exitu san.ꝑ os.Idē dicit.5.de int̄.in.c.4.i fine.⁊ ē pa° sto^i ⁊ meri ꝑ colligātiā vena⁊ epar̄ ⁊ splenis refocillat ab eis. in ipo tal' san. q̄n exit ⁊ euomit̄ i mag̃ q̄titate.Q̄n i pua q̄titate:ē ꝑ colligantiā rei extrisece puta sāguisuge vl' alteriꝰ rei extrisece approximate vlcerātis vel apient̄ venas ipiꝰ tūc est in modica q̄titat^e vel ab excrescētia aliq̄ ad modū emorroid̄ in sto°.dicit rasͥ i suo ꝯti^e.a q̄ fit fluxus al'n.Et ē morbꝰ in receptaculo.nā ille san.malus acutꝰ vel semicorruptus expellit̄ a natura:puta i v̄tute expulsiua vena⁊ a natura:puta a v̄tute expulsiua vena⁊ ꝑ viam mūdificatōnis vt pl'imuȝ interdū ꝑ viā sinthomat̄ qd̄ cognoscit̄ si confert ⁊ bn̄ ferūt.Vomitꝰ aūt in se est malꝰ motꝰ ⁊ violētus cōiter ⁊ cū molestia ⁊ grauitate. ꝓpter qd̄ ē malus motꝰ ⁊ nocu^m expulsiue sto^i.6.de mor°.i c.3.Idē.5.de mor°.in.c.5. circa mediū capl'i.vbi dicit.ois actio ñalis ē sine molestia sicut mala et inatural' cū molestia.verū vomitus san.q̄n̄q̄ȝ i se nō ē malꝰ motꝰ nec mala actio expulsiue sto^i.q̄a acq̄rit̄ sanitas:⁊ ē leuis cū alleuiatōe:⁊ fiat a bona expulsiua venaruȝ ad sto^m vl' ad itestina ꝯn̄r expellit̄ sine mag̃ molestia ꝑ vomitū siue ꝑ secessum:imo c̄ bona alleuiatōe:vt declarat gaꝰ.5°.d̄ int̄.in.c.penul°.qd̄ p3:q2 acq̄rit̄ sanitas. ꝓpt̄ qd̄ nō d3 dici accn̄s morbi.ꝯn̄a p3 ꝑ ipm Ga^m.3° d̄ mor°.c.pe°.aucte theophili Ve⁊ cum h̄ non negat̄ quin ibi sit morbus i receptaculo q̄ tn̄ expellit̄ ꝑ naturā expulsiuā illo⁊ mēbro⁊ ⁊ mō sat̄ cōueniēti.Et est passio ꝓ illo malo motu naturalium v̄tutū i spūalibꝰ mēbr̄.¶ Notū ē q̄ȝ sanguis exiēs in sputo cū tussi ē passio p̄cipalit̄ venarū pulmonis vel pectoris:vt dic̄ gaꝰ.4.de interio.c° 9°.vnde q̄n san.est clarus spumosus subalbidꝰ cū tussi cōpetēti ⁊ sine dolore tūc est pa° p̄ncipal'

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

pulmonis qn̄ san. est ğssus q̄si niger ⁊ aliq̄lr spu
mosus ⁊ paꝝ ⁊ cū tussi mağ cū dolore infra pect⁹
tūc ē pa° venaꝝ pectorꝫ: ⁊ ē pa° illaꝝ venaꝝ ꝑ col
ligantiā venit ad illas sanguis mutat⁹ in q̄tō vel
in q̄li vel vtroqꝫ mō q̇venire nō dꝫ ꝑm n̄am: ⁊ est
morb⁹ cōis: qꝛ solutio tal' vene vel talis: ꝓ morbo
descꝑto in se aūt talis san. exiēs: cū tussi ē accñs
morbi dcm exiēs mutatū a corꝑe: seq̄ns imediate
malā expulsiuā: ⁊ violētaꝫ pulmōis ⁊ aliaꝝ ꝑtiuꝫ
pectoraliū ꝓpt̄ qđ est nocu^m expulliue illaꝝ ꝑtiū
ꝯñs malā expulsiuā venaꝝ illaꝝ ꝑtiū ꝓpt̄ ruptu-
rā ⁊ solutōeꝫ factaꝫ i ill' venis: q̄ de cā expellit̄ in
ꝯcauo pectoris ⁊ ē pa° seu nocu^m actiē inferēdo
sube pulmōis tal' sanguis exiēs cū tussi ꝓ ꝑte re
tētus. nā qꝛ īpossibil'e ē q̄n aliq̄ portio remaneat i
ꝯcauo pectorꝫ q̄ nccio corrūpit̄ ⁊ corrodit pulmo
nē. ⁊ iō tal' exit⁹ san. cū tussi est timorosus ꝓ eo ꝙ
necessario remaneat: h̄ intendūt actores oms

Istis clarificatis cura vomi
tus tibi pa
tescit ⁊ ei⁹ sputi cū tussi. Prius āt ꝙ in cura ꝓce
das scire ⁊ ꝯsiderare oꝫ an alias sibi ꝑoxismalit̄
ꝯtigeret ⁊ sine magno nocu° vel nō: qꝛ in h̄ cura
diuisificat̄. ¶ Et si q̇s ğ vomitū san. ꝑoxismaliter
habuerit ⁊ sine mağ nocu° v̇tuꝫ vital' ⁊ aliaꝝ vir
tuꝫ. de ꝯsi° rab̄ i talib⁹ paꝝ ē faciendū. s3 dietam⁹
⁊ aliq̇d facim⁹ ad regulandū n̄am i suis actōib⁹
cibet̄ ğ cū risi ⁊ lētib⁹: vel ordeato vl' auenato det̄
sibi paꝝ de rob đ citonijs cū aq̄ sumach: vel siru°
de citonijs vl' de iulep rob̄: cū aqua rob̄ flōet̄ bis
vel ter in anno de epatica: vl' mediana si grossior
fuerit vel de sophenis ⁊ meli⁹ vitabit salsa acuta
spēs allia: cepas. ꝓuocent̄ emorroiđ: ad p̄buādū
talē vomitū ꝑoxismalē si ē possibil'e flōando đ so
phenis ⁊ fricādo ꝑtes illas cū cepa ⁊ folijs fic⁹.
¶ Et si q̇s vomitū san. habuerit cū aliq̄li ğuita-
te corꝑis ⁊ alteratiōe pulsus: stati flōet̄ de epati-
ca vena: vt mali^a. san. corrigat̄ aliq̇ ex tali vomitu
moriunt̄ subito lꝫ pauci ꝑm ꝙ san. ē niger vl' ma-
lus mot⁹ facta flōia dietet̄ ⁊ sirupet̄: vt stati dcm
est. ⁊ vtat̄ isto puluere. ℞. boli ar. san. dra. añ. ʒ. ß.
thurꝫ cū cortice. ʒ. ij. ꝭ puluis subtil' det̄ đ isto pul
uere modicū cū rob de citonijs ⁊ aq̄ decoctōnis
sumat. q̇lꝫ mane: ⁊ añ cenā ꝑ duas horas. ¶ Ad
uerte tñ: ꝙ qꝛ ista tal' euacua° ē horribil' ⁊ stupē-
da ⁊ aliq̇ subito moriunt̄: iō fortit̄ est intēdēdū in
p̄buatōe tal' vomit⁹ san. q̄ p̄serua° stat in duobus
in ꝓuocatōe emorroyđ si sit possibile. in fricatiōe
venaꝝ ani cū cepa ⁊ aloe ⁊ folijs fic⁹. ⁊ cū flōia
sophenaꝝ q̄ flōia bis vl' ter reiterata i anno mul-
tū p̄seruat in se euacuādo san. calefactū ⁊ acutū.

⁊ ꝓuocādo emorroyđ dictas: vt san. tal' expellat̄.
Insuꝑ vitabis salsa ⁊ acuta: vt dcm est. balneum
aq̄ tepide de duob⁹ i duob⁹ mēsib⁹ multū p̄buat:
qꝛ sanguis infriat infriando fumos capnosos a
sanguie ⁊ alijs hūorib⁹: iō eo sepe vtendū est de
mane vl' añ cenā. ¶ Ad curā sputi san. cū tussi. ꝑ
us aūt ꝙ in cura ꝓcedas scire ⁊ ꝯsiderare oꝫ q̄li
tatē ⁊ q̄titatē san. exeūtis cū tussi. si sit clarus sub
tilis subalbid⁹ spumosus cū aliq̄li tussi ⁊ sine do
lore: qꝛ tūc venit a venis pulmōis: vel si sit aliq̄lr
ğssus paꝝ spumosus tēdēs ad aliqualē nigredi-
nē c̄ mağ tussi ⁊ dolore notabili i pectoralib⁹ tūc
est a venis pectorꝫ q̄ facili⁹ ꝯsolidant̄ cū ille ꝑtes
sint in maiori q̇ete. 4. de inꝫ. in. c. 9. de exitu san. ꝑ
os. iō talia sunt ꝯsiderāda. ¶ Si q̇s ğ sputū san.
hūerit istū vl' illū hūerit: stati flōet̄ de epatica ꝑꝫ
dextre. ⁊ ifra paucos dies flōet̄ de epa^ca ꝑtis sini
stre freq̄nt̄ iste flōie ⁊ fiāt in modica q̄ti^e. dic̄ rab̄
in suo ꝯti^e: ⁊ facta flōia potet modicū de ptisana
⁊ si multū replet⁹ fuerit ꝭ de mediana: flōia đ so
phenis multū vꝫ: dicit rab̄ in suo ꝯti^e. ¶ Utatur
portulaca in p̄n° cōestionis cū modico aceti lim
phati: ⁊ intingat carnes in succo ei⁹ lo° alterius
agreste: ⁊ potet de illo succo q̇lꝫ mane ꝑ se vel cū
modico terre sigillate. ista cōtinuet isuꝑ. ¶ Et si
q̇s habuerit sputū san. v̇genꝫ ad nigredinē cum
tussi: qꝛ de vena rupta in pectore si cal'e ꝯpl'onis
ml'tū fuerit potet paꝝ de aceto limphato ꝑ mul-
tas vices i die fac̄ cessare sputū san. venienꝫ a ve
na pectoris ⁊ nō a vena rupta in pulmone. dicit
rab̄ i suo ꝯti^e q̇ eꝫ hoꝝ sumat quolꝫ mane coclear
puluis mastiq̇ subtil' cū vino maloꝝ. vel cū succo
v̇ge pastoris vl' cū succo portulace clarificaꝫ ꝑ re
sidētiā vl' de terra sigillata de ābob⁹ p̄ncipatū te
nēt i casu. dic̄ rab̄ i suo ꝯti^e. ꝓpt̄ qđ i die ꝯti^e q̄tū
poterit i ore teneat de t̄ra sigillata ⁊ paulati ꝯti^e
aliq̇d trāsglutiat. Uel sumat sepe đ isto ꝯdito. ℞
ꝯbue rob̄. qrꝫ. i. ꝯserue simphiti q̄rꝫ. ß. boli ar. ʒ. i.
t̄re sigillate. ʒ. ß. panis zucc' q̄rꝫ. iij. vl'. lb. i. ꝭ cōdi-
tū ad modū zucc' rob̄. inūgat̄ pect⁹ cū fris icorꝑe
tur bol⁹ ar. t̄ra sigillata acatiacū ol'o rob̄ vnfācio
ꝑ modū vng' vt feruor san. i pectoralib⁹ mitiget̄
¶ Si tal' pa. macillēt⁹ fuerit. vtat̄ lacte ⁊ nō alia
qꝛ nimis replet venas pulmōis. dic̄ rab̄ i suo ꝯti^e
y° rab̄ curauit ml'tos c̄ solo lacte lo° vini potato.
vt ip̄e recitat Sil'r lac coctū qꝛ ꝯglutiāt ⁊ adheret
sil'r vꝫ aq̄ lacꝫ vaccaꝝ acida exͨto butiro ml'tū vꝫ
rab̄ i suo ꝯti^e. ¶ Case⁹ recēs sil'r vꝫ. vtat̄ carnib⁹
volatiliū. vtat̄ pedib⁹ aialiū bñ cocꝫ. amido cāda
ruso auēato ordeato sit i silētio iaceat erect⁹ ne ꝓ
uocet̄ tussis; qꝛ tussis ꝓhibet ꝯsolidatōeꝫ. vtatur.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

vino stiptico ⁊ coctā is coctis. Uitabūt tales irā coitū: vocē: m̄ltiloquiū: apiū al's opiū: caseū vetere: vinū vet⁹: salem aquā cal'az: cibaria cal'a: nimium frigus: repletōem nimiā: reumata mag^m motū: ne anhelit⁹ fiat frequens. caueat a fumo a puluere a dormitione super terrā absq; lecto: q: illō sputū sanguinis ꝓuocat. naz isti euitando ⁊ alia faciendo curabuntur.

Capitulum. 61^m. de ptisi.

Um aliq̄s carniū diminutionē pati videt̄ post tussim ex cronica passione et sputo sanguis aut saniei ꝓcedēte lac asininū ī potu tribuat̄. Qd̄ si īuenire nō poterit: lac caprinū cū pauco zuccaro dādū est. Cū quo etiā panē sepe cōedat ipmq; q̄to plus potest loco aq̄ in potu sumat. Uinū tñ subtile et tēperatū al'n est tribuēdū. Nutrimētū aūt egri sit ex carnibus auiuz et edina. Eger ꝑterea ante comestionē ⁊ post balneū ingrediat̄: qd̄ nō sit cal'in sed tepidū. ⁊ in semicupio morā faciat. Sūmope v̄o cauendū est ne vēter soluat̄. Cui tñ si solutus fuerit ex hui⁹ pulueris bibitione succurrēdū ē. q̄ ℞. gūmi arabici spodij boliarmeni semirtini omniū añ. ʒ. i. fiat ex eis puluis d̄ quo in die. ʒ iij. cū sirupo de papauere albo aut rob mirtino denī huius q̄z pulueris bibitio oībus ventris ꝯstrictiōe indigentib⁹ q̄ tussiz patiātur remediū affert. Cui plerunq; addunt̄ xilocaracte de syria. et bdelliū de mecha. Qd̄ si lac egro febrē generauerit auferendū ē ei lac ⁊ ptisana quousq; febris recedit dada Deinde lac inde denuo tribuendū. Et si febris iterū redierit rēoto lacte ptisana est danda. Post cui⁹ recessionē vt prius ad lac ē redeūdū. Hoc aūt sp̄ ē faciendū cū necessitas vrget ⁊ vēter sūmope custodiendus ne soluatur.

E ptisi id est de vlcere pulmonis cū sputo sanguieo vt dicit Ga⁹. i passiona°. alit̄ d̄r cap'z de ptisi. i. de sputis malis sanguineis ⁊ saniosis: q: ptisis grece idē est q̄ sputū latine dicit symō ianuens̄ i suis sinonimis. Jdē ptisic⁹ idē est q̄ spuēs latic. Moderni: vt Gordo⁹ ⁊ alij dicūt q̄ ptisis ē vlcus pulmōis cū ꝯsumptōe corporis. Gilbert⁹ dicit ecōtra. Ptisis est ꝯsumptio corporis ꝓpter vlc⁹ pulmōis ꝓpt̄ qd̄ vulgares vocant oēm ꝯsumptū ptisicum cum vlcere pulmonis ⁊ sine vlcere. lz sit ꝓp̄e ꝯsūptio cū vlcere pulmōis. Aui. i 3°. cañ. dic̄ q̄ ptis̄ ē pa° mala vlcerosa pulmōis quā ꝯcomitat̄ sputū sanguineū ⁊ saniosuz: q: i tali vlcere cum tāgit̄ caput alicui⁹ venule pulmōis ⁊ posterū forti⁹ ⁊ pl'ies. ꝓpt̄ qd̄ ꝑ interualla spuūt q̄titatē manifestā sanguis ꝓpt̄ corrosionē ꝓfūdataz. ℂ 2°. ꝯcomitat̄ tussis ꝓpt̄ nocu^m pulmōis sensatū peten̄ illō expellere cū conatu ⁊ flatu. ℂ 3°. ꝯcomitat̄ duricia āhelit⁹ aliqual'. q: pulmo ḡuat⁹ libe non p̄t in actiones debitas per ñam: vt dilatare se n^c ꝯstrigere. ℂ 4°. ꝯcomitat̄ rubor aliqual' maxillaz ꝓpt̄ fumū ab vlc̄e eleuatū ℂ 5°. ꝯcomitat̄ dolor aliq̄lis i spatula max^e sinistra vsq; ad hūerū ꝓpt̄ pelliculā pulmōis colligatā in ill' ꝑtib⁹. vt dicit Ga⁹. 4. de int̄. in ca° vltio. ℂ 6°. ꝯcomitat̄ ethica fe. seu ꝯsumptio corporis vn̄ mala acci^a dicta sūt stati ꝯcomitā^a ptisim fe. aūt dicta nō nisi in ꝓcessu tpis ꝑ tp̄s stat sine fe. ethica ⁊ causat̄ talis vlcera° in pulmōe pl'ib⁹ d̄ cāis al'n ex catarro colerico acuto vl' salso cadēte s̄ ipsum ⁊ ꝑ ꝯñs vlcerāte vel ex ma^a tali veniēte aliūde si durauit. 4. de int̄. in. c. vlti°. aut a pipleumo^a vel pl'resi lōga ⁊ famosa aut aptura vene i pectoralib⁹: q: portio sanguis ibidē remanēs saniat̄ ⁊ corrūpit̄. ⁊ sic corrodit ip̄m ⁊ vlcerat. ℂ Ulteri⁹ nō ex intētōe Ga¹. 4. de int̄. c. 9. ⁊. c. vltio. pulmo interdū patit̄ apturā vene: vt dictū est in ca° illo. interdū pl'mo vulnerat̄ vulnere simplici absq; sanie: vt in p̄n° ex vna de causis dictis quibusdā me

diꝗ antiq̄s visum ē talia vlcera simpli^a sine sanie esse incurabilia ꝑpter ꝯtinuū motū pulmonis ⁊ q꞉ ꝯsolidan^a bn̄ approximari nō pn̄t Ga⁹ aūt in fine illi⁹ ca^i dicit: ꝙ talia vlcera saniosa: puta q̄n sunt in p̄n^o diuturna a bono medico efficiūt̄ ⁊ q̄busdā tꝑib⁹ sanāt̄: nō ꝓlōgant̄ q꞉ a bono medico tale vuln⁹ crustat̄ cū exsiccantibus sicut scabies ab extra in brachijs vel alibi. vt dicit ibidē. veruꝫ talis patiēs ꝑua occasione cū forti anhelitu eundo vel tussiēdo vel alta voce ꝓclamāte corticem illum exspuūt ⁊ cū tussicula eijciūt cuꝫ duabus vel tribus guttis sanguis ꝑpter qd̄ talia in summū vitāda sunt ne tussicl'a illa añ tp̄s exeat vsq꞉ q̄ sub t⁹ crusta illa fuerit fctā ꝯsolidatio. q꞉ iterū ⁊ iterū oportebit illā crustā regn̄are cū exsiccatiuis si curare intēdit. ¶ Notū est: ꝙ ptisis ē pa^o p̄ncipalit̄ pulmonis ſm aliquā ꝑtē eius. 4. de inꝶ. in. c. vltimo. Idē dicit. 5. de inge^o. c. 9^o. ⁊. 11^o. ⁊ ē ꝑ colligātiā venit qd̄ venire nō dꝫ ſm naturā puta illa materia acuta corrodēs ⁊ est ibi triplex gen⁹ morbi mala ꝯ^o: mala ꝯposi^o: q꞉ mala figura cū ꝯ ꝑditione ⁊ solutio ꝯtinuitat̄ ⁊ est nocumentū regitiue. naturalis mēbri mandant̄ ip̄ius pulmōis nō bn̄ expellent̄ nec digerent̄ vt deberet verū dispositio ꝑticule bn̄ facit ad h̄ in q̄busdā dispositis ad ptisim cū pectore stricto ⁊ humer̄ eleuat̄ vocant̄ alati collo longo cū eminētia guttur̄. nā talis mala ꝯpositio ex errore informatiue facit ad facilem receptionē materie. i. ad debilē expulsionē materie ⁊ ptisis est pa^o naturalis pulmōis p̄ncipalr̄ ꝯn̄r vitalis cordis ⁊ alioꝝ membroꝝ

Istis clarificatis cura ptisis ꝓut ē possibilis tibi patescit. nam in cura hui⁹ vna ē intētio curatiua p̄ncipalis. s. exsiccare tale vlcus cū exsiccatiuis ⁊ abstersiuis: q꞉ vulnera non sanant̄ nisi p̄us exsiccent̄. 6^o. amph̄. ⁊ ꝑ ꝯn̄s cōsolidare ⁊ ipsum crustare ꝓut est possibile. ꝑpter qd̄ om̄s ptisici habeāt in collatū suū seu mānsionē suā in aere sicco dicit Rasꝭ in suo ꝯti^e. q꞉ aer siccus attract⁹ ꝑ anhelitū exsiccat tale vlcus. h̄ idē dic̄ Ga. 5. de inge^o. in. c. 10. ⁊. 11^o. vbi ip̄e recitat ꝙ ip̄e existēs rome eligebat ip̄is ptisicis montes calidos siccos ꝑcussos a sole: ⁊ elongatos a paludibus a locis bassis. Et mittebat eos ad montē altū in cecilia vbi est continuus ignis. Propter eandē causam ⁊ inūgebat eis nares cū oleo sicco vt ē oleo ros vn fancino vt aer attractus magis exsiccaret vlcus ⁊ dabat eis metridatū ⁊ tiriacā vt ip̄e recitat. 4^o de inꝶ. in. c. vltimo. in talibus eis ꝓlongabat vitam in finalibus moriebantur non obstantib⁹ remedijs suis attributis nullus eorum euasit. vt ipse recitat in eodem loco. Vtant̄ ḡ tales ptisici de bolo arme^co puluerizato cum modico vini bn̄ limphati ante cenā ꝑ vnā vel ꝑ duas horas ⁊ sumat de eo ꝑ modum pulueris in modica q̄titate sepe de die ⁊ de nocte sepe: ſ; q꞉ bol⁹ ex se exaspat guttur misceat̄ cū pane zuccari in eq̄li q̄titate vel in maiori vel i minori ſm ꝙ tp̄s est lapsum ad istaꝫ vel illā q̄litatē. Idē dico tibi de terra sigillata. nā ista duo tenēt p̄ncipatū in exsiccādo ⁊ in crustando vlcus. 5. de inge^o Idē dicit rasꝭ in suo cōtinēte Vtant̄ lacte dicit rasꝭ in suo cōti^e. Id̄ dicit Ga⁹ 5^o. de inge^o. nam lac abstergit sua aq̄sitate ⁊ mūdificat ⁊ cōglutinat ⁊ consolidat sua caseitate verum rōne butirositat̄ humectat ꝑpter qd̄ nō cōpetit. Ideo dicit rasꝭ in suo cōtinēte extrahat̄ butirū deinde coq̄tur cum ferro calido vel cū lapidibus fluuialib⁹ ignit̄: vel saltim decoquat̄: q꞉ tūc melius cōglutinat ⁊ administrat̄. ꝑpter istā butirositatē modicā laudat̄ maḡ lac asine. postea lac capre cū modica zuccara vt maḡ abstergat cū q̄ etiam panē comedat. ⁊ in potu sumat nisi concomitaret̄ fe. putrida: q꞉ tūc cōpetit aq̄ ordei cuꝫ se. papa. vl' cancris fluuialib⁹ nutriat̄ auicul' pull'. ꝑdicibus auēato ordeato risi cādaruso vino subtili ⁊ claro bn̄ liphato summo ꝑe cauendū est ne venter soluatur: quia fluxus ventris talibus est periculosus: ꝙ si superuenit vtatur magis bolo arme^co cum sirupo mirtino: vel de sumac. vel aq̄ decoctionis: vel vtatur sirupo de ribes ⁊ cetera.

Capitulum. 62^m. de pulsu tremore cordis.

Si cum cordis tremore fuerit pulsus velocitas ⁊ febris eger ex basilica est minuēdus ⁊ trocisci cāphorati cum succo maloꝝ acetosoꝝ in potu sunt tribuēdi que. R̸. spodij semis cucumeris citroli endiuie lactuce portulace rosaꝝ sandali albi oīm ꝑtes equales ⁊ ꝓ vno quoq꞉ pondere auri vni⁹ ex eis sumat̄ cāphore triū ḡnoꝝ ordei pondus ex q̄b⁹ cū succo macianoꝝ cōfectis fiant trocisci de q̄bus in potu quotidie vni⁹ aurei pōdus qua

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

q̃ die tribuat᷑. Qđ p̃ duas ebdo-
madas fieri ꝯuenit. ſi aũt hec non
ſuffecerint: lac de quo butirũ ſit ex
tractũ ad bibendũ det᷑. Ipẽ vo nu
triat᷑ ex pullis cũ aceto ⁊ ſucco vue
acerbe ⁊ ex acetoſo. Sirupũ p̃ter-
ea acetoſuꝫ de zuccaro factũ bibat
Si aũt cũ cordis trẽore ñ fuerit fe
bris trociſci muſcati in potu ſu-
mãt᷑ q. ℞. maſticis ſpice xiloaloes
cynamomi gariofi. gallie muſcate
nucis muſcate cubebe cardamomi
maioris ⁊ helbaq̃ corticis citri oĩm
ana põdus vni⁹ aurei muſci ſexta
ʒ. i. ex his oĩbus cũ vino redolen
te cõſperſis fiant trociſci: hi ãt tro
ciſci cõferũt ſincopi ⁊ tremori corđ

Electuariũ dyamuſcũ p̃cioſũ

Dyamuſcũ p̃cioſum qđ ad ſin
copim ⁊ triſtitiã ⁊ cordis tremorẽ
⁊ tediũ faciẽs. ℞. maſticis cinamo
mi ſe. ozimi maioris ſe. ozimi ga-
riofilati ſe. melliſſe ſe. ſinſimbri ſe
mis ſanſuci macropipis oĩm par-
tes eq̃les ex q̃bus oĩbus pulueri-
zat᷑. ʒ. x. ſumãt᷑ margaritaꝝ minu-
taꝝ coralli rubei carabe ſete crude
been albi et rubei. folij oĩꝫ añ. ʒ. x.
muſci tubatia corconijs puri. ʒ. ß.
conficiant᷑ cũ melle de mirabolãis
kebulorũ. Hoc eñ electuariuꝫ ad
frigiditatem ſtomachi ⁊ digeſtiue
egritudinẽ optimũ exiſtit.

Epulſu ſiue trẽore corđ. iſta
ẽ rubrica raſ i iſto. c.
i ꝯti^c. Rubrica đ ſaltu corđ ⁊ iectiga
tõe ei⁹. ga. 5. đ inť. c. p̃°. rubricat đ titil
latõe cordis ⁊ ꝑaſſionẽ deſcriptã vocat cardiacã.
Aui. 3°. cañ. rubricat đ tremore corđ. Iſti ãtiq̃ va
rie rubricauerũt iſtũ malũ motũ ſeu ſaltũ corđ ꝑpť
varias ꝯditões tal' mali mot⁹ cordis: vt đclarabr̃
moderni i pſalterijs ſuis diũſimode rubricãt ab
ipis ãtiq̃s. ¶ Nõ. q̃ trẽor ꝓpẽ ñ p̃t ineẽ ipi cordi
q: tremor ꝓpẽ dict⁹ ẽ noc^m ſeu mala actio motie
aiate. 5°. de mor° i. c. 2°. mõ i corde ñ ẽ tal' motiua
aiata: ß ñal' motia puta vital' dilatãs ⁊ ꝯſtringẽs
ipm ⁊ artias: ß bñ ieſt ſibi pulſa° ſeu dilata° ⁊ cõ
ſtrictio treml'oſa: nã q: opp̃mit᷑ a capſula ſeu pel
licul' circũſtãtib⁹ rõe male ꝯpl'ois cal'e vel frie cũ
ma^a mltipli^a i ea libe ñ p̃t dilatari n^c ꝯſtrigi. ß ad
vtrũꝫ feſtiat ⁊ neut^m bñ ꝑagit ſic̃ feſtiat ãhelit⁹ i
hoie volẽte ſuffoca^l. nã feſtiat ad attrhẽđ ⁊ ad ex
pellẽđ aerẽ ⁊ neut^m bñ ꝑagit. Iđ tal' ãhelit⁹ ẽ tre
mulosus. Ita ẽ in pl'ſu corđ pulſat dilatat ſe ⁊ cõ
ſtrigit c̃ violẽ^a: iõ tremuloſe mouet᷑ Et q: cor ꝯp̃ſ
ſũ ẽ a p̃dict̃ pellicul' ſeu capſula rõe male ꝯpl'ois
vl' frie c̃ ma^a hũorali vl' vẽtoſa ⁊ ſufficient᷑ ꝑut ſi
bi ꝯueĩt ñ dilatat᷑: iõ caleſcit i ſe ex h̃. ⁊ q: vt pl'im
cã eſt cal'a ꝑut dic̃ raſ i ſuo ꝯti^c. Iđ dic̃ i diuiſiõi-
bus ſuis. c. ꝓpo i fine. Iđ c̃ q̃dã ſaltu ⁊ auiditate
dilatat᷑ ꝑpť neceſſitatẽ attrhẽdi aerẽ extriſecũ frꝫ
vt refrigeret ipm. iõ raſ ex iſto itẽto rubricat i ſuo
ꝯti^c vt ẽ dc̃m de ſaltu corđ. ẽt rubricat ibiđ de ie
ctigatõe cordis: q: ſic̃ iectiga° ꝓpẽ dicta ẽ ſola di
lata° mẽbri potẽt̃ ſe dilatare rõe vẽtoſitat̃ inclu
ſe: vt ſit tota die i ſpatul' ⁊ i ocul': vt dic̃ ga⁹. 6°. de
mor°. c°. 3°. ⁊ appet ifirmo q̃ cor ſolũ dilatet᷑ ꝑpť
auiditatẽ dictã attrhẽdi aerẽ extriſecũ rõe nccitat̃
rõe puta iſrãtõis iõ ex tali ſil'itudie raſ rubrifica
uit đ iectiga^e corđ. ſil'r q: de poſſibl'i va iectiga° p̃t
ieſſe ipi capſule ꝯp̃mit ꝑpť vẽtoſitatẽ itercluſam
⁊ ibi gñatã ḃm q̃ ineſt alijs mẽbris potẽtibus ſe
dilatare et talis dilatatio ſeu iectigatio in capſu-
la comprimit cor ⁊ ꝓhibet eius dilatationẽ natu
ralẽ ⁊ ſibi debitã. Et q: ex talibus cauſis titubat
⁊ titillat in motu ſuo naturali: vt apparet ifirmo
vt dicit Ga. 5°. de interiorib⁹. c. p̃°. Vocat iſtum
malũ motũ titillicũ cordis morbũ ſubſcriptũ ſeu
intellectũ q̃ eſt cauſa talis mali motus vocat car
diacã paſſionẽ: vt ipẽ recitat in ca° i°. ⁊ in ca° pre
cedenti vltimo 4^l. li^l circa finẽ ca^l. quia cardian
grece idẽ eſt q̃ cor latie cardiaca paſſio cordis: l'
ſue pellicule p̃ncipal'r dicit Symon ianuenſ in
ſuis ſinonimis. Auic̃. aũt. 3°. cañ. vocat talem ma
lum motum tremorem cordis ſeu motũ tremulo
ſum cauſis et modis iam dictis. quidam autem
modernorũ in pſalterijs ſuis ſequũtur iſtum mo
dũ. quidã illũ cũ dictionib⁹ diuerſis ꝯſiderat̃: ſic

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di
Firenze.
Pal. 23.B.7.1.17 (str.968)

pz rubrica diuisoꝝ antiqꝝ clarificata bñ itelligēti. ¶ Ulterius nota: ꝙ causa talis mot⁹ mali τ saltus cordis duplex ē i gñe: vt dic̄ rab̄ i suo ꝯtinēte. Jd̄ dicit in diuisioib⁹ suis. c. ꝑpo i fine. vna ē mala ꝯ° cal'a cordis cū maª seu i suis pellicul' mltiª rōne ocij vl' crapule excessiue: puta i venis ei⁹ τ ex in positatib⁹ ei⁹ p viā resudatōis ꝑ viā plecto ip sius capsule. ¶ Alia ē mala ꝯ° fria cū maª apōsa aq̄sa l' dura l' hūorali l' vētosa i capsula cordis seu in suis pellicul' multiª sil'r rōne ocij inassueti vel crapule ciboꝝ maloꝝ τ male patoꝝ. Jsta tal' maª stat ibibita in positatib⁹ sic̄ in tunicis ocl'oꝝ caligi nosoꝝ: verū talis capsula de possibili apāt apate aq̄so. est vna vesica plena aq̄sitate: vt recitat Ga⁹ 5. de inte. i. c. p̄° de simia sua qd̄ ē ita possibl'e i hoi bus sicut in simia. Et de possibili apāt qd̄ g̃ssitie dura ac si pellicl'a sup pellicl'a eēt vnita: vt rcitat Ga⁹ de gallo suo in eodē loco qd̄ est ita possibl'e in hoibus. Jn veritate vidi nō est diu in corde cu iusdā comitis q̄ fuit apātus q̄ndā grossitiē carnosam τ villosam semipellicl'osaz ad q̄titatē nucis iuxta cor iter cor τ capsulā iherentē cordi plusq̄ capsule τ p vnū annū fuit demacerat⁹ mltū vltra suā naturā corpulētā ꝑpter quā demaceratōez sine cā mlta multi dubitabāt ipm fuisse potōnatū ꝑpter qd̄ pz tibi difficultas artis: optet nos loq̄ sup cā nō sensata nisi ex q̄busdā signis extrisecis opinatis. ¶ Alteri⁹ nota cardiaca pa° que ē cā tal' mali mot⁹ τ salt⁹ cordis τ iectigatōis duplex est q̄dā fit a mala ꝯpl'one cū maª hūorali vel apōsa vel vētosa cal'a vl' fria in capsula cordis mltipli cata: vt est dc̄m rōne ocij iassueti vel crapule magne vel p viā catarri s̄ capsulā cadentis p vēas pul monis: vt ꝯtigit anthimeron medico rōno q̄ pri° passus est materiā g̃ssam invenis pulmonis facientē sibi duritiē anhelit⁹ et pulsus postea matia illa fuit expansa in capsula cordis τ fuit fact⁹ cardiacus: vt recitat Ga⁹. 4. de inte. in. c. vlti° in fine ca¹. Jd̄ dicit. 5. de inte. in ca° p̄° in pn°. Jsta talis passio cū matia cal'a vel fria hūorali vl' apostemosa dicta in capsula mltiplicata d̄r cardiaca vera a modernis nr̄is. q2 cā est in ipa capsula magis cōiūcta. ¶ Alia est cardiaca passio q̄ est causa tal' mali mot⁹ τ saltus cordis τ iectigatōis q̄ fit a sanguine: vl' colera adustis venietib⁹ p viā fluxus ab epate splene: vl' vēis advenas dyafragmatis τ ad receptacl'a cordis τ venas capsule faciēdo saltū τ malū motū in dyafragmate τ corde τ partibus cordis caus iā dictis: vt dic rab̄ in suo ꝯtiᵉ. Jsta est nocibilior τ deterior: vt dic rab̄ i suis diuisioib⁹. y° ista pl'es itfic i pox°. ppt suā horribilitatē τ venenositatē maᶜ mltice aduste. Un⁹ mgr fuit mortu⁹ in mōtepessulāo tpe meo. Jsta cā inest multis sā guineis τ epatiq̄ splenetiq̄ venos semiadustis q̄ curāt τ p̄seruāt cito flōijs reiteratis mltiplicatis et ꝯtinuatis regimie attenuatio: dic̄ rab̄ ibid̄. Uel fit a fumis eleuatis a maª sto¹ pūgitia pūgēte τ mordēte orifiᵐ sto¹ τ effumāte ad supi⁹ ppt quā effumatōez τ ꝯpassionē orificij rōne vicinitatis et colligā cū corde cor titillat τ titubat .s. i suo motu: vl' fit a fumis eleuatis rōe ṽmiū mordētiū orificiū sto¹ ppt quā effumatōez τ cōpassionez cord̄ ꝯsil'r patit: vt ē dc̄m τ p eūdē modum fit a morsu aialiū venenosoꝝ vl' fit a discrasia τ fumositate totius corpis put ꝯtigit febrib⁹ q̄busd̄. cū ista cā stat sudor frigid⁹ dyafroretic⁹ τ iste occurrit plu ries i febrib⁹ pestilētialib⁹ τ i ꝑpinq̄s morti talis cardiaca facta istis modis d̄r cardiaca nō vera a modernis: q2 cā nō est ꝯiūcta cordi. Notū est bñ itelligēti ex declaratis ꝙ tal' mal⁹ mot⁹ cordis tremulosus vl' iectigatiu⁹ vl' saltus ei⁹ p morbo descripto ē pa° pnci capsule cordis: τ ꝯn̄r cord̄ per colligātiā ei⁹. Et h̄ vult Ga⁹. 5. de inte. c. p̄°. verū Aui. intēdit in 3°. τ Rab̄ in suo ꝯtiᵉ. ꝙ alia ē pa° cord̄ pnci qñ ē mala ꝯ° cal'a febril' cū maª. vel sine maª resoluēs spūs cū sudore frio dyaforeᶜᵒ vt in aliq̄bus ꝑpinq̄s morti a mala cal'a cordis in aere calidissimo l' in ethica vl' ptisi. Et ē sp p colligantiā isti⁹ mēbri vl' illi⁹. vt ē dc̄m in se p morbo descp̄to ē mala ꝯ° cal'a cū maª τ ē ibi morb⁹ i receptacl'o i se aut tal' salt⁹ seu mot⁹ mal⁹ titilic⁹ seu iectigatiu⁹ ē nocuᵐ seu mal⁹ mot⁹ vital' cordis τ p morbo descripto ē pa° pnci noces ṽtuti vitali cordis ꝯn̄r alioꝝ mēbroꝝ: vñ tal' pa° via ē ad sincopi sic̄ sincopis via ē ad mortē vt ē dc̄m nec sit tibi mirū ꝙ ois maª mala venit ad ptes illas p viā flux⁹ seu catarri vl' p viā effumatōis: vt i pn° paroxismoꝝ nō faciat saltū cordis seu tremorē q2 materia q̄cūq3 effumās nō est sufficiēs ad h̄ rōe tāte maliciei nᶜ q̄titatis faciēs illā oppressiōez cord̄ in fe. q̄busd̄ pestilētialib⁹ vl' alijs l' in fumo eleuato a co. prassina vl' eruginosa icipiēte ebulire putrescere posset h̄ ꝯtigere: τ ꝯtingit de facto ꝙ fumus ide eleuat⁹ ad cor fac̄ saltū cordis τ ei⁹ motū iectigatiuū seu titillicū in q̄busdā tertianarijs in q̄busdā colericis adustis: in q̄busdā rōne discrasie mouet aliq̄ portio colere eruginose τ fac̄ paroxismū: q̄si sincopalē y° cū pulsu tremuloso h̄ vidi in trib⁹ colericis adustis discrasie tpe meo q̄ moriebantur de tertiana ratiōe motus colere prassine τ eruginose. de quo quidam ignorantes causam mirabantur: ꝙ non est mirabile.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

Istis clarificatis cura treo-
ris cordis
seu iectigatōis seu salt⁹ cordis ꝛ titillatio cordis
tibi patescit. Prius͛ aūt ꝙ in cura ꝓcedas scire ꝛ
ↄsiderare oꝫ quā spēm cardiace passionis cor pa
tit͛ si verā l͛ nōverā. ꝛ si verā quā patit͛ ꝛ colligātiā
q̄ capsula cordis ꝛ patit͛ modū ḡnatōis sue pas-
sionis: q: in h͛ cura diuisificat͛ ¶ Si q̄s ḡ motum
tremulosū l͛ saltū cordis patit͛ de maª aq̄sa i āpla
ḡnata i cordis capsula vl͛ de maª ḡssa villosa l͛ pel
liculosa trumbosa ꝛ indurata ꝑ moduꝫ apar̄ q̄ꝺ
patescit: q: tal͛ mot⁹ tremulosus ꝛ salt⁹ cordis seu
mot⁹ titillicus iiectigatiu⁹ ē q̄si ↄtrari⁹: q: cā vni
formis sꝑ approxiat͛ cū pulsu duro ꝓpt͛ oppressio
nē cordis ꝛ arterie et patiēs ex h͛. q: ↄtinue ledit͛
in actōe cordis ↄtinue demacerat͛ ꝓpt͛ actōꝫ cor
dis n̄alē debilitatā. Cura hui⁹ tal͛ impossibil͛ est: s͛
iuuabim⁹ cor ꝛ pectoralia cū inūctōe pectoraliū
cū anodinis ꝛ exerciº moderato ꝑtiū pectoraliū
inungātur ḡ sibi pectoralia cū ol͛o cisamio i dua
bus ꝑtib⁹. ꝛ tertia ꝑte ol͛i camoᶜ. vl͛ aneti l͛ amigꝺ
dulciū: sero ꝛ mane ꝛ faciet exercitiū debitū i pe-
ctoralib⁹. Dentur sibi vitella ouoꝝ tremula c̄ mo
dico zuccaro in itroitu lecti loco electuarij. vel dē
tur sibi de dyābra duo boli de māe ꝛ sero sine po
tu. Utat͛ lacte capº in q̄ lapides fluuial͛. sint exti
cti: vl͛ ꝙ paꝝ decoquat͛. Utat͛ ordeato auēato cū
sar̄ de zuccº i cena: vl͛ in fine ꝑādij carnib⁹ volati
liū eduli: ꝛ mutōis si tp̄s tēꝑatū fuerit balneet͛ i
aq̄ tepida semel in q̄ndena an̄ cenā ꝑ vnā horaꝫ
vel de mane. ¶ Si q̄s motū tremulosuꝫ seu titil
licū vl͛ saltū cordis habuerit ex maª aliq̄l͛r cal͛a i
capsula corꝺ m͛ltiplicata ex ocio corꝑali ꝛ ex cra
pula excessiua: q̄ꝺ patescit. q: tal͛ est corpulēt⁹ sā-
guine⁹ fuit sar̄ colorat⁹ cū velocitate pulsus cū v̄ri
nis colorar̄ i pectoralib⁹ ꝺ facili icurrere difficl͛ta
tē āhelit⁹ viuens i ocio corꝑali ꝛ i crapl͛a ꝛ ledit͛
ꝑoxisinal͛r ꝛ freq̄nt͛ ex tali malo motu ꝛ saltu corꝺ
eūdo fortit͛ potiᵐᵉ ascēdēº i altū. de ↄsiº raḃ i suo
ↄtiᵉ. ꝛ ga⁹. 5. ꝺ int̄. i cº. ṗº. circa finē. ꝛ aui. in 3º.
can̄. flōet͛ tal͛ ꝺ basiᶜª brachij sinistri pl͛ies ꝛ tene
at regimē attenuatiᵐ sumat dūtaxat ꝺ vno fercl͛o
i mēsa ꝛ paꝝ cenet pl͛es curati sūt cū solo h͛ ꝛ ꝑ̄s-
uati. ꝛ si tal͛ flōia fieret ꝺ vēa iferiori pedū. al͛ii m͛l
tū laudat raḃ i suo ↄtiᵉ: ꝛ mutet se de regiōe cal͛a
ad friaꝫ faciēº exercitiū ↄuemēs sꝑ an̄ cibū: q̄n̄ꝗ
icipiat paꝝ sudare ex h͛ māifeste iuuabit͛ n̄a. Et su
mat an̄ tales flōias bis l͛ ter c̄ aq̄ ꝛ 3ª. ꝑte vini cla
ri. ʒ. ij. aloes citriⁱ mirre. ʒ. ß. croci siluestrj. ℈. ß. f͛ pl͛
uis: si nō ꝑt potare sumat in pill͛is. Et q: i talib⁹
s͛t supfluitates aliq̄les flāᶜᶜ i pectoralib⁹: ꝛ i stoº

eēt sar̄ sibi ↄueniēs sumere cassiār̄: vl͛ mānā l͛ de
pill͛is de agaᶜº. ʒ. ij. verū q: agaric⁹ ↄmouet ma-
teriā i pectoralib⁹ iduc͛ tremorē cordis assellāº: iō
ē ꝑiclin. Iō da. ʒ. iij. yeraṗ ga͛ dissolute cū aq̄ ꝺco
ctōis absinⁱ recer̄. Ista yeraṗ. laudat͛ m͛ltū a rasi
ēpl͛et͛ ꝛ epithiet͛ cor. Si cor sit m͛ltū cal͛m q̄ꝺ ꝑꝫ
ex pl͛su ꝛ v̄ria͛ ꝛ hitudie corpoꝝ: ꝛ ponat͛ s̄ māmil
lā sinistrā c̄ sanꝺ puluerizar̄ ꝛ roḃ ꝛ spodio ꝛ aq̄
roḃ. ℞. sanꝺ al. ꝛ ru. an̄. ʒ. ß. roḃ ru. ʒ. ij. cāfore. ℈.
i. spoⁱ. ʒ. i. aq̄ roḃ. ℔. ij. aq̄ plātagi vel portuᶜᶜ aceti
ʒ. i. misceat͛ f͛ epithia s̄ cor de mane in aurora ap
plicet͛ bis l͛ ter: vl͛ f͛ vngᵐ tale si multū cor sit ca.
℞. olei roḃ vnfācini. ℔. i. olei nenuf̄. ℔. ß. sanꝺ al.
ꝛ ru. subtiᵐᵉ puluerizatoꝝ an̄. ʒ. iij. cāfore. ℈. i. co-
ralli ru. ʒ. ij. spoⁱ. ʒ. i. cere ꝙ suffic͛. f͛ vngᵐ liq̄ꝺ de q̄
inūgat se al͛n de mane vl͛ de sero i pectore remol
liat͛ ꝑ pausaꝫ bugloḃ. i vino suo vel i aq̄ cum qua
liphat vinū l͛ liphet͛ viᵐ ꝺ aq̄ distillata buglosse
ꝛ da sibi isuꝑ in itroitu lecti duo cocleaª succi bu
glosse ꝛ sꝑ vtat͛ boragib⁹ ꝛ buglossa i potagijs ꝛ
vtat͛ isto electuaº de mane stoº ieiuº. ℞. buglosse
sicce exsiccate i vmbra ꝛ subtil͛r puluizate. ʒ. ß. ba
silicōis gariofilate de rōici roḃ. an̄. ʒ. ß. limat͛e au
ri ꝛ argēti an̄. ʒ. i. cerisi crudi. ʒ. ß. coralli ru. ʒ. i. spo
dij se. lactuce enꝺ portuᶜᶜ an̄. ʒ. ß. musci fini. ℈. ß. si
videt͛ pone de cāfora. ℈. i. panis zuccⁱ. ℔. i. ꝛ ß. aq̄
buglosse l͛ succi q̄r̄. i. f͛ electᵐ i bolus pauꝑib⁹ fa
cim⁹ pl͛uerē de buglossa exsiccata i vmbra cū 4ª
ꝑte coralli ru. l͛ 3ª. ꝑte det͛ cū moᶜº vini clari lipha
ti cū aq̄ roḃ de mane vl͛ de sero an̄ cenā in itroitu
lecti. vitabit spēs allia: cepas: vinū purū. lac ace
tosū exc͛to butiro. vꝫ sibi i potu suꝑ diē loco vini vl͛
aq̄ ordei: vel sir⁹ viol͛ vel rosace⁹. cū. i. cocleari fit
vna tacca plēa aq̄. Uel det͛ sibi. i. coclear pulūis
seq̄nr̄ cū moᶜº vini ꝺ mane. ℞. se. lactuce. se. enꝺ
se. portuᶜᶜ spoⁱ sāꝺ coriādri sicci ꝛ ꝑ̄ꝑati buglosse
basilicōis coralli cacaḃ margar̄. an̄. ʒ. ij. f͛ puluis
det͛ vt dc̄ꝫ ē: ꝛ vtat͛ regimie frio. Raḃ vult i 9º ꝙ
sumat de trocisq̄ de cāfora de māe c̄ succo ḡirato l͛
cū aliq̄ aq̄. ¶ Et si q̄s talē motū tremulosū titilli-
cū habuerit a maª aliq̄l͛r fria i capsula corꝺ m͛lti-
plicata ex ocio corꝑali vl͛ ex crapula excedēti per
viā indigōis q̄ꝺ rari⁹ ↄtigit ex tali discrasia fria.
q̄ꝺ patescit ex signis ↄ̄rijs s̄ dicr̄ q: talis ē corpu
lēt⁹ flāticus de facili. ꝛ c̄ moᶜº forti motu icurrit
difficultatē āhelit⁹ viuēs i ocio corꝑali ꝛ i crapl͛a
vl͛t solitū cū v̄rinis remissis ꝛ ledit͛ ꝑoxisinal͛r ex
tali malo motu ꝛ saltu corꝺ eūdo fortit͛ ꝛ laborāº
De ↄsiº raḃ i suo ↄtiᶜ teneat regimē extenuatiᵐ.
cōedat ꝺ vno fercl͛o dūtaxat paꝝ isuꝑ n̄ potet int͛
duas cōestiōes. vtat͛ exerciº bono an̄ ꝑādiū ꝛ an̄

cenā vtat̄ ſtupḣis ſiccis. Sumat bis in anno. ʒ.i.
ß.caſſieꝶ diſſolute i decoctōe prunoꝝ vuaꝝ paſſ:
caricaꝝ iuiube ſebeſten ꝓut pl'ies poſui i cᵒ ꝺ ca
tarro ⁊ de pl'reſi.vel ſumat.ʒ.x.bone yerap̄.ga'diſ
ſolute cū decoctōe abſin'. Et etiā raſ multū lau⸗
dat i maᵃ flāᶜᵃ ⁊ co.groſſa pill'de agaᶜᵒ bn̄ valēt
i doſi.ʒ.ij.ß ꝯmouēdoˈmaᵃᵐ i capſula aſſellāᵒ ſin
copizāt al'nvidi ß de facto. iō lıbēt effugio ſi mo
rereꝶ i tali ꝑoxᵒ eēt horrēꝺ. Sūat de mirab.nigr̄
l'kebul'ꝯdit̄ bis i ſeptiaᵃ ꝺ māe i aurora:potet.ʒ.
i.garioꝶ maſculioꝝ tritoꝝ ⁊ diſtempatoꝝ c̄ lacte
vaccio:l'ouio faciat ß pl'ies ⁊ ſūat vnū coclear pl'
ueꝝ ſeq̄nt̄ c̄ vino liphato ꝺ mane. ℞.bugloſſe ex
ſiccate i vmbra ozimi gariofilate nuc̄ muſcate ⁊
indice derōici roſ.'an̄.ʒ.ß.pāis zuccˡ.ʒ.i.ß.ꝶ pul⸗
uis de q̄ vtat̄ vt ē dc̄z:vtat̄ meliſſa bugloſſa bora
gib⁹ i potagijs ſuis. Vtat̄ dyābra dyamuſco me
tridato vno:vl'alio q̄lz die. Raſ vult i.9.almāſoꝝ
ꝙ vtat̄ q̄lz māe ꝺ trociſc̄ muſcat̄.receptā pōit ibi
ſūt bn̄ ad ꝓpoᵐ. Vel faciāt puluerē de ill' ⁊ vtat̄
q: bn̄ ſt̄ oia ad ꝓpoᵐ. Vtat̄ bugloſſa remollita i
vino vel i aq̄ cū qua liphabit vinū:vl' liphet vinū
cū aq̄ diſtillata ei⁹:eodē mō vtat̄ baſilicōe ſpālit̄
fol'latoꝝ. Vel iſto electᵒ tali.'℞.pl'ueꝝ leticie ga.
pulueꝝ dyacaparꝝ. an̄.ʒ.i.cardamōi ʒʒ' al. raſure
eborꝝ raſure cornu maroſcoroſ ſeu vnicorni an̄ ʒ.
ß.garioꝶ galāge zedoarij yſoˡ an̄.ʒ.i. nuc̄ ambre
an̄.ʒ.ß.limature argēti.ʒ.ß.limature auri.ʒ.i.ſeri⸗
ci crudi.ʒ.ß.floꝝ boragꝭ ⁊ bugloſſe an̄.ʒ.ß.aq̄ me
liſſe q̄r.i.⁊.ß.pāis zuccˡ.lb.ij.ꝶ electᵐ ¶ Et ſi q̄s
talē motū tremuloſū ⁊ titillicū ḣūit in corde ex vē
toſitate i capſula l'circa gn̄ata.qꝺ pateſcit ex ve
locitate reſolutōis ei⁹.nā i ſpaᵒ vni⁹ l'duoꝝ pr̄ nr̄
euaneſcit ⁊ pateſcit ex leuitate laborꝭ ⁊ ex paucita
te diūſitat̄ i pulſu.vtat̄ electuarijs dict̄ ſtati in cu
ra tremorꝭ ⁊ titillatōis ꝺ cā fria ⁊ pl'uerib⁹ final'r
oia q̄ dicta ſūt i cā illa ſt̄:q: tal'cā vētoſa cāt̄ a ca⸗
lore claudicāte. Jō vna erit intēᵒ curatia ¶ Et ſi
q̄s talē malū motū tremuloſū ⁊ vt titillicū ḣūit in
corde ex ſuꝑfluo ſan.cal'o ⁊ aduſto veniēte ab e⸗
pate l'ſplene ad cor ꝑ venas dyafragmat̄.vt dicit
raſ i ſuo ꝯtiᵉ ꝓpt̄ qꝺ icipit ſalt⁹ ⁊ mal⁹ mot⁹ i dia
fragmate fieri. Qꝺ pateſcit ex ſignis calitat̄ ⁊ i⸗
flāmatōis i eis ſt̄ epatici:ſpleneᶜⁱ.colici i exceſſu
ſemiaduſti c̄ veloci ⁊ mag̃ pulſu i alia hora. Iſta
cā tremorꝭ peior ē ⁊ magꝭ mortal':q: ſanguis adu
ſtus inl'ic⁹ hʒ rōez veneni.ß itēdit raſ i diuiſioni
bus ſuis in fine caˡ Iſti curēt̄ ꝑ flōias reiteratas
ſic in tremore ⁊ titillatōe a cā cal'a inl'tipliᵃ in ca
pſula cordis ⁊ pl⁹ regio cal'a ē eis nociua ⁊ muta
tio ad regionē friam.eis inl'tū ꝯpetit; ſi naūt regi

men illoꝝ ſuppleat illud ſi tranſferri non pn̄t ad
aliā regionē teneāt regimē infriatiuū ⁊ hūectati⸗
uū cū dieta hūectatia ⁊ attenuatia ⁊ exerciᵒ ꝯue
niēti ex balneo aq̄ tepide ſemel in q̄rtale āni: vta
tur ſero capno c̄ ſene ⁊ epithio ⁊ vtat̄ mirabol' ni
griſ vl' inꝺ ꝯdit̄ ⁊ alijs remedijs dict̄ i cura inl'ie
paſſiōis.⁊ vtant̄ bugloſſa vt ē dc̄m in alia cauſa.
¶ Et ſi q̄s tremorē vl'titillatōez cordis habuerit
ex hūore colerico pūgēte ⁊ mordēte orificiū ſtoˡ.
multū ſenſibilis ex ꝯpaſſiōe cui⁹ ⁊ ex effumatōe
cor patit̄.qꝺ pateſcit ex diſpōne corꝑis colerica
ſitibūda iraſcibili venoſa vrinis tinct̄ ſirupet̄ cū
ſirupo acetoſo ꝯpoſito i duab⁹ ꝑtib⁹:⁊ in ʒᵃ. par
te ſirupi abſinˡ.ꝯn̄r purget̄ cū caſſiaꝶ cōi.⁊ reub.
vel cū yerapig̃ diſſoluta:vt dc̄m eſt.⁊ poſt purga
tionē ſirupet̄ ſil'r ꝑ tp̄s vtendo bugloſſa:vt ē dc̄m
ſuꝑius:q: ex ſui natura valet quoq̄modo admi⸗
ſtrata.⁊ ꝑmutet̄ in aerē frigidū:⁊ vtatur acetoſis
⁊ aceto ⁊ non obliuiſcaris epithiata frigida nec
vnguēta frigida nec alia dicta ſuꝑius in cā cal'a
multiplicata in capſula cordis:nec alia tibi expli
cata. ¶ Et ſi quis talez motū cordis habuerit ex
materia frigida in ſtoᵒ puta ex fl'ē viti co.qꝺ pate
ſcit ex diſpōnibus ⁊ ſignificatōibus ⁊ appetitu ſi
gnificātib⁹ ſuꝑ tali diſpōe ſtoˡ ſirupet̄ cū oxielle
diuretico l'ſquilliticoˀ ⁊ cū potu yerapigᵉ ⁊ alijs re
medijs dict̄ in cura tremorꝭ de cā fria inl'tiplicata
in capſula cordis.nam oia ibidē poſita ſunt ꝯue
niētia i iſta cā.iō ibi recurre ex intētōne ꝑncipali
¶ Et ſi quis tremorē ſeu malum motū in corde
habuerit ex lūbricis accedentib⁹ ad ſtomachū ⁊
mordentib⁹ ipm.qꝺ pateſcit ex dolore pungitiuo
in orificio ſtomachi ⁊ ex diſpōnibus alijs ſignifi
cantib⁹ ſuꝑ vermes:vt q: puer guloſus vtēs fru
ctibus. Dent̄ ea que faciūt cōtra vermes ſe. lum
bricoꝝ non cōquaſſatū:nec remollitū in acetō: ß
ꝑ ſe detur cum ficu vel modico mellis ⁊ nō come
dat de duabus horis in craſtinū detur.ʒ.i. aloe ci
cotrini cum decoctōe abſinˡ:dando ⁊ exequēdo
illa q̄ dicta ſunt in cura tremorꝭ de cā fria in ſtoᵒ i
capſula. ¶ Et ſi q̄s talē motū cordis tremuloſuz
ex punctura ſcorpionis vl'alterius aialis habue
rit:qꝺ pateſcit det̄ ſibi tiriaca q̄lz mane ꝑ.x.dies:
⁊ dent̄ ſibi pulueres ⁊ alia que dicta ſunt in cura
tremoris cordis de cauſa frigida. nam ſimil'r ta⸗
lia venena frigida ſt̄. Jdeo vtat̄ tyriaca metrida
to et dyambra. ¶ Et ſi quis tremorem cordis
habuerit ex diſcraſia calida : forti et fumoſitate
totius corporis et quibuſdam febribus peſtilen
tialibus:dietetur prout in acutis fe. eſt facien dū
⁊ ſirupetur cum rob de pomis ; ⁊ cum ſirupo de

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

acetositate cicer⁊ ⁊ oriza^a simplici ⁊ sir^o limonū nā tal' salt⁹ cord̄ cōit fit ex discrasia cord̄ ignea: c̄. aliq̄li fumositate horribili semivenenosa ⁊ pōat istud emplin s̄ pectus poti^me s̄ mamillā sinistrā ℞. farine ordei. p. ij. farie fabar⁊. p. i. sand̄ al. ⁊ ru. an̄. ʒ. ij. cāphore. ʒ. ß. aceti q̄rt. aq̄ ros̄ qd̄ suffic̄ mi sceat̄ i mod̄ empl'i liq̄di de q̄ ponat̄ vna portio s̄ mamillā sinistrā sepe r̄nouādo postq̄ fuerit exsic catū: verū cor patit̄ interdū malā ɔpl'onē q̄ lʒ nō sit sufficiēs ad saltū ⁊ tremorē cordis ē via tñ ad h̄ sic̄ tremor: ⁊ salt⁹ cordis ē via ad sincopi: vt dic̄ Rasis i suis diuisiōib⁹. Jō curet̄ ex intēto tal' ma^a ɔ^o an̄q̄ veniat ad illā malitiā. Signa tal' male cō pl'onis Rasis ponit ibi in loco alle^o.

¶ Capitulū de cura fastidij.

Ecura

fastidij abhoiatōis et nausee sto^i. Nō: q̄ ista tria dicūt angustiā ⁊ ḡuitatē stoma^i ⁊ hn̄t ɔueniētiā: q: oia dicūt mihi malū motū expulsiue orificij sto^i: q: tremorē ipi⁹: vt dice. et hn̄t dr̄iam iter se: q: fastidiuʒ ⁊ abhoiatio dicūt maiorē ḡuitatē ⁊ minorē malū motū sto^i q̄ nausea. ¶ Alteri⁹ nō: q̄ ista tria dicūt malū motū: q: tremorē orificij stomachi. 3^o. de mor^o. i cap^o. 6^o. naʒ stantib⁹ istis sto⁹ eq̄lit̄ tremet ⁊ mouetur in se ꝑm h̄m plus ⁊ min⁹ ad expellēdū nociuum q: i nausea plus verū sūt ꝑui mot⁹ in n̄ales sto^i. et sunt debiles mali motiue expulsiue respectu vomit⁹ ꝑpt̄ nocu^m ɔtētiue ⁊ ꝑ ɔn̄s digestiue. 6^o. de mor^o in. c. 3^o. nā q̄n ɔtētiua nō apphēdit h̄m vtrū q̄ʒ angulū digtia nō bn̄ digerit q: obiectū nō bn̄ cōtangit̄ a v̄tute digtia sto^i. ¶ Alteri⁹. nō: q̄ isti tremores sto^i seu d̄biles mali mot⁹ expulsiue h̄m plus ⁊ min⁹: vt dc̄m fuit ꝓpter materiā ɔtētā ⁊ in viscatā in villis sto^i in p̄ma tunica: vl' inter duas tunicas: ⁊ ista talis ma^a aut ē cal'a a dn̄io qd̄ est vt pl'imū. tūc ɔcomitat̄ sitis aliqual' rubor faciei ɔ^o colica vl' sanguiea: vel ē fria tūc cal'a nō cōcomitant̄. Notū ē q̄ tales mali mot⁹ ꝓ morbo desc̄pto s̄t passiōes. orificij sto^i: ⁊ ē ꝑ colligātiā vēit ꝑ indigōnem vl' ꝑ fluxū ma^e aliūde poti^me ꝑ viā catarri ⁊ ē morb⁹ i receptacl'o i se aūt sunt mali mot⁹ expulsiue: lʒ debiles i respectu vomit⁹ q: s̄t q̄si vomit⁹ icipiēs. Jsti mali mot⁹ s̄t nocu^m expulsiu e sto^i: q: mala actio ipi⁹ ꝓ morbo descripto est nocu^m regitiue n̄alis: puta digtie sto^i ⁊ mēbri mā da nr̄ si ma^a aliūde venerit ⁊ ꝓ morbo d̄scripto ē passio expulsiue orificij stomachi p̄ncipal'r.

Jstis clarificatis Cura hor⁊ tibi patescit. Prius aūt q̄ in cura ꝓcedas scire ⁊ ɔsiderare oportet cām talis ḡuitat̄ ⁊ mali motus sto^i si est cal'a ul' fria a dn̄io. ¶ Et si q̄s fastidiū seu abhominatōeʒ seu nauseā ex cā cal'a habuerit qd̄ patescit. q: aliqual'r ē sitibūd⁹: ⁊ ē sat̄ cole^cc ɔpl'ois ⁊ cal'e cū aliq̄li amaritudie oris. al'n de ɔsi^o Ga. 7. de igenio ca^o penulti^o vtat̄ mellicrato d̄ absin^o cū radicib⁹. ℞. cortiq̄ rad̄ fen^i petro infusor⁊ i aceto ꝑ horā vnā an̄. ʒ. ij. absin^i rc. m. ij. mell' albi despumati q̄rt. i. ⁊ ß. f̄ mellicratū bn̄ clarificatū ad lb. i. ß. large sumat q̄libʒ mane mediū gobellū tepidū sine alia mixtura renouādo dc̄m mellicratū de. 5. in. 5. dieb⁹. Loco hui⁹ sumat de isto sir^o. ℞. sir^i acetosi ɔpositi. lb. ß. sir^i de absin^o q̄rt. i. misceātur vtat̄ sero ⁊ mane cū aqua cicerū loco hui⁹ sumat de mane de colatur̄ cicerū rub. vbi sit modicū absin^i. Jstis fact̄ ꝑ aliq̄s dies sumat cassiā f̄. simplicē in ortu sol'. Postea q̄escat in lecto an̄q̄ cōedat ꝑ. 3. horas. ℞. prūor⁊ damaq̄ vuarū pass̄. mūd̄. ab arill' cariq̄ pingl̄ iuiub. sebest̄ an̄. p. ß. f̄ decoctio in duab⁹. lb. aq̄ donec redeat ad. lb. ß. in q̄ dissoluat̄ medull' cassief̄. ʒ. i. ß. f̄ potus Lo^o huius sumat i ortu sol'. ʒ. ij. puluis pig. Ga. cū aqua cicerū ꝓut Ga. in isto casu vtebat̄. vt dr̄. 7. de igenio in c^o penulti^o. Vtat̄ tal' patiēs salsa viridi acetosa vl' citrāgul' ⁊ extremitatib⁹ porci: pedib⁹ caprei cū aceto poti^me i cena. fabe cū cortiq̄ bn̄ coctis: vbi ponat̄ modicū aceti laudāt̄ ml'tū a Rasis in suo ɔti^e i fastidio nausea ⁊ abstinē^a talib⁹ sil'r ɔpetit. ¶ Et si q̄s talia patiat̄ de cā fria qd̄ patescit ex signis ɔrijs dict̄. vtat̄ oximelle diure^co vel squilli^co cū aq̄ cicerū rub. postea vtat̄ cassiaf̄ simplici dicta. vel puluere pig. addēdo i q̄lʒ sumptōe ʒ. ß. turbith al. ⁊ gūmosi pulueriʒati ʒʒ^i an^i an̄. ℈. ß. Jstis addit̄ dab. ʒ. i. ⁊ ß. puluer̄ pig^e cū isto turbith stuphe sto^o ieiuno sat̄ eis ɔpetūt ⁊ exercitiū an̄ comestionē. Loco horū in q̄cūq̄ʒ cā aliq̄ dant medicinā simplicē vomicā ℞. aque decoctōis raphani squille. sc. attriplic̄ q̄rt. i. oximell' squillitici. ʒ. i. aceti. ʒ. ß. pilor⁊ croci quattuor olei cōis. ʒ. i. ß. misceātur detur: post prandium ꝑ horam.

¶ Capitulum de cura vomitus.

Ecura

vomit⁹. ¶ Nō: q̄ vomitus ē malus mot⁹ expl' siue natural' sto^i. 6. ⁊ 5^o. de mor^o. c. 3^o ⁊ cātur tal' mala ⁊ violēta actio expulsiue n̄al' sto^i ꝓpter rem malā existem i ɔcauo sto^i Verum talis materia hʒ diūsos gradus in malitia. vn̄ vomit⁹ q: fit ex cibo sordido: vel' ex matia humorali mala non est statim restringend⁹. nisi facta expulsione competēti talis materie nociue tunc confortatur stomachus vt dicetur. ¶ Notū

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)

est q̄ vomitus ꝑ morbo descⁱpto ē passio sto'ꝯca
ui ⁊ orificij.⁊ ē ꝑ colligātiā rei extrīsece puta ma
loꝝ ciboꝝ vel maloꝝ potuū.veꝝ pōt esse tātū exce
dēs vt ī colica passiōe diceť qđ est ꝑ colligātiam
epať mittētis malā materiā colꝭcā ad fundū sto'
ꝑpter qđ fit vomit' excedēs ⁊ secessus talꝭ matᵉ
male colꝭce. ¶ Et ē morbus ī receptaclꝭo ꝑ mor
bo descripto.in se aūt ē mal' mot' ⁊ violent' ex-
pulsiue sto' ꝑpter qđ nocuᵐ seu mala actio ipi'
Verū vomit' est aliqñ sine magna grauitaᵉ ⁊ si
ne magna violētia nature ⁊ ꝑ eū acq̊riť sanitas
ꝑpter qđ nō dꝫ dici accñs morbi sed bona actᵒ
v̄tutis expulsiue naturalꝭ sto'.hoc cōcludit ga'3ᵒ
de morᵒ.aucte theofili in.c.penlᵒ.⁊ ꝑ morbo de
scripto ē nocumētū regitiue naturalꝭ puta digtie
ipius mēbri mādanť.Et ē passio ꝑ morbo descri
pto expulsiue naturalꝭ sto' q: illi infert passionez
ꝑpter qđ facit motū violētū: tñ puta ipm vomi-
tū ꝑ illo malo motu ē paᵒ naťaliū pectoraliuꝫ ⁊
capitis.nam caput ⁊ oculi patiūtur ⁊ organa sē
suū:vt notū est.

Istis clarificatis

cura vomitus tibi patescit. Prius autē q̄ in cura ꝓcedas:scire ⁊ cōsi-
derare oꝫ maliciā maťie ⁊ gradū in sui malicia ⁊
si materia talis est cōpetēter euacuata.⁊ si fe.cō
comitať vel nō.q: ī hoc cura diuersificať ¶ Et si
q̊s vōitū sine fe.đ q̄cq: maᵃ hūorali colꝭca vitelli
na ⁊ citrina eruginosa vel nigra hūerit tolerād'
est vomit' ꝑ aliq̄s horas: vt maťia aliqualiť ex-
pellať.ꝯñr sto' ꝯforteť exteri' ⁊ interi' sumat de
sirᵒ de ribes velꝭ de sirᵒ citonioꝝ vel mirtilloꝝ lꝭ de
sumach vel pomoꝝ acetosoꝝ:vbi sit modicū spo
dij ī clarificatōe.ʒ.ij. Vel sumat de sirᵒ mēte cuꝫ
aliq̊ hoꝝ q̄ sit vna portio capiat de istis cū aqua
pluuiali cocta.vel sumat duo cocleaᵃ alꝭi de hoc.
¶ ℞ succi maloꝝ ḡnatoꝝ musoꝝ.lꝭ.ß.succi mē
te q̄rť.i.decoquāť silꝭ vsq̄ incipiāt inspissari da ꝑ
se vel adde tertiā ꝑtem vel q̄rtā aq̄ pluuialꝭ bulli
te sumat bis vel ter in die.vel de succo citrāgulo
rū. ¶ Paupib' facim'. ℞.mēte re.ʒ.i.distēꝑenť
cū vino maloꝝ ḡnatoꝝ qđ sufficit.vel cū citran-
guloꝝ succo ꝭꝭ pot' vel cū aq̄ cisterne bullite cuꝫ
modico aceti. ¶ Rasis dicit ī suo ꝯtinēte q̄ ponā
tur extrēitates ī aq̄ fria:multū sedat vomitū.por
tulace valēt ad vōitū ⁊ fabe c̄ corticib' cocte vbi
sit modicū aceti valēt ad nauseā ⁊ vomitū. Raß
ī suo ꝯtiᵉ.silꝭr ponit poma acetosa cruda ⁊ assata
cū pasta laudanť a rasi ⁊ rob eoꝝ. Vtať pirꝭ co-
ctanis mespulꝭ sorb:ordeato pus tñ exsiccato q̄si
torrefacto.vtať carnib' volatiliū ꝑ capto assať cū
aq̄ roß ⁊ vino maloꝝ ī modico aceti in modū sal
samēti. ¶ Mirabolani ꝯfecti sibi valēt:dū tam̄
sint citrini ī maᵃ calꝭa vel kebuli.si flā cōicant:su
mat de mane añ die duos vel tres.ß cōtiuet duo
b' dieb'.ab extra ꝯforteť sto' infūdať tosta pāis
in succo mēte:postea supꝑgať pulꝭ.mastiq̄ desu-
per ⁊ stoᵒ supponať renouādo de trib' in tribus
horis.vel decoquať mēta coctaᵃ nō cōq̄ssata ī vi
no grosso cū.ʒ.ij.mastiq̄ cubebaꝝ spice.añ.ʒ.ß.plꝭ
uerizenť grosso mō ⁊ decoquāť silꝭ in dicto vino:
⁊ spōgia plꝭies ibi infusa calꝭa stoᵒ appliceť ꝑ ali
quas horas.postea pōt apponi de emplꝭis stati
dicť.vel appliceť in cā calꝭa istud emplꝭm supra
stoᵐ. ¶ ℞.psidie balaustie sumach añ.m.ß.de-
coquāť in aceto vel aq̄ cōquassať ⁊ ꝭꝭ emplꝭm su-
pra stoᵐ.in vomitu colꝭco nigro valēt spōgia vel
lana īfusa ī aceto fortificato. Raß ī ꝯtiᵉ. ī q̄cūq̄
vomitu excedēti laudat vētosas ī spatulꝭ lꝭ supra
stoᵐ sine scarificatōe ligatio extrēitatū īferioruꝫ
forť dolorosa silꝭr valet. Rasis in suo continente
¶ Et si q̊s vomitū sine fe.de maᵃ flāᶜᵃ hūerit:vt
pueri ⁊ silꝭes ēpleť sto' ⁊ inungať cū oleo nardi
no⁊ supꝑgať mastiq̄ subtiᵐᵉ pꝭluerizati. Vel sic
℞ garioꝭꝭ subtiliť puluerizať.ʒ.ij.tꝑenť ꝑ noctē
ī.ʒ.i.aq̄ coleť de mane ⁊ addať mastiq̄.ʒ.i.ꝭꝭ pulꝭ
q̊ aspgať supra stoᵐ p̄cedēte īuūctōe c̄ oleo ma-
stiq̄.silꝭr valēt ista īfusa ī succo mēte ī q̊ supꝑgať
pulꝭ mastiq̄ ⁊ stoᵒ appliceť.vlꝭ decoq̄ť mēte. m.ij.
roß.m.i.ī vino pais assi īfusi ī vino.ʒ.ij.ꝯq̄ssenť silꝭ
⁊ supꝑgať mastiq̄ subtilꝭr pulūizaᵗ.ʒ.ij.appliceť
vna ꝑs supra stoᵐ dū voluerꝭ cibare ipm.ī cā ca.
valēt ista si decoq̄reť ī aceᵒ ⁊ tosta īfūdereťꝭī aceᵒ
lꝭ deť vnū coclear succi m̄te c̄ duob' garioꝭꝭ pulūi
zať ꝭꝭ sero ⁊ mane añ cibū ꝑ duas horas.lꝭ deť si
bi mediū coclear rute sicce pulūisᶜ c̄ moᶜᵒ vini vlꝭ
deť sibi đ coriādᵒ p̄pato c̄ ruta sicca pulūizᵃ. Vel
deť sibi đ isto pulꝭ. ℞.garioꝭꝭ.ʒ.ij.ligni aloes.ʒ.i.
ꝭꝭ pulꝭ deť sibi mediū coclear c̄ moᶜᵒ vini añ cibū
ꝑ duas horas. ¶ Et si q̊s vomitū habuerit c̄ fe.
si ī pnᵒ poxꝭ fuerit bonū.iō nō ē restringēd' yᵒ ꝑ
uocād'.q: ex ß fe.cito curať.q: cā añte minorata
ña ē potētior supra materiā ꝯiūctā.iō fit pox' bre
uior.⁊ si ī fine poxisꝭ vel ī ei' statu vomitū hūerit:
nō ē restrigēd'.q: pᵒ de drījs fe.dic ga'.q̄ cā ma
terialꝭ ꝯiūcta poxꝭ intēdū expelliť ꝑ secessū:intēdū
ꝑ vomitū:q: grossa ñ bñ p̄t expelli ꝑ capita ꝑuaꝝ
vēaꝝ.ña faç qđ meli' ē.iō remittit eā ad ꝯcauum
epať:⁊ ꝑ ꝯñs euacuat ea ꝑ inferi' vlꝭ supi'.iō bo
nū ē. ¶ Et si q̊s vomitū hūerit cū fe.ꝯtiᵃ si ī pnᵒ
fuerit bonū ē sibi nō ē restringēdus nisi multuꝫ
excederet:q: talꝭ vomit' fit ex tali reꝑlꝭoe stōacha
i

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of the Biblioteca Nazionale Centrale di Firenze.
Pal. 23.B.7.1.17 (str.968)